Tool & Equipment QUARTERLY



2024 JAN-MAR

Call 901-300-4878

















DEDICATED TO HELPING YOUR BUSINESS RUN BETTER



The AutoZone® Tool and Equipment Team is here to ensure our customers are always satisfied. As our customer, you can expect fast, personalized and professional service. Our customer service associates have over 200 years of combined experience in the tool and equipment industry.

Call AutoZone® Tool & Equipment at 901-300-4878 for Questions Concerning:

- Equipment Selection
- Product Delivery
- Service After the Sale

- Product Availability
- Technical Support
- Ordering Capital Equipment

Call Your AutoZone® Commercial Sales Manager or Go to AutoZonePro.com

- To Place Orders for Parts, Tools and Equipment
- For Questions Related to Parts and Vehicle Accessories
- For Commercial Credit, Lease or Financing Information

Businesses can take advantage of IRS S-179 tax credits on equipment purchases. Contact your CPA for details.

FREE OVERNIGHT SHIPPING -



Free overnight shipping available to continental U.S. for qualifying orders of 70 lb. or less. Free overnight shipping excludes: liftgate fees, residential delivery, non-network carriers, and certain freight intensive items that are shipped FOB.

IMPORTANT INFORMATION ABOUT RECEIVING YOUR FREIGHT ORDER

The freight company will call 24 hours prior to delivery. It is important to take or return their calls to schedule delivery. Most items are shipped freight prepaid. (Limited access, residential, carrier surcharges, redelivery and storage fees are not included.)

OFFLOADING? Do you need:







- Items shipped via flatbed and most lifts will require a forklift.
- Palletized items including most capital equipment and tool storage require a liftgate or forklift.
- Drivers will not allow you to break down pallets and offload by hand.
- Inside delivery is not available. Product will be dropped as close as safely possible. Make sure your location is accessible to the truck and driver.
- DO NOT SIGN until you have inspected the freight and confirmed carton/ pallet count.
- Refuse shipment and/or notate any discrepancies or possible hidden damage on the bill of lading.
- DO NOT ACCEPT OR SIGN FOR DAMAGED ITEMS. Accepting and signing for a damaged or short shipment without notation releases the carrier and distributor from any claim or responsibility.
- Contact us at 901-300-4878 immediately with any questions or problems with delivery.
- For hidden minor or cosmetic damage, we may at our discretion, choose to send replacement parts.

ASK BEFORE YOU RETURN

Many of the Tool and Equipment products are covered by the manufacturer's warranty and will be serviced and repaired in the field.

Note: Most manufacturers require you to register your products with them before receiving support or service.

IF YOU HAVE OUESTIONS ABOUT WARRANTY OR RETURNS CALL 901-300-4878.

AUTOZONE® STORE MANAGERS AND COMMERCIAL SALES MANAGERS

Call Your Tool & Equipment Team at 901-300-4878 for Questions Regarding:

- Product Ordering and Availability Assisting Customers with Price Quotes Service After the Sale Help with Outside Buy/EPO Orders
 - Prices subject to change without notice. Prices do not include applicable taxes, vehicles, tires, rims, installation or optional equipment as shown. Please do not return purchases to the store. For information regarding warranty, repair, or any questions or concerns, call 901-300-4878.

To place orders or for pricing contact your AutoZone® Commercial Sales Manager. For product information, availability and product support, *call 901-300-4878*.

TOOLS AND EQUIPMENT IN THIS ISSUE:

	TUULS AND EQUIPM	MENT IN THIS 1990E:	
Air Compressors	Jacks & Hydraulics5, 9, 81-85, 116Jump Starters55, 57Key Machines126	Motorcycle Lifts 94 Oil Change 20-24, 116 Paint & Body 77, 117 Parts Washers 125-126 Power Tools & Accessories .77-80 Pressure Washers 127 Pullers 34-40, 45, 47, 50, 74, 113, 115, 117, 124 Ratchets 6-8, 133 Regulators, Filters, Drains 59 Rivet Tools 49 Safety Supplies 145-147 Scan Tools 11, 114 Shop Equipment 124-127 Shop Presses 124	Shop Supplies
	BRANDS IN	THIS ISSUE:	
ABAC	Dannmar 93-94, 99 Duralast 5-9 DSR 57 Drew Technologies 16, 114 Foods 105	Launch	QSP
Alemite 29 ALLDATA 10 ALLSTART 55 American Forge & Foundry 81,	Eagle	110, 112, 117, 139-140, 145 LITESTIX	Redline
83-85, 116, 124 Arrow Pneumatics 59 Associated 54-56 Astro 62, 85	Explorer 52 FIX-A-THRED 139-140 FJC Inc. 70, 76 Flexzilla 52, 64	logix 129 Mahle 29, 32, 66, 68 Manatec 101 Marson 49	Samson 29 SAS 145-147 Schrader 104 Schumacher 57
ATEQ	Forward Lift	Mastercool 16-17, 30, 43, 66, 68-76, 112, 114 MaxJax	Shark
BelAire	GreatNeck 51-52, 131, 133, 136, 138 Hardware Machinery 75, 144	MaxxMarka 32 Midtronics 54 Mighty Seven/M7 60-62 Milton 62	Slip-N-Grip 141 Solar 55 SP Tools 121 Steck 46, 49, 84, 143
Build-All	H&S Autoshot 117, 128-129 Hofmann 86-87, 89, 99, 101 Homak 4, 118-119	Mi-T-M	Streamlight
CanDo 11, 114 CEMB 88, 99 Central Tools 48, 107, 110 Challenger Lifts 85, 89-90,	Hunter Fans. 18 Ilco 126 Induction Innovations. 129 Ingersoll Rand 60-62, 97	0EMT00LS	SUR&R
94-95, 116 Champion Air Compressors 59 Champion Power Equipment 127	Ingerson Rand	128-143, 145-146 Omega Lift	TMR/The Main Resource 106 TOPDON 4, 11, 53-55 Traxion
Coats	107, 144 K Tool 63, 81, 121 Ken-Tool	Phoenix Systems 32, 111, 113 Plombco 108 Power Probe 47, 13 Pro-Cut 109	Turner Tanks 24 Tuxedo 77 UView 32, 73-74, 146
Crushproof Tubing Co	Lanair	Pro-Start	Viking 81-82 Water Works 125

NEW ITEMS & DEALS

Offers Good While Supplies Last Through March 31, 2024





UltraDiag 2-in-1 Diagnostic Scanner and Key Programmer

SKU 1368629 **TPDULTRADIAG**

• Full-System Diagnostics

Reset Functions: Oil, Throttle Adaptation, EPB, Steering Angle, DPF Regeneration,

ABS Bleeding, BMS and Airbag Key Programming Functions: Number of Keys, PIN Reading, Key Learning, Remote Control Learning, Delete Keys and All Kevs Lost



TOPDON®



See More **DIAGNOSTICS** on Pages 10-16

6 Piece Hose Clamp **Pliers Set**

SKU 1282734 27158

- Services Most Ring-Type or Flat-Band Hose Clamps
- · Clamps are Held Open with a Ratchet Locking Mechanism
- Includes: Regular Hose Clamp Pliers, Flat-Band Hose Clamp Pliers, Large Hose Clamp Pliers, Hose Remover Pliers, Angled Hose Clamp Pliers and Cable Hose Clamp Pliers

See More **COOLING SYSTEM** on Pages 30-32

72" RS Pro

Hutch, Black

SKU **1267961** HOMCOMB01

and Top



37 Piece Disc Brake Service Kit SKU **1125858** 25107

· Includes: Disc Brake Caliper Tool Set, Pad Spreader, Brake Caliper Brush, (8) Brake Caliper Hangers, (3) Bleeder Wrenches and One-Man Brake Bleeder Kit

See More **BRAKE SERVICE** on Pages 109-113



Tool Storage

- 24" Deep Drawers
- 100/200 Lb. Drawer Capacity
- Non-Slip PVC Drawer Liners
- UV Protected Finish
- · Constructed with 16 G Steel Frame
- · Lift Latch Drawer Pulls



Cabinets Available in












72" RS Pro Roller Cabinet with **Stainless Steel Top, Green**

SKU 1267935 HOM72RSPRCSG





See More TOOL STORAGE on Pages 118-121



35" 4 Drawer Slide Top Cart HOM35STCBK

• 31" (W) × 22.5" (D) × 38.875" (H)



HOMCOMBO1 or HOM72RSPRCSG

Service Cart with Locking Lid and Drawer SKU **512948** 24961

REG. \$249.99

See More **TOOL STORAGE** on Pages 118-121



ReadvSmoke™ Leak Detector SKII 744010

RED95-0400

- Pinpoint Intake, Exhaust and Other EVAP Leaks In Minutes
- Flow Meter Identifies Minute Leaks at and Below .010'
- Includes: (2) 2 Oz. OEM-Approved Vapor Producing Fluid,

EVAP Service Tool Kit, Halogen Inspection Light, Cap Plug Kit, Standard Cone Adapter and Storage Case

See More **DIAGNOSTICS** on Pages 10-16





Easy INTAKE RED95-0082

With Purchase of: RED95-0400

Prices subject to change without notice. Prices do not include applicable taxes, vehicles, tires, rims, installation or optional equipment as shown. Please do not return purchases to the store. For information regarding warranty, repair, or any questions or concerns, call 901-300-4878.

NEW Duralast tool storage

Duralast42 in. 4-Drawer
3999 Top Chest. Blue **SKU** 1354163

- 21-gauge steel construction
- 100 lb. soft-close full-extension drawers with liners
- Built-in power strip (4 outlets & 2 USB ports)
- 7,668 cubic inches of storage
- 400 lb. total weight capacity
- Combine with 1354168 (sold separately)
- 21-gauge steel construction
- 100 lb. soft-close full-extension drawers
- 5"x2" heavy-duty casters to support up to 1,200 lbs.
- 10,532 cubic inches of storage
- 800 lb. total weight capacity
- Combine with 1354163 (sold separately)



42 in. 9-Drawer **Tool Cabinet, Blue SKU** 1354168

Duralast

30 in. 5-Drawer **Mechanic's Cart BLUE SKU** 1354167 **BLACK SKU** 1354164



- High-capacity, full-extension ball bearing
- 90-degree lid opening with dual gas struts
- 15,000 cubic inches of storage
- 700 lb. total weight capacity

Duralast

30 in. 4-Drawer **Technician Cart BLUE SKU** 1354165

BLACK SKU 1354166



- · High-capacity, full-extension ball bearing drawer slides
- 90-degree lid opening with dual gas struts
- 12,600 cubic inches of storage
- 580 lb. total weight capacity

SPECIAL DEALS

Duralast

1/4", 3/8", 1/2" Drive 435PC Mechanics Tool Set

SKU 1089589



- Features 237 Chrome Sockets, 51 Wrenches, 42 Impact Sockets, 6 ratchets & more!
- The most tools for your money, all guaranteed for life

Duralast

1/4", 3/8", 1/2" Drive

335PC Mechanics Tool Set



- Features 210 Chrome Sockets, 41 Wrenches, 3 Ratchets & more!
- The most tools for your money, all guaranteed for life

Duralast

10PC 1/4", 3/8" Drive 10MM Socket Set SKU 582151





- The Duralast 10pc 10mm socket set takes the need of the 10mm socket, and provides a solution for any application
- · Chamfered lead-ins help to provide fast and easy placement of sockets and accessories onto drive

Duralast

12PC 3/8", 1/2" Drive **Brake Caliper Socket Set**



- · Bit sockets attach to drive tools, such as ratchet or breaker bar, providing a long handle for leverage
- · Full polished chrome finish socket easily wipes clean of

Duralast 9PC Triple Square Bit Set **SKU** 1077622



- Cold formed Alloy Steel socket base and S2 tool steel bit heat treated for superior durability and strength
- · Bit sockets attach to drive tools, such as ratchet or breaker bar, providing a long handle for leverage
- Full polished chrome finish socket easily wipes clean

NEW Duralast tools

Duralast 17" Pry Bar

SKU 1219649



Duralast 25" Pry Bar

SKU 1219650

- Steel striking cap designed for hammer striking, with shanks that extend thru the handle to the steel striking cap
- Angled tip gives increased leverage and access to confined areas
- Ergonomic dual material handle provides a secure, comfortable grip

Duralast

10PC 3/8" Thin Wall Impact Socket Set

MM SKU 1227805 | SAE SKU 1227807





- Thin wall design is 20% slimmer than standard 3/8 drive impact sockets
- 1/4" Hex x 3/8" Drive Adapter allows for use on 1/4" Hex Impact Drivers
- Chromium Molybdenum steel for strength and durability in impact use

Duralast

6PC Folding Nutdriver

MM SKU 1077623 | SAE SKU 1077630





- Offers all applications of a standard nut driver, but in a compact size
- Alloy steel shaft with a nickel chrome plated finish
- · Anodized aluminum caddie with black finish

Duralast 1/4" Drive 90T Encapsulated Ratchet

SKU 1227963



Duralast 3/8" Drive 90T Encapsulated Ratchet

SKU 1227962



- Hybrid Shield Technology Alloy steel core shielded with tough, glass-filled nylon
- Glass-filled nylon helps protect against temperature, chemicals, and corrosive environments
- 90 tooth design provides more precise ratcheting with only 4 degrees ratcheting arc

Duralast

1/2" Drive Torque Wrench 50-250 ft-lbs

SKU 1146659



- Factory calibrated to +/- 4% accuracy in clockwise
- 50 to 250 ft-lb range perfect for lug nut applications
- Twist collar locks torque setting in place and handle twists to easily set desired torque

Duralast

1/2" Drive Ratcheting

Breaker Bar - 24"



SKU 1327044

- This NEW Duralast Breaker bar Features a 45-tooth ratcheting head (with 8 degrees ratcheting arc)
- Includes reversing collar to change between tightening and loosening directions
- Flex head square drive rotates 180 degrees for access

Duralast

4PC Triple Square Bit Socket Set

SKU 582086



- Extra Long Shank Design for access to hard-to-reach triple square fasteners (such as seat bolts)
- Cold formed Alloy Steel socket base and S2 tool steel bit heat treated for superior durability and strength
- Full polished chrome finish socket easily wipes clean

Duralast Tools for the PROS

Duralast

6PC Flex-Head Ratcheting Wrench Set

MM SKU 569808 **SAE SKU** 569818



- 72-tooth ratcheting box-ends need only a 5° arc swing to turn fastener
- Feature off corner loading to prevent the rounding of fasteners
- Head flexes into multiple positions to increase access to hard to reach fasteners

Duralast **6PC Ratcheting** Wrench Set

MM SKU 569779 **SAE SKU** 570921



- 72-tooth ratcheting box-ends need only a 5° arc swing to turn fastener
- Feature off corner loading to prevent the rounding of fasteners
- Full-polished chrome finish easily wipes clean of oil and dirt

Duralast

1/4" Drive 100 **Position Flex Head Ratchet SKU** 565715

3/8" Drive 100 **Position Flex Head Ratchet SKU** 565718



- 100 Position Dual-Pawl design allows for a fine 3.6 degree swing arc
- · Head flexes into 6 positions to increase access to hard to reach fasteners
- Low profile head design

Duralast

7PC Impact Hex Bit Socket Set

MM SKU 1077628 **SAE SKU** 1077626



- Forged Chrome Molybdenum Alloy Steel for strength and durability in impact use
- Chamfered lead-ins help to provide fast and easy placement onto fasteners
- High visibility size markings laser etched into sockets

Duralast

5PC Impact Adapter Set **SKU** 914056



- Forged Chrome Molybdenum Alloy Steel for strength and durability in impact use
- Chamfered lead-ins help to provide fast and easy placement onto fasteners
- Meets or exceeds ASME standards

Duralast

1/2" Drive Sealed **Head Ratchet 100T**



- 100 position Dual-Pawl design allows for a fine 3.6 degree swing arc
- Chrome finish provides corrosion resistance and added durability
- Low profile head design

Duralast

Duralast

4PC Impact Flip Socket & Extension Kit

SKU 1077627



- Sockets fit 6 most common lug nut sizes
- Forged Chrome Molybdenum Alloy Steel for strength and durability in

impact use

3/8" Drive Electronic **Torque Wrench**

SKU 1227964



Impact Sockets



9PC 1/2" Drive Deep SAE

• Chamfered lead-ins help to provide fast and easy placement of sockets and accessories onto drive

Steel for strength and durability in

Duralast

- Torque accuracy of +/- 2% Clockwise / +/- 3% Counter Clockwise
- 72 tooth reversible, ratcheting head allows for access in tight spaces (5 degrees of ratcheting arc)

Duralast 180PC 1/4", 3/8". 1/2" Drive Tool Set **SKU** 52378

13499



- Every tool included has been designed to increase access, durability, and strength
- 5 degree arc swing provided with the 72 tooth Ratchets
- · Sockets feature chamfered lead ins

Duralast top 10 tools

• 72-tooth ratcheting box-ends need only a 5° arc

• Feature off corner loading to prevent the rounding

• Box-end provides additional leverage and less

likelihood of slipping when used on hard-to-

Duralast 1/4", 3/8", 1/2" Drive 256PC Mechanics **Tool Set SKU** 1077624 **224**⁹⁹

- 3 drawer blow mold case design each drawer organized by drive size for optimum storage
- NEW case design features storage on top opening
- 5 Degree arc swing provided with 72 tooth ratchets in each drive size

Duralast 16PC Ratcheting Wrench Set **SKU** 570927

swing to turn fastener

remove fasteners









- Cold formed Alloy Steel socket base and S2 tool steel bit heat treated for superior durability and strength
- Full polished chrome finish socket easily wipes clean of oil and dirt
- · Bit sockets attach to drive tools, such as ratchet or breaker bar, providing a long handle for leverage

Duralast

Torque Wrench

3/8" Drive

SKU 914017

Duralast 17PC Master **Accessory Set SKU** 569379



Duralast 20PC Universal Pass-Thru Set Metric/SAE **SKU** 569724



• Factory calibrated to +/- 4% clockwise accuracy in the upper 80% of torque range

· Quick release button on head of ratchet allows for easy release of sockets and accessories

• Chamfered square drive lead-in helps provide fast and easy placement of sockets and accessories onto drive

• Forged Alloy Steel extension bar, universal joint, and adapter heat treated for superior strength

- · Universal joints pivot on 2 axis's which allows for 360° rotation
- · Chamfered lead-ins help to provide fast and easy placement of sockets and accessories onto drive

• Universal Design Sockets can work on 6 Different Fastener types, 6PT, 12PT, E-Torx, Square, 6PT Partially Rounded, & Spline

- 72-tooth ratchet provides 5 degrees of ratcheting arc
- · Quick release button on head of ratchet allows for easy release of sockets and accessories

Duralast 10PC 1/2" Drive **Deep Metric Impact Sockets SKU** 914180





- Forged Chrome Molybdenum Alloy Steel for strength and durability in impact use
- Chamfered lead-ins help to provide fast and easy placement of sockets and accessories onto drive



- resistance and added durability
- · Low profile head design



- Extendable handle provides greater access for hard to reach areas and greater leverage
- Chamfered square drive lead-in helps provide easy placement of sockets

Duralast 14PC Torx® Bit **Socket & Gimbal Ratchet Set** SKU 569692

- Set offers a wide variety of 1/4" & 3/8" drive tamper-proof torx bit sockets, an adapter, and 72 tooth gimbal ratchet
- Flex design provides pivoting action to give you greater access where ratchets and wrenches cannot



Duralast LIFT EQUIPMENT







- Turalast
 3 Ton Dual
 Piston Jack
 SKU 847109
- 3 ton capacity
- Dual piston pump with universal release
- High lift height

Duralast 2.5 Ton Aluminum Steel Jack SKU 979807

- 2.5 ton capacity
- Aluminum design for lightweight
- Dual pump piston with universal release for controlled loads

Duralast 6 Ton Jack

Stands SKU 234799

69⁹⁹



- \bullet Full welded heavy gauge steel base
- Large Cast iron ratchet pawls for secure locking
- Multiple height positions

Duralast

2 Ton Engine Hoist SKU 123037



329⁹⁹

- 2 ton capacity
- Heavy duty 8 ton long arm
- Folding design for storage

Duralast

750 lb Engine Hoist SKU 213637



11999

Adjustable mounting head

- Wide frame design
- All steel construction

// ALLDATA Diagnostics®



YOUR ALL-IN-ONE SCAN TOOL SOLUTION WITH THE POWER OF ALLDATA BUILT IN

- #1 OEM repair information is built in*
- + Coverage for domestic, European, and Asian vehicles
- Unlimited pre- and post-scans, no upfront equipment costs and free data updates
- Do quick vehicle scans on your phone and share scan reports

ALLDATA.com

SEE IT IN ACTION (888) 726-3211

ALLDATA®

AUTOMOTIVE INTELLIGENCES

* ALLDATA Diagnostics requires a subscription to ALLDATA Collision or ALLDATA Repair and ALLDATA Mobile.

System requirements - Operating systems: Android (5.0 & up), Windows 10, iOS (iOS 13 & up, vehicle scans & reports only). Phone Operating Systems (vehicle scans & reports only): Android (5.0 & up), iOS (iOS 13 & up)

©2023 ALLDATA LLC. ALLDATA, Automotive Intelligence, ALLDATA Repair, ALLDATA Collision, ALLDATA Diagnostics, ALLDATA Shop Manager, ALLDATA Tech-Assist and ALLDATA Mobile are registered trademarks and ALLDATA Manage and ALLDATA Community are marks of ALLDATA LLC. AutoZone is a registered trademark of AutoZone IP LLC. All other marks are property of their respective owners.

DIAGNOSTICS

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Launch

X-431 Turbo III

SKU **1286212** 321195201

- 8" Touchscreen. Android 10 System
- OE-Level US Vehicle Coverage as Well as Asian and European
- Auto Detect VIN
- · Code Assist by Identifix
- Security Gateway Access by FCA Certified



X-431 Throttle III

SKU **1286204** 301180833

- Diagnostic Scan Tool Based on the Android 9.0 Platform, with Octa-Core 2.0GHz Processor and 8GB Memory
- Designed for Versatility, Efficiency and Usability
- Features a Streamlined Software Platform that Includes Carline Diagnostics
- Heavy Duty Diagnostics and Access to the FCA SGW Portal



X-431 Torque HD

LAUNCH

SKU **1286210** 321195001

- Wide Coverage of Vehicle Models, Strong Diagnostic Function, and Support Full System Diagnostics for All
- . Support Automatic VIN Intelligent and Fast Identification of Vehicle Information
- Support Read Version Information, Read DTCs, Clear DTCs, Read Data Stream, Actuation Test, Coding, Matching and More Diagnostic

Functions





X-431 Torque Link

SKU **1286205** 321195101

- 10.1" Touch Screen, Android 10 System
- . Domestic, Asian and European Vehicles
- · Code Assist by Identifix
- Security Gateway Access by FCA Certified



BST-360 Bluetooth Battery Tester

SKU 1335915 301180832

- · International Measurement Standards: CCA, JIS, GB, SAE, MCA, CA, DIN, IEC, EN, BCI
- Ripple Detection, Battery Test, Starter Test, Charging System Test, Electric Current and Voltage Test
- 3 Seconds Quick Detect and Generate the **Health Report**
- · Diagnose 6V and 12V (Lead-Acid Battery, Gel Battery and AGM Battery)
- Compatible With X-431 Scan Tools (X-431 Throttle III, X-431 Throttle, X-431 Torque III, etc.)



TSAP-3 TPMS Tool

SKU **1286208** 302020529

- Update Via Wi-Fi
- Programs Over 20 Aftermarket Sensors, Including Launch LTR Sensor
- Performs Over 200 Manual and OBDII Relearns
- Displays All TPMS Sensors Data on Screen



Scan Tools

Phoenix Smart Diagnostic System

TPDPXSMART 2,29999 SKU **1331482**

- Android Based OE-Level Coverage
- 10.1" HD Touch Screen
- New TOPOLOGY Feature for Enhanced Diagnostics
- SmartLink VCI -Adds CanFD, DoIP, J2534, RP1210
- · Codes/Data/Bi-Directional/Special Functions/Coding/Programming
- Industry Leading US Based Tech Support

TOPDON



C-Pro 8" Tablet Scan Tool with Bluetooth and Wi-Fi

SKU **OUTSIDE BUY/EPO** CDOC-PRO

- · Professional Scan Tool for Asian, European and Domestic Passenger Cars and Light Trucks
- · Full System and Subsystem Access for Read and Clear Codes, Live Data, Bi-Directional Controls and Special Functions
- Complete Factory Resets and Adaptations
- Bluetooth Android Tablet
- Remote Technician Function
- 1 Year Software Subscription

For Outside Buy/EPO, Call 901-300-4878



ArtiDiag800BT Mid-Level **Diagnostic Powerhouse**

SKU **1331502** TPDARTI800BT 479 99

- Full System Diagnostics for 54 Makes
- AutoVin Technology
- . Bluetooth VCI Communications
- Read Version Information
- . Reads and Graphs Live Data
- OBDII Functions

TOPDON



TOPDON®

Phoenix Max Diagnostic System

SKU **1331492 TPDPXMAX**

- Includes A 4-Channel Oscilloscope
- Supports Cloud-Based Programming For 9+ Brands, Including: Mercedes-Benz, BMW, Audi, Volkswagen/Skoda/Seat. Porsche, Jaguar/Land Rover, Nissan, Subaru and Renault
- Supports 9V to 24V Vehicle Models, Configuring Both Passenger Cars and Heavy Trucks
- · Heavy-Duty Housing with IP65 Standards
- Auto VIN Technology Automatically Uses the Right Diagnostic Software After Identifying the Vehicle Through Its VIN





T-Ninja Pro Key Programming Via OBD2

SKU 1340225 **TPDNINJAPRO**

- Pin Reading and Key Learning
- Remote Control Learning
- Deletes Kevs
- · All Keys Lost
- · Reads and Clears Fault Codes
- Supports Wireless and Wired Dual Connectivity



Full Size Advanced-Level Diagnostic Tool

SKU **1331499 TPDPHNXPRO**

- Exceptional OE-Level Functionality from Comprehensive OBD2 Diagnostics and Services to Advanced ECU Coding and Programming
- Interactive Data Logging Sessions Enable Direct Contact with Professional Tech Support for First-Hand Troubleshooting of Diagnostic Bugs and Errors
- 12" High Resolution Touch Screen
- Rubberized Outer Protection and Rugged Internal Housing
- USA Based Tech Support with Industry Leading 1 Hour Callback Promise
- Built for Daily Use in a Shop Environment



TOPDON®



ALIGNMENT WITHOUT LIMITS DIAGNOSTICS + DIGITAL INSPECTION + ALIGNMENT + ADAS CALIBRATION

Intelligent Wheel Alignment with MSULTRA Tablet SKU 1281937 Part #IA900WAT

23,219⁹⁹

- Intelligent 4-Wheel Alignment System
- AutoVIN with Pre-Scan Health Check
- Alignment spec coverage from 1979 to current
- Cameras automatically track vehicle height on lift
- Includes 12.9-inch MSULTRA tablet
- Includes 24" touchscreen display
- Optional step by step guidance increasing workflow efficiency
- Illustrated alignment instructions, live readings, required tools, & adjustment locations
- Integrates with TPMS and tire tread depth tools
- Add-on LDW and All Systems ADAS Packages available







MaxiSYS® ADAS IA900WA with LDW Targets and MSULTRAADAS Tablet SKU 1337324 Part #IA900LDWT

28,146°°

- Frame capable of performing 4-Wheel alignment & ADAS calibration
- Includes ADAS Lane Departure Warning camera calibration targets
- Includes MaxiSYS **ULTRAADAS** wireless touchscreen tablet with Alignment and ADAS Calibration software
- Illustrated alignment instructions, live readings, required tools and adjustment locations display on a single screen



and All Systems ADAS Calibration with MSULTRAADAS **Tablet Package** SKU 1268177 Part #IA900AST

39,966⁰⁰

Includes all features and components as IA900LDWT plus:

Includes targets, patterns and calibration components to calibrate cameras, radar, LIDAR, Night Vision units

AUTEĽ

INN@VA

OE-LEVEL DIAGNOSTIC TABLETS

5D5 SMART DIAGNOSTIC SYSTEM



The most comprehensive automotive repair database with verified fixes and repair tips from ASE Master Technicians.

PLUS Generate multiple types of detailed reports to save and share



SDS-Pro INNOVA® 7111

599.99 AVAILABLE IN SELECT STORES OR BY SPECIAL ORDER



- · FREE access to RepairSolutionsPRO built-in
- · Secure Gateway (SGW) access on 2018 and newer FCA vehicles
- · OEM/Enhanced Diagnostics
- · Bi-Directional + System Testing
- · Removeable VCI Wireless Diagnostics

SDS-Inspector

INNOVA® SDS43

SKU#1269650

AVAILABLE IN SELECT STORES OR BY SPECIAL ORDER

- FREE access to RepairSolutionsPRO
- · Emissions System Diagnostics
- ABS System Service
- · Powertrain, Body + Chassis Diagnostics

SDS-Tech

INNOVA® SDS50

SKU#1269649

AVAILABLE IN SELECT STORES OR BY SPECIAL ORDER

- FREE access to RepairSolutionsPRO
- · All Systems Scan
- OEM Level DTC's + Live Data
- Bi-Directional + Active Tests



299.99



INNOVA® INFRARED THERMAL IMAGING **CAMERA**

3360

SKU#1060624

· Target & record temperatures and thermal data with advanced infrared technology

· Detect invisible problems fast

· Easily inspect vehicle cooling systems, HVAC, brakes and more

· Save and download images to your personal computer to edit, share or print








197.99







DIAGNOSTICS

Multimeters and Test Kits

Power Probe III with Case and Accessories

SKU **262523** PWPPP319FTC

- Relay and Component Tester Voltmeter and Continuity Tester
- · Carbon Fiber
- Design Housing Audio Tone
- 20' Jumper Lead
- Works on 12V to 24V Sources



SKU **1330692**

Power Probe IV Master Kit

PWPPPKIT04 · Supply Power or Ground for

- **Functional Component Testing** Self-Resetting Thermal
- 8 Amp Circuit Breaker Multiple DC Volt Readings on the Same Display
- · Quickly Determine if the Circuit is Open or is Shorted



Multimeter SKU **851885** ESI480A

• 43 Test Ranges, Auto-Ranging • 10 Test Functions

· Auto Power-Off, Data Hold Dual Fuse Protection

Power Probe III

• Supplies Power and Ground

with Lead Set

SKU **1330690**

PWPPP3LS01

Digital Voltmeter

Voltage Capturing

• 4 mm Banana Jack

• 20 Ft. Power Lead

with Min/Max

• 10 Meg/0hm Input Impedance



Automotive Test Lead Kit SKU **1105993 ESI143**

TO ORDER, contact your Commercial Sales

Power Probe III Professional

· Supplies Power and Ground for Functional

Electrical Test Kit

SKU **1330691**

PWPPPROKIT01

AC/DC Voltmeter

Resistance to 60M

• Measures Current

from .001Amps

to 10 Amps

Measures

0hms

Component Testing

CAT-IV 600V Hybrid Safe

Manager or go to AutoZonePro.com.

• Includes: Flexible Silicon Back Probe Pins - Great for Back Probing, Test Probes. Crocodile Clips, Shielded Alligator Clips

One Set of Interconnect Leads Extended Test Lead Length of 64'

 Roll Up Storage Pouch to Keep Your Leads Organized



3 Leads x 10 Ft. **Retractable Test Lead Set**

SKU **1330696** LNG1129



• 18 Gauge Copper Wire with Insulated Alligator Clips

. Different Color Wires for Easy Identification

 Max. Amps: 10 Amps Fully Unwound, 6 Amps Wound

• 1 Year Warranty



Parasitic Drain Testing Accessory SKU **011608 39**99

LIS64970

· Replaceable In-Line Fuses to Protect Meter

Allows Tester and Meter to Remain Connected

. Stacking Banana Connectors

Multimeter Required



Socket Tester Kit

SKU **1330678** PWPTST3PK

• USB Outlet Tester

• Cigarette Lighter Outlet Tester

• 110V Receptacle Outlet Tester





Power Probe IV with Case and Accessories

SKU **802331** PWPPP401AS

- · Supplies Power and Ground for Functional Component Testing
- Digital Volt and Ohmmeter for Circuit Testing Large Color LCD Screen with Easy to Navigate User Menu
- · AC-RMS, AC Peak-To-Peak, Frequency and Pulse Width for Signal Testing
- Fuel Injector Tester for Easy Circuit Diagnosis
- PCM/ECM Driver Supplies Safe Voltage for Testing Circuits.



Power Probe III Master Combo Kit

SKU **1105994** PWPPPKIT03S

• Power Up Components

· Audible Monitoring of Electrical Signals Voltmeter

• 12 to 24V Range

Bad Ground Indicator

• Continuity Tester

Relay and Component Tester

. Trace Short and Open Circuits



OEMTOOLS®

8 Piece Noid Light Set

SKU **1103589** 37161

- Features a See-Through Design to Check Electrical from the Wiring Harness to the Fuel Injectors
- Includes: GM TBI, GM SCPI, GM PFI, Ford TBI, GEO TBI, Bosch PFI, Bosch Type 2 and GM Multec 2



Vacuum and Fuel Pressure Test Kit

SKU **347234** 27264

- Accurately Test Vacuum and Low Pressure Fuel Systems
- 3-1/2" Compound Gauge with Protective Cover
- Include 2-1/2' Hose and (4) Fittings
- Comes in a Sturdy Blow Mold Case




Exhaust Back Pressure Tester/Gauge

SKU 1103604 37263

 Used to Test Exhaust **Back Pressure Through** Oxygen Sensor Port







DIAGNOSTICS

Mityvac[®]

Professional Compression Test Kit

SKU **972276** MITMV5530

99

Everything You Need to Perform Cylinder Compression Tests on Motorcycles, Marine and Small Engines and an Air-Hold Adapter for Performing Valve Seal Repairs

- Adapters Include: 10 mm, 12 mm, 14 mm and 18 mm
- · Extended Hoses for Hard-To-Reach Cylinders
- Large 2-3/4" Easy-To-Read Gauge
- Quick Disconnect Fittings



Digital Gas Engine Compression Test Kit

SKU **383182** MITMV5532

- Stores Maximum Compression Value for Up to 12 Cylinders
- 3 Minute Auto Shut-Off
- · Sealed, Grease and Oil-Resistant Gauge Face Prevents Contamination of Electronics
- Displays Values in psi, Bar and kPa



Fuel Pressure Test Kit

SKU **988887** MITMV5546

Tests Fuel System Pressure to Diagnose Common Fuel System Problems Including Failing Fuel Pump, Faulty Pressure

- Regulator, Blocked Filter(s) and Pinched Fuel Line(s Contains 37 Adapters for Pressure Testing Most Vehicles
- High Quality, Heavy Duty Gauge with 0 120 psi

 Easily Upgrades to a Fuel Pressure and Flow Tester with the Addition of Flow Meter Upgrade



Ford 6 Liter Adapter SKU **972279** MITMVA5610

- · Glow Plug Adapter -M14 x 1.25
- International VT365
- Ford Power Stroke. 6.0 Liter Engine



Silverline Elite Test Kit SKU **988888**

· Provides Either Vacuum or Pressure with Equal Precision

MITMV8500

- and Convenience • Performs Engine Performance Diagnostics, Brake Bleeding, Fluid Transfer, Evacuation, Sampling and More
- Includes Components Needed to Perform Hundreds of Diagnostic and Mechanical Tests



Fuel Injection Cleaning Kit

SKU **972277** MITMV5565

- Cleans Air Induction Systems Functions on Most Foreign and Domestic Applications
- · Uses Shop Air
- Quickly and Cleanly Removes Deposits from Injectors
- · Carbon Deposits in the Intake Manifold and on Intake Valves
- Accessory for the MITMV5546 and MITMV5545



Mityvac:..

SUR&R

S-Hook Sprayer


SKU **1149152** SURS-TOOL

- Nozzle End Produces Fine Mist Spraying Action for Thorough Cleaning of the Air Intake
- Helps Improve Fuel Performance
- Removes Carbon Build-Up
- For Use with SURFIC203



Fuel Injection Cleaner Kit SKU **1137808 389** 99

SURFIC203



• Makes Connections Quickly and Easily Using S.U.R.&R.'s Exclusive **Quick Connects**

ANG

. Holds Up to Eighteen Ounces of Canister Cleaning Solution

- Cleans More Thoroughly Than Aerosol Methods · Easy to Connect and Use
- With Shop Air
- For Top Engine and Throttle Body Cleaning



Timing Light

Digital Tach Advance Timing Light

SKU **666346 ESI125**

 Measures Ignition Spark Advance from 0° to 90°

· 2 and 4 Stroke Tachometer Measures Engine Speed Up to 9.999 RPM

Accurate Up to 9,000 RPM

· Works with 12 Volt **Electrical Systems**



LANG

TU-113PB Fuel Injection Pressure Tester

SKU 1330689 LNGTU-113PB

· Works on Most Domestic and Import



TU-550 Master Fuel Injection Pressure Tester

SKU **1330693** LNGTU-550

- · Covers All Domestic and Foreign Platforms 1988 to Present
- . Does Not Include Cis and TBI Adapters



Fuel System Cleaner

SUR!R.

Carbon Clean 1000 SKU **OUTSIDE BUY/EPO**

MVC500-0220

- Complete, Through the Rail, Fuel System Decarbonizing Service
 Fuel Rail Hookup Provides the Most Effective Results
- Online Application Guide
- Unique Time Saving Adapter System
- Cleans Fuel Injectors, Combustion Chamber and Intake Valves
- Works with MV5 (400-0050) Fuel System Cleaner

MV5 Press Gas/Petrol Fuel System Cleaner 17 Oz. 6 PK

SKII OUTSIDE BUY/EPO MVC400-0050PK6

For Outside Buv/EPO. Call 901-300-4878

MOTORV4®



Smoke Leak Detectors

Smoke Pro® Total-Tech®

SKU **213001** RED95-0003C

- Find ALL Types of Leaks
- Greatly Reduce Diagnostic Time
- One Simple Connection Diagnoses an Entire System in Seconds
- . Eliminate Comebacks by Verifying that Leaks are Completely Repaired
- Includes Easy INTAKE™



REDLINE

ReadySmoke[™] Leak Detector

SKU **744010** RED95-0400 **899**99

- · Pinpoint Intake, Exhaust and Other EVAP Leaks In Minutes
- Flow Meter Identifies Minute Leaks at and Below .010" in Diameter
- Easy Fill Dipstick Style Fluid Port
- Includes: (2) 2 Oz. OEM-Approved Vapor Producing Fluid, EVAP Service Tool Kit, Halogen Inspection Light, Cap Plug Kit, Standard Cone Adapter and Storage Case





REDLINE

SpeedSmoke™ SKU **1331495** RED95-0135

Warranty: 2 Years



- Up to 20x the PSI and 40x the Flow of a Typical EVAP Machine
- · Features an Onboard Air Compressor
- Powered by 12V DC



REDLINE

Smoke Pro Air™

SKU **1340239** RED95-0075

- . Ideal for Performing Diagnostics on the Evap Systems of Naturally-Aspirated Vehicles
- Features an Onboard Micro Air Compressor for Total Portability and Includes all Needed Accessories
- Uses OEM-Approved Fluid to Produce a Visual Vapor That is Free of Dyes and Contaminants
- Detects Leaks as Small as 0.010" and Performs Air Leak Decay Test



Intake Inflatable Block Off Bladder for Use with All Smoke Machines

SKU **598274** 24536

- Can Be Used with Any Brand of Smoke Machine or Diagnostic Leak Detector
- · Conforms to Any Shape
- Intake/Exhaust: Square, Round, Oval or Rectangular
- . Works with Most Automobiles and Light, Medium and Heavy Duty Trucks

Replacement Bladder Available





Smoke Producing Repulse Fluid (8 Oz.)

SKU **802333** RED96-0039

- · Contains No Dve or Other Contaminants
- Works in Most EVAP **Smoke Machines**







EasyEVAP™ Universal Filler Neck Connector SKU **343405** RED95-0030

 Compatible with Any Smoke Machine and Removes Cleanly from the Gas Cap

 Essential Tool for Late Model Cars with Fuel Tank Rollover Valves



REDLINE



MAXICHARGER™ ACELITE HOME

All Home Models

- Compatible with all EV and Hybrid Plug-in Vehicles
 25ft long Universal (J1772) Charging Cable
- Contemporary Design, Dark Gray
- For residential use only
- Autel Charge app enables remote start, stop, monitoring and scheduling
 Specially designed for Indoor or Outdoor use
- Wi-Fi/Bluetooth/ Ethernet
- · Three year limited warranty

Separate Holster 55899

SKU 1232125 Part #ATDMC40AP14S

- Adjustable charging up to 40 Amps
- NEMA 14-50 Plug

SKU 1232124 Part #ATDMC40AP6S Adjustable charging up to 40 Amps • NEMA 6-50 Plug

SKU 1232126 Part #ATDMC50AHS

- · Adjustable charging up to 50 Amps
- Hardwire Installation





LEVEL 2 EV & HYBRID SMART CHARGERS

In-Body Holster

SKU 1232128 Part #ATDMC40AP14I

- Adjustable charging up to 40 Amps
- NEMA 14-50 Plug
- SKU 1235042 Part #ATDMC40AP6I

 • Adjustable charging up
- to 40 Amps NEMA 6-50 Plug

SKU 1232127 Part #ATDMC50AHI

- Adjustable charging up to 50 Amps
- Hardwire Installation

MAXICHARGER™ -

ACELITE COMMERCIAL

MONETIZE YOUR **CHARGING SERVICES**

- Part #ATDMCC50AHI 9899

 Compatible with all EV and Hybrid Plug-in Vehicles
- 25ft long Universal (J1772) Charging Cable
- Hardwire Installation · Adjustable charging up to 50 Amps
- In-body holster For commercial use
- Specially designed for Indoor or Outdoor use
- Interactive LCD touchscreen RFID Reader
- Bluetooth, Wi-Fi, Ethernet, 4G
- . Three year limited warranty



DIAGNOSTICS

Smoke Leak Detectors



Evap Diagnostic Smoke Machine

SKU **OUTSIDE BUY/EPO** MSC43060EV

- Multiple Options for Smoke Injection Include Built-In Internal Compressor, Shop Air and Inert Gases
- · Large Easy to Read Pressure Decay Gauge 0-30" H20 (70 mbar)
- Flow Meter: 0 to 0.040" (0 to 1.0 mm)
- Input Pressure: Max. 100 psi (8.2 bar)
- Built-In Pressure Regulated At 0.5 psi for Safe Evap Testing

Voltage: 12 VDC

For Outside Buv/EPO. Call 901-300-4878

Turbo/Intake Diagnostic Smoke Machine SKU **OUTSIDE BUY/EPO**

MSC43060TB

- Multiple Options for Smoke Injection
- Includes: Built-In Large Easy to Read Pressure Decay Gauge 0 to 30 psi
- Internal Compressor, Shop Air and Inert Gases
- Output Pressure Can Be Regulated From 0 to 28 psi
- · Flow Meter: 0 to 0.040' (0 to 1.0 mm)
- Input Pressure: Max. 100 psi (8.2 bar)
- Voltage: 12 VDC



For Outside Buv/EPO. Call 901-300-4878

Reprogrammers

- The CarDAQ-Plus® 3 is the Next Generation Drew Technologies Universal Automotive Pass-Thru Device
- · CarDAQ is the Most OEM Validated and Compatible Device, Making it Truly Universal
- Supports OEM Right to Repair Applications and Full Pre-R2R **Applications**
- Works with Vehicle Security and Key Functions When Included in the OEM Application
- The CarDAQ-Plus® 3 Has Future Technologies Such as FD-CAN and DOIP to Give the Device a Long Service Life
- 4 CAN Channels Compatible with Chrysler/FCA Requirements

CarDAQ-Plus3 Kit

SKU OUTSIDE BUY/EPO **DRWCDP3KIT**

DRWCDP3BTKIT

1,739°°

CarDAQ-Plus3 Bluetooth Kit 1,939⁹⁹ SKU OUTSIDE BUY/EPO

• Includes Bluetooth Wireless Capability



Perform More Tasks in Your Shop - No Need to Send Vehicles Out for

▼ Mastercool:

For Outside Buy/EPO. Call 901-300-4878

DIAGNOSTIC INTELLIGENCE



MaxiSYS® MSULTRA SKU 1092018 Part #MSULTRA **5,695**99

- Large 13" Touchscreen / Android 7.0 OS
- Split Screen Display / Topology Mapping VCMI Converged VCI and Oscilloscope

AutoLINK® AL329

SKU 103946 Part #AL329 49⁹⁹

Read/Erase Engine DTCs

One-Touch I/M Readiness/

LED Indicator



MaxiSYS® MS919 SKU 1093326 **4,745** 99 Part #MS919

- Android 7.0 OS / Topology Mapping
 VCMI Converged VCI and Oscilloscope
 Repair Assist / Relevant Cases / SCANVIN



MaxiSYS® MS909 SKU 1094086 3,795⁹⁹ Part #MS909

- Android 7.0 OS / Topology Mapping
 Repair Assist / Relevant Cases / SCANVIN

SKU 1039493 Part #MD808P **339**

All System AutoSCAN DTCs Detection

Reads & Clears EPB/SBC

4" Color Display

Trouble Codes

New J2534 Protocols



MaxiVIDEO® MV460 SKU 1089243 **254**99 Part #MV460

MaxiVIDEO® MV480 SKU 1137680 **354**99 Part #MV480 Record/Playback Images and Videos • 4.1" Color LCD Display Dual Front and Side Cameras for Wider Viewing Angle

- Record/Playback Images and Videos
 3.5" Color LCD Display
- 1-Button Quick Image Capture and Video Recording



- 320x240 Infrared Resolution
- Measures from -4° F to 842° F
- · Dual Camera Overlay Feature







Display Live & Freeze Frame Data

MaxiSYS® MS909CV SKU 1174556 Part #MS909CV **5,450**

- For Class 1-8 Commercial Vehicles
- Topology Mapping on Select Models
- . Battery Testing Software & B200 are Included



AutoLINK® A529

SKU 1050451 **109**99 Part #AL529

Read/Erase DTCs for Engine

Radar-based turn-assist for

Active warning with OE-level radar

· Active warning in low and high speed

situation, turn assist, lane change assist


Commercial vehicles

technology



AutoLINK® AL539 SKU 1039494 **189**99 Part #AL539

- Tests Starting, Circuit
 Charging Systems
- Includes Voltage Test Probes & OBDII Cable





MaxilM® IM608PROKPA SKU 1125695 Part #IM608PROKPA

3,99599


- IMMO and Key Programming Bundle
- IM608Pro Tablet, XP400Pro, Wireless JVCI, IMKPA Key Programming Adapter Kit





- Advanced key and immobilizer 5.5-inch touchscreen tablet with 2 IKEYS
- Program Autel's IKEY universal keys as smart key replacement for more than 700 vehicles
- One-minute Key generation, Easy key button customization
- Includes Bluetooth-enabled VCI





HEATING & COOLING

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Shop Heaters

Stop paying to have your waste oil hauled off! Save and burn it for FREE heat this winter.





On-board air compressor

For Outside Buy/EPO, Call 901-300-4878




Burn No.2 to 90W and synthetics



Small footprint

5H Waste Oil Furnace with Built-in 10 Gal. <mark>T</mark>				Gal. Tank	Waste Oil H		
URNACE	BTUs	HEATS UP TO	PART NO.	PRICE	FURNACE	BTUs	HEA
EL-75	75,000	1,750 Sq. Ft.	ENL11075104	4,999.99	EL-140	140,000	3,50
					EL-200	200,000	5,00





* Complete systems include waste oil furnace and 250 gallon tank, swing-away burner with built-in air compressor, low-fuel cutoff, draft gauge, drain valve and Class A flue kit.







FREE Strainer Pan & Tank Gauge Included!

	Heater Model	BTUK	Heats up to	Part Number	Price
Dru-mof chiraney	XT1503	150,000	3,500 sq. ft.	LANXT150C	9,749.99
	XT2003	200,000	5,000 sq. ft.	LANKT200C	10,099.99
	XT2503	250,000	8,500 sq. ft.	LANO(1250C	12,949.99
	XT3003	300,000	10,000 sq. ft.	LANKTIOOC	13,649.99

Value Package "Packages Include 215 Gallon Tank and 6" chimney kit. For Outside Buy/EPO, Call 901-300-4878



SUNFIRE

120,000 BTU SF120 Dual Fuel **Radiant Shop Heater** MMUSA

Zero Carbon Monoxide

- · Clean and Quiet
- · Safe and Odorless
- Diesel/Kerosene
- 14 Gallon Tank
- 15 Hour Run Times • Up to 2.800 Sq. Ft.
- Easy Maintenance
- Thermostat Capability

SKU OUTSIDE BUY/EPO SFRSF120

2,399 99



Breeze Free and Dustless Experience

Blower Fans

Blower Fans

- 120 Volts, 60 Hz
- For Indoor or Outdoor Use
- 3-Speed Switch (High, Medium, Low)
- 4-Position Adjustment Feet
- 8.5 Ft. Cord Length

300 CFM Blower Fan SKU OUTSIDE BUY/EPO MSC20300-A

• Rated Power: 1.0 Amp • Unit Weight: 11.5 Lb.

Heater Attachment for 300 CFM Blower SKU OUTSIDE BUY/EPO

- . Converts Your 300 CFM Portable Blower Into a Heater for Your Garage or Work Space
- 1320 Watts, 5000 BTU

MSC20300-HTR

• Fits Many Popular Brands (300 CFM Only. Not for 1,200 CFM Fans.)





MSC20300-HTR

OEM TOOLS

1200 CFM **Blower Fan**

SKU **850066 0EM24878**

- 3-Speed Switch for Variable Output
- Features (2) 11 Amp Grounded Receptacles with Over Current Protection



To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878

HEATING & COOLING

Industrial Fans



AIR MOVEMENT SOLUTIONS

More Air, Less Noise Means Improved Comfort and Productivity

- Output: 43,000 CFM
- 43.4 DB
- 110V

AirMobile 59" Fan SKU OUTSIDE BUY/EPO AMS81011300

Industrial Grade Casters



AirFocus 59" **Variable Speed Fan** SKU **OUTSIDE BUY/EPO** AMS81011304

· Wall or Ceiling Mount

AirFocus 59" **Single Speed Fan** SKU **OUTSIDE BUY/EPO** AMS81011308

2.54999

· Wall or Ceiling Mount





ECO Fan 8' Kit

SKU OUTSIDE BUY/EPO HNT81011522-1P

· Powerful and Economical

• Direct-Drive Motor

• Whisper-Quiet Air Circulation

3" x 11¹

SKU **977559**

ACSFLT300

14999

ECO Fans Available in Diameters: 8' to 24'



SKU **OUTSIDE BUY/EPO** HNT81011517-1P

· Highest Performance and Versatility

• Direct-Drive Motor

• Whisper-Quiet Air Circulation

Titan Fans Available in

Diameters: 14' to 24'

Hunter Fan Kits Include: Down Rod, HMI Controller and VFD Control Panel

To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878

Hunter

Exhaust Hoses

Flarelock Hoses

• Made Exclusively for Cars and Small Trucks

End is Flared to Permit Connection of 2 or More Links at a Time

2.5" x 11'

SKU **977557** ACSFLT250

3.5" x 11'

SKU **977589** ACSFLT350

4" x 11'

SKU **977590 229 99** ACSFLT400

2.5" Y-Assembly Kit with **F250 Adapter**

SKU **977549** ACSYA250

· Designed for Connecting a Single Hose to Vehicles with Dual Exhaust System



SKU **977550** ACSYA300



G CRUSHPROOF TUBING COMPANY

Door Port Adapters For 2.5" Hose (Rubber)

SKU **977551** ACSDF25

• Rubber Garage Door Port Adapter

Designed for 2-1/2" ID

For 3" Hose (Aluminum) SKU **977552** ACSADF30

 Aluminum Port Allows Hose to be Vented Through the Door



For 4" Hose (Aluminum) SKU **977554**

ACSADF40

• Use on 1" Thick

Doors



2.5" Service Station Kit SKU **977547**

ACSDSS25

· Includes: • (2) Each - 4' x 2-1/2" Hoses

• (1) Each - 6' x 2-1/2" Hose • (1) Each - 2-1/2" Rubber "Y" Connector

• (2) Each -Straight Tailpipe Adapter, Hook and Chain

• (1) Each - Splice Connector



3" Service Station Kit

SKU **977548** ACSDSS30

• Includes: • (2) Each - 4' x 3" Hoses

• (1) Each - 6' x 3" Hose

• (1) Each - 3" Rubber "Y" Connector

• (2) Each - Straight Tailpipe Adapter, Hook and Chain

• (1) Each - Splice Connector



Bell Hose Adapters

 Designed for Easy Adapting to All Sorts of Tailpipes


Connects with Ball and Snap

2.5" Adapter

SKU **977544** ACSRA250 3" Adapter

SKU **977545** ACSRA300





HEATING & COOLING

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Evaporative Coolers

3,100 CFM

SKU **213184**

- 23968 • 1/5 HP 3 Speed Motor
- Water Capacity: 10.3 Gallons
- . Cooling Area: 950 Sq. Ft.
- Dimensions: 37" x 17" x 25"
- Weight: 39 Lb.

OFM TOOLS

5,300 CFM

SKU **213172** 23969

- 1/3 HP 3 Speed Motor
- Water Capacity: 14.6 Gallons
- · Cooling Area: 1,600 Sq. Ft.
- Dimensions: 45" x 17" x 28" · Weight: 56 Lb.

Oscillating Wall Mount Fans

- Powerful 3-Speed Motor
- Easy to Assemble and Wall Mountable **Outdoor Fans**
- Oscillating Function Provides Effective Air Circulation

Indoor Fans


2411

SKU **592383 0EM24883**

• CFM: 6500







• IP44 Water Resistance Rating

OFM TOOLS

24¹¹

SKU **949553 0EM24893**

• CFM: 6800

30¹¹

SKU **949582** OEM24894

• CFM: 7200

OSCILLATING



Oscillating Pedestal Fan

OEM TOOLS

- 5 Aluminum Blades
- 6' UL Listed Power Cord

2011

SKU **688197 0EM24871**

• CFM: 4500

30¹¹ SKU **592248**

0EM24885 27499

• CFM: 9500







COOL BOSS Superior Design, Next Level Performance

CoolBreeze SERIES

243969



COOLING



AUTOMATIC SWING-LOUVERS





CoolBlast SERIES



BLUETOOTH AUDIO PLAYER



4000 LUMEN LED FLOODLIGHT

Industrial HVLS Ceiling Fans

- Intuitive design makes the fan as quiet as possible
- Reduces humidity and protects equipment
- Available in four sizes
- Energy-efficient

Cool Boss provides effective, low-cost cooling with a full line of Portable Evaporative Coolers and HVLS Ceiling Fans. Plus. our CoolBlast™ Series Evaporative Coolers feature workplace-ready, durable construction and industry leading tank capacities – keeping you cooler, longer, in the most demanding environments.



Customer Responsible For Offloading, Liftgate Service Available.

OIL CHANGE

Oil Drains

LINCOLN

18 Gallon **Rolling Oil Drain**

SKU **988882** LIN3601

- Reinforced Caster Supports
- Range of 45" to 72"
- Preset Air Regulator

Self-Evacuation a Tire Chuck to Discharge



(Up to 150 psi) Pressurized Feature Requires Only Shop Air and Fluids

25 Gallon Used Fluid Combo **Drain/Evacuator**

SKU **543345 749 99** LIN3639

 Powerful Compressed Air Operated Venturi Vacuum Quickly Draws Fluids from Reservoirs

• Includes: Mercedes-Benz, BMW and VW Dipstick Tube Adapters and (6) Evacuation Wands of Varying Flexibility, Diameter and Length

 Pressurized Self-Evacuation Feature Requires Only Shop Air and a Tire Chuck to Discharge Fluids

• Min. Height: 60" . Max. Height: 74"

25 Gallon Used **Fluid Evacuator**

SKU **543344** LIN3637

25 Gallon Used Fluid Gravity Drain

SKU **543350** LIN3635

LINCOLN

OEM TOOLS 18 Gallon **Rolling Oil Drain**

SKU **667005** 87042

32999

- Pressurized Self-Evacuation Feature Requires Only Shop Air
- Funnel Capacity: 2.6 Gallons
- Funnel Diameter: 17"
- Min. Height: 44.5"

• Max. Height: 68.5"



Screen To Prevent Parts, Tools and Debris From Entering Reservoir



OEM TOOLS 21 Gallon Oil **Drain Vacuum and Extractor** SKU **546658 599** 24862

- Designed for the Collection of Used Fluids from Lift Mounted Vehicles or by **Evacuation Directly from Fluid Reservoirs** or Dipstick Tubes
- Funnel Diameter: 15'
- Funnel Extension Adapter: 22'
- Funnel Height Adjustment: 45" to 62"
- Includes 5 Extraction Tubes: (1) 7 mm x 35" 6 mm x 29"; 6 mm x 23"; 6 mm x 22" and 3/8" x 15"



OEM TOOLS

18 Gallon Used Oil Drain

SKU **606546** LIN3518

- Durable, High-Density Polyethylene Reservoir with Flat-Top Design to Hold Drain Filters, Tools, Nuts, Bolts, etc.
- Adjustable Drain Height: 40" to 77"
- Funnel Incorporates Splash Shield to Catch Overspray
- Optional Cam Lock Evacuation Kit

LINCOLN

9 Gallon Upright **Portable Oil Drain** SKU **908386**

- 87032 Adjustable Drain Height: 32" to 62"
- Funnel Diameter: 17
- Features Built-In Drain Valve and Evacuation Spout
- 4 Heavy Duty Casters for Easy Transport
- Includes Tool Holder

OEM TOOLS

18 Gallon **Upright Portable Oil Drain** SKU **908388** 87031

- Adjustable Drain Height: 54" to 70"
- Funnel Diameter: 18¹
- Features Built-In Drain Valve and Evacuation Spout
- 4 Heavy Duty Casters for Easy Transport
- Includes Tool Holder

OEM TOOLS 21 Gallon **Waste Oil Drain**

SKU **544817 599**⁹⁹ 24861


- Pressurized Self-Evacuation Feature
- Requires Only Shop Air

 Large Diameter Funnel Includes a Removable Filter Screen and Wide-Mouth Extension
- Funnel Diameter: 15"
- Funnel Extension Diameter: 22"
- Funnel Height Adjustment: 45" to 62"









Used Fluid Drain

26 Gallon Used Fluid Drain

SKU OUTSIDE BUY/EPO LIN3626

79999

- 18" (457 mm) Diameter Offset Funnel with Filter Screen
- Top-Mounted, Adjustable-Height 3/4" Male Camlock Connector
- · Recessed Pockets for Tool Storage
- (2) 4" (102 mm) Ball-Bearing **Swivel Casters**
- Simple Height-Locking Handle
- Large Recessed Pocket for Used Filter Storage



LINCOLN

For Outside Buy/EPO, Call 901-300-4878

Accessories

Prevents Splashing of Hot Oil

Oil Drain Splash Pads

- Keeps Work Areas Clean While Changing Transmission or Other Oils
- . Allows Hot Oil to Drain Through Porous Pad

15" Round SKU **1340218** SHA73850

1999





SHARK






Drains Not Included. Not for Coolants or Fluids That Will be Recycled in the Vehicle

Super Transmission Drain Funnel

SKU **291377** LIS17902

- Extends the Catch Area of Any Lift Drain
- Fits the Ford E 40D
- Dimensions: 24" x 36"



Transmission Drain Pan

SKU **908383** 87035

- Flexible Plastic Construction Fits on Top of Funnels for Most Lift Drains
- . Built-In Screen to Catch Debris, Parts and Tools
- Dimensions: 22-3/4" (L) x 23-3/4" (W) x 4-3/4" (H)

OEM TOOLS



OEM TOOLS

Change Oil Your Own Way: Save with Featured Kits

Oil Change Service Kit

SKU 1169110 | 68915

• Includes: Oil Filter Wrench Pliers, Oil and Transmission Funnel, 3-Legged Oil Filter Wrench, 5 Quart Oil Dispenser, Drain Plug Socket Set, Professional Swivel Oil Filter Wrench Kit (Fits Sizes 2-3/8" to 4-3/8"), Safety Glasses and 9 Gallon Upright Portable Oil Drain







REG. \$306.92 When You Buy the Kit

Oil Change DIY Kit SKU 1169109 | 68914

• Includes: Oil Filter Wrench Pliers, Oil and Transmission Funnel, 3-Legged Oil Filter Wrench, 5 Quart Oil Dispenser, Safety





REG. \$131.94

When You Buy the Kit

Oil Change Lube Tech Kit SKU 1169108 | 68916

· Includes: Oil Filter Wrench Pliers, Oil and Transmission Funnel, 3-Legged Oil Filter Wrench, 10L Oil Jug, Drain Plug Socket Set, Professional Swivel Oil Filter Wrench Kit (Fits Sizes 2-3/8" to 4-3/8"), Safety Glasses, 18 Gallon Upright Portable Oil Drain and 10 Piece Metric Cap Wrench Set





OIL CHANGE

Oil Filter Tools

87164

OEM TOOLS

Auto Fit Filter Pliers SKU **1339727**

- Suitable for Filters with 2.4" to 5" Diameters
- Long Reach Slip Joint Design
- Precision Machined Jaw
- Non-Slip Comfort Grip



OEM TOOLS 3 Jaw Adjustable Magnetic Oil Filter Wrench

SKU **908387** 25101

- · Oil Filter Diameter: 2.4" to 3.6" (60 mm to 93 mm)
- Secure Magnetic Attachment
- · Spring-Loaded Legs for a Secure Grip
- Includes 3/8" to 1/2" Drive Adapter





OEM TOOLS

3 Jaw Adjustable Filter Wrench

SKU **1339734** 87160

- . Works on a Variety of Vehicles
- Fits Oil Filters 2-1/2" to 4-1/2" (63.5 mm to 114 mm)
- Fits 3/8" Drive Ratchets and Extensions
- · Perfect for Removing Hard to Reach Filters



OEM TOOLS Swivel

Oil Filter Wrench SKU **1125870** 87115

- Fits Oil Filters 4-3/4" to 5-3/4"
- 1" Wide Stainless Steel Band



4 Piece Swivel Oil Filter Wrench Set

SKU **1105333** 87117

- Fits Oil Filters 2-3/8" to 2-7/8", 2-7/8" to 3-3/8", 3-3/8" to 3-3/4" and 3-3/4" to 4-3/8"
- Dimpled Band with 3 Sets of Grippers to Hold Filter Securely in Place
- 1" Wide Stainless Steel Band for a Strong Grip and Slip Resistance
- Rubber Cushioned TPR Grip for Comfort and Safety in Tight Places
- Includes 0EMT00LS 87111, 87112, 87113 and 87114



OEM TOOLS



2-1/2" to

4-5/8" Oil

SKU **548380**

25320

Filter Pliers

4-in-1 Steel Oil **Filter Wrench**

SKU **1189097**

87116

4 Interchangeable **Swivel Bands**

- Size Range 2-3/8" to 4-3/8" (60.3 mm to 111.1 mm) • (1) Swivel Handle with
- (4) Stainless Steel Bands
- Bands are Easily Removed and Installed



Impossible Places





2-3/8" to 5" **Oil Filter Pliers**

SKU **757057** 25324



- . Long Reach Slip Joint Design
- Precision-Machined Jaw
- Non-Slip Comfort Grip
- 14" Length

(Color May Vary)



15" Chain Wrench

SKU **452624** 22659

3999

 Great for Stubborn Oil Filters

- · Designed for **Tight Spaces**
- . Capacity: 6" Diameter
- 15" I-Beam Handle

OEM TOOLS **Double-Action** Allows Use in **Either Direction**

Heavy Duty Truck Oil Filters

- · Extra Wide Band for Secure Grip
- 1/2" Drive Tools



SKU	Part #	Range	Price
344322	25231	4-1/8" to 4-5/8" (104 to 118 mm)	19.99
344323	25232	4-5/8" to 5-1/4" (118 to 134 mm)	19.99
344324	25233	5-1/4" to 5-3/4" (134 to 142 mm)	21.99

Oil Filter Plug for Cummins OEM TOOLS

SKU 1340221 87168

- Perfect Tool for Installing and Removing Oil Filters
- Compatible with Dodge 6.7 Diesel Engines
- Prevents Oil Leaks when Removing Oil Filters from Engines
- · Hard Plastic Construction for Maximum Strength and Durability
- · Wide U-Shaped Handle for Added Grip and Control



OEM TOOLS

- Specifications: 6" x 6" x 6" (34 Oz. or 1 Liter), Volume Sufficient to Hold Typical Size Filters Commonly Used on Cars, SUVs, Light Duty Trucks and Vans
- Safely Holds Oils, Fuel (Gasoline, Diesel, Biofuels). Brake Fluid, Antifreeze and Other Hazardous Fluids

Filter Removal Cup (1 Pack) SKU **1089033 29**99

Filter Removal Cup (2 Pack)

SURFC5

SKU **1245617**

SURFC5PK2




SAVE OVER \$21

Swivel-Gripper "No-Slip" Filter Wrench - 9 Pack SKU **1339725**

LIS57160

· Includes: (2) 2.375" - 2.625" **Import Wrenches** (2) 2.875" - 3.250" **Small Wrenches** (3) 3.500" - 3.875" Standard Wrenches (2) 4.125" - 4.500" Large Wrenches





OEM TOOLS

Cap Style Filter Wrenches

Toyota/Lexus Oil Filter Cap Wrench Set

SKU **383457** 25409

27199

- Sizes: 64 mm, 73 mm and 74 mm
- Comes in Blow Mold Case

9 Piece Oil Filter Cap Wrench Set

• Includes: (5) Chrome Plated Aluminum Wrenches (64.5 mm - 14 Flute Toyota, 64.5 mm - 14 Flute Toyota/Lexus, 88.8 mm -15 Flute Hyundai/Kia, 74.2 mm - 14 Flute European, 86.6 mm - 6 Flute European), (1) 63 mm to 83 mm Adjustable Filter Wrench for Universal Applications, (3) Forged Low Profile Oil Filter Sockets (27 mm, 32 mm and 36 mm) and 3/8" Drive Application Chart for Quick Reference



10 Piece Metric Cap Wrench Set SKU **1189096 199**

87151

- · Painted for Rust Resistance
- Includes: 65/67 mm 14 Flutes. 80 mm - 15 Flutes, 68 mm - 14 Flutes, 86 mm - 16 Flutes, 74/76 mm - 15 Flutes, 93 mm - 15 Flutes, 76 mm - 14 Flutes, 93 mm - 36 Flutes, 76 mm - 30 Flutes,
- 100 mm 15 Flutes · Comes in Blow Mold Case



Make	SKU	Part #	Size	Price	
BMW/Volvo	255675	25453	86.6 mm – 16 Flutes	19.99	
Hyundai/Kia	255659	25454	88.8 mm – 15 Flutes	25.99	
Toyota/Lexus	1330677	87130	64 mm – 14 Flutes	16.99	9
Toyota/Lexus	1340227	87131	64.5 mm – 14 Flutes	17.99	
Mercedes-Benz Sprinte/VW/Audi Porsche/Mazda	1340230	87132	74.2 mm – 14 Flutes	15.99	
Mazda/Ford	1340228	87133	75.6 mm – 14 Flutes	14.99	
Chrysler	1340234	87134	84 mm – 14 Flutes	23.99	3
Volvo	1340237	87136	88.8 mm – 15 Flutes	21.99	

Drain Plug Tools

14 Piece Drain Plug Socket Set

SKU **818568** 25374

• Designed for Both Foreign and Domestic Vehicles Including: BMW, Ford, Mazda, Mercedes-Benz, Nissan, Peugeot, Renault and More

· Ideal for Removal of Oil Drain Plugs from Manual Transmissions, Transfer Cases Differential Housings and More

• Includes Hex: 9, 10, 12, 14 and 17 mm; Square: 7, 8, 11, 13 mm, 5/16", 3/8" Female Square: 10 mm; Male Triangle: 10 mm; Tamper-Proof Triple Square: 16 mm



OEM TOOLS

7 Piece Oil Filter Removal Socket Set

Oil Filter Sockets

Land Rover

SKU **191682** 27197

• 3/8" Drive

• Includes: 24 mm for Cadillac; 27 and 36 mm for Mercedes-Benz, VW, Cadillac, Buick, Saturn, SAAB; 29 mm for Dodge Cummins Fuel Filter; 30 mm for Korean Cars; 32 mm for GM, Saturn and SAAB; 35/36 mm for Ford Diesel, Mini Cooper, BMW and Mack;

38 mm for Vauxhall Vectra Comes in Blow Mold Case



87137

1340238

7 Piece Offset Oil Filter Cap Wrench Set

SKU **1145990** 87165

• 3/8" Drive Set Includes: 24 mm for Cadillac; 27 and 36 mm for Mercedes-Benz, VW, Cadillac, Buick, Saturn, Saab; 29 mm for Dodge Cummins Fuel Filter; 30 mm for Korean Cars; 32 mm for GM, Saturn and SAAB; 35/36 mm for Ford Diesel, Mini Cooper,

BMW and Mack; 38 mm for Vauxhall Vectra

Comes in Blow Mold Case



Double Sided Oil Filter Socket (32 mm and 36 mm)

SKU **020797** 25421

• 3/8" Drive

90 mm - 15 Flutes

 Applications: VW TDI (2011 to 2016), Touareg and VR6 Motors (2009 to 2016); Audi Q3 and S3 with 2.0 T Gas (2015 to 2016); Q7 (2007 to 2010) and A6 3.0T (2014 to 2016); BMW 335d, X5 35d (2009 to 2011) and BMW 6 and 8 Cylinder Engines (1994 to 2005); Volvo Models (2007 to 2014); Chevy Cobalt, Impala and Malibu with 2.2 and 2.4 Liter Engines (2007 to 2014): Porsche Models (2009 to 2016)



3 Piece Low Profile Oil **Filter Socket Set**

SKU **094803** 27204

• Includes 27 mm, 32 mm and 36 mm

• 3/8" Drive



AZG0124

Plastic Oil Pan Drain Plug Tool Set SKU **1267943** CAL38200

- . Contains Tool and 3 Adapters to Remove Plastic Oil Pan Drain Plugs Found on Many Late Model Ford®, Volkswagen®, Audi® and BMW® Vehicles
- Includes Adapters for Ford/ Lincoln Plastic Oil Pan Drain Plugs of Engines: 2.7L, 2.7L (2018), 3.0L, 3.3L, 3.5L Turbo from 9-12-2018, 5.0L (2018),



OEM TOOLS **Plastic Oil Drain Plug Removal Set** SKU **1207894** 25098

- Used to Safely and Easily Remove Plastic Oil Drain Plugs on Late Model Ford, Volkswagen, BMW and Audi Cars
- Adapters Feature a 3/8" Drive that can be Used with Ratchets, T-Handles, or Any Other 3/8" Square Head Tool
- Does Not Cause Damage to the Plug
- 3 Piece Set





OIL CHANGE

No Spill Oil Funnels

OEM TOOLS

Universal Direct Fit No Spill Oil Funnel Set SKU **824884** 87039

• Set Includes: Universal Oil Funnel, Chrysler (87019), Ford/Mazda (87020), GM (87021), Honda (87022), Toyota/Lexus (87024), Subaru Adapter, Toyota/Lexus Adapter and 150° Extended Adapter



- Threaded to Fit a Range of Import and Domestic Vehicles Older and Current Models
- Transparent Lower Chamber to Monitor Oil Flow
- · Wide Passage for Rapid Refilling





Direct Fit Individual Funnels

SKU	Part #	Description	Price
824879	87021	GM and BMW	18.99
824892	87019	Chrysler, Dodge and Jeep	23.99
824888	87023	87023 Subaru	
824886	886 87024 Toyota, Lexus, VW and Mercedes-Benz		26.99
824890	87022	Acura, Honda, Hyundai, Infiniti, Kia, Land Rover, Nissan and Suzuki	21.99



Dispensers

8 Quart Dispenser Lid and Cap

SKU **080078** LIS19702

- . Spout Cap and Lid to Keep Out Contaminants
- Many Large SUVs and Trucks Now Require More Oil



- · Safe for Automotive Oils and Fluids Convenient Carry and Pour Handles
- Spill Proof Caps



lisle



LINCOLN

Flexible Spout Measuring Cans

- Designed for One-Hand Operation
- 14" Flexible Spout with Tapered Tip
- Recessed Bottom Drains Fully and **Guards Against Punctures**
- Rolled-Edge Top Helps Prevent Spilling

5 Quart

SKU **298486** LING525

8 Quart SKU **298473**



OEM TOOLS

Filter Crusher

Ranger:

1,799⁹⁹

Industrial 10 Ton Oil Filter/ Can Crusher

SKU OUTSIDE BUY/EPO RANRP20FC

· Reduces Used Oil Filters to 1/4 of the Original Size • 20,000 Lb. Crushing Power • 100% Air Operated for Minimal

Maintenance Save on Disposal Costs and Storage Space

 Automatic Safety Door Stops Operation When Opened

· Pressure Regulator and Air Moisture Separator Come Standard

- Transparent Door for a Convenient View of the Crushing Process
- Welded Steel Plate Construction
- Exclusive X-Shape Bevel in Press Head Pre-Aligns Filters for Absolute Vertical Press





LING528

Drain Pans **OEM** TOOLS

16 Quart Oil Drain Pan

- Heavy Duty Polyethylene Construction
- · Features a Pour Spout and No-Splash Lip

Green SKU 908389

87034





OEM TOOLS

2.8 Quart Low-Profile **Oil Drain Pan**

SKU **568474** 87017



Great for Motorcycles and Small Engines

4.7 Quart Clear Oil **Drain Pan**

SKU **568469** 87013

• Built-In Level Scale Lets You See Fluid Level



Great for Transmission Fluid Changes

We Now Offer Above Ground Storage Tanks



Call for More Information

901-300-4878

- · Storage for Engine Oils, Gear Oils and Other Fresh Oils as well as Waste Fluids
- Sizes Available from 25 to 4,000 Gallons, in Single and Double Wall



Small Drum OEM TOOLS **Drain Basin** (Fits 5 to 8 Gallon Drums)

SKU **568471** 87014

· Ribbed Drainage Channels



24



4.5 Gallon Black **Oval Drain Pan**

SKU **1142687** LIS17972

4.5 Gallon Green **Oval Drain Pan**



SKU **1142342** LIS17982

Grease Guns

- · Cast Iron Pump Head for Added Strength and Durability
- Multiple Filling Options to Support Suction, Filler and Cartridge Loading
 Heavy Duty Follower Spring Allows Easy Priming and Efficient Pumping
- Precision Fit Plunger Prevents Grease Bypass and Resists Scoring

OEM TOOLS



Mini Professional	Mini Pistol with Extension	Mini Lever Action	Lever Action Clear	Lever Action	Dual Pressure Lever Action	Pistol Grip with 18" Extension Hose	Pneumatic with 18" Extension Hose
SKU 417709 25725	SKU 1207892 87207	SKU 1207896 87206	SKU 1207899 87204	SKU 1362012 87201	SKU 1362007 87202	SKU 1207888 87203	SKU 1207901 87205
Comes with a 6" Extension and a 12" Flex Hose	• Includes 6" Extension • 2,900 Max. psi	• 4,000 Max. psi	Clear Barrel for Easy Grease Monitoring Includes 7" Extension 10,000 Max. psi	• Includes: 6" Steel Extension • 7,000 Max. psi	Includes: 6" Steel Extension Dual Pressure for Low and High Pressure Output 7,000 Max. psi for Increased Grease Filling Speeds	 Pistol Grip Handles Supports One Handed Operation 6,000 Max. psi 	Includes 5.5" Extension Air Operated for Continuous Lubrication Flow 6,000 Max. psi
8 99	19 99	19 99	29 99 REG. \$39.99	24 ⁹⁹	24 ⁹⁹	34 ⁹⁹	<i>39</i> 99

Offer Good Through March 31, 2024

Grease Gun Accessories

7 Piece Grease Gun Accessory Kit

SKU **978118** _____99 25711

• Includes: Press-On 90° Lube Tool, Straight Extension, 300 mm Hose Extension, Slide-On 90° Coupler, Rubber Tip Nozzle, Needle Nozzle and 60° Coupler



Extension Hoses with Spring Guard

- Premium Grease Hoses for Manual and Air-Operated **Grease Guns**
- Spring Guard for Added Rigidity to Prevent Kinking Max. Working Pressure:
- 4,500 psi
- Burst Pressure: 12,000 psi

• Accessory Thread: 1/8" NPT

SKU **1207902** 87220

12¹¹

36¹¹ SKU 1207893 87222

18¹¹

SKU 1207887 87221



70 Piece Grease OMMTOOLS **Fitting Assortment**

SKU **577685** 25752

• 70 Assorted Grease Fittings in 6 Popular Sizes



3 Piece Set (35 mm, 40 mm, 44 mm) **ATV/UTV Wheel Bearing Greasers**

SKU **1142593** 26043

REG. \$49.99

- Designed to Service Many ATV and UTV Wheel Bearings Without Removing the Wheelshaft
- Simply Remove the Wheel, Brake Caliper and Hub Insert Tool and Use Grease Gun to Repack Bearings
- Quick and Easy Way to Extend the Life of Your Wheel Bearings

Offer Good Through March 31, 2024

Bearing Packer

SKU **1055505** 26540

 Quickly Flushes Out Old Grease and Repacks Bearings with New Grease

- Transparent, Impact Resistant Cup Allows User to Clearly See Grease Level
- . Works on Bearings with up to 3-1/2" Outside Diameter



Universal Bearing Packer

SKU **1339731** 25081

. Connects to Any Grease Gun

- Services Most Roller and Ball Bearings
- Forces Out the Old Grease and Evenly Injects Fresh Grease



LINCOLN

Lincoln

20V Li-ion PowerLuber Kit SKU **751676**

LIN1884

- Delivers Grease at Up to 10,000 psi
- Built-In LED Illuminates the Work Area
- Includes: Grease Gun, 2 Batteries, Charger and Case



12V Li-ion PowerLuber Kit

SKU **605324** LIN1264

- Li-ion Battery for Maximum Power and Efficiency
- Delivery at Up to 8,000 psi
- Built-In LED Illuminates **Dimly Lit Areas**
- 30" Grease Hose



Fully Automatic Pneumatic Grease Gun

SKU **445386 149**99 LIN1162

· Fully Automatic, Continuous Operation

- 30" High-Pressure Hose with Coupler and Attachment Clip
- Pump Ratio: 40:1 at 150 psi
- Max. Grease Pressure: 6,000 psi



Super Pistol Grip

SKU **445385** LIN1134

- 18" Whip Hose
- Includes Rigid Pipe
- Variable Stroke Design
- 7,500 psi
- Filler Nipple/ Bleeder Valve



LIN1147

• 3-Way Loading: By Cartridge, Bulk Load and Suction Load



FLUID HANDLING

Fluid Extractors

AII OEMTOOLS Fluid Extractors Include:

5 Ft. Flexible Suction Hose and (2) Dipstick Adapters













Pneumatic/Manual Fluid Extractors

- Working psi: 85; Max. psi: 120
- Air Consumption: 6.5 CFM
- Single Piece Reservoir Structure Features a Leak Proof Bottom
- Overflow Shutoff Valve Prevents Fluid from Overflowing
- Use to Extract Most Fluid Types: Engine Oil, Transmission Fluid, Gear Oil, Coolant and Power Steering Fluid
- Updated 41" Extended Dipstick Hose Adapters for a Longer Reach and Broader Applications



Change fluids quickly and easily anytime. No mess, no cleanup. Simply remove the

dipstick and insert the tube.



MANUAL FLUID EXTRACTOR - GET THIS

2.5 Gallon (10 Qts.) SKU **666881** 24938





Manual Fluid Extractors

· Reservoir with Hand Operated Pump to Tackle Big Jobs



1.4 Gallons (5.6 Qts.) SKU **544744** 24389 **79**⁹⁹



2.1 Gallons (8.4 Qts.) SKU **666877** 24936



2.5 Gallons (10 Qts.) SKU **547010** 24397



VALUE: \$14.99

Manual Fluid Extractor and Filler (7 Oz./.21 Qt./200 mL) 24985

With Purchase of: 24389, 24936 or 24397 Offer Good Through March 31, 2024

Fluid Evacuators

PneumatiVac Fluid Evacuator (2.3 Gallon) SKU **497203**

MITMV7300

159⁹⁹

- · Operates on Compressed Air
- Independent Air Shut-Off Valve



Fluid Evacuator Plus

SKU **497200 MITMV7201**

169⁹⁹

- · Evacuates or Dispenses at the Push of a Button
- Integrated 2.3 Gallon (8.8 Liter) Capacity Reservoir
- Durable, Chemical Resistant Polyethylene Construction
- Dipstick Tube Adapters Included



Fluid Evacuator (1.9 Gallon)

SKU **594882** MITMV7400

- Integrated 1.9 Gallon (7.3 Liter) Capacity Reservoir
- Evacuates All Kinds of Fluids Including Engine Oil. Transmission Fluids, Gear Oil, Coolant, Brake Fluid and More



mituvac...

Mituvac...

Fluid Extractors and Fillers

Mityvac.

1.5 L Fluid **Extractor/Dispenser** SKU **606541**

- MITMVA6852 • Simple Manual Syringe-Type Action Quickly and Cleanly Extracts or Dispenses Fluid
- Integrated Valve and Cap to Prevent Spills and Leaks
- · Compact, Streamlined Design Allows Access into Tight Spaces
- Ideal for Evacuating or Topping Off Fluid Reservoirs
- Easy to Clean; Hose and Seals are Simple to Replace



• Used to Extract and Refill Many Common Automotive Fluids, Including Brake Fluid

 Dual Scale Molded into Cylinder Body (Qt./mL) Includes Extension Tube for Accessing

Hard-To-Reach Filler Necks and Reservoirs

Extraction Syringe SKU **OUTSIDE BUY/EPO** MITMVA6853

1.5 L Fuel



• 2 Adapter Hoses: 10 mm Male to 3/8" or 5/16" Female Fuel System Connections



Fluid Siphon Pump

SKU **568475 29**99 24863

- Transfer Fluids Easily Use to Transfer Gas, Water, Oil and Other Non-Corrosive Liquids
- Hose Reach: 6' with 1/2" Diameter



OEM TOOLS



Transmission Fluid FIII Adapter

SKU **1125880** 25740

1299

• Required Tool to Fill or Add Fluid to the 5R55W **Automatic Transmission**

mituvac_

• Used in Many Ford Vehicles (2003 - Newer) Same as Ford No. 307-437



mituvac.

OEM TOOLS

Fluid Management

Manual ATF Filler System SKU **526508** 24441

0099

- Complete System for Servicing Sealed Automatic Transmissions
- Includes Adapters to Fit Ford, BMW, Honda, Nissan, VW, Porsche, Mini Cooper, Audi and Mercedes-Benz Transmissions
- · Reservoir Capacity: 3 Liters (3.1 Quarts) • The Fluid Dispensing Hose Features

a Swivel Connector and Fluid Dispensing Shut-Off Valve Comes with Belt Attachment for Storing All of the Adapters on Dispenser

 Adapters Included: DSG M24 x 1.5, CVT M22 x 1.5, CVT M12 x 1.5. ATF M10 x 1.0, ATF 1/8 NPT - 27. ATF 04, ATF 03 and ATF 02



ATF Refill Kit. 5 L

SKU **265092** MITMV6410A

- Fluid is Dispensed Under Pressure for Smooth Continual Flow
- Integrated Manual Pump Adds Air Above the Fluid Level to Prevent Aeration
- Internal Pump Components are Sealed Against Exposure to Fluids

Flow Control Valve is Conveniently Located Near Fluid Output Features Integrated Safety

and Manual Pressure Relief Valve



Universal Fluid Dispensing System

SKU **265093** MITMV6400

- Large 1.2 Gallon (5 Liter) Fluid Capacity
- Integrated Manual Pump Adds Air Above the Fluid Level to Prevent Aeration
- Pressure Gauge Indicates Fluid
- Dispensing Pressure

 Safety and Manual Pressure Relief Valve
- Vehicle Adapters Not Included



Pneumatic ATF Refill Kit, 10 L

SKU **1330680** MITMV7412





ATF Refill Adapters with Hose

SKU **1361999** MITMV7216A

25999




Evacuator/ mituvoc. Dispenser, 10 L

SKU **1228726** MITMV7110

· Isolated Flow Control and Pressure/Vacuum Switch Valves Provide Simple Functionality Control

 Redundant Pressure Control Systems Safely Maintain Peak **Output Pressure** Below 30 psi (2 Bar)





FLUID HANDLING

Lever Action Pumps

OEM TOOLS

Lever Action Hand Oil Pump

SKU **462495** 24381

- · Oil Pump for Use with Oil-Based Fluids, Heating Oils, Motor Oils, Heavy and Light Oils, Diesel and Kerosene
- Built-In 1-1/2" and 2" Bung for Use on 16 to 55 Gallon Drums with Either Opening
- Not for Gasoline or DEF



Lever Action Barrel Pump - Polypropylene SKU **688036**

24471

- · Ideal for Diesel, Kerosene, Lubricants and Other Oils
- · Not for Gasoline. Water-Based



OEM TOOLS

Lever Action Barrel Pump Polypropylene Stainless Steel Rod

SKU **688038 20***99* 24472

- · Ideal for Pumping Diesel, Oils, Kerosene, Water-Based Chemicals, Bases and Mild Acids
- · Not for Gasoline or DEF



Lever Action Barrel Pump - Ryton® Stainless Steel Rod

SKU **688037** 24473

- Ideal for Pumping Diesel, Oils, Kerosene, Water-Based Chemicals, Bases and Acids Including DEF
- Not for Gasoline



LINCOLN

Lever Action Barrel Pump

SKU **970530** LIN1340

- Pumps Non-Corrosive Fluids, Not for Gasoline
- Telescoping Tube for 16 to 55 Gallon Drums
- · Removable Non-Drip Spout Allows for Threaded Hose Connection



LINCOLN

Rotary Pumps

OEM TOOLS

Rotary Barrel Pump SKU **462486**

- 24382 • Fluid Transfer Pump for Use with Oil-Based Fluids, Heating Oils, Motor Oils, ATF. Diesel and Kerosene
- Not for Gasoline or DEF



OEM TOOLS

Polypropylene Rotary Drum Pump

SKU **688035** 24470

- · Ideal for Pumping Diesel, Oils, Kerosene, Water-Based Chemicals, Bases and Mild Acids
- . Not for Gasoline or DEF



Manual Rotary Oil Pump with Hose for **55 Gallon Drums**

SKU **265089** LIN1385H

• Includes: 8 Ft. x 3/4" Anti-Static Hose with Non-Sparking Aluminum Nozzle with Hanger; Seal Tight Telescoping Pick-Up Tube with Strainer for 16 to 55 Gallon Drums with 2" Bung



SKU **462977** LIN1385

• Hose Not Included

Drum Not Included

John Dow

Industries

LINCOLN

Manual Rotary Fuel Pump with Hose for

55 Gallon Drums SKU **265088** LIN1387

33999

• 3 Vane Manual Rotary Pump for Most Fluid Types Including Gasoline. Diesel. Kerosene, Coolant, Non-Corrosive Materials, Medium Viscosity Petroleum Based Fluids. Hydraulic

Oils and ATF



Grease Pump

LINCOLN

Manual Gear Lube Dispenser

SKU **174166** LIN1293

- 5' Hose, 13" Pump Tube Fits 25 to 50 Lb. 5 Gallon Container
- Delivers 1 Oz. per Stroke



Fuel Transfer Pumps

25 Gallon Steel Gas Caddy

SKU **360585** DOWFC25GC

- UL Approved
- 25 Gallon Tank is Constructed of 14" Gauge Steel for Use with Unleaded Gasoline, Kerosene. Ethanol E85, Diesel, and Bio-Diesel Fuels

Two-Way Fuel Filter for **Gas Caddies**

SKU **360659** DOWJDIFF25

• For Use on DOWFC25GC DOWJDI25GC

> Gas Caddie Not Included





We Now Offer Above Ground Storage Tanks



Call for More Information

901-300-4878

- · Storage for Engine Oils, Gear Oils and Other Fresh Oils as well as Waste Fluids
- Sizes Available from 25 to 4,000 Gallons, in Single and Double Wall



MAHLE

UID HANDLING

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Fluid Exchangers

VCX-1 Vacuum **Coolant Exchanger**

SKU **OUTSIDE BUY/EPO** MSS4708001900

- Extremely Fast
- Service Cycles Simple Hook-Up and Operation
- Flexible Adaptation for Most Makes and Models



MAHLE

4 Plus SKU OUTSIDE BUY/EPO

Trans-Tech

MVC500-1125B · Automatic, In-Line Exchange

- Through Vehicle Cooler Line

 ATF Exchange Through Vehicle
- Transmission Dipstick
- Drain Pan Feature
- 26 Quart New Fluid Reservoir
- High Volume Pump for Rapid and Efficient Service
- Comes with Standard Set of Adapters
- Uses MVC400-0137 2-Part ATF Cleaner and Conditioner Fluid



MOTORVA®

Fluid Not Included

FluidPR0® ATX-3+Boost **Transmission Fluid**

Exchanger SKU OUTSIDE BUY/EPO MSS4008000900

5,04999

- Fully Automatic Operation Precision Fluid
- Measurement to Minimize Technician Input · Digital Weight Scale Technology for Accurate
- Fluid Exchange Transmission Pressure Diagnostics



Fluid Not Included

To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878

Oil and Grease

PM2 3:1 Oil Pump with Hose Kit SKU **OUTSIDE BUY/EPO**

SAM222

- Perfect for Small to Medium Facilities, Quick Lubes, Tire Shops, Tank Packages
- Pump Used with Lubricants, Transmission Fluid, Hydraulic Oil, Gear Lube
- Fits 55 Gallon Drum or 36" Tank



Digital Oil Meter

SKU **383183** LIN982

• Large 6 Digit LCD Display

- with Two Decimal Point Precision
- . Measures in Quarts, Pints, Gallons or Liters
- 13" Flexible Extension with Automatic Nozzle
- Low Battery Indicator
- . Built-In Trigger Guard



LINCOLN

300 Gallon Double Wall Package

- Ideal for Motor Oils and Hydraulic Oils in Shops Where Space is a Concern
- Includes Filter/Regulator
- 5:1 Ratio RAM Pump
- Heavy-Duty Reel with 50' Delivery Hose



Vertical Tank SKU **OUTSIDE BUY/EPO** ALM1300U50ERDW

Horizontal Tank SKU **OUTSIDE BUY/EPO**

ALM130050ERDW

Oil Trolley Package SKU OUTSIDE BUY/EPO ALM343509

 Pneumatically Operated Alemite

Pump · Electronic Meter with Flexible Extension Measures Pints, Quarts, Gallons

or Liters 30¹ Heavy-Duty Reel



Grease Trolley Package SKU OUTSIDE BUY/EPO ALM343510



 Arm Extends to Hold Control Valve or Meter

· Heavy-Duty Control Valve with Universal Swivel

• 30' Heavy **Duty Reel**



Drum Not

Included

Drum Not

Included

COOLING SYSTEM

Coolant Funnels

Professional No-Spill Coolant Funnel Kit

SKU **943142 4399** 87043

- 5 Spring-Loaded Adapters for a Secure Fit
- · Simply Select the Correct Adapter, Attach the Funnel and Fill
- Air-Release Tubes to Vent the System During Refilling Process
- Stopper Prevents Dripping When Removing the Funnel
- Includes: Extensions and Adapters for Hard-To-Reach Surge Tanks

Drip-Free Funnel for Automotive Fluids

SKU **1142569** 87041

- · Designed for Easy Refilling of Automotive Cooling Systems and Other Automotive Fluids
- Funnel Features a Fluid Stopper to Prevent Drips when Removing the Funnel
- Includes: (2) 45° Angled Adapters and 5" Extension for Accessing Hard-To-Reach Spots
- Can Be Used as a Replacement Funnel for **OEMTOOLS 87009 No-Spill Coolant Filling** Funnel Kit





SKU **1340229** 87045

- Includes 5 Direct Fit Cooling System Adapters to Fit Most Passenger Vehicles and Light Trucks
 • Includes: 45° Angled and 5" Extension Adapters for
- Accessing Hard-To-Reach Spots and Tester for Glycol **Based Coolants**
- Fluid Stopper to Prevent Drips and Spills when Removing from the Filler Neck



Leak Tester

OEM TOOLS

Gas Engine Combustion Leak Tester

SKU **1103608** 37145

. Used to Test for Combustion Leaks that Result from Head Gasket, Cylinder Head and Engine Block Leaks

· Pulls Air from the Cooling System Up Through the Leak Tester; if Carbon Dioxide is Present, the Leak Tester Fluid Color Will Change to Yellow Signifying a Combustion Leak



Combustion Leak Detector Fluid (8 0z.)

SKU **391381 Q** 90 25739

STORE STOCKED



OEM TOOLS

O=M TOOLS

▼ Mastercool∴

OEM TOOLS

Radiator Filler

2.4 Gallon Plastic Radiator Filler

SKU **754738** 87104

 Impervious to Oil, Gasoline and Antifreeze

Stands Up to Extreme Weather

OEM TOOLS



Pressure Testers

OEM TOOLS

Universal Cooling System Pressure Test Kit SKU **OUTSIDE BUY/EPO**

27068

- · Quickly and Easily Pressure Test Cooling Systems in Most Vehicles • Includes 3 Expandable Adapters That Take the Place of Numerous
- Specialized Adapters • Prevents Damage to Plastic Reservoir Threads That Occurs When the Wrong Adapter is Forced On



For Outside Buy/EPO,

Call 901-300-4878

Heavy Duty Cooling ▼ Mastercool∴ **Test and Refill Kit**

SKU **954220** MSC43014

- · Includes: Vacuum Gauge, Sealing Collar, Valve, Rubber Gaskets and Coolant/Draining Hoses
- Sealing Collar (with Rubber Cone) Offers a Wide Variety of Applications for Radiator Filler Necks
- Minimizes the Risk of Engine Overheating
- · 2.3 Gallons per Minute Fill Rate



Universal Cooling System Adapter Set

SKU **434723** 27067

REG. \$79.99

 Designed to Fit Most Passenger Vehicles and Light Duty Trucks

 Fits Both Radiators and Plastic Reservoirs Universal Design Works with Any Cooling

System Pressure Pump Prevents Damage to Plastic Reservoir

Threads That Occurs
When the Wrong Adapter is Forced On Pressure Test Pump

Offer Good Through March 31, 2024

Not Included



Cooling System **Pressure Test Set**

SKU **391374** 27065

• Chrome Plated Pressure Pump for Corrosion Resistance • Includes: 3 Popular Radiator Adapters and 1 Cap Adapter

 Cap Has a Rotating Lever for Fine Pressure Adjustment and Safe Pressure Release



🕶 Mastercool:

SKU **954231** MSC43306

Heavy Duty Cooling Kit

- Includes: Heavy Duty Vehicle Adapters, Pressure Test Regulator, Vacuum Refill Attachment with Tubing in a Plastic Case
- · For Use with Freightliner, International, Kenworth, Peterbilt, Mack, Volvo, GMC and Sterling Cooling Systems
- Uses Shop Air to Pressure Check and Vacuum Refill
- 4 Quick-Disconnect Vacuum Attachments Provide Quick Refilling of the Cooling System and Eradicates Airlocks



27 Piece Master Radiator Pressure Test Kit

SKU 1053958 MSC43301-A

• Includes: 1 Blue Radiator Cap Test Connector R123/R125, 1 Black Radiator Cap Test Connector

R123/R124, 1 Thermometer, 1 Universal Radiator Cap, 1 Vacuum Purge and Refill Tool, Coolant Hose and Additional Installation Accessories, 1 Hand Pump and 19

Adapters (Nos. 2 to 4, 6 to 21) to Fit Most Popular Domestic and Import Cars and Trucks







COOLING SYSTEM

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Hose Tools

6 Piece Hose Clamp Pliers Set

SKU **1282734** 27158

• Services Most Ring-Type or Flat-Band Hose Clamps

· Clamps are Held Open with a Ratchet Locking Mechanism • Includes Regular Hose Clamp Pliers, Flat-Band Hose Clamp Pliers,

Large Hose Clamp Pliers, Hose Remover Pliers, Angled Hose Clamp Pliers and Cable Hose Clamp Pliers

REG. \$103.99

When You Buy the Kit

OEM TOOLS

Cooling System Service Kit SKU **1122825** 68917

OEM TOOLS

· Includes: Cooling System Back Flush Tool, Professional Series Ethylene Glycol Antifreeze Tester, 4 Gallon Oil Drain Pan - Green, Professional No-Spill Coolant Funnel Kit and 10 Quart Oil Jug



Clic-R Hose Clamp Pliers

SKU **1089038 1099** 25102


- . Easily Remove or Install Clic-R Type High Tension Clamps
- Heavy Duty and Durable Steel Construction
- Clamps Commonly Found on BMW, Mercedes-Benz, Audi, VW and Other Cars and SUVs



Dual Durometer Handles for Comfort and Grip


. Hooks and Picks are Assembled from Carbon Steel for Strength and Durability

• Perfect for the Removal of Coolant Hoses, Cotter Pins Brake Springs, Large Electrical Connectors and More



Small Hose Clamp Vise

SKU **1089043** LIS44500



4 Piece 14" Jumbo Pick Set

SKU **94658** 25940

REG. \$34.99

• Includes: Straight Pick, 90° Pick, Offset Pick and Hook Pick

Offer Good Through March 31, 2024



AirEvac Cooling System

AirEvac Cooling System Refiller

SKU **568478** 24444

- Quickly Refills Cooling System and Eliminates Trapped Air
- Helps Prevent Come-Backs and the Threat of Engine Damage
- Universal Adapter Forms an Airtight Seal with Most Radiator and Coolant Bottle Necks Performs Vacuum Leak Tests
- · Covers Most Radiator and Reservoir Type
- No Custom Adapters Required
- · Comes in Sturdy Blow Mold Case



AirEvac Cooling System Kit

SKU **099292** 27066

- . Uses Shop Air to Evacuate the Cooling System for Vacuum Leak Testing
- Refills Cooling System without Trapping Air That Causes Overheating
- · Universal Adapter Forms an Airtight Seal with Both Radiators and Coolant Reservoirs
- Self-Locking Quick Disconnects for Fast Assembly

Toyota, Lexus and Scion Radiator Adapter

• Fits Lexus LS (2007 - Newer), Toyota Celica (2000 - Newer),

Highlander (2006 – Newer) and Scion XB (2008 – Newer)

Spyder MR2 (2000 – Newer), RAV4 (2009 – Newer),

Prius (2004 and Newer), Camry (2007 – Newer),

• Diameter: 34 mm; Thread Size: 3 mm



Coolant Testing

OEM TOOLS

OEM TOOLS

OEM TOOLS

Professional Series Ethylene Glycol Antifreeze Tester

SKU **750007** 24507

- · For Testing Hot or Cold Ethylene Glycol-Based Coolants, Including Dex-Cool®
- Easy-To-Read Discs are Magnified by Convex Design of the Clear, Thermal Resistant Plastic Barrel
- . Disc-Type 16-1/4" Tester is Accurate at All Temperatures (Celsius and Fahrenheit Scales)

Acura, Chevrolet,

Honda, Isuzu, Lexus, Mazda,

Mitsubishi, Suzuki and

• Fits Early Models with 32 mm

Opening and a 9 mm Depth

Chrysler, Geo,

Toyota

27244R

SKU **133624**



Cooling System Adapters

Mazda 3, Volvo S40/V50 and Ford

SKU **133633** 27249R

27246R

- Fits Land Rover LR-2 (2008 Newer), Mazda 3 (2004 - Newer), Volvo S40 and V50 (2004 - Newer), XC60 (2010 - Newer), Ford Fusion and Escape (2012 - Newer)
- . Diameter: 50 mm: Thread Size: 2.5 mm

• Use with Any Standard Pressure Tester

• Fits Mercedes-Benz with Threaded Filler Necks

Mercedes and Chrysler

(Except M-Class 1998 - 2005)

SKU **133626 41 99**

and Chrysler Crossfire

(2004 - 2008)

Diameter: 62 mm;



Ford, Jaguar, Pontiac, Range **Rover and Saab Radiator Adapter**

SKU **133611** 27243R

• Fits Jaguar X Type (2002 - Newer), Saab 900 (1994 - 1998), Saab 9-3 and 9-5 (1999 – Newer), Some Saturns and Other Vehicles

SKU **133632**

27248R

· Diameter: 52 mm: Thread Size: 3 mm



SKU **133609** 27242R

- · Volkswagens with Female Threaded Filler Necks (1990 to 1998)
- Diameter: 57 mm; Thread Size: 3 mm




Ford, Jaguar and Mazda **Radiator Adapter**

SKU **133631** 27247R

- Ford Contour 1998-2000 Jaguar XJ8 1998-up, Jaguar XK8 1997-2006, Mazda Tribute 2001-Up
- Diameter: 52 mm: Thread Size: 3 mm








COOLING SYSTE

Cooling System Tools

Coolant System Flush Gun

SKU **1284967** 24719

FEG. \$49.99



- Combines Water with Compressed Air to Quickly and Efficiently Flush Cooling Systems
- Comfortable Lever-Action Air Throttle with Lock-On Latch for Simple Attachment of Air Hoses
- Used for the Detailed Flushing of Debris and Contaminants From the Cooling System During Repair and Maintenance

Offer Good Through March 31, 2024

Cooling System Back Flush Tool SKU **750008**

24506

Coolant Hose Removal Tool Set

• Thicker Than Most Hose Disconnect Tools

· Low Profile Design for Ease of Use

• 40° Offset Designed for Jobs in Tight Spaces

Set of 4 Will Cover Quick Connect Hose Needs

CoolantStrip Coolant Test Strips SKU OUTSIDE BUY/EPO 199

Determines Acidity and Freeze/Boil Point of Engine Coolant
 Using and Integrated Color Scale Means Coolantstrip Is Recommended for Use

- Hose Fittings: 1/2", 5/8" and 3/4"
- Connects to a Standard Hose
- . Made of Non-Corrosive Aluminum
- · Easy to Use

SKU **383214** CAL244TNZ

PH08001-B



C4k Year

UREA DEF Refractometer

SKU **471112 189** 99 OTC5025

- Def-Unique Calibrated Scale with 32.5%
- Enables Operators to Clearly Determine if the Def in their Vehicle Consists of a 32.5% Urea/Water Solution
- 15-40% Variance on Scale
- 0.5% Line Graduations
- Complete Kit Provides Operators Everything They Need to Calibrate and Use Def Refractometer



OEM TOOLS





. Designed to Remove and Install Freeze Plugs Used in Liquid-Cooled Gas and Diesel Engines



OEM TOOLS



Heater Hose Coupler Remover

SKU **222528** LIS62200

- Splines Cut into the Coupler for Turning without a Socket or Wrench
- Use 5/8" Socket or Wrench to Turn Out





Coolant Testers

with All Coolant Colors

Tests Ph Level and Glycol % of Engine Coolant

Easier and Faster Than Electronic Or Hand Operated

Recommended for Use with All Engine Coolant



Wiew.

Coolant Exchange Equipment

2 Tank Coolant **Exchange Machine**

SKU **OUTSIDE BUY/EPO** MXMMX2

- 2 Fiberglass Tanks with 10 Gallon Capacity
- Allows Coolant/Antifreeze **Exchange Directly from** the Radiator Spout or Expansion Tank
- Heavy Duty Aluminum Design
- Energy Saving— No Electricity or **Batteries Required**
- Eliminates Spills



MAHLE VCX-1 Vacuum Coolant Exchanger SKU OUTSIDE BUY/EPO

MSS4708001900



- Extremely Fast Service Cycles
- Simple Hook-Up and Operation
- Flexible Adaptation for Most Makes and Models



FluidPRO® MCX-2 MAHLE **Multi-Coolant System** Fluid Exchanger

SKU OUTSIDE BUY/EPO MSS4708003000

2,87999

- Includes System Pressure Test Feature and "Hot Car" Radiator Cap Pressure Release
- Compatible with All Coolant Types
- for Adaptability

 Contains (2) 7.5 Gallon New Coolant Tanks and (1) 15 Gallon Waste Tank Providing Simple, Rapid Switching from One Coolant to Another
- 3 Minute Service Time for Increased Productivity



Vacufill Air Operated **Coolant Exchanger** with Drain Pump

SKU OUTSIDE BUY/EPO UVU570000X

1,759⁹⁹

- Includes: Auxiliary Pump for Emptying Waste Reservoir
- · Large 12 Gallon Waste Coolant Reservoir
- . Connects Easily to Engine Cooling Systems
- Large 3 Gallon **New Coolant** Tank
- Eliminates Potential Airlock **Problems**
- · Tests for Leaks While Under Vacuum



WASTE PUMP

Fluid Not Included



To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878

Ball Joint Service Kits

XL C-Frame Ball Joint Press Set

SKU **1142924** 25105

• Ideal for Pressing Out Larger Ball Joints on Pick-Up Trucks: Toyota Tacoma and Tundra, Chevrolet 2500-3500 and Tahoe.

- Dodge Ram 2500-3500 and Ford F350-F550
- Extended C-Frame Allows Use of Multiple Larger Adapters that Standard C-Frame Presses Won't Fit
- C-Frame Constructed with Heavy Duty Forged Steel for Strength and Durability
- For Use with OEMTOOLS® Ball Joint Press Kits and Adapter Sets



74 Piece Master Ball **Joint Press Kit**

SKU 1207895 37388

- · Adapters for Almost Every Car, Van, SUV and Light **Duty Truck**
- Comprehensive Kit with 70+ Adapters and C-Frame
- Tough Heavy-Duty C-Frame is Built to Last
- 2 Heavy-Duty Molded Cases are Designed for Storage and Mobility



21 Piece Master Ball Joint Press Set

SKU **1142406** 25104

- Removes and Replaces Press-Fit Upper and Lower Ball Joints on 2-Wheel Drive (2WD) and 4-Wheel Drive (4WD) Vehicles
- Includes Adapters with Specialized Cut-Outs to Maneuver **Around Obstructions**
- Includes Adapters Needed for Removing Upper and Lower Ball Joints on GM, Ford and Chrysler 2WD and 4WD Light-Duty Trucks, Vans and SUVs
- · Heavy Duty Forged Steel Allov C-Frame for the Toughest Jobs - Ideal for Seized Joints



Master Ball Joint Installer/Remover Adapter Set

SKU **1103612** 37310

- Includes All the Receiver Tubes and Removing/Installing Adapters Needed to Work on Many GM, Ford and Chrysler 2 and 4 Wheel Drive Pick-Ups. Vans and SUVs
- · Works on Press-Fit Upper and Lower Ball Joints
- · Set Also Includes a Live Center Forcing Screw Plug and a Plastic Storage/Carrying Case
- · For Use with OEMTOOLS® **Ball Joint** Press Kits and Adapter Sets



Ball/U-Joint Press with 4WD Adapter Set

SKU **1103607** 37089

- Remove and Replace Ball Joints on Many Vehicles
- · C-Clamp Frame Press Also Removes and Replaces U-Joints
- Includes Adapters to Service 1/2 to 3/4 Ton 4 Wheel Drive Vehicles Equipped with Dana 44 Series



Ball Joint Tools

Ball Joint Separator


SKU **1340232 90**99 37308

- Used for Separating the Ball Joint from the Spindle Support Arm on Domestic and Import FWD Vehicles
- · Adjustable for Different Size Ball Joints
- Max. Opening Range: 1-1/8" to 2-1/8"



Low Profile Ball Joint Separator

SKU **1245676**



- . Designed for Tight Access Where Many Ball Joint Separators Won't Fit
- For 2005+ Ford, Lincoln and **Mercury Applications**
- Impact Rated



Hvdraulic Ball Joint Separator

SKU **177718** 25219

- . Hydraulic Ram Rated to 8 Tons
- Jaw Capacity: 56 mm (2.25") • Jaw Width: 22 mm (0.86")
 - Fast. Safe. Efficient.

Polaris ATV Ball Joint Tool

SKU **1142310** 24683

• For Removal and Installation of Upper and Lower Ball Joints on Sportsman XP. RZR and Ranger ATVs



Impact Socket 2-9/64"

SKU **462494** 24215

• Used on Chrysler/Dodge Cars, Light Trucks and Vans



3/4" Drive Ball Joint Impact Socket 1-59/64"

SKU **662809** 24238

• Used on Chrysler/Dodge Mid-Size Cars, Light Trucks and Vans

<u>CHASSIS & SUSPENSION</u>

Chul-Van

Spring Compressors

2,200 Lb. Capacity Floor **Mounted Strut Compressor**

SKU **1335805 379** 99 CAL91300

- For Strut Assemblies on Passenger Cars, Light-Trucks, Vans and SUVs
- For Coils 3.5" to 8.75" Wide and Up to 19" High
- · Can Be Used with Varying Coil Diameters Up to 5/8"
- · Can Be Mounted to the Floor
- Adaptive Spring Bracket Can be Configured in Multiple Configurations
- Safe and Easy, One-Person Use



Model 7600 Strut Spring Compressor

SKU **547959 BRA7600**

- · Handles the Toughest **Applications**
- . Min./Max. Spring Diameters: 3.5"/11.5"
- No Adapters Required



Cart for BRA7600

SKU **547960** BRA00-0137

Bench Mount for BRA7600

SKU **547962** BRA05-0125



OEM TOOLS

Granick

StrutTamer™ II Extreme with Stand

SKU OUTSIDE BUY/EPO OTC6637-ST

Call for Price

- Meets the New ASME PASE Standards for Spring Compressors Capable of Safely Compressing the Largest Strut Springs
- New Forged Locking Jaws Include Larger Pads and are Offset to Clamp Onto and Compress Springs Even Tighter Than Before
- Unique Trunnion Locking Mechanism to Eliminate Arm Movement for Stable Compression



For Outside Buv/EPO.

Call 901-300-4878



OIC

Coil Spring Compressor

SKU **1103643**

OEM TOOLS

- . Used to Safely Compress the Coil Spring on Most Cars and Light Trucks
- Can Also Be Used When Installing Coil Spring Spacers



Coil Spring Compressor Set

SKU **1103614**

- 37200
- · Forged Construction for Strength and Durability Removes and Installs Coil Springs Quickly and Safely
- Compresses Coil Springs on Most Passenger Cars and Pickup Trucks



Strut Spring Compressor

SKU **1207884** 37036

REG. \$49.99

- Used to Compress Strut Springs During Cartridge Replacement
- Safety Latches Lock Spring in Place **During Compression**
- Hooks are Forged and Center Screw is Hardened for Longer Life
- . Thread Length: 9'
- Can Be Used with Varying Coil Diameters Up to 5/8"



Offer Good Through March 31, 2024

Suspension

GM Upper Control Arm Knock Out Tool

SKU **420336 22**⁹⁹ 24210

34

• Services Chevrolet and GMC 1/2, 3/4 and 1 Ton, 2 and 4 Wheel Drive Trucks (1989 to 2001) and All Wheel Drive Chevrolet Astro and GMC Safari Vans (1990 to 2002)



OEM TOOLS

9 Piece Upper Control Arm Bush Set

SKU **094806** 27206

Vehicles

- Easily Replace Press-In Type Upper Control Arm Bushings on Many Rear Wheel Drive Early Model Domestic
- No Need to Remove Control Arm from Vehicles



Front End Service Kit

5 Piece Front End Service Kit

SKU **1267952** 26554

• Large and Small Pitman Arm Puller for Ball Joint Application

OEM TOOLS

- Two Ball Joint Separators
- Three Tie Rod Pullers



Torsion Bar Tool

OEM TOOLS

OEM TOOLS

GM. Ford. Chrysler Torsion Bar Tool

SKU 1103600 37278

- Safely Loads and Unloads 5-Lug, 6-Lug and 8-Lug GM, Dodge and Ford Torsion Bar Suspensions for Key Replacement
- Extended Long Reach "C-Clamp" for Use with 2011 and Higher GM Heavy Duty Trucks
- Includes Ford/Dodge Adapter



OEM TOOLS

CHASSIS & SUSPENSION

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Hub Bearing

O=M TOOLS

Heavy Duty Hub Drum and Rotor Puller Kit SKU **1125878**

25106

Use with Impact Wrench to Remove Hubs, Drums and Brake Rotors

- Includes (3) Hub Adapters for Use with Most Common Hub Sizes and Types
- Jaw Spread Up to 12-3/4" with 5" Reach
- . Durable Forged Frame Rated to 7 Tons of Pulling Force for the Toughest Jobs
- Drum and Rotor Pulling Arms Feature with Raised Stops for Use with Ratchet Straps (Not Included)
- Easily Adjust the Arms and Set Puller in Place for Tough Pulling Jobs in Tight Spaces



Wheel Hub Removal Tool

SKU **1245618** 25749

69 REG. \$86.99

OEM TOOLS

- Ideal For Removing a Frozen Hub Assembly Without Damaging the Axle
- For Use on Many Axle Bolted Hubs Including Five, Six and **Eight Lug Hubs**
- · Constructed from High-Quality, Impact-Resistant and Corrosion-Resistant Steel
- 2-5/8" Center to Center Hole Pattern
- 3/4" Steel Backing Plate and Reinforced Striking Plate for Long



Master Wheel Hub and Bearing Remover and Installer Set

SKU **1103635 399**99 37342

· For Removal and Installation of Front Wheel Hub and Bearings on Most Makes and Models of Domestic, European and Asian Vehicles Where the Hub and/or Bearing are Pressed

· Works on Front. Rear and All-Wheel Drive Vehicles







23 Piece Hub Bearing **Remover and Installer Set**

SKU **094804** 27205

· Removes and Installs Wheel Bearings with Steering Knuckle and Strut Assembly Still on the Vehicle

· Eliminates Need for Alignment



Drive Hub Puller SKU **OUTSIDE BUY/EPO** 27037

• Fits Most Domestic and Import Vehicles

Front Wheel

Offer Good

- Yoke and Bolt are Threaded 5/8" x 18
- Heat-Treated Pressure Screw for Toughness

OEM TOOLS



For Outside Buy/EPO, Call 901-300-4878

Hub Grappler™ Wheel Bearing Puller

SKU **096847** OTC6575



· Applies Maximum Force with Minimal Effort from an Impact Gun



Tie Rod Tools

Master Inner Tie Rod Tool Set

SKU **344979** 27178

Works on Both Small Cars and SUVs

- Tube Handle Has an Inner Diameter of 2.125" to Service Small Cars, Pickups and Large SUVs
- Includes 12 Crowfoot Style Adapters, Sizes: 29 mm, 1-3/16", 1-1/4", 32.5 mm, 1-5/16", 33.6 mm, 1-3/8", 1-7/16", 1-1/2", 38.4 mm, 40 mm and 42 mm









Lisle

Inner Tie Rod Tool

SKU **291414**

Inner Tie Rod lisle **Tool Kit**

SKU **217377** 27185

· Removes and Installs Tie Rod End on Rack and

Pinion Steering
• Includes: 3/16", 5/16" and 7/16" Adapters

 Comes in Sturdy Blow Mold Case



OEM TOOLS

OEM TOOLS

Pitman Arm Puller

Pitman Arm Puller for Light Trucks

SKU **695090** 27170

61 99

- Services Cars and Light Trucks 3/4 Ton
- Can Be Used for Bearing, Collar or Gear Removal
- Features Forged Adjustable Jaws and Two Clamp Bolts That Lock Jaws Together
- Pressure Screw Has Ball Head Designed for Striking
- Includes: Pressure Screw (A), H-Frame (B), Jaw Bolt (C), Jaw (D), Clamp Bolt and Wing Nut (E) and Pressure Screw Adapter (F)

Contract of



OEM TOOLS

Pickle Forks

Stepped Pickle Fork Set SKU **291410**

- LIS41400 • 6 Tools in One
- Includes: 11/16". 15/16", 1-1/8'
- Forks and 2 Handles



5 Piece Tie Rod and Ball Joint Set

SKU 1103626 37201

- Used to Remove Tie Rods and Ball Joints
- Includes: 11" x 1-1/8", 11-3/4" x 1-5/8" 11-5/8" x 1-7/16", 16" x 11/16" and 16" x 15/16"



AZG0124

Prices subject to change without notice. Prices do not include applicable taxes, vehicles, tires, rims, installation or optional equipment as shown. Please do not return purchases to the store. For information regarding warranty, repair, or any questions or concerns, call 901-300-4878.

CHASSIS & SUSPENSION

Axie Tools



Universal Inner CV Joint Puller

SKU **1340236** OTC7507

- CV Joint Fork Only
- · Use with Slide Hammers 0EMT00LS® 37033 and 27202



5 Lb. Slide Hammer SKU **1103572** 599

· Used to Pull Bushings, Seals, Sleeves, Bearings, Flange-Type Rear Axles, Front-Wheel Drive Hubs, Dents and Pressed-In Bolts with Two or Three Jaw Puller Options Slide Rod is 3/4" x 16 Standard Threads

37033

CV Axle **Popper Set**

SKU **1189082** 37305

- Includes: Axle Shim Tool and Fork/Wedge Tool
- Length: 13-3/4"
- Used to Remove Axles from the Transmission, Ball Joints in the Suspension System and Tie Rods
- Fork Design Allows Mechanic to Exert Force Evenly on Both Sides of the Axle



OEM TOOLS

OEM TOOLS



Rear Axle Puller Set


SKU **094801** 27202

• Use for Flange-Type Rear Axle and Bearing Removal on Most Late Model Passenger Cars and Light Trucks

OEM TOOLS

• Slide Rod and Adapters are 3/4" x 16 Standard Threads





Axle Spindle **Threading Set**


SKU **1103645** 37233

- Used to Clean or Repair Axle Threads
- Set Comes with a Special Twist Shape that Provides Easier and Quicker Work
- · Sizes Included: M20 x 1.25, M20 x 1.50, M22 x 1.00, M22 x 1.50, M24 x 1.50, M24 x 2.00, 13/16" x 20 UNEF, 3/4" x 20 UNEF and 27 mm Extension Bar



OEM TOOLS

OEM TOOLS



CV Axle Nut Sockets

39 mm 12 Pt Axle Nut **Socket for Toyota**

SKU **452638 29**⁹⁹ LIS39650

 Applications: 2008-2010 Toyota Land Cruiser, 2008-2010 Toyota Sequoia, 2007-2010 Toyota Tundra and 2008 Lexus LX 570

Axle Nut Socket Sets

• Includes Sizes: 29, 30, 32,

34, 35, 36, 38 and 39 mm



12 Pt SKU 1103460 37321



OEM TOOLS

See AZTOOL1.com for Full Line of CV Axle Nut Sockets

Bushing Tools

Manual Bushing Installation and Removal Tool Set

SKU **298214** 27212

24Q99

- · Comprehensive Kit for Fast and Effective Removal/Installation of Wheel Bearings/Suspension **Bushings and Seals**
- · Allows the Technician to Service a Wide Range of **Bushings without Removing Components from** the Vehicle
- Comes with 20 Sleeves for Hundreds of Combinations
- External Sleeve Diameter: 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80 and 82 mm

Spindle Nuts

GM Axle Hub Nut Socket

SKU **298219 24** 99 25967

SKU **298224**

(1996-Newer)

Increased Durability

25969

- Applications: GMT900 Silverado, Sierra HDCS, 2-Wheel (2WD) and 4-Wheel (4WD) Drive Cheyenne, Silverado, Escalade, Sierra and Avalanche Trucks with 10.5" or 11.5" Ring Gear
- Has 9 Pins to Fit GM New Style Retaining Nuts

Toyota 4 Pin Hub Locknut Socket

• Services High Torque Locknuts on Toyota 4WD Vehicles Having Free Wheel (Lock Out) Hubs

Tacoma (1995-Newer): T100 and 4Runner

REG. \$29.99

 Unapproved Methods Can Damage the Bearing or Result in Shorter Service Life



Dodge Hub Locknut Socket SKU **344964**

25968

- Fits Dodge 1/2-Ton Pickup Trucks (1994-Newer) with Dana 44 Front Axle and Dana 60 Axle with a Vacuum Disconnect
- Designed to Accommodate the 1-11/16" (43 mm) Wheel Bearing Retaining Nut Which is Recessed into the Hub



1/2" Drive Socket **Bearing Locknut**

SKU **231203** 25243

· Fits Adjusting Nuts Found on Ford F150 Trucks (1995 to 1996) and Full Sized Broncos with **Automatic Locking Hubs**



Tovota 8 Pin Front Hub Locknut Socket

SKU **298205** 25962

- · Allows for Easy Removal and Installation of Front **Hub Lock Nut without** Damage to the Nut
- Applications: Toyota 4Runner 2WD (2007 to 2014), Toyota Seguoia (2008 to 2014). Toyota Tundra (2007 to 2014)
- 3/4" Drive



4WD Ford OEM TOOLS Spindle Socket. 66.5 mm x 80 mm

SKU **603346** 25965

- Fits Ford F-Series 1/2-Ton Truck and Full-Size Bronco with Manual Hubs; 1995-Newer Ford F-Series 3/4-Ton and 1-Ton Trucks with Manual Hubs: 1959-85 Ford F-Series 1/2- and 3/4-Ton Trucks and Full-Size Bronco; 1960-90 GM 1/2-Ton Truck and Full-Size Blazer/ Jimmy: 1969-89 Dodge 1/2-Ton Truck with Manual Hubs: 1969-72 International 1/2-Ton Truck
- 1/2" Sq. Drive

25966

4WD Ford - Dodge Spindle Socket. 76 mm x 80 mm SKU **603347**



Offer Good Through March 31, 2024

• Improved Design with Solid Pins for

CHASSIS & SUSPENSION

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Power Steering Bleeders

Vacuum Pump Tester. Power Steering and Brake Bleeder Set

SKU **1103570** 37070

• Includes: Vacuum Pump Reservoir Jar with Transfer Lid. Storage Lid, Brake Bleeding Adapter Package, Steering Pump Adapters and Tubing





Power Steering Bleeder Set

SKU **434716** 27311

Reduce Comebacks

- Eliminate Trapped Air in Power Steering and Brake Systems Following Repairs or Fluid Changes
- Includes: 2 EPDM Tapered Rubber Adapters to Fit Most Power Steering Pumps and Reservoirs, Reservoir Bottle to Protect Hand Vacuum Pumps and 3 Sizes of Brake Bleeder Adapters
- Works with a Hand Vacuum Pump



Power Milbuyec **Steering Adapter Kit** SKU **752069**

 Includes: MITMVA660. MITMVA661 and MITMVA662

MITMVA670




Power Steering Pullers

Power Steering Pulley Remover/ Installer - Ford, GM, Chrysler

SKU **1103578 38**99 37031

- Includes 2 Screws for Use on Most Ford, Chrysler, GM and VW Power Steering Pullevs
- · Pulls Pulleys on GM Belt Driven Vacuum Pumps and Pressed-On Water Pump Pulleys of GM V6 Engines





Drive Line Tools

1/2" Drive (12 mm) Ford **Drive Line Impact Socket**

SKU **420319** 24212

- Applications Include Many Ford Drive Line Bolts
- 12 mm, 12 Pt.



SKU **1267934** 25103

• Applications: 1994-2004 Dodge NV4500 with 4x4 29 Spline and 4x2 31 Spline as Well as NV4500HD (Cummins Diesel or V-10 Powered Dodge RAM)



lisle


Steering Wheel Service

Steering Wheel Puller

SKU **1103540 39**99 37182

- . Designed for All Major Makes and Models
- Sizes Included: 1/4" x 28, 8 mm x 1.25, 5/16" x 18, 5/16" x 24 and 3/8" x 16
- Includes: J Hooks and Lock Plate Compressor

OEM TOOLS



Steering Pivot Pin Remover

SKU **265106** 25135

· Works on GM, Chrysler and Ford Vehicles (1969 - Newer) with Saginaw Steering Columns



OEM TOOLS

Steering Wheel Lock Plate Tool

SKU **213147** LIS57340

and Telescoping

• Fits Domestic Lock Plates - Tilt



OFM TOOLS

U-Joint Tools

- · Easily Removes Seized U-Joint Cups on Most Passenger Vehicles and Light Duty Trucks
- . Does Not Damage the Driveshaft, Yokes, Joints or Bearing Cups

Automotive U-Joint Puller SKU **949561**

24539 · Bearing Cup Outside Diameter: 1" to 1.25'

Intermediate U-Joint Puller

SKU **949565** 24548

. Bearing Cup Outside Diameter: 1.25" to 1.7"

Heavy Duty U-Joint Puller

SKU **041474** 24538

. Bearing Cup Outside Diameter: 1.5" to 2.2"



Automotive Bearing Cup Installer

SKU **949571** 24549

- · For the Installation of Bearing Cups on Light-Duty and Medium-Duty U-Joints
- Efficiently Install (2) Bearing Cups in One Process
- Contact Points Feature Magnets to Retain Bearing **Cups During Operation**



Seal Tools

Transmission/Transaxle Plugs SKU **298196**

24490

- Includes 5 Plugs to Seal Both Transmissions and Transaxles on Most Import and Domestic Vehicles
- · Stepped Design for Retention and Positive Sealing
- Includes Side Gear Centering Pin for Ford Transaxles



Bearing Race and Seal Master Driver Set

SKU 1103639 37119

- Installs Most Standard Wheel Bearings and Races
- Includes Driver Sizes: 1.565", 1.750", 1.965", 2.325", 2.470", 2.555", 2.830", 2.995", 3.180" and Handle



Universal Seal Installer Set

SKU **818737** 25082

REG. \$44.99

- Knurled Long Handle
- Includes: 3" Driver, 2.5" Driver, Short Handle, Long Handle, Spider Insert, 5/16" x 1" Cap Screw, Large Spider, Small Spider and Washer
- Long Handle Provides Good Flexibility When Installing Pinion Seals



AZG0124

OEM TOOLS



Offer Good Through March 31, 2024

Cam/Crankshaft Tools

Crank Bolt Sockets

Deep Counter-Weighted Sockets Provide Increased Torque to Break Loose Stubborn Crank Bolts

 Applications: Honda-Acura, Models: Accord, Civic, Pilot, CRV, Odyssey, CL TL Integra, MDX, Vehicles. Plus Toyota-Lexus, Models: Camry, Corolla, 4Runner, Sequoia, ES300, LS400 Vehicles and More

17 mm

SKU **912348** 25275

19 mm

SKU **1335801** 25290

21 mm

SKU **912343** 25273

26 mm SKU **919500** 25278

27 mm

SKU **919497** 25279

25276



OFM TOOLS

Universal Pulley and Fan Clutch Holder

SKU **547013** 27281

• Fits Many Different Fan Clutches, Cam and Crank Pullevs with Slots or Holes Adjustable Diameter: 1-1/2" to 8-5/8" Pin Sizes: 6-10 mm, 8-11 mm, 10-12 mm and 11-16 mm

OEM TOOLS

OEM TOOLS

. Comes in Blow Mold Case



5 Piece Master Cam/Timing Gear Clamp Set

SKU **383452** 27210

- . Covers Most Single, Twin Cam and Quad Cam Engines
- Locks Camshaft to Hold Valve Timing During Timing Belt Replacement



2 Piece Timing Gear Holder Set SKU OUTSIDE BUY/EPO

24360 For Outside Buy/EPO, Call 901-300-4878

OEM TOOLS

Ford Cam Tool 1.6 Liter SKU **1103640**

37380

- Designed to Hold the VCT Sprockets in Position During Timing Belt Installation or Camshaft Service Alignment Tool Services:
- Ford Fiesta (2011 to 2014), Ford Escape (2013 to 2014), Ford Fusion (2013 to 2014), Ford Transit (2013 to 2014)



OEM TOOLS

6 Piece Crank Bolt Socket Set

• Includes: 17, 19, 21, 22, 26 and 27 mm Deep

Provides Increased Torque to Break Loose Stubborn Crank Bolts

Applications: Honda-Acura, Models: Accord, Civic, Pilot, CRV.

Odyssey, CL TL Integra, MDX, Vehicles. Plus Toyota-Lexus,

Models: Camry, Corolla, 4Runner, Sequoia, ES300, LS400

SKU **919501 999**

Counter-Weighted Sockets

Vehicles and More

Chrome Moly Steel

Ford 2.0L, 2.3L, OM TOOLS 2.5L Cam **Tool Kit**

SKU **626108** 24448

• Applications: 2.0L DOHC Engines Found in Ford and Mercury (1994 to 2003), 2.5L DOHC, 2.3L DOHC 4V and 2.0L DOHC Engines in Ford, Mercury and Mazda (2004 to 2012) and 2.0L DOHC Engines in Ford Probe (1993 to 1994)



OEM TOOLS

Ford Timing Chain Locking Wedge Tool

SKU **012647** 24207

- For 2005-14 5.4L and 4.6L 3V OE Type Tool Allows for Easy Cam Changes without Removing the Timing Cover
- . Compact and Easy to Use
- OE Type Tool
- For 5.4L and 4.6L 3V (2005-2014)



DOHC Cam Lock Holder

SKU **291419** LIS36880

- . This Versatile Tool Easily Locks and Holds Both Camshaft Sprockets Firmly in Place
- Preserves the Engine Timing During Belt or Chain Replacement



Pilot Bearing Puller

SKU **775523** 25089

. Use to Pull Pilot Bearing from End of Crankshaft

- Plate Prevents the Jaws from Spinning when Force is Applied
- Spread Range: 1/2" to 1-1/2"
- · Reach Range: 3/16" to 11/4"



OEM TOOLS

Pilot Bearing Puller Attachment

SKU **230517** 27059

• Use with OEMTOOLS 37033 and 27202 Slide Hammer Pullers

Threaded with Both 5/8" x 18 and 3/4" x 16 Threads to Fit Most Slide Hammers

OEM TOOLS



Ford Master Timing Kit SKU **OUTSIDE BUY/EPO** CTA2221

• Includes: Harmonic Balancer Holder, Camshaft Alignment Tool, VCT Alignment Tool, Crankshaft Positioning Tool, Crankshaft Vibration Dampener Alignment Tool, 3 Pc. Wedges and Camshaft Timing Kit

· Services Ford, Mazda and Lincoln 1.4L, 1.5L, 1.6L, 2.0L, 2.3L, 2.5L, 3.0L and 3.5L Engines

For Outside Buy/EPO. Call 901-300-4878

OFM TOOLS

Flywheel Turner

SKU **1207891** 25556

- Holds Flex Plates and Fly Wheels to Allow Clutch, Transmission and Crankshaft Service
- · Spring Tensioned to Keep the Wrench Securely Engaged

· Sure Grip Handle



OEM TOOLS

Flywheel Locking Tool

SKU **1335793** 25557

- Locks Flywheel in Place When Removing Harmonic Balancer on
- 6.6L Duramax Engines with Allison Automatic Transmissions Saves Time by Securing the Flywheel at the Transmission as an Alternative of Having to Remove the Starter for Water Pump Replacement
- Use 36 mm 12 Point Socket with 3/4" Square Drive to Remove Harmonic Balancer Bolt and Retorque on Installation
- · Toothed Pieces with Screws Work with Duramax 4500/5500 Trucks



Universal Camshaft Bearing Tool

SKU **191677** 27143

- Removes or Inserts Camshaft Bearings in Nearly All Engines
- Set Includes: Driving Shaft, Driving Shaft Extension, Expander Unit, (5) Split Driving Plugs, (2) Driving Collars and Centering Cone
- Easy on Bearings
- Range: 1.125" to 2.69"



IGINE SERVICE

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Valve & Cylinder Head Tools

Combustion **Leak Detector**

O=M TOOLS

SKU 1103608 37145

- Test for Internal Combustion Leaks on **Gasoline Engines**
- · Fluid Color Changes to Yellow When a Combustion Leak is Present
- . Comes in a Sturdy Blow Mold Case
- Not for Use with Diesel Engines



Combustion Leak Detector Fluid (8 Oz.)

SKU **391381** 25739



OEM TOOLS

Valve Keeper Remover & Installer Kit

10099

Makes Valve Component Disassembly and

SKU **662780**

- Lock Removal
- from 1" (25 mm) to 1-3/16" (30 mm)
- Compression Range from 1-3/8" to 5-5/8" (35 mm to 142 mm)



Hydraulic OMMTOOLS Valve **Lifter Puller**

SKU **424904** 27146

 Use for Removing Many Valve Lifters from Engine Block

OEM TOOLS **Ford Valve Spring Compressor**

SKU **626111 7**899 24434

- · Applications: 1991 to 2004 Ford Vehicles with 4.6L, 2V, V8 Engines; 4.6 4V, 5.4 V8 and 6.8 V10
- Works with Engine Removed or Installed, Cylinder Head On or Off
- Not for Triton 5.4 3V



OEM TOOLS

Lever Valve Spring Compressor

Reassembly Fast and Easy

• For Use with Valve Stems from

Magnet in Tool Body Captures

• New Smaller Size Works on

New World Engine

4.5 to 7.5 mm and 5/16" to 3/8"

Toyota 4 Cylinder and Chrysler

24676

SKU **011658**

LIS36050

· Lever Action Stays Compressed for Easy Valve

• Included Adapters Fit Valve Retainer Diameters

OFM TOOLS **Valve** Spring Compressor

SKU **552331** 25064

- · Compresses Valve Springs on GM V8 Engines with Stud-Type Rocker Arms without Having to Remove Cylinder Heads
- Use with OEMTOOLS® 25029



OEM TOOLS

OFM TOOLS **Ford Valve Spring Compressor** for 3-Valve Engines

SKU **814391** 24429

- · Designed to Compress the Valve Spring without Removing the Camshaft While Servicing the Cylinder Head in Ford 3-Valve Engines
- For Use with Ford 3-Valve 4.6L and 5.4L Engines



Flexible Air **Valve Holder**

SKU OUTSIDE BUY/EPO 25029

- For 14 mm and 18 mm Spark Plug Holes
- 14" Flexible Hose Reaches into Tight Areas



For Outside Buy/EPO, Call 901-300-4878

BRM14353

Push Rod Remover OEM TOOLS

SKU **459100 90** LIS48300

- Redesigned for Newer 3.5L and 3.6L GM Engines - Also Works on GM V6 2.8L, 3.1L and 3.4L
- · Quickly Removes Push Rods to Replace the Intake Gaskets without Removing Rocker Arms



Torque Adapter Diesel Head Bolt, Ford 6.0L Power Stroke® Engines

SKU **298191 27***99* 24208

- · Eliminates the Need to Remove the Truck/Van Cab from the Chassis to Access the Rear Head Bolts
- Eliminates the Need to Remove the Evaporator Housing, Saving 2 Hours of Time and the Additional Cost of Refrigerant Added During A/C Recharging
- · Prevents Damage to the Rear Heat Shield
- Use with OEMTOOLS® 27309 3/4" Drive Torque Wrench and OEMTOOLS® 22398 18 mm Socket



24" Straight Edge

SKU **949552 199** 25355

- Use with a Feeler Gauge to Inspect for Distortion on Engine Blocks, Cylinder Heads, Fly Wheels, Main Bearing Saddles, Cam Bearing Saddles, Cam Covers and Bell Housings
- Constructed with 1/4" Thick Cold Rolled Steel
- Precision Ground Edge to +/- 0.001"
- Durable Powder-Coat Finish
- Hang Hole for Convenient Storage
- Includes Reusable Protective Edge
- · Made in the USA



Engine Cylinder Hones

BC 180SC Flex-Hone Tool Kit SKU **213154**

- 10 Piece Kit Features Flex-Hone Sizes: 10 mm, 1/2", 5/8", 3/4", 7/8", 1", 1-1/4", 1-1/2". 1-3/4" and 2"
- · Complimentary Snap Back Hat, 1/2 Pint of Flex-Hone Oil and 1GB Flash Drive



	Product	Cylinder	Price	
Part #	Product	Metric	SAE	Price
BRMGB31412	Flex-Hone™ GB	83 mm	3-1/4"	49.99
BRMGB31212	Flex-Hone™ GB	89 mm	3-1/2"	<i>54.99</i>
3RMGB33412	Flex-Hone™ GB	95 mm	3-3/4"	<i>59.99</i>
3RMGB41812	Flex-Hone [™] GB	105 mm	4-1/8"	<i>59.99</i>
BRMGB45812	Flex-Hone™ GB	118 mm	4-5/8"	64.99
	BRMGB31412 BRMGB31212 BRMGB33412 BRMGB41812	BRMGB31412 Flex-Hone™ GB BRMGB31212 Flex-Hone™ GB BRMGB33412 Flex-Hone™ GB BRMGB41812 Flex-Hone™ GB	BRMGB31412 Flex-Hone™ GB 83 mm BRMGB31212 Flex-Hone™ GB 89 mm BRMGB33412 Flex-Hone™ GB 95 mm BRMGB41812 Flex-Hone™ GB 105 mm	BRMGB31412 Flex-Hone™ GB 83 mm 3-1/4" 3RMGB31212 Flex-Hone™ GB 89 mm 3-1/2" 3RMGB33412 Flex-Hone™ GB 95 mm 3-3/4" 3RMGB41812 Flex-Hone™ GB 105 mm 4-1/8"

ADDITIONAL SIZES AVAILABLE - CALL US AT 901-300-4878 OR VISIT AZTOOL1.COM



AZG0124

Harmonic Balancer Tools

OEM TOOLS

Harmonic Balancer Puller Kit

SKU **818738** 25090

Unique Jaw and Returning Springs for Easy Positioning

- Includes: Puller Body, 3 Jaw Puller, (3) Jaw Retaining Pins, (3) Wave Washers.
- Pressure Screw
 Insert Rods: 4", 5-13/32", 6-1/2" and 7-13/32"
- · Used on Many GM, Ford, Mitsubishi and Chrysler Engines



°°5 \$ \$ \$ \$ \$ \$ \$ \$ \$

Harmonic Balancer Puller TOOLS

SKU **1103576** 37187

- Includes: Yoke, Pressure Screw and Pulling Screws
- Floating Swivel Prevents Damage to Shaft Ends
- Ideal for Any Shop or Garage
- · Pulling Balancers and More
- . Heat-Treated for Strength and Durability



Long Reach Harmonic Balancer/Pulley Installer for GM, Ford and Chrysler

SKU **1103550** 37306

34 REG. \$44.99

• Used to Install Crank Pulley or Underdrive Pulley on Many Late Model Ford, GM, Dodge and Chrysler Vehicles with V8 and V6 Engines

• Includes: M16 x 2.0 mm (GM), M14 x 1.5 mm (Dodge, Chrysler and Jeep), M12x 1.75 mm (Dodge Chrysler and Jeep) and M12 x 1.5 mm (Ford)



Offer Good Through March 31, 2024

Universal Pulley and Fan Clutch Holder

SKU **547013** 27281

- Fits Many Different Fan Clutches, Cam and Crank Pulleys with Slots or Holes
- Adjustable Diameter: 1-1/2" to 8-5/8"
- Pin Sizes: 6-10 mm, 8-11 mm, 10-12 mm and 11-16 mm
- . Comes in Blow Mold Case



SKU **1103603** 37144

Balancer Installer

Harmonic

• Used to Properly Install Harmonic **Balancers without Damage**

. Thread Adapters: 12 mm x 1.5, 14 mm x 1.5, 16 mm x 2.0, 7/16" x 20, 1/2" x 20, 9/16" x 18, 5/8" x 18, 3/4" x 16



OEM TOOLS

GM Harmonic Balancer Puller

SKU **213102** 25264

OEM TOOLS

OEM TOOLS

Time Saving Tool No Need to Remove Radiator

- Designed to Remove Harmonic Balancers without Tapped Holes
- GM Applications: 5.3 L, 5.7LS1, 6.0 LS2, 6.2 LS3, 7.0 L
- Chrysler/Jeep/Dodge: 3.5 L V6, 3.6L V6, 4.7 L V8, 5.7 L V8 and 6.1 L V8



Flywheel Locking Tool SKU **1335793 2799**

• Locks Flywheel in Place When Removing Harmonic Balancer on 6.6L Duramax Engines with Allison Automatic Transmissions

· Saves Time by Securing the Flywheel at the Transmission as an Alternative of Having to Remove the Starter for Water Pump Replacement

• Use 36 mm 12 Point Socket with 3/4" Square Drive to Remove Harmonic Balancer Bolt and Retorque on Installation

• Toothed Pieces with Screws Work with Duramax 4500/5500 Trucks



Long Reach Harmonic Balancer/Installer SKU OUTSIDE BUY/EPO

2.7/5.2L Ford EcoBoost

CAL38710

• Designed to Achieve Easy Installation of Harmonic Balancers on Ford Ecoboost

• Can Be Used On 2.7L, 3.0L, 3.3L And 5.0L Engines in Ford/Lincoln Cars, Trucks and SUV



For Outside Buy/EPO, Call 901-300-4878

Ratcheting Harmonic Balancer Pulley Puller

SKU **1189050** CAL38000

- Eliminates Need to Remove the Radiator
- Push Turn Click Design
- · No Need for Bolts
- Applications: FORD 5.0 Coyote, GM 5.3L, 5.7(LS1), 6.0(LS2), 6.2(LS3), 7.0L and Most Three and Six-Spoke Harmonic Balancers/Pulleys



Oil Pump Primers

OEM TOOLS

Ford 5/16" Hex Oil Pump Primer

SKU **534545** 27062

- Used to Prime the Lubricating System of a Rebuilt Engine Prior to the First Start, Preventing a Dry Start
- · Connects to the Oil Pump Shaft Through the Distributor Hole
- For Use with 3/8" Reversible Drill



Piston Tools

Piston Ring Compressor

SKU **013641** 24682

- 1-1/2" Deep, Low Friction Wrinkle Band
- Fits 3" to 5" Pistons

Piston Ring Expander Pliers

SKU **003509** 25083

- Eliminates Piston Ring Damage and Distortion During the Installation and Removal Process Dipped Rubber Handles for Improved Grip
- Diameter Range: 3-1/8"(80 mm) to 4-5/8" (120 mm)







TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Diagnostic

Compression Tester Gauge Set

SKU **1103601** 37138

 Used to Test Compression 0 to 300 psi on 14 mm and 18 mm Spark Plug Ports and Determines **Engine Mechanical** Condition



8 Piece Noid Light Set

SKU **1103589** 37161

• Includes: GM TBI, GM SCPI, GM PFI, Ford TBI, GEO TBI, Bosch PFI, Bosch Type 2

and GM Multec 2 · See-Through Design to **Check Electrical Pulses**



Vacuum Pump OEM TOOLS **Tester Power Steering and Brake Bleeder Set** SKU **1103570** 2099 37070

. Brake Bleeding Kit Bleeds Brakes, Clutches or Other Hydraulic Systems

 Kit Includes: Vacuum Pump Reservoir Jar with Transfer Lid, Storage Lid, Brake Bleeding Adapter Package, Steering Pump Adapters and Tubing



Exhaust Back Pressure Tester/Gauge

SKU **1103604** 37263

- Oxygen Sensor Adapter is M12 and M18 Thread
- 6' Hose Allows User to Test from Driver's Seat
- Test for Restricted Exhaust Systems



Gas Engine Combustion Leak Tester SKU **1103608**

37145

- · Test for Internal Combustion Leaks on Gasoline **Engines**
- Fluid Color Changes to Yellow When a Combustion Leak is Present
- Designed for Professional Auto Mechanics and Heavy Duty Applications
- · Not for Use with Diesel Engines
- Use with 25739 Test Fluid



Alternator Tools

Alternator Decoupler Pulley Tool Kit

SKU **300124 94 99** 27261

- · Works on Both Overriding Alternator Decoupler (OAD) and One-Way Clutch (OWC) Pulleys
- Tools May Be Used While the Alternator is On or Off
- Includes 2 Pulley Sockets and 3 Shaft Bits
- . Comes in a Sturdy Blow Mold Storage Case



Alternator Decoupler Pulley Service Set

SKU 1103629 37275

- · Removes and Installs Many Alternator Decoupler Pulleys on the Most Popular Vehicles
- Works on Both Overriding Alternator Decoupler (OAD) and One-Way Clutch (OWC) Pulleys

Exhaust Tools

1-1/2" x 2-7/16" Tailpipe Expander

SKU **695615** 27027

SKU **080137**

LIS17350

• Extra Long Hex Bar for Convenience

• Expands All Types of Exhaust Pipe,

Including Stainless Steel, from

1-5/8" to 4-1/4" in Size

Quickly Stretch Pipes

Use with Impact Wrench to

Pipe Stretcher Kit



Exhaust Manifold Spreader Set OEM TOOLS

SKU **504028** 25253TW0

- Used for Reinstalling the Manifold on Small-Block Chevrolets
- Simple Way to Expand Warped Manifold to Align Bolt Holes
- . Helps Prevent Cross-Threading of Manifold Bolts Works Best When Used in Pairs or Install
- Before Removing Manifold to Prevent Misalignment



OEM TOOLS

⊙≡M TOOLS

Exhaust Donut Stretcher

25543

SKU **390901**

- · Easily Grabs onto Mounting Rubber Rings or Doughnut Used on Many Exhaust Systems
- Features an Offset J-Hook
- . Large Coated Handle for Comfort

Template -Ford 2V and 3V SKU **695615**

Manifold Drill

25251

- . Designed to Remove Broken Exhaust Manifold Studs
- For Ford Triton 2V and 3V Engines 4.6L, 5.4L and 6.8L V10
- · Drill Depth Gauge Marked on Each Adapter • Interchangeable 2V and 3V Adapters
- . Hi-Vis EVA Tray for Easy Storage and
- Organization

 Includes: Template. 2V Adapter, 3V Adapter, (2) Stud Alignment Pins, 3/16" and 1/8" Double-Sided Drill Bits. and Stud Extractor



OEM TOOLS

⊙≡M TOOLS

Manifold Drill Template for GM EcoTec3 5.3 L and 6.2 L

SKU **1125865**

- Removes Broken Exhaust Manifold Bolts without Damaging the Cylinder Head
- Tapered Bolts Allow You to Move from Hole to Hole without Moving Base Plate
- Screw Extractor Removes Broken Bolts
- Includes Bushing Drill Guide When Extractor Cannot Be Used



AZG0124

This Kit is the Only True, Long Term Repair for Ford Cam Phaser Noise on the Market



Stop Saying "No" to Business and Be Confident Your Customers Will Be Satisfied!

Cam phaser knock on 4.6/5.4L 3V engines is common in older models and can lead to bigger problems if not fixed. There are millions of trucks on the road with this problem, but until now, there have been few good options to permanently help fix the knock. This kit helps to eliminate any knocking noise heard from the front valve cover/timing cover related to the phasers. These all-in-one kits correct the cam phaser knock on ONE engine.







Cam Phaser Noise Repair Kits Include:

- Wedge Tool for Easier Installation
- Programmer with OBD-II Cable
- (2) OEM Quality Phaser Bolts
- (2) Lock Outs

Ford Cam Phaser Noise Repair Kit SKU **OUTSIDE BUY/EPO** LMEF1503V

· Fits Ford OEM Cam Phaser

Ford, Livernois and logos featured or referred to on this page are the property of their respective trademark holders | For Outside Buy/EPO, Call 901-300-4878

Fan Clutch Tools

BMW Cooling Fan Wrench Set

SKU **912340** 25100

- One Tool Holds the Water Pump Pulley in Place
- 32 mm Ultra-Slim Specialty Wrench is Used to Loosen the Radiator Fan Nut 32 mm Wrench Features Dipped Rubber Handle for Improved Grip
- · Water Pump Pulley Holder is Outfitted with Multiple Holding Points to Fit a Variety of BMW Vehicles

OEM TOOLS **Fan Clutch Wrench Set**

SKU **1103596** 37141

· Works on Many of the Ford, Mazda, Dodge, Lincoln, Mercury and Jeep Makes and Models with the Original Fan Clutch Assembly

• Includes Wrench Sizes: 40 mm, 48 mm, 54 mm, 68 mm, 72 mm, 76 mm and 83 mm



Universal Fan Wrench Set

SKU **080554** LIS43600

- · A Nearly Universal Fan Clutch Wrench Set for Use on the Most Popular Applications
- · Hooked Wrench Design Holds Nuts and Bolts, Allowing the Technician to Easily Tighten/Loosen the Other Bolts
- Double-Sided Spanner Style Holding Wrench Will Hold Pressed-On Pulleys on Many GM, Jeep and Dodge Vehicles



Pneumatic Fan Clutch Wrench Set

SKU **291409** LIS43300

- Quickly Removes and Installs
- Includes Wrench Sizes:



Stretch Belt Tools

Pulley and Fan Clutch Holders

Fan Clutch Holding Tool

27171

SKU **209526** 5799

- For Fan Clutch Repair and Service
- Holds Water Pump Pulley while Servicing Fan Clutch Adjustable Jaws
- Fits Most Water Pump Pulley Bolt Patterns, Including Pressed-On Pulleys
- · Jaws will Lock in Place, Securing Water Pump Bolts
- Longer Handle Provides Leverage for Extra Torque



Universal Pulley and Fan Clutch Holder

SKU **547013** 27281

- Fits Many Different Fan Clutches, Cam and Crank Pullevs with Slots or Holes
- Adjustable Diameter: 1-1/2" to 8-5/8"
- Pin Sizes: 6-10 mm, 8-11 mm, 10-12 mm and 11-16 mm
- Comes in Blow Mold Case



OEM TOOLS

GEARWRENCH

Stretch Belt **Installation Tool**

SKU **OUTSIDE BUY/EPO** 24363

· Works on Both Large and Small Pulleys

 Clamping Jaw Allows User to Position Serpentine Belt without the Belt Slipping Out of the Tool



OEM TOOLS

Serpentine Belt Tool • Includes: 4 Shallow Sockets (13 mm, 15 mm, For Outside Buy/EPO, Call 901-300-4878

SKU **1352389**

Serpentine Belt Tools

27115

16 mm, 18 mm) and 3 Crowfoot Sockets (13 mm, 14 mm, 15 mm)



15 Piece Serpentine Belt Tool Set with Locking Flex Head Ratcheting Wrench

SKU **OUTSIDE BUY/EPO** KDT89000

- · Complete Tool Set for Removing or Installing the Serpentine Belt on Vehicles with a Spring Loaded Belt Tensioner Pulley
- New Locking Flex-Head Ratcheting Wrench Has 5-Locking Positions (Straight, +2 Positions and -2 Positions)
- Includes Long Bar, 3 Pass-Thru[®] Design Adapters (3/8", 1/2" and 3/4"), 7 Pass-Thru[®] Design 6-Point Sockets (13 – 19mm), 3 Crowsfeet (13, 14, 15mm) and Storage Case

For Outside Buy/EPO, Call 901-300-4878




Stretch Belt Remover and Installer

SKU **255866** LIS59370

- . Unique Magnetic Faces Hold the Tool in Place on the Pulley
- Compact, One Piece Tool Can Be Used on the Front or Back Side of the Pulley





TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Line Repair Tools



3/16" Brake Line Kit SKU 662854 SURBR-EZ316

- 110 Piece Kit Includes Most Popular Brake Nuts, Unions and Adapters
- Made in USA
- UltraBEND Tubing Easy to Flare and Bend without Kinking
- · Smooth Flares Create Better Fittings Seals, Reduces Potential for Leaks
- Includes: 110 Pieces Plus 25' of UltraBEND 3/16" Tubing
- Standard (SAE) and Metric Fittings Included



Deluxe Fuel Line Replacement Kit

SKU **662866 SURKP1500**

- Repair or Replace 1/4", 5/16" or 3/8" Fuel Lines in as Little as 5 Minutes
- . No Special Insertion Tools Required
- Thumb Release Convenience Includes 168 Pieces Plus 75' of Tubing
- No Specialty Tools Required
- . Pressure Rated Up to 200 psi



Dynamic Fuel Line Repair Assortment Kit

SKU OUTSIDE BUY/EPO **DYNDY-FLA-2**



- Kit Includes 23 of the Top Selling Connectors, Fittings and Clamps
- 86 Total Pieces



For Outside Buy/EPO, Call 901-300-4878

Pro Series Repair Assortment



SKU **1125882** AIR78019

• Everything You Need for Transmission and Power Steering Line Repair in One Convenient Kit - 16 Repairs

- 5 Minute Line Repair
- · Leak-Free to 2,600 psi
- OE Approved



Bubble Flaring Tool Kit

27214

SKU **592261 34** 99

- . Designed for Metric Soft Steel Brake Lines Where an "ISO" or Bubble Style Flare is Required
- Flaring Bar and All the Adapters Needed for ISO Bubble Flaring
 • Includes 4 Dies: 4.75, 6, 8 and 10 mm



Universal Flaring Set

MSC72475-PRC **569**99 SKU **954227**

- Create Perfect Production Quality Flares
- Magnetic Adapter Holder Keeps Adapters in Place
- Tube and Die Set Stabilizing Arm for Easy Tube Forming
- · Enlarged Die Set Compression Area for Better Grip of Dies





THE SPECIALTY TOOLS YOU NEED





27068 Universal Cooling System Pressure Test Kit See Page 30



24444 Cooling System Refiller AirEvac Kit See Page 31



37306 Long Reach Harmonic Balancer/ **Pulley Installer** See Page 40



25251 Manifold Drill Template - Ford 2V and 3V See Page 41



27189 7 Piece Specialty Switch Socket Set See Page 45



24398 Fuel Tank Lock Ring Tool See Page 46

AZG0124

Disconnect Sets

7 Piece Angled Disconnect **Tool Set**

SKU **1335786** 26515

- . Disconnects Spring Lock Couplings on Ford and Chrysler AC Lines
- Works on Fuel lines and Other Quick Disconnect Couplings on Domestic and Import Vehicles
- Angled Handles for Easy Access to Tight Spots
- Made of Durable Plastic that Resists Fuels and Solvents
- Sizes Include: 1/4", 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8"

lisle



OEM TOOLS

OEM TOOLS **NAVISTAR® MAXXFORCE® Fuel Line Disconnect Tool Set - 4 Piece**

SKU **004112** 25031

- 4 Piece Disconnect Tool Set for NAVISTAR® MAXXFORCE® Series 11 and 13 Engines
- Sized to Depress Fuel Release Tabs for Efficient Fuel Line Removal
- (1) Straight and (1) 90° Tool for 11.8 mm Fuel lines; (1) Straight and (1) 90° Tool for 16 mm Fuel Lines

Lisle



15 Piece Master Disconnect Set

SKU **900807** 27195

• Includes: Fuel and Transmission Line Disconnect Set, Oil Cooler Line Remover, Air Conditioning and Fuel Line Disconnect Tool

OEM TOOLS



AC/Fuel Line Disconnect Tool Set

SKU **222520** LIS37000

• Includes 6 Sizes: 5/16", 3/8",



DEF Disconnect Set SKU **1105329** LIS37450

- Compact Design Allows Easy Access to Hard-to-Reach DEF Fill and Breather Lines on 2012 and Newer Ford Power Stroke and Dodge Diesel (2012 - Newer)
- Used to Depress the Locks that Retain the DEF Lines Allowing Removal



Fuel and AC Disconnect Pliers

SKU **343391 90**99 LIS37300

• Unique Design Provides Extra Leverage When Disconnecting Quick Connect Coupling Air Conditioning and Fuel Lines



OEM TOOLS

Angled Disconnect Set

SKU **291416** LIS39400

- Disconnects Spring Lock Couplings on Ford and Chrysler A/C Lines
- . Works on Fuel Lines and Other Quick Disconnect Couplings on Domestic and Import Vehicles
- 6 Sizes: 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8"



CALTAN

lisle

Low Profile Jiffy-Tite® Disconnect

SKU **011609** LIS22990

- Disengages Jiffy-Tite® Quick-Connect Fittings
- No Need to Remove Retaining Clips
- Includes 4 Sizes: 3/8", 1/2", 5/8"- 30% and 5/8"- 39%





Master Disconnect Tool Set

SKU **291413** LIS39900

- . Contains 8 Tools for A/C and Fuel Lines
- · Comes in a Blow Mold Case





lisle

Coolant Hose Removal Tool Set

SKU **383214** CAL244TNZ

- Used to Completely Fill the Void in the Connector to Release the Fastener
- 40° Offset Designed for Jobs Up Against the Firewall or in Tight Spaces





OEM TOOLS

Brake - Accelerator Pedal Depressor

SKU **802194** 24232

· Holds Brake or Accelerator Pedal at Desired Position

Throttle Depressors

- Easy to Adjust
- . Extends to 24'
- · Suitable for Many **Diagnostic Applications**



Steering Wheel Holder and Pedal Depressor Set

SKU **802195** 24231



- . Holds Steering Wheel in Position for Alignment Adjustments
- Depresses Brake Pedal for Various Brake Checks Including Brake Lamp Operation
- Simply Hand Squeeze the Actuator to Accomplish Fine Adjustments



Throttle Pedal Depressor

SKU **222525** LIS48700



- Engage the Nylon Hook Under the Steering Wheel, Then Extend the Depressor Rod to the Accelerator Pedal
- Length: 40"



TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Spark Plug Service

OEM TOOLS

3/8 Drive Magnetic Spark Plug **3 Piece Socket Set**

SKU **300140 19**99 22891

• Includes: 5/8", 9/16" and 13/16"





	Spark Plug Sockets						
SKU	Part #	Drive	Size	Features	Price		
082923	22880	3/8"	9/16"	Magnetic	7.99		
082933	22887	3/8"	5/8"	Magnetic	9.99		
082929	22881	3/8"	18 mm	Magnetic	9.99		
082932	22883	3/8"	13/16"	Magnetic	9.99		
082934	22889	1/2"	13/16"	Magnetic	9.99		
082936	22895	3/8"	14 mm	Extra Thin Wall	9.99		
300146	22885	3/8"	5/8"	6" Extension	14.99		
300147	22886	3/8"	9/16"	6" Extension	19.99		

3/8 Drive 14 mm x 12 Pt. BMW **Spark Plug Socket** SKU **814164**

22814 · Designed with a Universal

Joint for the Installation and Removal of Spark Plugs Situated in Tight Spaces







Swivel Joint

Adiustable Spark **Plug Boot Pliers**

SKU **1340226** 25559



- . Jaws Adjust to Five Different Positions for Easy Access to Spark Plug Boots
- Rubber Dipped Jaws Provide a Secure Grip for Damage Free Removal of the Spark Plug Boot
- · Hardened Jaws Will Not Bend When Gripping

SKU **390900**

25542

25061

• Dipped Handle Grips for a Comfortable and Sure Grip



OEM TOOLS

OFM TOOLS

OEM TOOLS

3/8 Drive 14 mm x 12 Pt. **Extra Long Spark Plug Socket**

SKU **814337** 22813

- Designed with a Universal Joint for the Installation and Removal of Spark Plugs Situated in Tight Spaces
- Durable Chrome Moly Steel Construction
- 12" Extended Reach



OEM TOOLS



STORE STOCKED

Spark Plug Wire Puller SKU **532549**

Spark Plug Boot Pliers

• Designed to Remove Hard-To-Reach Spark Plug Boots

45° Offset Jaws for Easy Gripping of Wires and Boots

- . Insulates Hands from Electric Shock
- . Grips Directly on Boot to Prevent Wire Damage





OEM TOOLS

IPR Socket, 3/8" Drive SKU **912334 14 99** 25280

- · Remove/Replace IPR without Damaging the Connector
- Applications: Ford 6.0L and Other **Diesel Engines**



Oxygen Sensor Socket Set SKU 1103591 **91**99

37110

- A Special Purpose, Universal Slotted Socket That Services Hex Vacuum Switches and Oxygen Sensors
- Includes Sockets for Most Applications:
 3/8" Drive 7/8" (22 mm) Deep
 3/8" Drive 7/8" (22 mm) Crowfoot 1/2" Drive 7/8" (22 mm) Deep Crowfoot



Swivel Joint



Water Sensor Wrench

SKU **459099** LIS34900

· Removes and Installs the Water Sensor Located on the Fuel Filter on 6.6L Duramax Diesel Engines (2012 - Newer)



7 Piece Sensor Socket Set

SKU **900823** 27189

- Also Used for Oil Pressure Switches. Oil Pressure Sending Units and Thermal Sensor Switches • Set Includes 7/8" (22 mm) Offset Extended Oxygen Sensor, 7/8" (22 mm) Offset Oxygen Sensor Socket, 7/8" (22 mm) Vacuum Switch Socket, 7/8" (22 mm) Oxygen Sensor Socket, 1-1/16"
- (27 mm) Deep Oil Switch Socket, 1-3/16" (29 mm) Oil Sender Unit Socket and 1-1/16" (27 mm) GM Thermal Sensor Switch Socket
- . Chrome Vanadium for Toughness



OEM TOOLS

Insulated Tools

10 Piece Insulated Screwdriver Set

SKU **1267942**

- 1,000V VDE Certified Insulated Screwdrivers
- Insulated Grip Handle and Precision Handle for Added Efficiency
- Insulation Sculpted Directly Onto Blade for Permanent Bonding · Quick-Release Mechanism for Effortless Blade Change
- Exchangeable Blades with a Slim Tip to Fit Tight Terminal Blocks
- Durable Tool Pouch Included for Easy Organization
- · Includes 4 Slotted Blades



Remote Starter

Heavy Duty Remote Starter Switch

SKU **265127**

1999

- · Heavy Duty, Push Button Remote Starter Allows Technicians to Bump or Crank Engines While Under the Hood
- 67" Heavy Insulated Wire for Long Tool Life
- Heavy Duty Insulated Alligator Clips



OEM TOOLS

Prices subject to change without notice. Prices do not include applicable taxes, vehicles, tires, rims, installation or optional equipment as shown. Please do not return purchases to the store. For information regarding warranty, repair, or any questions or concerns, call 901-300-4878.

Fuel Pump Tools

OEM TOOLS

JohnDow

Industries

Fuel Pump Module Spanner Wrench SKU **110278**

25156

· Removes and Installs the Fuel Pump Retaining Ring



Fuel Tank Lock Ring Tool

SKU **751721** 24398

• Ford F150 Trucks (2004 - Newer); Chrysler/Dodge Mini-Vans. PT Cruiser. Dakota. Durango (2004 - Newer); Chevy 1/2 Ton and 3/4 Ton Trucks (2004 - Newer)

• Works with 1/2" Drive Ratchet or Breaker Bar



OEM TOOLS

STECK

Fuel Tank Adapter

SKU **222503 DOWJDI-FTA7**

The Professional Choice for Safe Fuel Tank Removal and Fuel Pump Service. Mounts Easily on Most Transmission Jacks.

- · Safe and Convenient Adapter for Handling Vehicle Fuel Tanks
- · Works with Most Transmission Jacks



Bed Lifter

SKU **OUTSIDE BUY/EPO** STK35885

- Designed to Lift Truck Beds Safely and Easily
- Lifting Brackets Adjusts to Evenly Distribute Weight



For Outside Buy/EPO, Call 901-300-4878

lisle

Fuse Buddy™

3-in-1 Tester Fuse Buddy™ Pro Tester Kit SKU **374602** ESI310

• Includes Leads for: 30 Amp MINI Fuse. 30 Amp ATC Fuse and 30 Amp All Purpose Testing • Range: 0 to 30 Amps/48 Volts

Easily Check Amp Draws on Fuel Pumps, Compressor Clutches, Blower Motors and Many Other Components



Three Way 30 Amp Circuit Tester Kit

SKU **1077225 54**99 ESI309A

 Tests All 3 Fuse Sizes (Micro. Mini and ATO Circuits)

• Plug-In Fuse Buddy and Read Circuit Amp Draws up to 30A



Relay Tools

Relay Test Jumper Set SKU **291333** LIS56810

• Includes 4 Jumpers to Fit the Most Popular Size Relays on Domestic and

- Import Vehicles
- Jumpers Have Tabs for Clamping and Flat Pads to Place Test Leads On



Relay Test Jumper Set II

SKU **291341** LIS60610

 Includes 4 Jumpers to Fit Many Popular Relays on Honda, Nissan, Toyota, Newer Ford and GM Mini Micro Relays as Well as International Trucks



Relay **Circuit Tester**

SKU **383450** 27211

Cut Relay Related Diagnosis Time by 75%

- · Identify at the Push of a Button if a Wire, a Part or a Relay is Defective
- Test an Entire Circuit from the Battery to the Component
- Bypass Relays to Do Compression Test, Fuel Pressure Test, A/C Fill, etc.
- . Includes: Tester, 6 Popular Relay Leads and 1 Universal Relay Lead



OEM TOOLS **Relay Puller Pliers**

SKU **291342 34** 99 LIS46950

• For Removing Electrical Relays on

- Most Domestic and Import Vehicles
- Allows Relay to Pop Free from Socket with Less Chance of Damaging the Relay



Relay Fuse Buddy SKU OUTSIDE BUY/EPO

ESI316



- Displays Live Circuit Current: 20 Amps Continuous, 30 Amps Momentary
- Turn On and Off DC Motors, Fuel Injectors, Fuel Pumps and See the Amp Draw
- Enhances Your Circuit and Relay Test Capabilities
- . Wide Coverage Includes Adapters for 6 Different Relays



Relay Buddy Automotive Relay Tester SKU **OUTSIDE BUY/EPO** ESI190

- Tests 4/5 Pin Relays 3 Different Relay Types
- Tester Uses 12V Battery from Vehicle, Cycles the Relay 10 Times
- · Relay Buddy Will Fail the Relay if One of the Cycles Proves Unsuccessful During the Test
- Automatic Test with Good/Bad Indication Switch Contacts Loaded to Detect Excessive Resistance
- · Quick and Easy "Off the Car" Relay Test



Prices subject to change without notice. Prices do not include applicable taxes, vehicles, tires, rims, installation or optional equipment as shown. Please do not return purchases to the store. For information regarding warranty, repair, or any questions or concerns, call 901-300-4878.

#55

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Wire Strippers

7" Wire Stripper Crimper - Cutter

SKU **751657 7999** 24452

- Strips 20-12 Gauge Insulated and Non-Insulated Wire
- . Use for Wire Cutting and Stripping, as Pliers for Grabbing and Twisting or for Crimping of Insulated and Non-Insulated Connectors

· Industrial Finish with Red Textured Grips



9-1/2" Terminal Crimping Pliers with Cutter SKU OUTSIDE BUY/EPO 25196

- For Insulated and Non-Insulated Wire Connectors and Terminals
- Specially Hardened Wire Cutter in Nose
- Tapered Nose for Working in Confined Spaces
- For 10 to 22 AWG Wire Connect
- Plastic-Dipped Comfort Handles Minimize Fatigue

For Outside Buy/EPO. Call 901-300-4878



8-1/4" Wire Stripper/ Cutter/Crimper/Bolt Cutter

SKU **312821** 25193

- AWG: 10, 12, 14, 16, 20 and 22 Stranded AWG: 8, 10, 12, 14, 16 and 18 Solid
- · Crimps 7 and 8 mm **Ignition Terminals**



Circuit Testers

Digital Display Circuit Tester

SKU **568468** 24451

- · Detect Voltage, Power, Ground and Circuit Condition
- Display Provides Precise Voltage
- Voltage: 5 to 30V DC
- Computer Safe DO NOT Use on Airbags





OEM TOOLS

Voltage Display

OEM TOOLS

OEM TOOLS

OEM TOOLS



One Handed Wire Piercing Circuit Tester

SKU **422469** 25887

- . Bright Hi-Vis 12' Heat and Oil Resistant Coiled Cord
- . Molded Strain Relief for Long Life
- · Hangs on Wire for Hands-Free Operation
- 6, 12 and 24 Volt Systems



OEM TOOLS

Mini Circuit Tester

SKU **989209** 25936

- . Locates Hot Circuits and Troubleshoots Primary Circuits on All 6 and 12 Volt Systems
- Compact, Ergonomic Design for Tight Areas and Bench Top Use
- 6' Hi-Vis Coiled Cord and Sharp, Stainless Steel Probe Threaded for Add-On Alligator Clip (Included)
- · Comes with Insulated Heavy Duty Clip



ECT3000 Electrical Circuit Tracer

Coiled Cord Circuit Tester

· Circuit Tester with a Stretchable

and Retractable 12' Cord for Long Circuit Runs

SKU **422468**

25886

SKU OUTSIDE BUY/EPO PWPECT3000B

· Automatic and Manual Sensitivity Locking

 Arrow Indicates Direction to Short • Signal Distance Indicator Bar

• 10 Minute Auto Shut Off

· Ergonomic Housing

For Outside Buv/EPO. Call 901-300-4878



Windshield Tools

Compact Windshield Wiper Arm Puller

SKU 191681 / 99

- Easily Removes Wiper Arms on Most Domestic and Foreign Vehicles
- Will Not Damage Wiper Arm or Hood Cowling During Removal
- Features Turning Knob for Fast Work and Forged Body for Strength
- Compact Design Works Great in Tight Spaces



OEM TOOLS

Window Holder

SKU **191670** 25309

- . Works on All Cars and Trucks with a Top Door Frame
- · Loop Cable Over Door Frame and Attach Suction Cups to Each Side of Glass
- Window Glass is Securely Held Above the Door While Work is Performed



Universal Wiper Arm Puller

SKU **265136** 25339

- For Pulling Front and Rear Wiper Tight Fitting Wiper Arms
- Suitable for Most Wiper Arms Including Audi[®], VW[®], BMW[®] Ford®, Chevrolet®, Mercedes-Benz® and Others
- Designed to Prevent Damage to Wiper Arm Nozzle



OEM TOOLS

Window Molding Clip Remover

SKU **265130** 25338



- . Use to Release Body Molding Clips
- The Double-Sided Design Works on a Variety of Clip Configurations
- . Made with Heat-Treated Carbon Steel for Strength



OEM TOOLS

Cakton

OFM TOOLS

Double Head Suction Cups

SKU **291351 1 1 99** 24246

- Twin Head Suction Cups Help Remove Windshields
- ABS Rubber Cups Grab Ahold of Glass
- Flexible Handle Bends to Windshield
- · Quick Release Levers for One-Hand Operation



18" Professional Windshield Knife

SKU **480782 70**99 CAL53100

· Constructed of Heavy Duty Steel and Aluminum with a Padded Ergonomic Handle



A7G0124





3/4" Torque Wrench (50-400 Ft/Lb.)

SKU 1103610 37309

Ideal for Replacing Ford F150 Front Wheel Bearings

- Range: 50-400 Ft/Lb. and 84.7-559.2 N-m
- Increments 2.5 Ft/Lb.
- Has Both Ft/Lb. and N-m Scale
- · Reversing Ratchet Head
- Positive Lock with Spring-Loaded Pull Down Lock Ring **Dual Way Torque Wrench**

Accuracy: +/-4%



1/4" Drive Torque Wrench (20-200 In/Lb.)

SKU **954210** CEN97361B

- Push Through Square Drive for Reverse Operation
- Reverse Window Laser Marking
- Rubber Over-Mold Lock Ring for Better Grip
- NIST Certified



3/8" Drive Torque Wrench (25-250 In/Lb.)

SKU **133657** 25685



• Both Clockwise and Counterclockwise Operation



Measuring Tools

Central TOOLS, Inc.

Tire Tread Depth Gauge

SKU **954233** CEN3S402A

- Easy-To-Read Digital Display
- Fractional Scale in 1/32" Increments

Spring-Loaded Plunger



Central TOOLS, Inc.

24" Straight Edge

25355

10-3/4

SKU **949552 41** 99

- Constructed with 1/4" Thick Cold Rolled Steel
- Durable Powder Coat Finish with Precision Ground Edge
- Hang Hole for Convenient Storage
- Includes Reusable Protective Edge



Digital Angle Gauge OEM TOOLS SKU **954232**

- Hold Feature for Hard-To-See Areas
- . Strong Magnets on 3 Sides
- Large Digital Display
- Full 360° of Range

CEN3S508



Central TOOLS, Inc.

Central TOOLS, Inc.

OEM TOOLS

OEM TOOLS

1" Dial Indicator Set

SKU **954195 CEN3D101**

- · Strong Magnetic Base
- Revolution Counter
- Full 1" Range



Indicator Set with Flex Arms and Lock Pliers SKU **954184**

CEN3D103

- Locking Pliers for Mounting
- Flex Arm for Extra Reach
- Revolution Counter
- Full 1" Range



Central TOOLS, Inc.

Extended Range Bore Gauge

SKU **954188** CEN3D302

• Extended Range of 1.4" to 6"

• Lower Range for Small Applications • Reach Deep Into Cylinders



0-5.5" Digital Rotor Gauge SKU **954197**

CEN3M430A

- · Easy-To-Read Digital Display
- Pointed Anvil for Measuring Grooves
- Inch and Metric Readings



Central TOOLS, Inc.

Digital Drum Gauge SKU **954196**

CEN3B531

- Depth Stops to Improve Accuracy
- Pointed Anvils for Grooves
- · Easy-To-Read Digital Display
- 4" to 20" Range Plus Oversize



Central TOOLS, Inc.

3/8" Drive

SKU **362559** 25684

• Range: 19 to 99 Ft/Lb. (27 to 135 Nm)

· Comes in a Sturdy Blow Mold Case





TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Steck - Lockout Tools

BigEasy™ Glo with Easy Wedge Lockout Kit

SKU **964494** STK32955

- Glow-In-The-Dark Yellow Allows You to See the Tool at Night or Through Tinted Windows
- · Easy Wedge Offers Controlled Opening of the Car Door for Inserting the BigEasy Glo



BigEasy™ Lockout Kit

SKU **964491 49**99 STK32900



- High Visibility Pink Powder Coating and Improved Non-Marring Wedge
- Lock Knob Lifter for Cars with Flat Lock Knobs at the Top of the Door
- Paint Protector Reduces Friction Between the Car Door and the BigEasy



BigEasy™ Carrying Case

SKU **227873** STK32935

- . Made of Soft, Yet Firm Material to Protect Your BigEasy Kit
- Custom Pockets for the BigEasy, Non-Marring Wedge, Lock Knob Lifter and Easy Wedge
- Makes it Convenient to Stow Your BigEasy Kit in Your Truck



BiqEasv™ Loop

SKU **964492** STK32903

- . Clips to Any BigEasy to Allow Grabbing of Door Handles and Locks, it Even Glows in the Dark
- Provide Easy Leverage to Pull Door Handles and Window Cranks **During the Door Unlocking Process**
- Handy Accessory Tool Easily Snaps on the End of the BigEasy Tool Avoiding Need to Purchase Additional, More Costly Specialty Tools

BigEasy™ Easy Wedge (Inflatable)

SKU **964493** STK32922

• Inflatable Controlled Opening of Car Door for Insertion of the BigEasy



Access Trools

Access Tools - Lockout Tools

Emergency Response Kit Long Case

SKU **1339730 90099** AETERKLC

- . Most Popular Accessories, Gets into Any Vehicle
- Designed by First Responders
- Emergency Ready
- Includes: Quick Max Long Reach Tool, Flex Max, Button Master, Super One Hand Jack Tool, Super Air Wedge, Glassman Wedge and Button Strip Tool



Button Master

SKU 1189051

AETRCBM

64 99

- Flexible Coated Long Reach Tool
- Retractable Loop with Grip Cover • Grab Vertical Door Buttons with Ease

Version of All the Button Masters

- Approximately 38" in Length
- When Straightened Most Flexible and Versatile



- AETOHJS4 · Easy-To-Use Car Opening Kit
- Soft Shielded Long Reach Tool That Won't Scratch Paint
- Air Wedge with Stiff Insert for Easy Insertion
- · Vertical Button Tool One Hand Jack for Quick, Damage-Free Insertion of the Air Jack



Rivet Tools

Rivet Tool Kit with 200 Assorted Rivets

SKU **094877 MAR39001KIT**



Big Daddy® Hand Riveter SKU **094886**

SKU **291353**

25921

marson

MAR39031

Sets Large Diameter Blind Rivets.

Industrial Hand Riveter

- Double Gear Reduction System Easily Sets from 1/8" to 1/4" Diameter Klik-Fast Rivets in All Alloys Including 1/4" Klik-Split® Rivets
- Comes with 5/32", 3/16" and 1/4" Nose Pieces Stored in the Body

• For Use with Steel and Aluminum Rivets Noses: 1/8" (3.2 mm),

• 18" Overall Size with Long Handle Provides More Leverage

5/32" (4.0 mm), 3/16" (4.8 mm), 1/4" (6.4 mm)



AZG0124

Deluxe Rivet Kit with 200 Stainless Steel Rivets

SKU **094879** MAR39003KIT



Slide Hammer Pullers

5 Lb. Slide Hammer

SKU **1103572 54** 99 37033

- . For a Variety of Pulling Tasks
- Slide Rod is 3/4" x 16 Standard Threads
- · Chrome Plated Main Shaft
- Thread: 5/8" x 18"



9 Way Slide Hammer Puller Set SKU **1335798** 37191

- Pulls Flange-Type Rear Axles and Most Front Wheel Drive Hubs
- . Internal and External Jaws Provide a Variety of Combinations to Pull Bearings, Gears and Seals
- 2-Way and 3-Way Cross Blocks
- . Includes: Grip Wrench Adapter and Dent Puller Attachment
- Designed for Use with Other 5/8" x 18 Thread Slide Hammer Attachments

OEM TOOLS




Rear Axle Puller Set

SKU **094801** 27202

- Use for Flange-Type Rear Axle and Bearing Removal on Most Late Model Passenger Cars and Light
- Slide Rod and Adapters are 3/4" x 16 Standard Threads





VW/Audi Fuel Injector Puller Kit

SKU **1103636 5099** 37383

- Includes: (1) Mini Slide Hammer, (1) Installation Tool, (2) Special Puller Attachments and (3) Knurled Collars
- Sturdy Blow Mold Case
- Used with all 2.0L TSI/FSI/TSFI Engines



Socket Press

C-Frame Socket Press Set

SKU **012659** 24537


18**9**99

- · For the Installation and Removal of **Driveline and Non-Driveline Parts**
- · Set Includes Flat Anvil Attachments for **General Pressing Jobs**





Any Socket with 1/4", 3/8" or 1/2" Drive Can Be Used in Any Combination on Virtually All Cars, ATV/UTV/SxS, Light-Duty **Trucks and Farm Machinery**



2/3 Jaw Pullers

1 Ton Puller

• Standard Jaw Puller Made with Hi-Alloy Steel

· Jaws Grip Tighter as Pressure is Applied

· Adjustable and Reversible Jaws with 2 and 3 Jaw Configuration

3" Spread


SKU **246386** 25902

4" Spread

SKU **246387** 25903

5 Ton

SKU **516519** 27078



OEM TOOLS

Lock and Snap Ring Pliers

10 Piece Snap Ring Pliers Set SKU **900819 71** 99

27180

· Includes:

(2) 5-1/2" Bent Pliers (0.038" and 0.047" Tip), (2) 6" Straight Pliers (0.038" and 0.047" Tip), 7-1/2" Bent Pliers (0.070" Tip), 8" Straight Pliers (0.070" Tip), 8-1/2" Bent Pliers (0.090" Tip), 9" Straight Pliers (0.090" Tip), (1) Pick Tool and (1) Hook Tool

- For Both Internal and External Rings
- · Constructed with Heat-Treated Chrome Moly Steel



Professional Internal/External Snap Ring Pliers

SKU **1340233** 25097

- . Unique Jaw Design Makes it Easy to Switch from Internal to External Configurations
- For Both Internal and External Rings
- Alloy Steel and PVC Grip with Storage for Tips
- Includes: 3 Pairs of Tips and Hex Key, 1 Pair Straight Tips for 1.2 mm and 1.8 mm, 2 Pair 90° Tips for 1.2 mm and 1.8 mm



Terminal Tools

19 Piece Master Terminal Tool Set

SKU **447159**

REG. \$134.99

- · Latest Tools for Coolant Sensors, Wiring Harnesses and Terminal Blocks on Most Modern Vehicles
- Eliminates Potential Damage to Wires or Terminal Blocks
- Application Chart Included Inside Storage Case



Retainer Remover

Brake Cylinder Retainer Remover

SKU **265111** 25268

. Expands and Holds Special Retainer so the Brake Cylinder May be Removed

 Releases the Spring Clip Retainer that Attaches the Rear Brake Cylinder to **Backing Plate**



OEM TOOLS

Offer Good Through March 31, 2024

OEM TOOLS



400 Lumens Super Bright Work Light

Yellow Smoke Detection Light

Length: 16.25"Diameter: 1.25"

For Outside Buy/EPO, Call 901-300-4878

30 hrs

LIGHTING

Underhood Light

Li-ion Rechargeable Underhood Work Light

SKU OUTSIDE BUY/EPO LITLS36SMD

REG. \$114.99

- Two Swivel-Head Mounts with Built-In Magnets
- Maximum Lumens: 1,200
- Total Number of LED Lights: 36
- Overall Length: 42.25"
- Charge Time: 3 Hours
- Battery: 1,800 mAh Li-ion
 Run Time: Up to 6 Hours of Continuous Usage
- Hood Cradle Adjusts from: 49.5" to 79.75

Offer Good Through March 31, 2024 For Outside Buy/EPO, Call 901-300-4878



Cord Reel

50' Retractable Extension Cord Reel

SKU **1105991** LEGFZ8140503

- · Circuit Breaker with Reset **Button Prevents Breaker Trip** or Blown Fuses
- Oil-Resistant 14/3 AWG SJTOW Cord
- Lighted Triple Tap Outlet



GreatLite

Streamlights

Stinger LED with AC/DC

SKU **291368** STL75732

- 425 Lumens
- Run Time: 10 Hours
- Beam Distance: 322 Meters
- Four Lighting Modes: High, Medium, Low and Strobe



Stylus Pro with White LED

- 48 Lumens
- Run Time: 7.5 Hours
- · Waterproof Construction with an Unbreakable Polycarbonate Lens Pocket Clip

SKU **291362** STL66122

Black SKU **291408**

STL66118

Silver

SKU **291359** STL66121



LITESTIX

Red

SKU **291358** STL66120



Pen Lights

Cree LED Pen Light

- 3 Modes: Low (50 Lumens), High (150 Lumens) and Strobe
- 80 Meter Beam Distance
- Anodized Aluminum Body is Impact and Water Resistant Battery Run Time: 6 Hours (Low), 3 Hours (High)
- Comes with (2) AAA Batteries and Tactical Clip

Black Red

SKU **592188** SKU **592184** 32838 32835

Blue **Silver**

SKU **592185** SKU **592183** 32836 32839



Flashlights

500 Lumen Tactical LED Flashlight

SKU **1368622**

- 74219 • 2 Light Modes:
- 500 Lumens (High), 50 Lumens (Low) . Beam Distance: 150 Meters
- IPX-5 Water Resistant









OEM TOOLS



Magnetic Rechargeable LED Work Light SKU **819644**

25982

REG. \$59.99 • 3W COB LED, Super Bright White

Lights: 210 Lumens 3.7V 2200 mAh Li-ion Battery

• Run Time: 3 Hrs. (Work Light),

20 Hrs. (Torch Light) Powerful Magnets on the

· Water and Shock Resistant

• Beam Distance: 300 Meters

Back and Swivel Base Recharge Using USB Cable (Included)

E54 Cree 700 Lumens Tactical Flashlight





2-in-1 Rechargeable Pocket Light

SKU **081751** 26029

- 2-in-1 Pocket Light: Super Bright COB LED Work Light with Integrated LED Flashlight
- Easy Hands-Free Operation with Magnetic Base and Magnetic Pocket Clip
- Max. Output (Work Light): 200 Lumens
- Max. Output (Flashlight): 140 Lumens
- Run Time: 3 Hrs.

SKU **568461**

EXPE36-E02





E36 Cree Rechargeable Flashlight Kit **GreatLite**

• Impact Resistant Up to 1.5 Meters • IPX-6 Water Resistant

• Beam Distance: 300 Meters

• Includes: (1) 18650 Battery and Charger



Charging Unit for (1) 18650 Battery

SKU **347209** EXPE02

SKU **347200** EXPE54

Aluminum Body

No-Slip Grip Surface

Battery Not Included

• (1) 18650 Battery Included

For Use with: EXPE36-E02 and EXPE54





GreatLite



SYLVANIA

#1 AFTERMARKET AUTOMOTIVE LIGHTING BRAND IN THE USA1

¹Circana/U.S. Retail Tracking Service, April 1, 2023 ²See packaging for details ³Compared to SYLVANIA BASIC









MORE CLARITY







SYLVANIA LED Fog or Powersports

5 Year Limited Warranty² Direct replacement,

no polarity, easy to install, and compact design.

Available Part Numbers 9003 | 9005 | 9006 | 9007 | 9012 H1 | H7 | H8 | H9 | H11 | H13 | H16



SYLVANIA ZEVO° LED Mini Bulbs

Lifetime Limited Warranty

Super Bright LEDs instantly turn on. No polarity. easy to install



SYLVANIA LED Mini Bulbs

A simple and cost-effective way to upgrade your vehicle's lighting to LED technology.



MORE CLARITYS







PROFESSIONAL DIAGNOSTIC TOOLS **AND WORLD-CLASS CUSTOMER** SUPPORT



JS3000 3000 Amp Portable Jump Starter **BTMobile ProS Battery Analyzer**

TPDH200 Hurricano200 Portable **Lithium Power Station**

BT600 Battery Tester With Printer TPDV2200PLUS **Jump Starter and Battery Tester**

TPDT90000 Tornado 90000 Battery Charger/Power Supply

TOPDON delivers superior performance with tools that ride with you. Bring batteries back to life with **TOPDON** innovative battery service tools.

Maximize Profits. Minimize Downtime.

TOPDON®

BATTERY SERVICE

Battery Testers

OEM TOOLS

Professional Series Battery Tester

SKU **750009** 24508

· Large Tester Uses Gravity with the Number of Floating Discs to Show State of Battery Charge Specific Gravity Levels are Printed on the Tough, See-Through Plastic Body • Large 16-1/4" Disc-Type Tester

Digital **Battery Analyzer** SKU **819073** 24359 · Shows Available Power in CCA

OEM TOOLS

Starter and Charging System Testing

• Easy-To-Read Backlit LCD Screen





OEM TOOLS 100 Amp **Battery Load Tester**

SKU **203583 32**99 24338

· Conveniently Tests Batteries in Just 10 Seconds

 Battery Load Test: 100A (12V), 50A (6V)

 Designed to Work on Both 6V and 1 2V Batteries Up to 1,000 CCA

 Determines State of Charge, Cranking and Charging Volts

Convenient Handle for Transport



500 Amp Carbon Pile Load Tester

SKU 1168827 24336

REG. \$79.99

 Variable Load Capability to 500 Amps Tests Batteries

to 1,000 CCA Test Alternators. Regulators and Starters

· Large, Easy-To-Read Gauges

 Heavy Duty Clamps



OEM TOOLS



ASSOCIATED

Offer Good Through March 31, 2024

MIDTRONICS Advancing Battery Management **Battery** Conductance Tester

SKU **291330** MIDPBT100

• Tests Both the Starter and the Charging System

is Accurate Down to -40°F

 Tests 12V Automotive Batteries from 200 to 850 CCAs

 Durable Design for the Workshop or in the Field



MIDTRONICS Advancing Battery Manage Advanced Diagnostic **Battery Conductance/ Electrical System Tester**

SKU **291329 399**⁹⁹ MIDPBT300

• Tests 12V Automotive Batteries from 100 to 1,400 CCA

· Voltmeter Mode for **Testing Both** Starter and Charging Systems

 Accurate Battery **Test Decisions** in Seconds

Cakker



TOPDON' **BT600 Battery Tester with Printer**

SKU **1339732 149**99 TPDBT600

• 3.5" Color Screen

· Built-In Thermal Printer

· Performs Complete Battery, Cranking and Charging Tests

· Large, Reinforced, Smoke-Free and Spark-Free Copper Clamps

Quick and Accurate Test Results



12V Digital Battery Electrical System Tester w/Printer

SKU **343373** ASC12-1015

• Tests Both Batteries Up to 1,700 CCA and Alternators

• Tests Starters and Charging Systems

Backlit Digital Display

• 9 Languages

• Includes: Deluxe Case and Extra Print Paper

12/24V Digital Battery Electrical System **Tester w/Printer**

SKU OUTSIDE BUY/EPO ASC12-2415

. Tests Both Batteries Up to 2,000 CCA and Alternators

For Outside Buy/EPO, Call 901-300-4878

Battery Service Tools

Battery Terminal Pliers SKU **1267955 CAL549**

 Designed to Both Spread Battery Cable Clamp and Clean Terminal in One **Swift Operation**

· Forged, Heat Treated Jaws

• Length: 7-1/2'



Side Terminal Battery Wrench

• For Use with Side Terminal Batteries Found on Many GM and Other Domestic Vehicles

5/16" SKU **466513** 25287

Q99

• Length: 5-1/2"

10 mm and 5/16"

SKU **965838** 25282

• Length: 12"

OEM TOOLS

2 Liter **Battery Filler**

SKU **972771** 87010

 Automatic Shut-Off to Prevent Overfilling

· Fills Battery to Proper Level without Spilling



OEM TOOLS

Battery Carrier

SKU **002284** 25316

. Designed to Grab, Lift and Carry Top Post and Side Terminal Batteries

Grips Battery Widths from 5" to 7" with Rubber Pads

 Plastic Hand Grip Provides a Firm Hold



OEM TOOLS

Battery OEM TOOLS **Nut Pliers**

SKU **943134** 25123

• Easily Tighten and Loosen Nuts

Offset Handles

· Serrated Jaws for a Firm Grip



6 Piece Battery Service Kit

SKU **1168822** 25110

• Includes: Battery Terminal Puller, 4-Way Post Cleaner, 5/16" and 10 mm Battery Terminal Wrench, Battery Nut Pliers Extended 5/16" Battery Terminal Wrench and a Side Terminal Brush Organized in a Heavy-Duty, Roll-Up Storage Sleeve

REG. \$69.99





Prices subject to change without notice. Prices do not include applicable taxes, vehicles, tires, rims, installation or optional equipment as shown. Please do not return purchases to the store. For information regarding warranty, repair, or any questions or concerns, call 901-300-4878.

BATTERY SERVICE

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Jump Starters | 1 OPDON®

JumpSurge 3000 Amp **Portable Jump Starter**

SKU **OUTSIDE BUY/EPO TPDJS3000**

Sturdy Outer Housing Resistant to Water, Dust and Wear

- 45 Jumps on a Single Charge
- USB Quick Charge 3.0 Port
- Heavy-Duty Smart Clamps



MASSOCIATED Kwikstart® 12 Volt Portable Power and Jump Start SKU **850637**

ASC6256

- Peak Amp Output: 1700 Amps
- 360 CCA of Boost Assist
- 2 to 12 Volt DC Accessory Outlets to Power and/or Recharge

Electronics • 32" Heavy **Duty Cables** and USB Port

DC:



S**OLAR**. **Premium 1700 Peak Amp 12 Volt Jump Starter** SKU **OUTSIDE BUY/EPO**

SOLJNC770R • Heavy Duty Clamps

- with 68" Cables • 1700 Peak Amps;
- 425 Cranking Amps Dual USB Outlets to
- **Charge Mobile Devices**

Master ON/OFF Switch

1700 Peak Amp **12 Volt Jump Starter** SKU **OUTSIDE BUY/EPO** SOLJNC660

• 46" #2 AWG Welding Cables

• 1700 Peak Amps; 425 Cranking Amps

3400 Amp 12/24 **Volt Jump Starter**

SKU **OUTSIDE BUY/EPO**

S@LAR

- SOLJNC1224 • Voltmeter Provides Charge Status of Onboard Battery
- Clore PROFORMER Battery Technology
- · 3400 Peak Amps and 850 Cranking Amps - 12V
- 1700 Peak Amps and 425 Cranking Amps - 24V



30,000 mAh Lithium Jump Starter for V10 and Diesel

SKU **OUTSIDE BUY/EPO CAL590**

New Improved Design

- Vehicle Jump Starter and Backup Charger for Portable Electronics
- 800 Cranking Amps and 1800 Peak Amps
 30,000 mAh High Capacity Li-ion Battery
- · Fast Charging with Low Self-Discharge Cycle
- Includes Intelli-Clamps for Jumpstarting with Built-In Safety and Diagnostic Features



12.000 mAh Portable **Power Source Jump Starter**

SKU OUTSIDE BUY/EPO **CAL550**

12499

- Cold Cranking Amps: 300
- Includes LED Flashlight and USB Port for Device Use and Charging



18.000 mAh Boost Pro Jump Starter

SKU OUTSIDE BUY/EPO **CAL560**

• IP-65 Water Resistant for Marine Use or Adverse Weather Conditions

 Includes Intelli-Clamps for Jump Starting with Built-In Safety Features

 Power Ports: (2) 5V/2A-1A, 12V/10 A, 12V Jumpstart

. Built-In Overcharge and Over Discharge Protection



For Outside Buy/EPO, Call 901-300-4878

AUTEL MAXIBAS

BATTERY & ELECTRICAL ANALYSIS

MaxiBAS® BT608 59599 SKU 1105501 Part #BT608

- 5.5" Tablet / Android 9.0 / Wi-Fi Updates
- ... All Same Features as BT508 Plus...
- · Adaptive Conductance Technology: Detects Battery Capacity Reducing Misdiagnosis
- Auto Battery Reset / Print Test Reports Via Built-in Thermal Printer
- AutoSCAN/VINScan for Quick Vehicle Identification & Battery Specifications



MaxiBAS® BT609 **795**99 SKU 1125832 Part #BT609

- 7" Tablet / Android 9.0 / Wi-Fi Updates
- All Same Features as BT608 Plus...
- · Adaptive Conductance Technology: Produces a More Accurate Exam of the Battery's Status
- · All System Scan, Read and Clear Codes
- Complete Service Menu 20+ Functions





MaxiBAS® BT508 SKU 1123833 Part #BT508

Use with Smartphone or other Smart Device

- · All Same Features as BT506 Plus..
- Includes V200 Wireless Bluetooth VCI for Battery & Electrical Component Registration for Selected Vehicle Line
- · Read / Erase Codes on All Available Systems
- Illustrated Guide for Battery Position & Testing



Use with Smartphone or other Smart Device

Support In-vehicle and Out-of-Vehicle Testing of Passenger Vehicle Batteries

SKU 1125835 Part #BT506

- Test 6- and 12-volt Batteries: 100 2000 CCA
- Test 12- and 24- Cranking/Charging Systems
- · Test Flooded, AGM, AGM Spiral, EFB & GEL Batteries . Compatible with CCA, CA, SAE, EN, IEC, DIN, JIS & MCA



- · Battery Tester Accessory Kit
- · Digital Multimeter and Current Clamp Kit
- Compatible with Autel's MaxiBAS BT608 and BT609 Battery Analysis Tools
- Measures Voltage, Current and Resistance





- Includes Probes and Leads
- Troubleshoot Electrical System
- Measures Battery Strength Effective Measurement Range of
- 20mA to 400A AC/DC · One-Year Limited Warranty



MaxiBAS® BTMS SKU 1149587 Part #BTMS

Battery Tester Memory Saver

- Preserves Vehicle Codes and Electronic Presets When Replacing Battery
- Enables Vehicle Computer to Be Powered and Maintain Data When Connected to Backup Vehicle Battery
- Connects to Vehicle Via OBDII and to 12 Volt Battery with Alligator Clips
- Features Surge Protection and LED Status Lights

AZG0124

· One-Year Limited Warranty

Associated Battery Chargers















	A3C0002B	ASCOUTZACIVI	AGCLGGOOODIVISIN	ASOLOSOUO7 D	ASCIDCOUODIVISK
	Commercial Duty Charger SKU 221248 ASC6002B	Heavy Duty Charger SKU 662763 ASC6012AGM	Intellamatic® Charger and Reflash Power Supply SKU 343379 ASCESS6008MSK**	Intellamatic® Wheel Charger and Reflash Power Supply SKU 343370 ASCESS6007B	Intellamatic® Charger and Reflash Power Supply SKU 662745 ASCIBC6008MSK
Charger Type	Wheel	Wheel	Wheel	Wheel	Wheel
UL of CSA Continuous Amperage Charging Rate	100/80A	70/60A	60A	40A	60A
Re-Flash Power Supply Output Amperage	N/A	N/A	70A @ 13.9V	45A @ 13.9V	70A @ 13.9V
Crank Assist Amperage	400	250	270	130	270
Operating Charging Voltage	6/12/18/24V	6/12V	12V	12V	12V
Battery Types	SLA	SLA, AGM	SLA, AGM, Gel-Cell	SLA, AGM, Gel-Cell	SLA, AGM, EFB, Li-ion, Gel-Cell
Smart Charger	N	N	Υ	Y	Y
Adjustable Charging Voltage	N	N	N	N	Y
Adjustable Re-Flash Power Supply Voltage	N	N	Y	Υ	Y
Memory Saver Mode	N	N	Υ	N	Y
DC Cable Length and Gauge	8' 4AWG	6.5' 6AWG	6.5' 6AWG	6.5' 6AWG	6.5' 6AWG
Warranty*	2 Year B2B 5 Year Limited	2 Year B2B 5 Year Limited	2 Year B2B 3 Year Limited	2 Year B2B 3 Year Limited	2 Year B2B 3 Year Limited
Price	1,04999	679 ⁹⁹	99999	749 99	1,29999

*Two years bumper to bumper (B2B) manufacturer's warranty with five years transformer/rectifier for heavy duty battery chargers (6001A, 6002B, 6006, 6009 and 6012) and three years transformer/rectifier warranty for INTELLAMATIC wheeled smart chargers.

**Includes Memory Saver Mode with Cable

Booster Cables

OFM TOOLS

20 Ft. 4 Gauge Booster Cables with Storage Bag SKU **1168815 29**99

24335

• Extra Long 20 Foot Flexible Cables Expands Your Reach

Tangle Free Design Ensures Quick and Easy Connections

 Insulated Clamps Fit Top and Side Post Batteries

 Oil, Gas and Acid Resistant All Copper Wire

Includes: Storage Bag



25 Ft. 1 Gauge PRO-START Heavy Duty **Jumper Cables**

SKU **1142309** PSTPS1BC001

• Poly Coated Cables Resist Oil,

- Gas and Acid for Long Life • Designed to Fit Top- and Side-Mount
- Batteries · Copper-Clad Aluminum Clamps and
- Wire Delivers 900 CCA



BASSOCIATED

Clamp Kit 400 Amp

SKU **110434** ASC6199

· Professional Quality Heavy-Duty Clamps for all **Booster Cables**



Bench Charger

ASSOCIATED

6/12V, 15/2A Smart Bench **Top Charger**

SKU **850634**

ASC3100A

- Digital Display Shows Charging Voltage/ Amperage or Time Remaining
- Safe for AGM, Gel Cell, SLA **Batteries**
- 100A Boost
- 1 Year Warranty





POWER PROS CAN COUNT ON



STORE STOCKED

SKU 1151304 42299 DSR164

12V 4000 Peak Amp Portable Lithium Ion Jump Starter

- · Heavy-duty design
- * Front-facing, three-mode work light
- 2.4A USB port (output)
- 15V 2A port (input) for car charger and AC wall charger
- 4-gauge, 30-inch copper cables



SKU 200764 32499 DSR128 12V 2000 Peak Amp e Lithium Ion Jump Starter

- 2 Lithium Ion Phosphate batteries
- Dual 2.1 A USB ports | 12V DC output port
- Scrolling digital display
- . Charging LED indicator
- Heavy-duty rust and corrosion-proof case



DSR116
12V 2200 Peak Amp
Portable Jump Starter With
Power Inverter and USB

- · Heavy-duty design
- 12V 2250 Peak Amps
- +525 CA/350 CCA
- Includes 400W power inverter
- 2.1A USB port | 12V DC outlet | 2 AC outlets
- · High-output AGM battery



SKU 883697 55199 DSR115 55199 12V/24V 4400 Peak Amp Jump Starter

- 12V/24V 4400 Peak Amps
- +750/475 CA, 525/350 CCA
- High output AGM batteries
- * 2.1A USB port | 12V DC outlet
- Digital display
- · ON/OFF switch



ULTRACAP TECHNOLOGY

Featuring cutting-edge ultracap technology and an internal lithium battery, Schumacher's professional ultracap bench and wheel charger give users the option of taking the unit out of the bay to jump a vehicle. Plus, the dual ultracap/lithium design features high power density, quick charging, added cranking power, and superior reliability.



SKU 1218759 57999

12V Battery Charger and Engine Starter

- + Ultracap Jump Starter
- 800 Peak Amps with ultracap
- 500A engine start, 30A boost, 6A charge with AC power
- Ultracap protable jump starter recharges from internal lithium battery for more starts
- Digital display, LED indicators, and push button for easy and accurate control
- . Operatos in extreme temperatures
- Ultracapacitors rated for 10,000 cycles/10-year lifespan



SKU 1218758 SC1645

7117

Wheeled 12V Battery Charger and Engine Starter

- + Ultracap Jump Starter
- 1500 Peak Amps with ultracap
- 580A engine start, 50A boost, 6A charge with AC power
- Ultracap protable jump starter recharges from internal lithium battery for more starts
- Digital display, LED indicators, and push button for easy and accurate control
- Operates in extreme temperatures
- Ultracapacitors rated for 10,000 cycles/10-year lifespan

AZG0124

AIR COMPRESSO















ABA3-2160V1

ABA5-2160V4

ABA5-2180V4NS

ABAC7-2180V2 ABAC7-2380V2

ABA13-30GH

ABAC10-23120H

AIR COMPRESSORS

3.5 HP 60 Gallon 230V Air Compressor, Single Phase SKU OSB/EPO ABA3-2160V1



15.4 CFM

(1-2 Technicians)

175 psi

Cast Iron Cylinders

Not Required

5 HP 80 Gallon 230V Air Compressor, Single Phase SKU OSB/EPO ABA5-2180V4NS

5 HP 80 Gallon 230V Air

Honda Powered SKU OSB/EPO ABA13-30GH

10 HP 120 Gallon 230V Air Compressor,

An Atlas Copco Company

,	SINGIE PRASE SKU OSB/EPO ABA3-2160V1
	N/A
	12.3 CFM (1 Technician
	135 psi

N/A

Compressor SKU **OSB/EPO** ABAC5-2180V - Single Phase ABAC5-2380V - 3 Phase

Compressor SKU OSB/EPO ABAC7-2180V2 - Single Phase ABAC7-2380V2 - 3 Phase

27 CFM

(2-4 Technicians)

175 psi

Yes

Yes

Yes

3,74999

Air Compressor

Yes

23 CFM


175 psi


Yes

3,449⁹⁹

13 HP 30 Gallon

CARB Compliant	
CFM at 100 psi	
Max. Pressure	
eavy Duty, Low-RPM Cast Iron Pump	
Magnetic Starter	



























15.4 CFM

(1-3 Technicians)

175 psi

Cast Iron

Cylinders

Not Required

Yes

N/A

18 CFM

(2-3 Technicians)

175 psi

Yes

Yes

Yes

2,949⁹⁹

230V Air

7.5 HP 80 Gallon

N/A

3 Phase SKU OSB/EPO ABAC10-23120H

N/A 35 CFM (1-3 Technicians) (3-6 Technicians)

175 psi Yes

Cast Iron Cylinders Recoil and Yes **Electric Start**

Yes

Premium Models

7.5 HP 80 Gallon 230V SKU OUTSIDE BUY/EPO

Price

ABAC7-2180V2FF 4,44999

- Vertical 80 Gallon Tank
- Horsepower: 7.5 HP
- Power Supply (V/Ph): 230V/1
- CFM @ Max. psi: 24
- Max. psi: 175





 Low Noise and Vibration Levels Fully Integrated Aluminum Block

Rotary Screw Compressors are an Ideal Solution for Applications Where There is Continuous Demand for **Dependable Compressed Air**



10 HP 131 Gallon 150 psi Screw Compressor with Dryer

• 208-230-460/3PH • 34.1 CFM

• 208-230-460/3PH

SKU OUTSIDE BUY/EPO ABAAS-10503TMD

SKU **OUTSIDE BUY/EPO**

15 HP 131 Gallon 150 psi Screw Compressor with Dryer ABAAS-15503TMD

7.5 HP 131 Gallon 150 psi **Screw Compressor** SKU OUTSIDE BUY/EPO

ABAAS-75501TM 6,799⁹⁹

- 230/1PH • 27.1 CFM

10 HP 120 Gallon 230V SKU OUTSIDE BUY/EPO ABAC10-23120VFF Vertical 120 Gallon Tank · Horsepower: 10 HP Power Supply (V/Ph): 230V/3 • CFM @ Max. psi: 32 MARKET • Max. psi: 175

• 46.4 CFM ABAAS-10503TMD

ABAAS-75501TM



Premium Models Include Low Oil Level Shut Off, Auto Tank Drain and Belt Guard Aftercooler



Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878


R COMPRESSORS

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-

Regulators/Filters/Drains

5 Stage Desiccant Filter/Dryer

SKU **543076** ARRC7612XL



• Lowers the Dew Point to -30°F

NAME	SKU	PART #	PRICE
Replacement Desiccant Silica Gel, 1 Quart	543068	ARR34189	21.99



SKU **543075** ARRC33354

- Operating Pressure Range: 5 to 125 psi
- 40 Micron Flement
- 142 CFM



Extend the Life of Your Air Tools!

Oil Removing Filter (1/2") SKU **OUTSIDE BUY/EPO** ARRF554AW

- .01 Micron Filter Element
- 37 CFM
- Manual Drain



Automatic Lubricator (1/2") 71 99

SKU **543085** ARRL354

. Lubricator May Be Filled without Shutting Down Air Line

3 Position Adjustment Knob



Automatic Lubricator (3/8")	543083	ARRL353	74.99
NAME	SKU	PART #	PRICE

1/2" Electronic Drain

SKU **543065** ARR5804

- Automatically Drains Compressor Tanks, Receiver Tanks or Filters
- 110 Volt
- 6' Power Cord

SKU **543079**

ARRF354

NAME



SKII

Regulator with Gauge (1/4")

SKU **543086** ARRR262G

 Adiustment Range is 5 to 125 psig

PRICE

 Rated for 25 SCFM

• 40 Micron

• 100 CFM

PART #

• 150 psi





Particulate Filter (3/8") **543078** | ARRF353 | **49.99** Air Regulator with Gauge (1/2")

SKU **543091** ARRR354G

· Adjustment Range is 5 to 125 psig

Particulate Filter (1/2")

Rated for 100 SCFM

NAME	SKU	PART #	PRICE
Regulator with Gauge (3/8")	543088	ARRR353G	69.99

Filter/Regulator (1/2") SKU **543071**

ARRB754G

- Operating Pressure Range 5 to 125 psi
- 40 Micron Element
- 3 Position Non-Rising Adjustment Knob

NAME	SKU	PART #	PRICE
Filter/Regulator (3/8")	543070	ARRB753G	<i>84.99</i>



BelAire

5 HP 60 Gallon 230V Air **Compressor, Single Phase**

SKU OUTSIDE BUY/EPO IMC4916V

2,14999

- 15.4 CFM @ 100 psi
- 165 psi Max Pressure
- · Cast Iron Cylinders
- 2 Stage Pump No Start Up
- Kit Required
- High Flow Belt Guard Warranty: 2 Year Factory



5 HP 80 Gallon Religions **230V Air**

Compressor, Single Phase SKU OUTSIDE BUY/EPO IMC418V

3,19999

- 18 CFM @ 100 psi 175 psi Max
- Pressure Solid Cast Iron
- 2 Stage Pump Magnetic Starter
- Included • Fully Enclosed Belt Guard
- Warranty: 2 Year Factory



Champion®

- · All Units are Completely Assembled, Pre-Wired, Pre-Piped, Ready to Install for Quick, Easy Connection and Start-Up
- · One Piece Cylinder and Cylinder Head for No Rlown Head Gaskets
- Tapered Roller Bearings for Longer, More Reliable Bearing Life

5 HP 80 Gal. Horizontal Compressor Fully Packaged with Dryer

SKU **OUTSIDE BUY/EPO** CHCR230AS692

• 17 CFM @175 psi, and Includes 25 CFM Dryer

7.5 HP 80 Gal. Horizontal Compressor **Fully Packaged with Dryer**

SKU OUTSIDE BUY/EPO CHCR230AS697

• 22.3 CFM @175 psi, and Includes 32 CFM Dryer

- · Centrifugal Unloader For Loadless Starting for Longer Pump and Motor Life
- 1 Year Warranty
- Please be Sure to Specify Voltage and Phase When Placing Order
- 208V-460V Available in 1 and 3 Phase



Refrigerated Dryers

· Removes Condensate and Vapor so Dry Compressed Air is Produced in a Continuous, Cost-Efficient Way

Cool 15 CFM SKU **OUTSIDE BUY/EPO** ABACOOL15

Cool 25 CFM SKU **OUTSIDE BUY/EPO** ABACOOL25

Cool 35 CFM SKU **OUTSIDE BUY/EPO**

ABACOOL35



BEFORE PLACING YOUR AIR COMPRESSOR ORDER:

For help on selecting the correct size Air Compressor to meet your needs, please verify voltage AND phase. Upgrading your compressor usually means you will need to upgrade your wiring. See page 2 for delivery information or Call 901-300-4878.



Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offioading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

AIR TOOLS

1/2" Impact Wrenches

Heavy Duty 1/2" **Composite Stubby Impact Wrench**

SKU **087596** 24418

- Torque: 900 Ft/Lb.
- Includes (7) 1/2" Short Impact Sockets Sizes: 13 mm to 19 mm
- . Custom Cut EVA Foam for
- Storage Tray • CFM: 4.0

WARRANTY:



OEM TOOLS

1/2" Extended Anvil [IIII] **Impact Wrench**

SKU **1282755** KNGNC-42650

- 1200 Ft/Lb. Reverse Torque
- 200 to 800 Ft/Lb. of Torque
- 8500 Free Speed RPM • 85 dBA



1/2" Impact Wrench SKU **592249** KNGNC-42320

- Mighty Small, Mighty Powerful Air Impact Wrench
- Max. Reverse Torque: 700 Ft/Lb.
- 85 dBA Noise Level Exceeds **OSHA Standards**
- · Ultra Lightweight at Less Than 3 Lb.
- Twin Hammer Mechanism

WARRANTY: 3 Years



SKU **495316** IRT231C

Wrench Classic

- Original Twin Hammer Impact
- Torque: 600 Ft/Lb. Pressure-Fed
- Lubrication

1/2" Air

Impact

- Adjustable Power Regulator
- 1/2" Square Drive



(IR) Ingersoll Rand

(IR) Ingersoll Rand

WARRANTY: 1 Year

<u>m7</u>

1/2" **Impact Wrench**

SKU **970487** IRT231HA

- Torque: 590 Ft/Lb.
- Pressure-Fed **Lubrication System**
- Sound Pressure:

(IR) Ingersoll Rand 1/2" Impact Wrench with Extended Anvil

> SKU **744023** KNGNC-4620HQ



- . Max. Torque: 500 Ft/Lb.
- Great Lightweight Tire Gun
- Compact Size and Lightweight at 3.7 Lb.
- Avg. Air Consumption: 4.4 CFM

WARRANTY: 3 Years

1,200 Ft/Lb. Impact Wrench with Patent **Oil Filled Anvil**

SKU 1105334 KNGNC-42550HB



- · Longer Periods of Peak Power
- Patented Greaseable Anvil
- 85 dBA at 90 psi

WARRANTY: 3 Years

(IR) Ingersoll Rand 1/2" Super **Duty Air Impact** Wrench with Extended Anvil

SKU **604744**





- Directs Air Away from User
- Pressure-Fed **Lubrication System**

WARRANTY: 1 Year

1/2" Titanium

• In-Handle Exhaust Directs Away from User Industry Standard for 3 Decades 94 to 105 dBA

WARRANTY: 1 Year

(IR) Ingersoll Rand 1/2" Thundergun Street Legal™ Impact Wrench

SKU **495318** IRT232TGSL

• Torque: 625 Ft/Lb.

• 10,000 RPM for Lightning Fast Removal is **Best-In-Class**



WARRANTY: 1 Year

1/2" Quiet **Impact Wrench**

SKU **738489** IRT2135QXPA

• Torque: 780 Ft/Lb. · Light, Quiet and



WARRANTY: 1 Year

(IR) Ingersoll Rand 1/2" Titanium **Air Impact Wrench**

• Torque: 1.350 Ft/Lb.

930 Ft/Lb. • Twin Hammer

Impact Mechanism



(IR) Ingersoll Rand

SKU **695134** IRT2235TIMAX

- Reverse Torque:

Lightweight

WARRANTY: 1 Year

with Extended Anvil SKII 738490 IRT2235TIMAX2

Air Impact Wrench

- Torque: 1,350 Ft/Lb.
- Max. Reverse Torque: 930 Lb.
- 8.500 Free Speed RPM
- Titanium Hammercase

WARRANTY: 1 Year

3/8" Impact Wrenches



3/8" Titanium **Impact Wrench** SKU 198065

- IRT2115TIMAX 31<u>999</u>
- Torque: 300 Ft/Lb.



WARRANTY: 1 Year

3/8" Mini Air **Impact Wrench**

SKU 1125881 KNGNC-36120

174⁹⁹ Maximum Reverse Torque Can Reach Up to 350 Ft/Lb. in 5 Seconds

· Low Noise Sound Level 85 dBA

WARRANTY: 3 Years

3/4" Impact Wrench M7

3/4" Composite **Impact Wrench**


SKU 477102 IRT2145QIMAX

- Max. Reverse Torque:
- 1,350 Ft/Lb. Compact Design Fits Easily into Small Spaces
- Air Consumption CFM: 8.5 · Compact and Lightweight (Only 7.4 Lb.)

WARRANTY: 1 Year







AIR TOOLS

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Air Sanders and Polishers

Heavy Duty Mini Surface Prep Kit

SKU **087620** 24417

• 2" and 3" Heavy Duty Mini Air

- Surface Prep Sander • (1) 2" Backer Pad and (1) 3" Backer Pad
- (2) 2" and (2) 3" Medium Grit Surface **Prep Discs**
- (2) 2" and (2) 3" Coarse Surface Prep Discs
- (2) 2" and (2) 3" Sander Discs
- Air Nipple
- Wrench

WARRANTY: 1 Year



Air Sander SKU **094650**

25778 **54** 99

2" Surface Prep

• 4 Position Air Volume Control RPM: 20,000 CFM: 3 Quick Change "Twist Lock" Mandrel

(IR) Ingersoll Rand

OFM TOOLS

OEM TOOLS

WARRANTY: 1 Year

Heavy Duty Reciprocating Air Saw

SKU **802225** 24409

• Recommended Air Pressure: 90 psi

- Air Consumption: 1.7 CFM
- Strokes Per Minute: 9,000 SPM • Air Inlet Thread Size: 1/4" NPT
- Lightweight: 1.50 Lb. (0.70 kg)
- Length: 10.6" (270 mm)
- Exhaust: Front
- Enhanced Blade Guard Design and Trigger Safety Lock
- Includes: Reciprocating Air Saw, (2) Hex Key Wrenches, (2) Saw Blades and (2) Blade Guards



WARRANTY: 1 Year

6" Dual **Action Sander**

SKU **970475** IRTIR311A

• Dual Action Pad Motion Reduces Swirl

· Built-In Silencer for Quiet Operation



(**IR**) Ingersoll Rand

WARRANTY: 1 Year

Straight Line Sander

SKU **970479** IRTIR315

- Twin Piston Design for Smooth Operation
- 3,000 Strokes per Minute
- Quick-Action Paper Clamps



WARRANTY: 1 Year

1/4" Die Grinders

Mini Air Die Grinder

SKU **802211** 24405

Composite Body

- Air Consumption: 3.4 CFM
- Free Speed: 25,000 RPM
- Recommended Air Pressure: 90 psi
- Air Inlet Thread Size: 1/4" NPT
- · Includes: 1/4" Compact Die Grinder and 2 Wrenches



WARRANTY: 1 Year

Mini Air Die Grinder

SKU **751631** 24404

- Composite Body
 Requires Only 2.4 CFM @ 90 psi for Optimum Performance
- Free Speed: 25,000 RPM
- Ultra Compact Size Fits Into Spaces Regular Die Grinders Cannot
- · Lightweight: 0.7 Lb.
- · Collet Size: 1/4"
- Includes: 1/4" Mini Die Grinder and 2 Wrenches



WARRANTY: 1 Year

(IR) Ingersoll Rand

1/4" Air Die Grinder

SKU **802212 29 99** REG. \$49.99

- Air Consumption: 3.4 CFM
- Free Speed: 22,000 RPM
- Recommended Air Pressure: 90 ps
 Air Inlet Thread Size: 1/4" NPT
- Collet: 1/4 In.
- Weight: 1.50 Lb. (0.7 kg)
 Length: 7.5" (190 mm)
- Exhaust: Rear 360°
- Composite Body with Built-In Silencing to Reduce Noise Level
- Throttle Lock for Safety and **Rubberized Handle for Comfort**
- Includes: Die Grinder and (2) Wrenches

WARRANTY: 1 Year

Offer Good Through March 31, 2024

M17

Extended Air Die Grinder

SKU **802216** 24408

Composite Body

- Air Consumption: 2.5 CFM
- · Free Speed: 23,000 RPM
- Recommended Air Pressure: 90 psi
- Air Inlet Thread Size: 1/4" NPT

(Color May Vary)

WARRANTY: 1 Year

1" Impact Wrench

1" Impact Wrench with Extended Anvil

SKU **970474** IRTIR285B6

- Reverse Torque: 1,770 Ft/Lb.
- 6" Anvil for Better Truck Wheel Nut Accessibility
- · Hi-Efficiency Motor



Air Drills

3/8" Quiet Reversible Air Drill

SKU **1189089** KNGQE-833

- · Sound Level: 83 dBA
- Ergonomic Rubber Grip
- Variable Speed Trigger
- Aluminum Body
- · Convenient Forward/Reverse Control Lever
- Free Speed: 1.800 RPM

WARRANTY: 3 Years

3/8" Quiet **Reversible Air Drill**

SKU **466595** 25765

• Free Speed: 2.200

• RPM Max. Torque: 35 In/Lbs.

 Air Consumption: 4.0 CFM



OEM TOOLS

WARRANTY: 1 Year







AIR TOOLS

1/4" Air Ratchets

1/4" Super Duty Air Impact Ratchet

SKU **850508** 24415

Impact Mechanism Adds Power and Prevents Kickback

- Max. Torque: 50 Ft/Lb.
- Free Speed: 700 RPM
- CFM: 3.1 @ 90 psi
- Length: 6.5"
- · Sealed Head Ratchet Housing Prolongs Tool Life
- Compact and Lightweight
- Most Power-To-Weight Ratio
- Rear Air Exhaust: 360° Adjustable

WARRANTY: 1 Year



OEM TOOLS

Composite Body

1/4" Drive **Industrial Air** Ratchet

SKU **466593** 25763

- Max. Torque: 18 Ft/Lb.
- Free Speed: 240 RPM
- Average Air Consumption: 3.0 CFM
- Recommended Air Pressure: 90 psi

WARRANTY: 1 Year

M7

1/4" Air Ratchet Wrench

SKU **666293** KNGNE-261

• Max. Reverse Torque: 37 Ft/Lb. (Reached in 5 Seconds)

• Free Speed: 230 RPM



M7

WARRANTY: 3 Years

3/8" Air Ratchets



3/8" Air Ratchet SKU **970485**

IRTIR107XPA

- Max. Torque: 54 Ft/Lb.
- · Advanced Head Design
- 360° Adjustable Exhaust



WARRANTY: 1 Year

3/8" Air **Ratchet Wrench**

SKU **662908** KNGNE-343

• Max. Reverse Torque: 75 Ft/Lb.

 Forward Working Torque: 10 to 55 Ft/Lb.

• Free Speed: 160 RPM



(IR) Ingersoll Rand

WARRANTY: 3 Years

3/8" Super Duty Air Impact Ratchet

SKU **850055** 24416

OEM TOOLS

- . Max Torque: 50 Ft/Lb.
- Free Speed: 700 RPM
- CFM: 3.1 @ 90 psi • Length: 6.5"
- Sealed Head Ratchet Housing Prolongs Tool Life Compact and Lightweight
- Most Power-To-Weight Ratio
- Rear Air Exhaust



WARRANTY: 1 Year

OEM TOOLS

OEM TOOLS

Air Hammers

Standard Duty Air Hammer SKU **OUTSIDE BUY/EPO IRT117**

- 2.000 Blows Per Minute
- · Heat-Treated Piston and an Alloyed Steel Barrel



For Outside Buy/EPO, Call 901-300-4878

1210 Super Duty Air Hammer

SKU **478945** IRT1210



- Cutting, Bushing Driving, Shearing and General Front End Work
- Built-In Power Regulator and Trigger

<u>⊘≡M</u>TOOLS

Control Easy to Control

with an

"Easy Out" Throttle

WARRANTY: 1 Year

Cut-Off Tools

Air Reciprocating Saw SKU **970481** IRTIR429

• Designed for Cutting Intricate Shapes

 Cuts Flat and **Curved Surfaces**

· Comes with 6 High Speed Steel Cutting Blades



25864

(IR) Ingersoll Rand 3" Air

Cut-Off Tool SKU **466590** 25760

- Air Inlet Thread Size: 1/4" NPT
- Free Speed: 22,000 RPM
- · Recommended Air Pressure: 90 psi



WARRANTY: 1 Year

Inflators

O=M TOOLS

Digital Tire Inflator SKU **802198** 6999 24412

- Easy-To-Read Backlit LCD Display
- 4 Units of Measure (psi, Bar, KPa, kgf)
- . Measuring Range: 0 to 175 psi (0 - 12 Bar)
- Accuracy: +/-1.2 psi Up to 58 psi, +/-2.3 Between 58 psi and 145 psi Inclusive, +/-3.6 psi Greater Than 145 psi
- High Air Flow Saves the Technician Time
- · Includes: 2 AAA Batteries



Dial Tire Inflator

SKU OUTSIDE BUY/EPO 24380

8999

- Clear and Easy-To-Read 80 mm 180 psi Gauge
- 3-in-1 Function: Inflate, Deflate and Measure Tire Pressure
- Increased Accuracy to Improve Tire Performance and Prevent TPMS Comebacks

Call 901-300-4878



3.5" Digital Tire & Astro **Inflator with Hose**

SKU 1268419

AST3018

- 21" Stainless Braided Hose
- Dual AAA Battery Powered Design
- 4x the Battery Life and Simplified Battery Installation
- Maximum Accuracy and 0.1 psi Resolution for Use with TPMS
- Large Face Backlit LCD Digital Read-Out
- Batteries Included



OEM TOOLS Dual **Head Chuck Tire Inflator Gauge** SKU **94652 90**99

- 6" Chrome Plated Dual-Head Chuck with Full 360° Swivel Action
- 15" Air Hose with a 1/4" Female NPT and a 3/8" 24 Thread Air Intake
- Inflates within a 10 to 120 Lb. Pressure Range Magnifying Bubble Lens,
- View of the Pressure Scale · Gauge Shown in 2 Lb. Increments

Allows Full



Inflator Microw **Gauge, Dual Head Chuck Tire Inflator Gauge** SKU **OUTSIDE BUY/EPO MILS506**

74 99

- Heavy Duty Construction Provides for Long Life Even Under Heavy Use and Extreme Conditions
- Gauge and Valve Cartridges are Replaceable
- Equipped with Magnifying Lens for Full View of Scale



For Outside Buy/EPO,

OEM TOOLS

R TOOL ACCESSORIES

SUNEX

T 0 0 L S

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Impact Sockets and Extensions

1/2" Drive Impact **Extension Set**

SKU **1340235** SUN2500

- Set Includes: 1/2" Dr. 3", 5", 10"
- Comes in a



Sockets

12 Piece

SKU **391191**

Shallow

(SAE)

25589

3/8" Impact • 6 Pt. High Quality Impact Sockets

12 Piece

Shallow

(Metric)

25587

SKU **391190**

REG. \$29.99

- SAE: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1"
- Metric: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19 mm

12 Piece 12 Piece Deep Deep

(SAĖ)

25590

SKU **442193**

(Metric) SKU 46431 25588

REG. \$44.99 **REG. \$44.99**



Offer Good Through March 31, 2024

and 15" Impact Extensions Blow Mold Case

33 mm 1" Drive Budd **Style Wheel Socket**

SKU **466569** 25528

• 1" Drive 33 mm Budd Wheel Socket for Mack, Midliner, Volvo. White and Other Import Trucks with Dual Rear Wheels

OEM TOOLS



1/2" Impact

Sockets

• 6 Pt. High Quality Impact Sockets

• SAE: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1" • Metric: 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19 mm

OFM TOOLS

11 Piece Shallow (SAE)

REG. \$34.99

SKU **391195** 25593

10 Piece Shallow (Metric)

SKU **391192** 25501

11 Piece Deep (SAE) SKU **391196** 25594



1-1/2" Hex x 13/16" **Square Deep 1" Drive Budd Style Wheel Socket**

SKU **466570** 25529

• For Budd Wheel 1-1/2" Hex with 13/16" Inside Square

OEM TOOLS



12 Piece 1/2" Drive 6 Point Metric **Deep Impact Socket Set**

SKU **OUTS**Î**DE BUY/EPO** KTI38200

• 6 Point 1/2" Sockets From 10 mm to 21 mm

For Outside Buy/EPO, Call 901-300-4878



OEM TOOLS

OEM TOOLS

Impact Adapters

5 Piece Adapter and Universal Joint Set (3/8" and 1/2")

SKU **965864** 24226

- Chrome Moly Steel Construction
- Includes: 3/8" Drive Universal Joint, 3/8" Drive (F) x 1/2" (M) Adapter, 1/2" Drive Universal Joint, 1/2" Drive (F) x 3/8" (M) Adapter and 1/2" Drive (F) x 3/4"(M) Adapter



Air Blow Gun OEM TOOLS

5 Piece Interchangeable Tip Air Blow Gun

SKU **338823** 24439

• Includes 4 Interchangeable Tips: 100 mm (4"), 140 mm (5.5"), 320 mm (12.5") and a Turbo Wide Angle Nozzle

· Quick Change Coupling Makes it Easy to Change Tips

• Wide Angle Nozzle for High Volume

Variable Trigger to Control Volume and Tip Pressure

• 1/4" NPT Air Inlet

High Flow Couplers

High Flow Coupler and Plug Kits

· Ideal for HVLP Spray Guns and High Torque Impact Wrenches

· Delivers the Highest Air Volume with the Lowest Pressure Drop

14 Piece 1/4" Body, 1/4" NPT SKU **757091**

26134



7 Piece 1/4" Body, 1/4" NPT

SKU **757040** 26132

7 Piece 1/4" Body. 3/8" NPT

SKU **757046** 26133



*When Paired Together, OEMTOOLS High Flow Couplers and Plugs Deliver Up to 70% More Flow than Conventional Couplers

AIR TOOL ACCESSORIES

Hoses and Hose Reels

Black Rubber Air Hose

- 1/4" Solid Brass NPT Fittings
- Max. Operating Pressure: 250 psi
- Max. Burst Pressure: 1,070 psi



25' x 3/8"

SKU **1246249 GRI12187**

GOOD YEAR

50' x 3/8"

SKU **1246248 GRI12676**

50' X 1/2"

SKU 1361990 GRI12707

100' Wall Mount **Air Hose Reel**

SKU **291343** 25970

- · Comes with 18" Leader Hose · Mounts Solid or with Swivel Action
- Solid Steel Frame
- Some Assembly Required



O=M TOOLS

LINCOLN

3/8" x 50" **Air Hose Reel**

SKU **900815** 159⁹⁹ 25979



- 50' Hose
- 3/8" NPT **Fittings**
- Max. Pressure: 250 psi



OEM TOOLS

HIVE STRIPLESS

3/8" x 50' Hybrid Polymer Air Hose with Reel

SKU **347224** 24424

- · Heavy Duty Polymer Hose Material Redefines Flexibility - Stays Flexible **Under All Weather Conditions** (-40° to 150°F)
- . Holds No Memory Kink Resistant **Under Pressure**
- 300 psi Working Pressure
- Bend Restriction for Reducing Wear and Tear and Extending Life of Hose
- Solid Brass MNPT Ends





24421

3/8" x 4' Air Hose SKU **347219**

24420

1/4" Swivel MNPT x 1/4" FNPT

1/2" x 4' Air Hose SKU **347221**

• 3/8" Swivel MNPT x 3/8" MNPT

Value Series Air Hose Reel

- · Retractable Delivery Hose
- Durable Heavy Gauge Steel Construction
- Slotted Mounting Base for Easy Installation

3/8" x 50' SKU **972284** LIN83753

1/2" x 50¹ SKU **972285** LIN83754



3/8" x 50' Air **Hose Reel**

SKU OUTSIDE BUY/EPO LEGL8250FZ

- Extreme All-Weather Flexibility, Even in Subzero Temperatures (-40 to 140F)
- · Won't Kink Under



For Outside Buy/EPO, Call 901-300-4878

Air Pipina

MaxLine Compressed Air Piping System 3/4" Master Kit

SKU **360593** RAPM7500

Aluminum Core: Holds Any Bent Shape!

- Heavier Duty Components for Longer Air Runs in Larger Buildings
- 3 Air Outlets, (1) 3/4" NPT Straight Fitting, 2 Tees, 20 Clips and 100' of 3/4" HDPE Tubing



1/2" Tubing Master Kit SKU **360485** RAP90500

- · Easily Install Behind Walls of New Construction or on **Existing Shop Walls**
- . Includes: 2 Air Outlet Kits, 1 Compressor Manifold Kit, 100' Nylon Tubing and Tubing Cutter



3/4" MaxLine **Outlet Kit**

SKU **360629 RAPM7510**

• 3/4" Outlet Kit for MaxLine Compressed Air System



Air Chuck

OEM TOOLS

Dual Foot Air Chuck with Comfort Grip Handle

SKU **802201 24** 99 24413


- Comfortable Screwdriver Style Handle
- 30° Reverse Angle Chuck Can Be Used on Outside Tires
- Tilt Lock Feature Locks onto the Valve



Air Chuck with Comfort Grip Handle SKU **802200**

24414

• Durable, OEMTOOLS Screwdriver Style Handle for Comfort and a



Access to Tight Areas



See more RapidAir® Products on AutoZonePro.com

Surface Prep

2" Twist-To-Lock Surface **Prep Discs (50 Pack)** with Cookie Jar

Medium

SHA13089

60⁹⁹

SKU **1146030**

Coarse SKU 1146029

SHA13088

6999

Assorted

SKU **1168677** SHA13087

· Includes Coarse, Medium and Fine



SHARK

2" Surface Prep Discs (25 Pack)

• Twist-Lock Style

Coarse

SKU 1330684 22517

(0.79 each)

Medium

SKU 1335806 22516

19⁹⁹ (0.79 each)





3" Surface Prep Discs (25 Pack)

• Twist-Lock Style

Coarse

SKU **1335795** 22518

REG. \$34.99 (0.99 each)



SKU **1335787** 22519

REG. \$34.99 (0.99 each)

Offer Good Through March 31, 2024



SHARK

OEM TOOLS

Twist-Lock Disc Holders

SKU 1368617

SHA13012

• 2" Holder (Single)

SKU **094911** SHA323T2

• 2" Holder (2 Pack)

SKU **094916**

SHA333T2

• 3" Holder (2 Pack)



SKU **094912** SHA323TB

• 2" and 3" Holder Set



SKU **298097** SHA16206

- · Long-Life Silicon Carbide for Paint and Coating Removal





2" Twist-Lock Mini Flap Discs **Assorted Grits (6 Pack)**

SKU **306275** SHA13056

- Outlasts Mini Grinding Discs by 3 Times
- . Includes: 2 Each of 40, 60 and 80 Grit



Finger Discs (10 Pack)

- Long Life Discs with Type "R" Style Backing
- Improved Surface Contact Over Wire Brushes
- · Great for Rust, **Surface Contamination** and Oxide Removal from Metals



Finger Discs SKU Part # Color Size Grit Qty Price 1361995 SHA13345 Green 1" 50G 10 79,99 Yellow 1" 80G 10 1362005 SHA13347 *79.99* Gray 1" 120G **79.99** 1361988 SHA13349 10 1362008 SHA13357 Yellow 2" 80G 10 99.99 1361994 SHA13359 Gray 2" 120G 10 99,99 1362011 SHA13361 Green 3" 50G 10 164.99 3" 1362013 SHA13363 Yellow 80G 10 164.99 1362001 SHA13365 Gray 3" 120G 10 164.99

Ideal for Hard-To-Reach Surfaces and Lasts Longer than Most Abrasive Discs

Twist-to-Lock Green Zirconia **Mini Grinding Discs**

Green Zirconia						
SKU	Part #	Size	Grit	Qty	Price	
306282	SHA12613	2"	36	25	39.99	
305896	SHA12614	2"	50	25	<i>39.99</i>	
204022	SHA12615	2"	80	25	<i>39.99</i>	
306323	SHA12617	3"	36	25	49.99	
305827	SHA12618	3"	50	25	49.99	
204009	SHA12619	3"	80	25	49.99	



SHARK

Backing Pad for Finger Disc

- 1/4" Steel Mandrel Shank
- Works with Type "R" Button Discs
- Rapid On/Off Action

SHA13355

2" x 1/4" SKU 1362000

SHA13327

OEM TOOLS

1" x 1/4" SKU 1362009 SHA13326

3" x 1/4" SKU 1362015 SHA13328

SHARK





SHARK

Cut-Off Accessories

Mandrel Set for Cut-Off Tools (2 Pack)





10 Piece Cut-Off **Wheel Set with Mandrel** SKU OUTSIDE BUY/EPO

26528 · Capable of Cutting Fiberglass, Plastic, Iron, Steel

and Other Ferrous Metals Quantity: (10) 3" x 1/16 Cut-Off Wheels with 3/8" Arbor,

46 Grit Max. RPM: 20.400

For Outside Buv/EPO. Call 901-300-4878



3" Aluminum Cutting Wheels (10 Pack)

SKU **306331** SHA13178PK2

• Silicon Carbide Grain

- Includes: (10) 3" x 1/16" x 3/8" **Cut-Off Wheels**
- · Works on 3" Die Grinders






SKU **306273** SHA25E5PK5

- For Use with Pneumatic **Cut-Off Tools**
- Max. RPM: 25,000
- Includes: 25 Discs





FOR MORE DETAILS ON RECOVERY MACHINES GO TO AZTOOL1.COM

Recovery Machines



Mastercool World Class Quality"	Semi-Automatic R134a Recovery Machine SKU 1368632 MSC1100	Automatic R134a Recovery Machine SKU 1368636 MSC2100	Automatic R134a Hybrid Recovery Machine SKU 1368634 MSC3100	Automatic R1234yf Hybrid Recovery Machine SKU 1368616 MSC4100
Wi-Fi Capability	✓	✓	✓	✓
Refrigerant Database	Optional	✓	✓	✓
Built-In Tank Heater	✓	✓	✓	✓
Vacuum Pump	3 CFM	6 CFM	6 CFM	6 CFM
Dust Cover	\checkmark	✓	✓	✓
Hose Flushing			✓	✓
Built-In Refrigerant Identifier				✓
Automatic Oil Injection		✓		
E-Printing Capability Optional		Optional	✓	✓
Price	<i>3,799</i> 99	4,749 99	<i>5,049</i> ⁹⁹	<i>6,549⁹⁹</i>

ArcticPRO[®]



	Refrigerant 134a			Refrigerant 1234yf	
MAHLE	ACX-2150 R134a Recovery Machine SKU 213170 MSSACX2150	ACX-2180 R134a Recovery Machine SKU 213168 MSSACX2180	ACX-2180H R134a Hybrid Recovery Machine SKU 213203 MSSACX2180H	ACX-2250 R1234yf Recovery Machine SKU 213151 MSSACX2250	ACX-2280 R1234yf Recovery Machine SKU 1187032 MSSACX2280
Automatic Oil Drain	✓	✓	✓	✓	✓
Automatic Air Purge	✓	✓	✓	✓	✓
Included Database	Optional	✓	✓	Optional	✓
Automatic Oil and Dye Injection	✓	✓			
Includes Refrigerant Identifier				√**	√ *
Phone Application	Optional	✓	✓	Optional	✓
Price	4,399 ⁹⁹	5,099 ⁹⁹	5,099 ⁹⁹	<i>6,349</i> ⁹⁹	7,249 ⁹⁹

On-Board Integrated Thermal Printer (Optional) *Integrated **Non-Integrated

MX Series°



cps.	MaxxAir R134a Recovery Machine SKU 1228721 CPSMX134	MaxxAir R1234yf Recovery Machine SKU 1228719 CPSMX1234	MaxxAir Dual Refrigerant Recovery Machine SKU 850572 CPSMX3030
Hybrid and EV Ready	✓	✓	✓
Oilless Compressor	✓	✓	✓
Vehicle Database Included	✓	✓	✓
10 Ft. Service Hoses	✓	✓	✓
Includes 2 Tanks and 2 Sets of Hoses			✓
Wi-Fi and Bluetooth Enabled	✓	✓	✓
Touch Screen	7" Hi-Res	7" Hi-Res	7" Hi-Res
AC Systems Capacity Database Included	✓	✓	✓
Includes Refrigerant Identifier		✓	✓
Converts Between R134a and R1234yf in 10 Min.			✓
Price	<i>5,699</i> 99	7,499 ⁹⁹	8,799 ⁹⁹

Recovery Machines

KUNFURT



TEXA	750R R134a Recovery Machine SKU 1282745 TEXZ11450	760 R1234yf Recovery Machine SKU 1282756 TEXA17910	Dual Gas Recovery Machine SKU 1282809 TEXA17810
Automatic Oil Drain	✓	\checkmark	✓
Automatic Oil and Dye Injection	✓		
10 in. Multi-Touch Display		✓	✓
R134a Management	✓		✓
R1234yf Management		✓	✓
Vehicle Capacity Database	✓	✓	✓
Software Update Over WiFi		✓	✓
Push-Pull Recovery	✓	✓	✓
Fully Automatic Operation	✓	✓	✓
Automatic Oil Bottle Recognition		✓	✓
Price	<i>5,399</i> 99	8,749 ⁹⁹	10,549 ⁹⁹

ECOTECHNICS)








Description	Semi Automatic R-134a SKU 1335796 HOFEEAC810	Hybrid Ready R134A SKU 1339733 H0FEEAC820B	Hybrid Ready R1234yf SKU 1335790 H0FEEAC830B	Eco Dual Gas A/C Service Station SKU 1335792 H0FEEAC800	
Refrigerant Type	R134a	R134a	HF0-1234yf	R134a + HF01234yf	
Refrigerant Tank	30 Lb.	30 Lb.	30 Lb.	30 Lb. + 30 Lb.	
Command Valves	Manual	Automatic	Automatic	Automatic	
Display	5" Touch	5" Touch	5" Touch	7" Touch	
Database	✓	✓	✓	✓	
Printer	✓	✓	✓	✓	
Status Light	✓	✓	✓	√	
Hybrid Function		✓	✓	✓	
Price	4,499 ⁹⁹	5,199 ⁹⁹	6,699 ⁹⁹	9,999999	

COBINAIR.



Description	AC1234-4 Premier R1234yf SKU 1212384 ROBAC1234-4	AC1234-9 Connected R1234yf ACS SKU 1212383 ROBAC1234-9	34288NI Economy R134a SKU 221185 R0B34288NI	34788NI-H Premier R134a Refrigerant for Hybrid and Non-Hybrid Vehicles SKU 751572 R0B34788NI-H	34788NI Premier R134a Refrigerant SKU 751569 R0B34788NI	34988NI Premier R134a Refrigerant SKU 377607 R0B34988NI	34998 Connected R134a ACS SKU 1212385 R0B34998
Operation	Automatic	Automatic	Semi-Automatic	AutomaticHybrid VehicleApplications	Automatic Auto Oil Injection	Automatic Auto Oil Injection	Automatic Auto Oil Injection
Display	4.3" LCD Display	10" Hi-Res Touch Screen	4.3" Full Color Display	4.3" Full Color Display	4.3" Full Color Display	7" Full Color Display	10" Hi-Res Touch Screen
Printer	ROB30038 (optional)	Wireless Printing	ROB30038 (optional)	ROB30038 (optional)	ROB30038 (optional)	Included	Wireless Printing
Bluetooth and Wi-Fi		✓					✓
Price	<i>6,999</i> ⁹⁹	7,899 ⁹⁹	4,299 ⁹⁹	5,199 ⁹⁹	5,199 ⁹⁹	<i>5,899</i> ⁹⁹	<i>6,499</i> ⁹⁹

A/C VACUUM PUMP KITS - BETTER VALUE FOR YOUR MONEY



SKU **850564** 68991

- Air Vacuum Pump with 1/2" ACME R134a and R12 Connectors
- Brass Manifold Gauge Set with 60" Hoses and Snap Style Couplers
- · Brass Can Tap Valve
- Large Diameter Dual Scale Thermometer



Starter A/C Kit - R134a SKU **695127** 68987

• Professional Quality Extruded Aluminum Manifold with Sight Glass and 72" Hoses

• High Quality Manual Couplers and Easy-To-Read Spring Dampened Gauges to Reduce Flutter

 R134a Can Tap Connects to Any ACME Threaded R134a Can



High Performance A/C Vacuum Pump Kit - R134a SKU **626121**

68989

• This Pump is Powerful, Quiet, Has High Vacuum Capability and Ensures Complete Moisture Removal and Reduces Evacuation Time

• 6 CFM, 75 Micron Single Stage Vacuum Pump Provides Fast, Thorough Evacuation

 Professional Quality Extruded Aluminum Manifold with Sight Glass and 72" Hoses

· High Quality Manual Couplers and Easy-To-Read Spring Dampened Gauges to Reduce Flutter

• 3-in-1 Can Tap Fits 1 Lb. Cans of R134a, R12 and 2" Oil Charge Cans and Includes 1/2" ACME Male and 1/4" FL Male Ports



When You Buy the Kit

When You Buy the Kit

REG. \$133.96 SAVE **\$33** OVER

OEM TOOLS



R134a and R1234yf Spark-Free Vacuum Pump Kit

SKU 1184368 MSC134YFKIT



 Brass 134A/1234YF Gauge Set with 96" Hoses

• Couplers for Both R134a and R1234YF

R1234YF Self-Sealing Can Tap and 3-In-1 R134a Side Mount Can Tap



REG. \$489.96

⋘ Mastercool≟

When You Buy the Kit

▼ Mastercool:

Filters/Maintenance Kits

CDS



MAHLE

SKU	Part Number	Brand	Fits	Price
186483	CPSARXF5	CPS	FX and AR Series CPS Equipment	<i>89.99</i>
1149172	CPSFX3030X1	CPS	Includes FX Series Filter, Vacuum Pump Oil and Coupler O'Rings for FX134A	139.99
389222	MSC69788FLTPK	Mastercool	69788, 69789 and 69789-H	199.99
199681	MSCCOM1FLTRPK	Mastercool	Commander 4000 and 4000x	<i>159.99</i>
199675	MSCCOM2FLTRPK	Mastercool	Commander 1000, 2000 and 3000	199.99
207349	MSS268077600	Mahle	ACX1120H, ACX1150 and ACX1150H, ACX2120H	119.99
207508	MSS3608273900	Mahle	ACX1280, ACX2150 and ACX2250	114.99
818739	RTI3608213300	Mahle	RHS980 and ACX1180	119.99

Portable Recovery Systems

R-134 Twin Turbo Complete **Recovery Machine**

SKU **OUTSIDE BUY/EPO** MSC69360

- Largest Volume Recovery Rate on the Market
- For Use with All Refrigerants Including R410A
- Injection Molded High Density Polyethylene Case for Maximum Durability
- · Safety High Pressure Switch
- Revolutionary Double Piston Oil-Less Compressor



R1234yf Twin Turbo Complete Recovery Machine

SKU **OUTSIDE BUY/EPO** MSC69360-YF

- · Revolutionary Double Piston Oil-Less Compressor
- · Largest Volume Recovery Rate on the Market

. Includes: 30 Lb. DOT Tank, Sight Glass, R1234yf Low Side Coupler, Oil Drain Bottle and R1234yf Blue and Yellow Hoses



R134a/R1234yf Complete A/C Recovery Set

SKU **OUTSIDE BŪY/EPO**

MSC69372

- Built with the Safest Spark-Free Components
- Includes All Hoses and Couplers Needed to Recover, Cleanse and Remove the Oil from R134a and R1234yf Automotive A/C Systems
- 30 Lb. DOT Tank for R134a and 30 Lb. DOT Tank for R1234yf Refrigerants Included with Each Unit (Refrigerant Sold Separately)
- 115V/60 Hz
- 1/2 HP Oil-Less Compressor
- · Compatible Refrigerants: All CFCs. HCFCs and HFCs



To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878

Vacuum Pumps

1.8 CFM Single Stage Vacuum Pump

SKU **466312** 24500

- Motor: 1/4 HP, 110V
- Ultimate Vacuum Rating: 100 Microns
- Inlet Ports: 1/2" ACME - 1/4" Flare
- Oil Capacity: 6.7 Oz. (200 mL), Included Internal High Volume Cooling
- Fan for Extended Use



OEM TOOLS

6 CFM Spark-Free Vacuum Pump

SKU **213133 259**99 24642

• Motor: Spark-Free 1/2 HP, 110V

• Ultimate Vacuum Rating: 75 Microns • 3 Inlet Ports: 1/4" Flare, 1/2" ACME and 1/2" ACME LH

Oil Capacity: 330 mL, Included

 Internal High Volume Cooling Fan for Extended Use

 Can Be Used with R1234vf Refrigerant



OEM TOOLS **OEM** TOOLS

Air-Operated Vacuum Pump

SKU **544730** 24533

- Includes: 1/2" ACME (R134a) and R12 Connectors
- Air Pressure Range: 75 to 180 psi
- Air Consumption: 4.2 CFM @ 90 psi
- Vacuum Capacity: 28.3" of Mercury @ 90 psi



4 CFM Single Stage Vacuum Pump

SKU **466305** 24501

- Motor: 1/3 HP, 110V
- 75 Microns
- Inlet Ports: 1/2" ACME 1/4" Flare • Oil Capacity:
- 11 Oz. (330 mL), Included
- Internal High Volume Cooling Fan for Extended Use

OEM TOOLS



SKU **466306** 24502

- Motor: 1/2 HP, 110V
- 75 Microns
- Inlet Ports: 1/2" ACME 1/4" Flare
- Oil Capacity: 11 Oz. (330 mL), Included
- Internal High Volume Cooling Fan for Extended Use



OEM TOOLS

Mastercool.

▼ Mastercool:

OEM TOOLS

Vacuum Pump Oil (8 Oz.)

SKU **363429** 24399

- Increases Life Span of the Pump
- Performance of Your Pump Depends on Regular Service and the Quality and Purity of the Vacuum Pump Oil that you Use
- Compatible for Use in Pumps Made by Most Manufacturers



ගුs

1.8 CFM Single Stage **Vacuum Pump**

SKU **213153** MSC90059-B

- Motor: 1/4 HP
- Ultimate Vacuum Rating: 80 Microns
- · Oil Capacity: 12 Oz. (342 mL), Included
- Pump Speed: 1,720 RPM • High Volume Fan Provides Cool Air to Motor and Pump



▼ Mastercool:





SKU 1330695 MSC290059RCL

• 1.8 CFM Deep Vacuum Pump

• 1/4' and 1/2' Fittings

• For Use with Multiple Refrigerants



STORE STOCKED

Premium Vacuum Pump Oil 1 Quart Bottle

SKU **517580** CPSVP0012


- . Compatible with Most Pumps
- . Increases Life Span of the Pump
- Performance of Your Pump Depends on Regular Service and the Quality and Purity of the Vacuum Pump Oil That You Use



3 CFM Single **Stage Vacuum Pump** SKU OUTSIDE BUY/EPO 20999

MSC290062 • Large Fan Keeps Vacuum Pump Cooler and Extends Life

• 1/4" SAE and 1/2" ACME Port Access





6 CFM 2 Stage Vacuum Pump

SKU **942618** MSC900662V-B

- Motor: 1/2 HP
- Ultimate Vacuum Rating: 15 Microns
- Oil Capacity: 15 Oz. (440 mL), Included
- Pump Speed: 1720 RPM
- Free Air Displacement: 6 CFM



R1234yf Hose to Vacuum **Pump Adapter** Fitting 1/4" x 1/2"

SKU **600806** 24509

- . Connects 1234yf Hose to R134a Vacuum Pump
- 1/4" SAE x 1/2" ACME Female LH Thread



AZG0124

For Outside Buy/EPO. Call 901-300-4878



Manifold Gauges

R1234yf Manifold Gauge and Hose Set

SKU **752518** 24559

- 3" Easy-To-Read Gauges with Temperature Chart
- 72" Hoses
- · High Quality 6-Ball Manual Couplers



Dual Aluminum R134a/R1234yf Gauge Set SKU **1335797 159**⁹⁹ 25130

• Includes: 72" Hoses, Manual Couplers and Can Tap Valves with 1/2" ACME Fittings for Use with Both R134a and R1234yf Refrigerants



OEM TOOLS

OEM TOOLS

R134a Brass Manifold Gauge Set

SKU **752520** 24563

- High Quality Brass Body with Sight Glass
 Large 2-1/2" Gauges are Easy to Calibrate and Have a High Impact Lexan Lens
- 60" Hoses (3,000 psi Burst, 600 psi Working Pressure)
- Snap Style Quick Couplers



R134a A/C Manifold Gauge and Hose Set SKU **466319**

24527

- Easy-To-Read 2-3/4" Spring Dampened Gauges to Reduce Flutter
- Extruded Aluminum Manifold
- 72" Hoses with Manual Couplers



Deluxe R134a Gauge Set

SKU **1282751** MSC289772CL

- Solid Block Extruded Aluminum Manifold
- 72" Long Hoses with Manual Couplers
- . Gauge Guards for Protection



Dual R134a, R-12 Manifold Gauge Set

SKU 1335804 MSC293996PBCL

- Solid Block Extruded Aluminum Manifold
- 96" Long Hoses with Manual Couplers
- Gauge Guards for Protection
- Silicone Dampened Calibratable Gauges
- Extra Long Hose for Access to Heavy Duty Buses, Fleet and Refrigerated Trucks Systems



R134a Aluminum **Manifold Kit with Dye Injector**

SKU **290023** MSC89660UV

 Includes: R134a Aluminum Manifold, 60" Hoses, Standard Couplers and 10 Application Mini Dye Injector



▼ Mastercool:

Dual R134a/R1234yf Gauge Set

SKU **1142631** MSC66661AYF

- 2-1/2" Silicone Dampened, Recalibrateable Gauges
- Extra Access Port for Vacuum Line
- R1234yf High and Low Side Quick Couplers R134a High and Low Side Economy Couplers 1/2" ACME-M x 1/2" ACME-F LH Thread Adapter (2) 12 mm-M x 14 mm-F R1234yf Adapters Set of 3 - R134a Standard Hoses



R1234yf Aluminum Manifold Gauge Set

SKU **505065** MSC83272

- · Ideal for Shops That Want to Wait to Invest in New AC Service Stations Adapted for R1234yf
- Contains Manifold, 3 Service Hoses, 2 Service Couplers LT/HT



Dual Aluminum R134a/R1234yf Gauge Set

SKU **1086254** MSC89661AYF



- 2-1/2" Silicone Dampened, Re-Calibrateable Gauges
- Free-Floating Piston Type Valves Reduce O-Ring Wear
- R1234vf High and Low Side Couplers with Extended
- Disconnect Protection Sleeve
- Standard Hoses, R134a Manual Couplers, R1234yf Couplers, 1/2" ACME-M x 1/2" ACME-F LH Thread Adapter, (2) 12 mm-M x 14 mm-F R1234yf Adapters

OEM TOOLS



Can Taps

R134a Can Tap Valve SKU **466315**

• Connects ACME Threaded R134a Can to Yellow Manifold Gauge Charging Hose



Refrigerant and OEM TOOLS **Oil Charge Side Can Tap**


SKU **466313** 24523

- Fits 1 Lb. Cans of R134a, R12 and 2" Oil Charge Cans
- Plier Type Grip with Positive Lock
- Includes: 1/2" ACME Male and 1/4" FL Male Ports with Safety Valve



4-Way Side Can Tap

SKU **11**03203 FJC6842



- Fits Cans with 2-7/8", 2-1/2" and 2" Diameter
- Includes 1/2" ACME LH, 1/2" ACME, and 1/4" Flare Male Fitting with Check Valve
- Works with Self-Sealing or Puncture-Style Cans




R1234yf 1/2" ACME-LH Self-Sealing Can Tap

24553

24524

SKU **213178**



✓ Mastercool∴

AIR CONDITIONING

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Electronic Leak Detection

A/C Refrigerant Leak Detector

SKU **466307** 24510

Detects All Types of Halogenated Refrigerants

- Sensitive to 0.1 Oz. per Year Single Color LED Display with 7 Level Leak Alarm
- Flexible Stainless Steel Probe to Reach Almost any Space
- Includes Spare Sensor Tip
- · Works with 1234yf





IntellaSense II Refrigerant Leak Detector

SKU **695639** MSC55900

27999

- Detects: Combustible Gases, Hydrogen, Refrigerants (All CFCs, HCFCs and HFCs)
- Includes: Leak Test Vial and Replacement Filters in a Blow Mold Case
- Meets and Exceeds SAE J2791 and J2913
- · Works with 1234yf



Raptor Refrigerant Leak Detector

SKU **916550 239** 99 MSC56100

- Features 3 Sensitivity Levels and 5 Detection Levels
- Detects Leaks as Small as 1/10 Oz. per Year
- Detects All Refrigerants (CFC, HCFC, HFC)
- Flexible 16" Probe for Hard-To-Reach Areas
- · Works with 1234yf





Inspector 2-in-1 Electronic/UV Leak Detector

SKU **916553 289 99** MSC56200

- Pinpoint Leaks as Small as 1/10 Oz. (3 gr) per Year
- Built-In Ultra-Bright UV Light at End of Probe Allowing Easy Access into Tight Areas
- Works with 1234yf



▲ Mastercool∴

Manifold Gauge Repair

Replacement **Gauge High Side**

for A/C Manifold

SKU **481705** 24530

- Replacement High Side Gauge Fits OEMTOOLS® and Other Brands of A/C Manifolds Used to Service A/C Systems on Cars
- 1/8" NPTF Male Threads
- · Reads 0 to 500 psi



OEM TOOLS

Replacement Gauge Low Side for A/C Manifold

SKU **481709 21** 99 24531

• Reads 0 to 120 psi and 0 to 30" Hg

A/C Manifold Upgrade Kit

SKU 1043688 68903

• Includes: 3-in-1 Side Mount Can Tap Valve, R134a Manual Coupler Set, 1234yf Self Sealing Can Tap, 1/2" ACME Hose Set 72", R134a to HF0-1234YF Conversion Coupler Set



O=M TOOLS

REG. \$148.95

When You Buy the Kit

OEM TOOLS

▼ Mastercool.

R1234yf 72" Hose Set SKU **1142322**

MSC83372



- Working Pressure: 800 psi Burst Pressure: 4,000 psi
- For Use with R1234yf
- . Meets J2888, EPA, SAE and **UL Standards**
- Includes: 1 ea. Blue/Red 72" 12 mm-M x 12 mm-M and 1 Yellow 72" 12 mm Fitting x 1/2 x 16 ACME LH





R1234yf Manifold/Hose Adapter Assortment

SKU **1142732** 25091

• 6 Common Adapters to Fit Manifolds, Hoses, Couplers and Vacuum Pumps

 Includes: 1/2" LH ACME Female x 1/4" Male Flare, 1/2" ACME Male x M12 x 1.5 Male, 1/2" ACME Female x M12 x 1.5 Female, 1/4" Male Flare x M12 x 1.5 Male, 1/2" LH ACME Female x M14 QDK, 1/2" LH ACME Male x 1/4" Female Flare

Includes Organizer Case with I.D. Labels



OEM TOOLS

R134a Hose Set 72"

SKU **752516** 24558

and Blue

• 72" R134a 3 Hose Set Color Coded: Red. Yellow



1/4" Hose Set 72"

SKU **752515**

• 72", 1/4" SAE 3 Hose



96" R134a Red Hose SKU **489152 29**99 MSC84963

• 1/2" ACME-F and 14 mm-M Auto A/C Fittings - 96"



96" R134a Blue Hose SKU **489151**

MSC84961

• 1/2" ACME-F and 14 mm-M Auto A/C Fittings - 96'



RI34a/RI2 Charging Hose Repair Kit

SKU **295557** MSC91334-A

• 50 Piece Assortment of Replacement Gaskets, 0-Rings. Depressors for **Charging Hoses and Adapters**



AZG0124





A/C Couplers

R134a Manual **Coupler Set**

SKU **362980** 24396

- All Metal Construction for Extra Durability
- 6-Ball Coupler for Secure Grip
- Includes Adapter for Use with R12 Hoses







Manual R134a Safety Lock Coupler

 Suitable for Use On All R134a Systems

SKU **752527**

24561

- Safety Lock Ensures that Hose Remains Connected **During Operation**
- Meets All SAE. UL and **EPA** Requirements for Containment of Refrigerant

High-Side, 1/4" FL-M x 16 mm

• 1234yf Manual Couplers with 14 mm Female Threads to Convert R134a Manifold and Hoses to R1234yf

SKU **695636** MSC82834-SLE

• Includes: Tank Adapter, 1/2" ACME Right Hand to 1/2" ACME Left Hand Adapter

Conversion Coupler Set R134a to R1234yf

4099



Low-Side, 3/8" FL-M x 13 mm SKU **695637** MSC82934-SLE



▼ Mastercool:

OEM TOOLS



CDS

R134a Premium Manual **Coupler Set**

SKU **110255** CPSQC134SET



- · Latching Balls to Provide Superior Service
- Cross Pin Valve Depressor and Safety Sleeve to Prevent Accidental Refrigerant Venting



R134a High Side **Manual Coupler**

SKU **347267** 24395

R134a Low Side **Manual Coupler**

SKU **347266** 24394

R134a Refrigerant Tank Adapter

SKU **850565**

- 24554 • Male Low-Side R134a to
- Female 1/2" ACME · Attaches to Virgin Tank and Low-Side Service Coupler

R1234yf Low Side Tank Adapter Assembly SKU **1103204 1099**

- Used to Fill Refrigerant from R1234vf Cylinders
- Attaches to Virgin Tank and Low Side Service Coupler
- This Fitting Does Not Have a Valve Core or Valve Core Depressor

M TOOLS R1234vf Hose to Vacuum Pump Adapter Fitting 1/4" x 1/2" SKU **600806** 24509

- . Connects 1234yf Hose to R134a Vacuum Pump
- 1/4" SAE x 1/2" ACME Female LH Thread

Valve Core Tools

No Gas Loss A/C Valve Core Remover/Installer

SKU **466321 27***99* 24529

- · Remove and Install Standard R134a Valve Cores without the Loss of Refrigerant
- Built-In Ball Valve Retains Charge and Allows Access to A/C System
- For 13 mm and 16 mm High and Low Service Ports

OEM TOOLS





Attaches to R1234yf Service Ports to Quickly and Easily Remove

▼ Mastercool:

- and Replace Valve Cores without the Loss of Refrigerant • Ball Valve Design with Stainless Steel Ball Provides Smooth Movement and Durability
- · Kit Covers 17 mm and 14 mm High and Low Side Service Ports
- Includes: Valve Assembly, High Side 17 mm Connector, Low Side 14 mm Connector, Standard Valve Core Shaft, GM Large Bore Valve Core Shaft and Eaton R134a/R1234yf High Side Valve Core Shaft



OEM TOOLS

Universal Valve Core Remover/Installer for R134a/R12

SKU 1142576 MSC58490

- Kit Covers All R12 and R134a System Valve Cores for Standard, JRA, Eaton and GM Large Bore
- Includes: Valve Assembly, R134a High Side 16 mm Connector, R134a Low Side 13 mm Connector, 1/4" FL Swivel Connector, Adapter 1/4"-M x 3/16"-F High Side GM/Ford, Adapter 1/4"-M x 1/8"-F High Side Ford and Blow Mold Case





A/C Service Tools

A/C Condenser Fin Comb **Straightener/Cleaner**

SKU **466317** 24526



- · Compact Design for Confined Spaces
- Includes (6) Clearly Marked Combs: 8, 9, 10, 12, 14 and 15 Fins per Inch



Valve Core Tool Set (2 Piece)

SKU **1209377** 22589

· Designed for Removal and Installation of Schrader Style Valve Cores



A/C Clutch Holding Tool

SKU **OUTSIDE BUY/EPO** 26550

• Holds Compressor Clutch in Place When Removing the Holding Bolt

. Compatible with Domestic and Import

· Adjustable Pins to Fit Various Compressor Clutches

For Outside Buy/EPO, Call 901-300-4878

Vehicles



A/C Clutch Hub Puller and Installer SKU **1103539**

37150



 Includes: Orifice Tube Extractor Tool Set




26 Piece Master Orifice Tube Assortment

With Purchase of: 37150

Offer Good Through March 31, 2024





AIR CONDITIONING

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Spotgun <u>Jr.™</u>

A/C Leak Detection Kit

SKU 1361987 UVU332005A

- Spotgun Jr[™] Injection System with R134a and R12 Adapter
- Includes: Phazer Black (AAA) True UV Leak Detection Light, (4) 1 Oz. UV Dye Cartridges, UV Dye Enhancing Glasses, and Rugged



Spotgun Jr.™ R1234yf Hose Assembly with Coupler

SKU **1361991** UVU471547

71 99

• Includes: Hose and Adapter for Use with Spotgun Jr. A/C Leak Detector

A/C Leak Detection System

SKU **1362006** UVU330500YF

- Contains (6) 1/4 Oz. Extendve Cartridges
- Injects the Precise Amount of Dye
- Perfect System for Inventory Control
- R1234yf Adapter Included
- No Contamination. No Waste



A/C Extendve Cartridge .25 Oz. (6 Pack)

1 Oz. (4 Pack)

SKU **1362004**

UVU399020A

7/1 99

SKU OUTSIDE BUY/EPO UVU399006APK6

A/C Extendye Cartridge

Contains Friction Modifier to Increase

· Contains Antioxidant to Prolong Oil Life

• Works with Spotgun Jr. Injection System

Anti-Wear Additive for Better Wear Resistance

Lubricity and Decrease Friction

A/C Extendye Cartridge

• SAE J2297 Certified Super Concentrated UV Dye

• Works in R134a, R1234yf Systems and is Hybrid Safe



Universal PAG 46 Oil R1234yf -1 Oz. Cartridge (4 Pack)

SKU **OUTSIDE BUY/EPO**

UVU399046YFPK4 OEM Approved

- Works with Spotgun Jr. Injection System
- · Formulated to Work with R1234yf, R134a and Hybrid Safe
- Sealed Cartridge Assures Clean Oil Delivered to Vehicle A/C System
- Injection System Measures the Correct Dosage



Universal PAG 46 Oil for R134a 1 Oz. Cartridge (12 Pack)

UVU399046PK12 **74**99 SKU **1363781**

Spotgun™

A/C Leak Detection System

SKU **1361993** UVU471500YF

- Contains 8 Oz. Extendye Cartridge
- R1234yf Adapter Included
- Injects the Precise Amount of Dye
- No Contamination, No Waste
- Services Up to 64 Vehicles



A/C Extendye Cartridge - 8 Oz.

SKU **OUTSIDE BUY/EPO** UVU499108A

- Works in R134a, R1234yf Systems and is Hybrid Safe
- Contains Friction Modifier
- . Contains Antioxidant to Prolong Oil Life
- Fits Competitive Guns





A/C Leak Detection System

SKU 1362010 UVU471500A

Spotgun R1234yf Hose Assembly with Coupler

- . Contains 8 Oz. Extendye Cartridge
- R134a and R12 Adapters Included
- Injects the Precise Amount of Dye
- No Contamination, No Waste
- Services Up to 64 Vehicles

SKU **OŬTSIDE BUY/EPO**

A/C Leak Detection Kit SKU **1368627**

UVU414565A

• Includes: Rechargeable UV Phazer Black Light, Spotgun Injection System, 8 Oz. A/C Extendye™ Cartridge, UV Dye Enhancing Glasses and Rugged Case

No Contamination, No Waste

Services up to 64 Vehicles





. Adapter Hose Assembly for R1234vf

. Includes Hose and Adapter for Use with Spotgun A/C Leak Detector



Wiew.

Oil Injector

UVU471540

Spotgun™ Jr. Universal Oil/UV Dye (1 Oz.) Kit for R134a/R1234yf

SKU **1368623** UVU390100

· Includes: Spotgun Jr. Injector, R134a and R1234yf Adapters and (2) Service Hoses, (4) 1 Oz. Universal Oil Cartridges, (2) 1 Oz. A/C ExtenDye Cartridges, (2) 1 Oz. LeakGuard OneShot Cartridges and Storage Case



Mastercool

Professional UV Leak Detection Kit with 12V/50W UV Light

SKU **290041** MSC53351

• 12 Volt/50 Watt UV Leak Detector



Compatible with R134a and R12 Adapter UV Enhancing

Safety Glasses 12 Service Labels





Universal **Concentrated Dve** Cartridge 1 Oz. (5 Pack)

SKU **505040** MSC53810-5

- 5 Pack of Dye for 53585 Leak Detector Kit
- 10 Applications per Bottle



AZG0124

To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878

AIR CONDITIONING

Diagnostic Work Light

The Most Innovative 3-in-1

13.4" Multi-Use Rechargeable Diagnostic Under-the-Hood Work Light

SKU **591153** 24609

• 5 Hr. Run Time on High







Leak Detection Lights

Leak Detection Lights

- · Rechargeable Li-ion Battery
- True UV Makes it Easier to Find Leaks
- Adjustable Lens Focus for Light Intensity
- Includes UV Dye Enhancing Glasses

SKU OUTSIDE BUY/EPO UVU413065

UV Power Rating of 810

SKU OUTSIDE BUY/EPO UVU413025

• UV Power Rating of 1135

For Outside Buy/EPO, Call 901-300-4878

WIEW.

UV Pen Light

SKU **695128** 24610

- Pen Style Ultraviolet Light
- · Lightweight, Aluminum Casing
- Convenient Pocket Clip
- Maximum Continuous Run Time: 4.5 Hours



OEM TOOLS

OEM TOOLS

UV Leak Detection Light and Glasses

SKU **213144** 24516

- Compact UV Leak Detection Pen Light
- Can Be Used with All Types of UV Leak Detection Dyes
- Yellow Lens Protective Glasses Enhance Visibility of Leaks
- Includes (2) AA Batteries

OEM TOOLS

Magnifying Glass with 5 LED and 1 UV Light

SKU **191688** 25465

• Compact Magnifier with 5 LED Lights and a Super Bright UV Light

• UV Light Detects Dyes



Refillable Injectors

OEM TOOLS

In-Line Dye and Oil Injector SKU **466322 20**99

24532 · Add Up to 2 Oz. of Oil or Dye to a System

- Under Vacuum or While Adding Refrigerant • 1/2" ACME Fittings to Fit Most
- R134a Systems • Use with UVU499008A
- A/C Extendye Bottle (8 Oz.)



R12 and R134a **Hand Turn Dye Injector**

11**9**99

SKU **466320** 24528

- Injects Dye or Oil into R12 or R134a Systems
- Refillable, Capacity: 2 Oz.
- Includes R134a Quick Coupler
- Use with UVU499008A A/C Extendye Bottle (8 Oz.)



Pourable Dyes

A/C Extendye Bottle - 8 Oz. SKU **OUTSIDE BUY/EPO**

UVU499008A

• SAE J2297 Certified Super Concentrated UV Dye

- Works in R134a, R1234yf Systems and is Hybrid Safe Contains Friction Modifier to Increase Lubricity and **Decrease Friction**
- . Contains Antioxidant to Prolong Oil Life
- Anti-Wear Additive for Better Wear Resistance

For Outside Buv/EPO. Call 901-300-4878

R1234yf Hand Turn Oil and Dye Injector

SKU **213158 8**4 99 24517

- Easy to Operate Hand Turn Injection
- Durable Aluminum Construction with Laser Etched Filling Guide
- Includes R1234yf System Coupler
- 2 Oz. (60 mL) Capacity
- Use with UVÚ499008Á A/C Extendye Bottle (8 Oz.)



OEM TOOLS

▼ Mastercool: Refillable Universal **Dye Injector for R1234yf**

MSC53123-YF **149**99 SKU **764999**

- Heavy Duty Aluminum Construction
- Injects Dye or Oil into R1234yf Systems
- · Refillable, Any Dye or Oil Can be Used
- · Easy Twist Injection System
- Precise Injection Control



Multi-Purpose Dye SKU OUTSIDE BUY/EPO

UVUB483206 • Pinpoint Leaks in Engine Oil, Transmission,

Hydraulic, Power Steering, Gasoline and **Diesel Fuel Systems**

For Outside Buy/EPO, Call 901-300-4878



SKU **OUTSIDE BUY/EPO** UVU488046PBDPK4

UVU488100PBDPK4

PAG 100 Oil with A/C ExtenDye 8 Oz. Bottle (4 Pack) SKU **OUTSIDE BUY/EPO**

For Outside Buy/EPO, Call 901-300-4878





Orifice Tube

26 Piece Master Orifice Tube Assortment

SKU **851868** 24564

- Covers Most Vehicles That Require Air **Conditioning Orifice Tubes**
- Includes: Chrysler (Orange, Purple T-Top), Ford (Black, Blue, Brown, Green, Red), GM (Black T-Top, White, Yellow), Jeep (Green - White) and Volvo (Yellow)



A/C O-Ring Assortment OEM TOOLS

270 Piece A/C **0-Ring Kit**

SKU **271196** 68141

· Great O-Ring Set for Most Automotive and Refrigerant Applications



Kit Contains 270 O-Rings in a Variety of SAE Sizes



▼ Mastercool:

▼ Mastercool:



Digital Scales

Digital Refrigerant Scale (240 Lb. Capacity)

SKU **752521** 24560

• High-Visibility .75" x 2.5" LCD Backlit Display

14999

• 3 Units of Measure: Kg/Oz./Lb.

 Automatic Shut-Off After 10 Minutes, Backlight Will Shut Off After 3 Minutes

• Fully Enclosed and Removable Metal Scale Platform Enables Use of Product in or Out of the Protective Case



OEM TOOLS

Accu-Charge II/Electronic Charging Scale (240 Lb. Capacity)

SKU **290029** MSC98210-BL

Allows User to Program

Desired Quantities · Alarm Will Sound When **Programmed Amount** is Reached

 Includes Bluetooth Wireless Technology





A/C Flush

A/C Flush Machine SKU OUTSIDE BUY/EPO

CPSAFM100

- · Air Operated 8' Hoses to Reach Any System
- Forward or Reverse Flush without Changing Hoses
- 2-1/2 Gallon Capacity Tank for Use on Cars and Buses
- Universal Couplers Allows Connection to Most Types of Connections
- · Clear Filter Bowl Allows You to See What is Coming Out of the System with a Cleanable Filter

For Outside Buy/EPO, Call 901-300-4878



A/C Supreme Flush, 1 Gallon Can

SKU **436040 CPSAFMSF**

• Superior Flush Removes Particles Including Common Leak Sealants. That Can Damage Refrigerant Recovery Machines and A/C System Components



OEM TOOLS

MASTERCLEANSE A/C Flush Machine

SKU **OUTSIDE BUY/EPO** MSC69900

. Designed to Flush All HVAC/R and Automotive Systems

Pump Power: 0.4 HP; Flow Rate: 4 Gal/Min.

Stainless Steel Ball Valve Controls
1/4" SAE Connection

• Pump Equipped with Mechanical Seal and PTFE Gasket

• 110 VAC

For Outside Buv/EPO. Call 901-300-4878



Adapter Kit

SKU **481575** MSC69925

- · Isolates A/C System Components for Closed Loop Flushing
- Flush Individual Components without Removing Them from the Vehicle
- . Install Adapters on A/C Line Ends to Allow Attachment of Flushing Equipment

▲ Mastercool.



A/C Flush Kit

SKU **1103579 4999** 37377

- Uses Shop Air to Pressurize the Solvent to Thoroughly Clean the
- Simple, Effective and Easy to Use
- Attached Nozzle Directs the Solvent without Sprayback
- Includes: Canister, Hose, Blowgun, Rubber Tip and Cylinder
- Solvent Purchased Separately



A/C Flush Solvent

Bottle (32 Oz.) SKU **695650** MSC91049-32

2499

1 Gallon SKU **695653** MSC91049-128



Total A/C Quick Flush Kit

SKU **695646** MSC91051

• Includes: 17 Oz. Pressurized

- A/C Flush, Hose and Rubber Tipped Blow Gun with Thumb Control
- · Pressurized to 150 psi
- Non-Toxic
- Self-Evaporating
- Single Use Disposable Cans



AZG0124

AIR CONDITIONING

A/C Hose and Line Repair



Manual Style A/C Hose Crimper, Bench or Vise Mounted SKU **290028** MSC71550

- Manual Style A/C Hose Crimper
- Mount to Bench Using Holding Fixture or Place in Vise
- Includes: 71500 001 Yoke Assembly, 71550 - 002 Arbor Assembly, 71550 - 003 Holding Fixture Assembly, 71500 - 6 Die Set - #6 (5/16"), 71500 - 8 Die Set - #8 (13/32"), 71500 - 10 Die Set - #10 (1/2"), 71500 - 12 Die Set - #12 (5/8"), and 71500-PB Custom Mold Box Carrying Case



Hand-Held Hydraulic Crimper Kit for A/C Hoses SKU **OUTSIDE BUY/EPO** FJC2806

- Includes Complete Set of Dies
- For Hose Sizes: #6, #8, #10, #12 and Reduced **Barrier Hose Sizes**
- Hand-Held, Hydraulic Tool Ideal for Shop and **Field Applications**
- Custom-Molded Protective Case



For Outside Buy/EPO, Call 901-300-4878

Heavy Duty OEM TOOLS **Ratcheting Hose Cutter**

SKU **466311**

- 24522 • Smooth Action and High Quality Blade Provide Quick, Clean and Accurate Cuts
- Ratcheting Action Makes it Faster and Easier to Use than Other Cutters
- · Cuts Rubber Hose and PVC Up to 1-1/2" OD
- · Wide Hooked Jaws Hold **Tubing Securely**



Thermometers

Thermal Imaging Camera SKU **213193**

24552 Temperature Range: -4°F to 1,202°F (-20°C to 650°C), Selectable

- Temperature (C or F) · Captures Thermal Images and Saves to MicroSD Card (Not Included)
- 3 Selectable Color Palettes
- 1.8" LCD Color Display
- . Includes Storage Pouch and Mini USB Cable





OEM TOOLS

Instant Read Pocket Thermometer (2 Pack)

SKU **213179** 24350-2

- Temperature Range: 0°F to 220°F
- . Comes in Protective Sheath with Pocket Clip
- Easy-To-Read 1" Dial Face

Infrared Thermometer with Target Laser SKU **290019**

MSC52224ASP

- Temperature Range: -58°F to 1022°F (-50°C to 550°C)
- Includes: Laser Thermometer, Analog Dial Thermometer in Storage Case
- 4 Digit LCD Backlit Display with Auto Power-Off (After 15 Seconds)





AIRSEPT

OEM TOOLS



AirSept® Line Repair

SAVE TIME & MONEY!

FIX or TERMINATE a Line in 5 MINUTES!

Line Terminator SAE (5 Pack)


SKU **504122 107**99 AIR76526

- Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y"
- Block Off Leaking Rear **Evaporators and Failed** System Components
- Include One Each: 5/16" 3/8",1/2", 5/8" and 3/4" SAE Kits



Line Terminator SAE/Metric (10 Pack)

SKU **504124** AIR76530



 Block Off Leaking Rear Evaporators and Failed System Components

 Includes One Each: 5/16". 3/8", 1/2", 5/8", 3/4", 8 mm, 10 mm, 12 mm, 15 mm and 16 mm



CERTIFIED EAK-FREE

UP TO 2,600 psi

OE-APPROVED REPAIR SOLUTION INSTALLS IN MINUTES, NO SPECIAL TOOLS, NO GLUE

Line Splice Straight SAE/Metric (10 Pack)

SKU **504103 284** 99 AIR76051

• Includes One Each: 5/16", 3/8", 1/2", 5/8", 3/4", 8 mm, 10 mm,

12 mm, 15 mm and 16 mm



Line Terminator Rear A/C Blockoff Kits

- · Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y"
- . Block-Off Leaking Rear Evaporators and Failed System Components
- Help Maximize Front A/C Performance
- Eliminate Refrigerant and Oil Pooling in Rear A/C Lines



SKU	Part #	Size	Price
504149	AIR76502	3/8" Line	26.99
504146	AIR76501	1/2" Line	26.99
504150	AIR76503	5/16" Line	26.99
504152	AIR76504	5/8" Line	30.99
504154	AIR76505	3/4" Line	35.99
329221	AIR77508	8 mm OD Line	26.99
329219	AIR77510	R77510 10 mm OD Line 2	
329231	AIR77515	7515 15 mm OD Line 3	
329230	AIR77516	16 mm OD Line	30.99

Line Splice Straight Repair Kit

- High-Tech Anti-Vibration Tension Ring Ensures Durability in Tough Automotive Applications
- . HNBR Seal Sleeve Dramatically Expands the Sealing Surface Area
- . Burst Tested to 2,600 psi



SKU	Part #	Size	Price
504140	AIR76003	5/16" Line	<i>35.99</i>
504138	AIR76002	3/8" Line	<i>35.99</i>
504136	AIR76001	1/2" Line	35.99
504143	AIR76011	5/8" Line	44.99
504132	AIR77008	8 mm Line	35.99
504155	AIR77010	10 mm Line	35.99

Smart Splice[™] Line to Hose

- Leak-Proof Line Splice[™] Technology on the Metal Side of the Connection
- Superior Hose Crimp Technology on the Rubber Side
- Also Works for Heater and Coolant Lines
- Install in 5 Minutes



SKU	Part #	Size	Price
504125	AIR76701	1/2" Line to #8 Hose	<i>35.99</i>
504128	AIR76702	3/8" Line to #6 Hose	<i>35.99</i>
504129	AIR76703	5/8" Line to #10 Hose	<i>35.99</i>
504130	AIR76704	5/8" Line to #10 Hose	44.99
504131	AIR76705	3/4" Line to #12 Hose	44.99

TUXEDO

Wheel Service

TLX-7000 Low Rise Portable & Storable Automotive Tilt Lift 7,000 LBS.

SKU **1276160**

- Full Operation From Either Side of Lift
- 'Dual Action' Precision Gear Drives
- Weather Resistant for indoor or outdoor use
- Easy to use and maintain Adjustable Width Platforms



Price Does Not Include Vehicle, Installation or Optional Equipment as Shown

TUXED®

Two Post Lifts

TP9KACX **9,000lbs CAPACITY** SKU **426138**

Overall Height: 143"

 Overall Width: 138" Spin Up Pads with stackable drop-in height adapters

Equipment as Shown

TP9KFX **3,099** 99 9,000lbs CAPACITY

SKU **426106**

- Overall Height: 112 Overall Width: 134.5"
- Spin Up Pads with stackable drop-in height adapters

Price Does Not Include Vehicle



Wheel Service

TC-950
Semi-Automatic
TireChanger
SKU 426755
• Max Wheel Diameter: 47"
• Rim Width: 2" 45"

- Rim Width: 3" 15'

• Rim Diameter: 15" - 28"



WB-953

HighPerformance **1,549** 99 Wheel Balancer SKU **426803** Max Wheel Diameter: 39

• Rim Width: 1.5" - 20"

 Rim Diameter: 10" - 24" Wheel Weight Capacity: 150 lbs

\$4,999°

TC-950WPA High Performance Tire Changer with Press Arm

SKU 426757

- Internal Clamping Capacity: 15" 28"
- External Clamping Capacity: 13" -24" Max Wheel Diameter: 47"
- Wheel Width: 3" 15'
- Left side press arm (WPA) Ideal for low profile tires (WPA)

Mobile Column

6,000 lbs Single Column Lift SKU **426460**

- · Height Overall: 102-3/8"

- raise lift onto wheels

Two Post Lifts

iDEAL - TP10KAC-DX 10,000lbs CAPACITY

- SKU 942096 ALI Certified
- · Overall Height: 144'
- Overall Width: 145-1/2" Bi-Svvmetric Lift Arms
- Low Profile Swing Arm Design
- 3 Stage Front Arms
- Adjustable Height Swivel
- Stackable Height Adaptors





Price Does Not Include Vehicle. Installation or Optional Equipment as Shown

MSC-6KLP

- Capacity: 6,000 lbs Width Overall: 45-3/16
- Length Overall: 101-9/16"
- Power: 110 VAC, 2 0 Amp, 1 ph
- Pallet Jack style hydraulics to

Price Does Not Include Vehicle

TP11KC-DX 11,000lbs CAPACITY SKU **426140**

- Direct "Pull" Cylinders
- · Overall Height: 145"
- Overall Width: 145-1/2"
- 3 Stage Front Arms, Low Profile Arms
- Rubber Door Guards Spin Up Pads with stackable
- drop in Height Adapters

Price Does Not Include Vehicle, Installation or Optional Equipment as Shown



Four Post & Storage Lifts

FP14KAC-X 14,000lbs CAPACITY SKU 1313607

- High Performance Commercial Alignment Lift
- Durable, High Quality Cable Lift System
 Extended Rise Height
- 'Bolt-On' Runway Alignment Kit
- 18 Locking Height Positions
- 20" Wide Runways Slack Cable Safety Devices
- Self-Chocking Approach Ramps W/ Nylon Rollers



4,39999

FP8K-DX 8,000lbs CAPACITY

- SKU **426414**
- · Cable Driven
- Single Point Manual Lock Release
 Slack Cable Safety
- Steel Approach Ramps
- Fits In Most Residential Garages • Includes Caster Kit, Drip Trays and Jack Tray
- Powder Coat Finish



Paint Booth

PSB-SDD26B-3PH-230V-AK

SIDE DOWNDRAFT
PAINT SPRAY BOOTH
SKU 592190 24,599

• Inside Dimensions 26'L x 14'W x 9'3"H

- Outside Dimensions 26'4"L x 17'8"W x 9'5"H
 (2ea) Fan/Motor 24" Tube Axial Fan,
- 3HP-3PH/230-460VAC-60Hz
- 14.000 CFM @ .5 SP
- Meets OSHA and NFPA33 Codes
- N&B Construction, 18 Gauge Panels
- Includes: Control Panel, 2 Exhaust Fans, Liahts. • Bulbs, Filters, Personnel Door, Powder
- Coated White Optional: Single Phase Electric, LED Light Upgrade, 48"L Extension Kit, Drive Through

Door Kit, 8'L Duct Kit (2 req'd) EPO/Outside Bu





Equipment as Shown

DON'T FORGET THESE ACCESSORIES!




PWB-1600 **1,600 LB WORKE** SKU **1284169**



3315-STAND 23999





POWER TOOLS

Professional OEMTOOLS®

20V Max* Li-ion **Heavy Duty 1/2" Impact Wrench** SKU **818594** 24481

- Speed: 0 to 2,200 RPM and 0 to 2,900 IPM
- Nut Busting Torque: 300 Ft/Lb.
- Tightening Torque: 260 Ft/Lb.
- Battery: 4.0Ah Li-ion
- Weight: 8 Lb.
- 4 Battery Light Indicators: 100% (4), 75% (3), 50% (2) and 25% (1)
- · Charge Time: 2 Hours
- Includes: Li-ion Battery with Charging Station and Sturdy Blow Mold Storage Case

20V Max* Li-ion 1/2" Brushless Drill SKU **592256** 24484

- Variable Speed: 0 to 600 RPM and 0 to 2.000 RPM
- Max. Torque: 310 ln/Lb.
- Electric Brake
- Clutch: 21 + 1 Torque Setting
- · Battery: 2.0Ah Li-ion
- Charge Time: 1 Hour
- Weight: 7.63 Lb.
- Includes: 20V Max* Li-ion 1/2" Brushless Drill, Rechargeable 2.0Ah Li-ion Slide Battery, Charging Station and Sturdy Blow Mold Storage Case



Storage Case 20V Max* Li-ion

20V Max* Li-ion

SKU **592251**

0 to 3.000 IPM

Weight: 9.28 Lb.

Battery: 4.0Ah Li-ion

· Charge Time: 2 Hours

24486

1/2" Brushless Hammer Drill SKU **593469**

1/2" Brushless Impact Wrench

Variable Speed: 0 to 2.600 RPM:

Nut Busting Torque: 300 Ft/Lb.

• Tightening Torque: 260 Ft/Lb.

24485

 Variable Speed: 0 to 600 RPM and 0 to 2,000 RPM

- Max. Torque: 310 ln/Lb.
- Electric Brake
- Clutch: 21 + 1 Torque Setting
 Battery: 2.0Ah Li-ion

- Weight: 7.65 Lb.

• Includes: 20V Max* Li-ion 1/2" Brushless Hammer Drill,

Rechargeable 2.0Ah Li-ion Slide Battery, Charging Station and Sturdy Blow Mold Storage Case

20V Max* Li-ion **Reciprocating Saw** SKU **592353** 24491

· Variable Speed: 0 to 3,000 RPM

- . Length of Stroke: 1"
- Max. Cutting Capacity (Wood with 12" Blade): 3-1/8'
- Max. Cutting Capacity (Pipe): 3/4"
- Overall Length: 14-1/4"
- Battery: 2.0Ah Li-ion
- Charge Time: 1 Hour
- Weight: 7.29 Lb.
- · Includes: 20V Max* Li-ion Reciprocating Saw, (1) High-Quality, Multi-Purpose Bi-Metal

Reciprocating Saw Blade, Rechargeable 2.0Ah Li-ion Slide Battery and Charging Station





• Max. Disc Diameter: 4-1/2"

- Spindle Thread: 5/8
- · Spindle Lock: Yes
- Battery: 4.0Ah Li-ion
- . Charge Time: 2 Hours

OEM TOOLS



• Charge Time: 1 Hour

27333A

20V Max* Li-ion **Cordless Angle Grinder**

SKU **598786** 24492

- Speed: 0 to 10,000 RPM

- Weight: 7.97 Lb.

• Includes: 20V Max* Li-ion Cordless Angle Grinder, (1) Grinding Disc, (1) Assist Handle, Rechargeable 4.0Ah Li-ion Battery and Charging Station

All Professional Tools Work With:



20V Max* Li-ion **Replacement Battery 4.0Ah** SKU **824772** 27314A



20V Max* Li-ion **Replacement Battery 2.0Ah** SKU **824777**

Corded OEMTOOLS®

14" Chop Saw SKU **1228718**

24723 • Ideal for Cutting Wood, Metal, Steel and Pipe

- 15 Amp Motor for Powerful
- Spindle Lock Makes Wheel Changes Quick and Easy
- Steel Base Provides Stability
- Accepts Standard 14" Cutoff Discs
- Includes: 14" Chop Saw, 8 mm Hex Wrench, Cutting Blade and 6 Ft. Power Cord

78



6" Bench Grinder with Lamp

SKU **412598** 80058

REG. \$129.99

- Solid, Heavy Duty Construction for Shaping and Sharpening Hardened Steel
- 6" Wheels with Tool Rests
- Tool Rests Adjust to 45° or 90° Position
- Includes: Coarse and Fine 6" Grinder Wheels, Goose Neck Lamp, Adjustable Eye Guards and Spark Breakers

 Mounting Hardware is Not Included



7" Variable Speed Polisher

SKU **592258** 24496

No-Load Speed: 1,000 to 3,000 RPM

- Power: 11 Amp
- Spindle Thread: 5/8" Spindle Lock: Yes
- · Weight: 8 Lb.
- Includes: 7" Variable Speed Polisher, (1) Sanding Paper, (1) Sanding Pad,
- (1) Terry Bonnet, (1) Wool Bonnet, (1) Foam Piece and 6 Ft. Power Cord

Oscillating Tool

SKU **592331** 24495

- Variable Speed: 11,000 to 20,000 OPMPower: 2.3 Amp
- Oscillating Angle: 3.2°
- Overall Length: 14-1/2"
- · Power Cord Length: 6 Ft.
- Weight: 4.1 Lb.
- Includes: Quick Release Oscillating Tool, (1) 3-1/2" Semi-Circle Wood Saw Blade, (1) 2" Rigid Scraper, (1) 1-1/4" Wood Plunge Blade, (1) Standard Sanding Pad and (3) 60/80/120 Grit Sandpapers and 6 Ft. Power Cord

OEM TOOLS



*With respect to 20V Max, Maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 18V.

POWER TOOLS

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

OEMTOOLS®

20V Max* Li-ion 3/8" Cordless Drill

SKU **052383** 24660

• Chuck Size: 1/2" Keyless Jacob's Chuck

 No-Load Variable 2 Speed Gear Box: 0 to 350 RPM and 0 to 1.150 RPM

• Max. Torque: 220 ln/Lb.

• Max. Drilling Capacity: 5/16" (Metal) and 3/4" (Wood)

Keyless, Auto Spindle Lock Chuck Size: 3/8"

• Clutch: 16 + 1 Torque Clutch Setting

Flectric Brake

· Forward and Reverse Switch

. Battery Charge and Capacity Indicator Lights

Charge Time: 4 to 6 Hours

• Contents: (1) 3/8" Cordless Drill/Driver,

(1) 1.5Ah Li-ion Slide Battery and (1) Battery Charger

20V Max* Li-ion

3/8" Cordless Impact Wrench

SKU **052379**



3/8" Drive Ball Detent · Variable Speed: 0 to 2.400 RPM

and 0 to 3.000 IPM . Max. Torque: 200 Ft/Lb. (Forward) and 240 Ft/Lb. (Reverse)

Battery: 1.5Ah Li-ion

Electric Brake

. Battery Charge and Capacity Indicator Lights

• Charge Time: 3 to 5 Hours

Contents:

(1) 3/8" Cordless Impact Wrench,

(1) 1.5Ah Li-ion Slide Battery and

(1) Diagnostic Fast Battery Charger

20v Max



SKU **052380** 24670

Anvil: 1/2" Square Drive

Speed: 0 to 2,200 RPM; 0 to 2.700 IPM

. Nut Busting Torque: 300 Ft/Lb.

• Max. Tightening Torque: 240 Ft/Lb.

. Battery: 2.0Ah Li-ion · Weight: 6.5 Lb.

. Charge Time: 5 to 7 Hrs.

Contents:

(1) 1/2" Cordless Impact Wrench, (1) 2.0Ah Li-ion Slide Battery,

(1) Li-ion Battery Charger



OEM TOOLS

Individual Batteries and Charger **Available**

20V Max* Li-ion **Battery 1.5 Amps** SKU **029415**

24660A

. Charges in 4 to 6 Hrs.



20V Max* Li-ion **Battery 2.0 Amps** SKU **OUTSIDE BUY/EPO** 24670-36

Charges in 4 to 6 Hrs.

For Outside Buy/EPO, Call 901-300-4878



20V Max* Li-ion **Battery Charger**

SKU 029418 24660B



4-1/2" Compact Angle Grinder

SKU **052382** 24663

• Motor: 6 Amp

 Voltage: 120V, 60 Hz • Speed: 10,500 RPM

. Interchangeable Handle for Left or Right Hand Use

Heavy Duty, Cast Aluminum

Gear Head for Strength and Durability

• 6 Ft. Power Cord

• Contents: (1) 4-1/2" Compact Angle Grinder.

(1) Grinding Wheel, (1) Spanner Wrench and (1) Disc Guard



Heavy Duty 1/2" **Impact Wrench**

SKU **052388** 24666

Input Power: 8.5 Amp

Voltage: 120V, 60 Hz

• 1/2" Square Drive with Hog Ring Retainer

No-Load Speed: 0 to 2,200 RPM and 0 to 3,000 IPM

• Replaceable Carbon Brushes

• 8 Ft. Power Cord



STORE STOCKED

Rotary Tool with 35 Piece Accessory Kit

SKU **052384 37**99 24664

• Input Power: 1.2 Amp

• Voltage: 120V, 60 Hz

No-Load Speed: 10,000 to 35,000 RPM


• Collet Capacity: 1/8" to 3/32"

Spindle Lock for Easy Bit and Accessory Change

• 6 Ft. Power Cord

• Includes: Grinding Stones, Wheels, Brush, Sanding Bands and Disc, plus Grinding, Cloth and Cut Off Wheels







Flexible Shaft Rotary Tool Extension

SKU **003483 71** 99 24657

 Easily Attaches to Many Popular Rotary Tools



12V Max** Li-ion

Power Ratchet SKU 1069064

with Charger

24685

• Max Torque: 35 Ft./Lb.

• Max Manual Torque: 96 Ft./Lb.

• No-Load Speed: 230 RPM

• Ergonomic Grip with Low-Profile Head for Work in Tight Spaces

· Features Integrated Worklight for Hard-To-See Spots 2Ah Li-ion Removable Battery







Dual Temp Heat Gun

SKU **052387** 24665

Input Power: 10 Amp


 Voltage: 120V, 60 Hz Temperature Settings:

482°F/842°F Trigger:

3 Position Rocker Hanging Loop for Storage

6 Ft. Power Cord





AZG0124

POWER TOOLS

Power Tool Accessories

3 Piece Spiral **Step Drill Set**

SKU **099189 34** 99 24372

- Bit One: 13 Sizes from 1/8" to 1/2"
- Bit Two: 6 Sizes from 3/16" to 1/2"
- Bit Three: 9 Sizes from 1/4" to 3/4"



6 Piece Bi-Metal Hole Saw Set

SKU **547011 24** 99 24378

- Includes Sizes: 7/8", 1", 1-1/8", 1-1/4" and 1-1/2" (22 mm, 25 mm, 29 mm, 32 mm and 38 mm)
- Slotted Saw Allows for Easier Plug Removal
- · Durable Enamel Finish **Protects Against** Corrosion
- Bi-Metal Construction for Increased Wear Resistance



Multi-Purpose Drill Powered Pump

SKU **526513 24** 99 24503

• Works with a Corded or Cordless Drill to Transfer the Following Liquids: Fresh Water, Sea Water, Organic Solvents, Motor Oil, Heating Oil, Insecticides and Liquid Fertilizers



Multiple Mounting Configurations Fit Many Bench Grinders, Pipe Benders, Vises and Drill Presses

Bench Grinder. Vise

SKU **943120**

for Mounting

• Top/Plate Dimensions:

Overall Dimensions:

24643

and Drill Press Stand

• Heavy Duty Steel Construction

Walking or Wobbling During

Operation and is Pre-Drilled

Features Large Base to Prevent



OEM TOOLS

8 Piece Impact Socket Adapters

SKU **213258** 25244

- Converts 1/4" Hex to 1/4", 3/8", 1/2" Square Drive For Use with Any Standard Impact Driver
- Includes: 1", 1.2", 2", 2.6" (1/4" Drive); 2", 2.6" (3/8" Drive); 2", 2.9" (1/2" Drive)

Mechanics Set

REG. \$2,135.61



Includes 156 of the Most Common Tools with a Secure 4-Drawer Rolling Cart

 SAE and Metric, 1/4", 3/8" and 1/2" Drive Tools, Combination Wrench Sets, Pliers and Screwdrivers. Plus Battery Service Tools, Oil Change Tools and More.





Lube Tech Set

Drill Not

Included

999 REG. \$2,397.48

Includes 160 of the Most Common Tools with a Secure 4-Drawer Rolling Cart

• SAE and Metric, 1/4", 3/8" Drive Tools, Combination Wrench Sets, Pliers and Screwdrivers. Plus Battery Service Tools, Oil Change Tools and More.



OEM TOOLS



OEM TOOLS

18.2"

JACKS & HYDRAULICS

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.







Max. Height:

19-1/2"

• Length: 33"



OFM TOOLS

3.5"

LOW -



All OEMTOOLS® Jacks on this page include overload and bypass safety valves which prevent use beyond the rated capacity and pump damage.





2-1/2 Ton Hydraulic Service Jack

SKU **979068** ATD7333B

- Extra-Wide Wheels and Solid Stance for Stability
- Metered Release System for Precise Load Control
- Jack Size: 27.72" (L) x 13.15" (W) x 5.95" (H)
- Shipping Weight: 69.5 Lb.
- Max. Height: 19.3"
- Min. Height: 3.35"
- . Shipping Weight: 69.5 Lb.
- ANSI/ASME PASE 2014 Certified



4 Ton Heavy Duty Floor Jack

SKU **954207** AFF400SS

- High Grade U-Cup Seals and High Pressure Plunger for Maximum Performance
- · Heavy Duty Pump, Ram and Cylinders are Precision Machined and Inspected
- Universal Joint Technology
- Rear Mounted Swivel Casters
- Pinned and Padded Saddle
- Twin Hydraulic System
- Flanged Side Plates
- Meets ASME 2014 Standards



AZG0124

OEM TOOLS

Jack Stands 3 Ton Jack

Stands (Pair) SKU **757122** 24852



- Min. Height: 12"
- Max. Height: 17-3/4"

6 Ton Jack Stands (Pair) SKU **757050**

24853 REG. \$129.99

• Min. Height: 15-3/4" • Max. Height: 24-3/8"

Offer Good Through March 31, 2024

22 Ton Heavy Duty Axle Stands (Pair)

SKU **757098** 24854

- Min. Height: 12-1/4"
- Max. Height: 19-3/4"
- Adjustable Pin Design
- Features Handle for Transport and Positioning
- Large V-Shaped Saddles Center Lift Points for Secure Placement



SKU **1142454** VIK55040

- Min. Height: 14"
- Max. Height: 21"
- Width: 8.44"

OEM TOOLS

6 Ton Ratcheting Jack Stand (Pair) SKU **OUTSIDE BUY/EPO** VIK55060

- Min. Height: 15.75"
- Max. Height: 24.38"
- Width: 11"



VIKING

OEM TOOLS

For Outside Buy/EPO. Call 901-300-4878

Air Hydraulic Jacks

20 Ton Air Hydraulic **Bottle Jack**

SKU **544795** 24850

- Can Be Operated with Air or Manually
- Height: 9.5" to 15.5"
- Extension Screw Adjustment: 3.25"



22 Ton Air **Hydraulic** Truck Jack SKU **544796** 24851

• Compact, Low Profile Design Easily and Safely Fits Between Wheels of Tandem Axle Vehicles

- Ram Travel: 4-3/4" • Extension Screw
- Adjustment: 4-1/2" • Min. Height: 8-1/2"
- Max. Height: 17-3/4"



Hydraulic Jacks Built for Performance and Ease of Use

Wheel Dollies

Hydraulic Vehicle Position Jack Set

SKU **298098** 24855TW0

- 1,500 Lb. Capacity Each
- · Raise Vehicle in Seconds with Foot Pump
 • Easily Roll Vehicle in Any Direction
- · Includes: 2 Jacks



OEM TOOLS Mechanical **Vehicle Positioning Jack Set**

SKU 1089031 24793

- Heavy Duty Swivel Casters with Needle Bearing for Effortless Movement Raise Vehicle in Seconds with Foot Pump Side Handle Allows for Easy Carrying of the Jack







Creeners

	-		
SKU	Pt. No.	Item Description	Cost
939028	91305	2 IN 1 STOOL	148.99
964657	91000	450 LBS, 40" FOLDABLE CREEPER SEAT	99.99
939034	91400	400 LBS LOW PROFILE CREEPER	117.99



Jacks

SKU	Pt. No.	Item Description	Cost
847097	26017	1.5 TON ALUMINIUM/HYBRID SERVICE JACK	344.99
847104	26033	3 TON ALUMINIUM/HYBRID SERVICE JACK	487.99
847102	26030	3 TON HYD. ALUMINUM JACK W/ MAGIC LIFT	559.99
964644	27035	3.5 TON HYD. MAGIC LIFT SERVICE JACK	499.99
847107	29038	3.5 TON LOW PROFILE MAGIC LIFT SERVICE JACK	349.99



Body Repair Kits

5	SKU	Pt. No.	Item Description	Cost
96	34654	50040	4 TON HYDRAULIC MAINTENANCE JACK	511.99
96	64656	50100	10 TON HYDRAULIC MAINTENANCE JACK	782.99























 Dimensions: 22-3/4" (L) x 23-3/4" (W) x 4-3/4" (H)

AZG0124

Engine Stands

1.250 Lb. Engine Stand sku **462493 94099** 24829

- Easy to Move and Rotate
- Heavy Gauge Square Steel Tube Frame
- Extra Wide 4 Wheel Base Provides
- Added Stability • 360° Rotation



Heavy-Duty 1,000 Lb. **Engine Stand**

SKU **757115** 24839 REG. \$219.99

- Adjustable Mounting Arms to Fit Most Engine Configurations
- Locking Head Plate with 360° Engine Rotation
- Tubular Steel Construction • Base: 32-1/2" (L) x 30-3/4" (W)
- Height: Weight: 41.9 Lb.



1,100 Lb. Rotating Engine Stand

SKU **1125862 549 99** 24798

- Adjustable Mounting Arms to Fit Most Engine Configurations
- Locking Head Plate with 360° Engine Rotation Heavy Duty Worm Gear for Effortless Rotation
- Tubular Steel Construction Folding Legs for Easy Storage
- Base: 41-1/4" (L) x 27-1/8" (W)
- Weight: 102.5 Lb.



1 Ton Folding **Engine Stand**

OEM TOOLS

SKU **544804** 24834

- Folds Upright to Conserve Valuable Floor Space
- · Sturdy, Wide-Base Design to Prevent Tipping Under Load



Shop Cranes

6,000 Lb. Heavy Duty Engine Crane

SKU **1267948** AFF3584

- Reinforced Leg Assemblies for Added Strength and Durability
- 4 Different Boom Settings: 3, 2, 1.5 and 1 Ton
- Rear of Crane: 61.5" Tall x 33" Wide · Distance Between Front of Legs:
- Retracted 23", Extended 28.5"

 Built-In Safety Overload
- to Protect the Unit from Being Used Beyond its Rated Capacity




OEM TOOLS

2 Ton Folding **Shop Crane**

SKU **OUTSIDE BUY/EPO** RANRSC2TF

59999

- Heavy Duty Hydraulic Folding Engine Hoist with 2 Ton Capacity Ram is Perfect for Shops That Have Limited Space But Still Need the Pure Lifting Convenience of a Crane
- Front Casters Include a Safety Brake to Prevent Movement



Ranger



Shop Crane SKU **544801**

2 Ton Folding

24830

54999

- Foldable Design Makes for Convenient, Easy Storage
- 6 Solid Steel Caster Wheels Add Mobility
- Fully Adjustable 4 Position Boom



Jack Accessories

Floor Jack Crossbeam

SKU **544803** 24833

- Compatible with Most Floor Jacks with a 1-1/8" Diameter Saddle Stud
- · Saddles Adjust from 23" to 32" on Center
- Min. Width Capacity: 3,000 Lb.
- Max. Width Capacity: 4.000 Lb.



OEM TOOLS

Universal Engine Lift Plate 1,000 Lb. Capacity

SKU **662861 15**99 24867

- Corrosion Resistant, Gold Iridite Zinc Plating
- Tough, All Steel Construction
- Fits Most V Style 6 and 8 Cylinder Engines with 2 or 4 Barrel Intake Manifolds
- · Mounting Hardware Not Included



• Designed to Lift Truck Beds Safely and Easily

Bed Lifter

STK35885

 Lifting Brackets Adjusts to Evenly Distribute Weight



Bed Lift Accessory

SKU OUTSIDE BUY/EPO



STECK

Ideal for Fuel Pump Replacement

For Outside Buv/EPO. Call 901-300-4878

Fuel Tank Adapter

SKU **222503 DOWJDI-FTA7**

- Safe and Convenient Adapter for Handling Vehicle Fuel Tanks
- · Works with Most Transmission Jacks

Mounts Easily on Most Transmission Jacks.



TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Engine Support

3 Point Engine Support Bar SKU **133617 109**99

24951 . Makes Removal of Transaxle Easy by

- Supporting Engine of Front Wheel Drive Vehicles
- Width Expands from 34-1/2" to 61"
- (2) 14" Adjustable Hook Screws

1,100 Lb. Engine Support SKU **512946**

24950 • 2 Screw Adjusters for Precise Positioning Makes Job Easier, Faster and Safer

• Rubber Feet to Prevent Damage to Vehicle and Ensure Stability

• 1.100 Lb. Capacity



• (2) 38" Braided Steel Cables

• 700 Lb. Capacity

OEM TOOLS

&PAstro

OEM TOOLS

Engine Transverse Bar with Support Arm

SKU **662856** AST5820

- Makes Removal of Transaxle Easy by Supporting Engine of Front Wheel Drive Vehicles
- Support Arm Provides Three-Point Support for Off-Center Loads
- Includes: 1/8" Braided STEEL Cables and 14" Adjustable Hooks · Capacity: 700 Lb.
- Weight: 21 Lb.

3/4 Ton Engine Leveler

SKU **544802** 24831

- 4 Point Mounting System Provides Maximum Control
- 3 Chain Positions to Accommodate Different **Engine Configurations**
- Durable Steel Construction
- · Smooth Operating Worm Drive Shaft for Easy Level Adjustment
- Rated Capacity: 1,500 Lb.

High Reach Stands

- Provides Added Support During Installation/Removal of Automotive Components
 - Compact Design for Use in Limited Workspaces
 - Durable Heavy Gauge Steel Construction



- Min. Height: 55" Max.

Height: 78"



17<u>9</u>99

- Foot Pedal Pump Saves Time Adjusting Load
- . Min. Height: 55" Max. Height: 78"

2 Ton OFM TOOLS **Underhoist Tripod Jack** Stand SKU **757084** 24849

- Adjustment Pin Securely Supports Load in 5 Positions
- Min. Height: 50-1/21
- . Max. Height: 85-3/8"



1.650 Lb. Foot **Operated High Reach Jack Stand**

SKU **OUTSIDE BUY/EPO** RANRJS1TF

- Base Dimensions: 12"
- Min. Height: 54-1/2"
- Max. Height: 80-1/2"

For Outside Buy/EPO, Call 901-300-4878



1<u>99</u>99

- Perfect for Holding **Drive Train or Exhaust** Components in Position
- Min. Height: 55"
- . Max. Height: 87"



CUTTING EDGE

For Outside Buy/EPO, Call 901-300-4878

Powertrain Lifts

EV Battery Lift Table

CL Challenger Lifts

SKU OUTSIDE BUY/EPO **CHLBT3300** 13,249⁹⁹

- 3,300 Lb. Lift Capacity
- Scissor-Style Lifting
- . Hydraulic Cylinder and 115V Plug
- Pendant Controlled Operation
- Max Reachable Height: 76.5"
- Complies with ASME PASE-2019
- 8" Clearance Under Base Plate for Battery Removal





BendPak. 2.400 Lb. EV **Battery Pack and Powertrain Lifting System** SKU **OUTSIDE BUY/EPO** BENEV2400SL

.**599**99

- Dual Scissor, Full Rise, Portable Design
- Max. Platform Height: 75.75"
- Overall Length: 90'
- . Overall Width: 46"
- Platform Size: 40" x 60" Stowed Height: 21.5"
- Raise/Lower Time (Max Rise) 18 seconds
- Weight: 102.5 Lb.



2.500 Lb. **Powertrain Lift** SKU OUTSIDE BUY/EPO AFF3182

- Air Assist Foot Pump with 9' Extension Provides Hands-Free Operation • Safety Latches at 30%, 50% and
- 80% of Max. Height • 8" Diameter **Swivel Casters**



Locked to Prevent Rolling Table Top



2,200 lb. Lifting Table, Air/Hydraulic with Adapters

SKU **OUTSIDE BUY/EPO CEA-MS10KIT**



· Large Base Frame Ensures Better Stability and Reliability



58-1/4" Platform Width:



2,640 Lb. Lifting Table, **Electric/Hydraulic With Adapters** SKU **OUTSIDE BUY/EPO CEA-MS12MKIT**

AZG0124

To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878

Ask About Special Pricing on Additional Multi-Lifts and Package Deals, Call 901-300-4878

SAVE OVER \$2

Hofmann Geoliner 678 Complete Alignment System with 12,000 Lb. Scissor Lift

SKU **1350794**

ALIGNCOMB026 **52,999**99

- Includes: Geoliner® 678 Aligner w/AC400 Clamps and VIN Reader, 12,000 Lb. Scissor Lift with (2) Rolling Jacks, Air Line Kit, Turn Plates and Rollback Kit
- Open Front Design Provides Easy Access to Alignment Service and Calibration Areas

H0FA715TBV3

 24" Wide Runways Provide Easy Drive-On for Large Vehicles • 70" Lifting Height



TOTAL SAVINGS





ALIGNER INCLUDES: Manufacturer's Set-Up

Rollback Kit

INCLUDES: (2) Rolling Jacks, Air Line Kit, Turn Plates and

Offer Good Through March 31, 2024

WARRANTY: 1 Year Parts and Labor

HOFR709APKG

SAVE OVER \$749

R1065 Aligner with 14,000 Lb. 4 Post Lift

SKU **OUTSIDE BUY/EPO** ALIGNCOMB024

- No Minimum Bay Size Required So This System Is Ready to Fit in Your Shop
- Get The Job Done from Anywhere in the Bay. Take the Alignment Tablet with You to Make Assessments, Adjustments and Collect Data
- CRA14 4 Post Lift Has a Multi-Position Lock Component and Can Be Locked Level At Any Position
- Max. Wheelbase: 182-1/2" and 4 Wheel Alignment from 89-1/4" to 156-3/4"

ALIGNER INCLUDES: Manufacturer's Set-Up

INCLUDES: Rear Slip Plates. (2) 7.000 Lb. Rolling Jacks, Radius Gauges and Internal Air Line

ROTR1065, WARRANTY: 3 Years Parts and 1 Year Labor FORCRA14, WARRANTY: 1 Year Parts and Labor





DRWARD



Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

Aligners

Geoliner® 770 AC400 Clamps and VIN Reader

SKU OUTSIDE BUY/EPO HOFEEWA752BV3

- · Lightweight, 3-Camera System Folds to a Compact Size with a Low Center of Gravity, Taking Up Less Floor Space in the Shop and Easily Maneuverable When Needed
- Touchless AC400 Wheel Clamping System (Only the Tire is Contacted), Installed in Seconds with a Single, Fast-Action Adjustment Knob
- Automatic Height Tracking to Provide Optimum Placement of its Advanced XD Targets and Cameras for More Speed and More Accuracy on Every Alignment
- Diagnostic Alignment with "Compensate Warn Alert" Intervention Gets it Right the First Time
- Video Speed Cameras Constantly Monitor Alignments, Providing Information at Every Step
- Unique Camera Beam Design Fits Through a Standard Doorway and Protects Cameras
- Next Generation UI Optimized for the High Volume User
- . Highly Accurate and Reliable XD Camera Technology



WARRANTY:

1 Year Motor and Parts, 6 Months Labor, 3 Years Circuit Boards, Pods and Electronics

ALIGNER INCLUDES: Manufacturer's Set-Up



Geoliner® 660 Imaging Wheel Aligner SKU OUTSIDE BUY/EPO 22,49999

- Advanced XD Cameras and Sophisticated **Monitoring Algorithms**
- Exclusive Dimensioning and Productivity Features • Patented EZ-TOE - Turn the Front Wheels and Access Difficult Adjustment Points While Still Displaying Centered Toe Readings
- · Features Easy-Rolling Casters, Storage for All Attachments and a Fully Enclosed Printer Compartment
- Includes AC200 Clamps, Brake Pedal Depressor, Color Ink-Jet Printer and Steering Wheel Holder



WARRANTY:

1 Year Motor and Parts, 6 Months 3 Years Circuit Boards, Pods and

ALIGNER INCLUDES:

Manufacturer's Set-Up



HOFMANN



Geoliner® 609 **Alignment System**

SKU **1350786** HOFEEWA741TH3

14,399⁹⁹

- Groundbreaking User Interface Provides Instant Access to Critical Tasks
- No Calibrations Required
- · Designed for a Connected World
- Small Footprint



WARRANTY:

1 Year Motor and Parts, 6 Months Labor, 3 Years Circuit Boards, Pods and Electronics

ALIGNER INCLUDES: Manufacturer's Set-Up

Geoliner® 678 Wheel Alignment System with AC400 and VIN

SKU **1350796** HOFA715TBV3



• Help Videos - View Detailed Videos of How to Make Needed Adjustments to Complete Even the Most Complex Tasks

• Cross-Diagonal Measurements Identify Frame or Structural Damage (Saving Time)

 Rolling Radius Identifies Mismatched Tire Sizes to Prevent Vehicle Pulling and Drive Train Damage

 Touchless AC400 Wheel Clamping System (Only the Tire is Contacted), Installed in Seconds with a Single Fast-Action Adjustment Knob

WARRANTY:

1 Year Motor and Parts, 6 Months Labor, 3 Years Circuit Boards, Pods and Electronics

ALIGNER INCLUDES:

Manufacturer's Set-Up



Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Officading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

ALIGNMENT

Aligners CWA 6500 Wheel Aligner

SKU OUTSIDE BUY/EPO AMM8006500

- · Comes with Both Self-Centering Clamp and Exclusive Tire Gripping Adapters to Ensure Both Accurate Reading and Fast Operation
- Multiple Compensation Modes to Make Getting Readings on Heavy Vehicles Easy without Having to Roll Vehicle Excessively Far
- Two Wheel Alignment Mode for Setting Total Tow on Large Trucks, No Rear Targets Required
- Standard VIN Scanner for Time Savings and Ease of Vehicle Selection
- Mobile Cabinet Supports Using Aligner in Multiple Bays

ALIGNER INCLUDES: Manufacturer's Set-Up and Training

WARRANTY:

1 Year Parts, 6 Months Labor, 30 Days Wheel Clamps

R1080 Wheel Alignment

SKU OUTSIDE BUY/EPO ROTR1080

26,699¹

- True 3D Targets
- Bluetooth Communication
- Automatic Lift Level Compensation
- Fixed Cameras
- . No Minimum Distance in Front of Lift
- · 2 Years of Database Updates Included
- Can Be Used on Multiple Lifts
- Includes 2 Extra **Batteries to Eliminate** Down Time



ALIGNER INCLUDES: Manufacturer's Set-Up

Year Labor

Complete Wheel Alignment System

SKU OUTSIDE BUY/EPO CMBDWA1100CWAS

· Portable Wheel Stands with Integral Turn Plates on All Four Stands Align All Vehicles Including Independent Four-Wheel Suspensions

- and Long Wheel Base Light Trucks . Easy to Learn, Easy to Use Software with Advanced Features and Complete Specs
- Stands Weight Limit: 10,000 Lb. or 2,500 Lb. Per Stand
- Wheel Aligner with Wheel Stand Kit Includes: Stands. Roller and Plates
- 12" to 24.5" Clamping Range
- ARGOS Inspired Software and Design
- Wi-Fi Antenna
- Industrial Computer
- Ergonomic Design

WARRANTY.

2 Years on Parts, 1 Year on Labor



Wheel Alignment System SKU **OUTSIDE BUY/EPO** CMBDWA1100



- ARGOS Inspired Software and Design
- 30+ Year Vehicle Database
- 12" to 24.5" Clamping Range · Includes: Cabinet, Printer,





CEMB &



Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

Alignment Accessories

Steel Turn Plates SKU OUTSIDE BUY/EPO QSP25-140

Call for Price

- · Capacity: 4,500 Lb. per Plate
- Dimensions: 14" x 14" x 1.5"



Stainless Steel Turn Plates

SKU OUTSIDE BUY/EPO QSP25-129

Call for Price



Rear Slip Plate Add-On Kit SKU OUTSIDE BUY/EPO **QSPDB-6000**

Call for Price


- (2) 59-1/2" x 20" **Full Floating Rear** Slip Plates
- Simple Installation On Most General Service Lifts
- Length Options: 173", 186" to 196", and 200" to 205'
- Turn Plates Not Included



Steering Wheel Holder and Pedal Depressor Kit SKU **802195**

24231

- · Holds Steering Wheel in Position for Alignment Adjustments
- Depresses Brake Pedal for Various Brake Checks Including Brake Lamp Operation
- Simply Hand Squeeze the Actuator to Accomplish Fine Adjustments





OEM TOOLS

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

FORWARD IN 1

Alignment Lifts

12,000 Lb. 4 Post Alignment Lift

SKU OUTSIDE BUY/EPO HOFEELR728APKG

- 20.5" Wide Runways Save Time When Loading Vehicles of Narrow to Wide Track Widths
- · Low-Profile Design for Easier Loading on Low Profile Vehicle
- 81.6" Rear Slip Plates for Long or Short Vehicles
- Hydraulic Cylinder Mounted Underneath Runway
- Filter/Regulator/Lubricator (FRL) are Included



HOFMANN' 14,000 Lb. 4 Post Alignment Lift

SKU **OUTSIDE BUY/EPO** FORCRA14

• Max. Rise: 80-3/4"

• Max. Wheelbase: 182-1/2" • 4 Wheel Alignment from

89-1/4" to 156-3/4" · Long Lasting, High Performance Cable and Sheave System



INCLUDES: Rear Slip Plates, (2) 7,000 Lb. Rolling Jacks, Radius Gauges and Internal Air Line

WARRANTY. 1 Year Parts and Labor



INCLUDES: Rolling Bridge Jacks, **Air Line Kit and Turn Plates**

15.000 Lb. 4 Post Open Front

Alignment Rack Package - Ext. Length SKU **OUTSIDE BUY/EPO** CHLAR4115XAO

Max. Wheelbase: 210"

• Improved 4-Wheel Alignment Wheelbase with Longer Rear Slip Plates

 Removable Lock Without Dropping the Column

• Enclosed Column With No **Outside Lubrication**

 Improved Column and Cross Beam Design

· Increased Drive Through Clearance

• 26" Wide Runways


• 78" Rise Height



2 Year Parts, 1 Year Labor

INCLUDES: Air Line Kit, Slip Plates, Turn Plates and Two Rolling Jacks

CL'Challenger Lifts



. Increase Productivity with Open Front and 215" Max Wheelbase

 Additional 1 Year Labor Warranty Available When Installed by Factory **Authorized Companies**



INCLUDES: Rear Slip Plates, (2) 7,000 Lb. Rolling Jacks, Stainless Steel Radius Gauges, Filter-Lubricator Regulator

WARRANTY: 1 Year Parts and Labor

14,000 Lb. Scissor Alignment Lift Package

SKU OUTSIDE BUY/EPO AMM8KSC14KITP

42,99999

- Max. Service Wheelbase: 198'
- Max. 4 Wheel Alignment Wheelbase: 160"
- . Max. 2 Wheel Alignment Wheelbase: 178"
- . Ceiling Height Required: 12'
- Overall Length: 260"
- Overall Width: 91-1/2"



INCLUDES: (2) HD Rolling Jacks, (2) SS Turn Plates, (2) Roll Back Bars and (1) Airline Kit

WARRANTY: 1 Year Parts and 6 Months Labor



FOATS

15,000 Lb. 4 Post Open Front Ext. Alignment Lift Pkg

SKU OUTSIDE BUY/EPO AMM8K4P15XKITP

37,549 99

- Max. 4 Wheel Alignment Wheelbase: 164-1/2'
- Max. 2 Wheel Alignment Wheelbase: 209'
- Ceiling Height Required: 12' Raised Height: 75"
- Overall Length: 287-1/2" Overall Width:
- Front 143" Rear 137-1/2"



INCLUDES: (2) HD Rolling Jacks, (2) SS Turn Plates, (2) Roll Back Bars and (1) Airline Kit

1 Year Parts and





Customer Responsible For Offloading.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offioading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

Coats Lifts

10,000 Lb. 2 Post Lift with

3 Stage 2n1 Arms SKU OUTSIDE BUY/EPO AMM4TV21NSR1

- 90" Offset 3-Stage Front and Rear Arms for Asymmetric or Symmetric Vehicle Positioning
- Includes Door Bumper Guards and Lifting Adapters
- Premium U.S. Made Power Unit
- Overall Height: 138" or 148"

WARRANTY: 1 Year Parts, 6 Months Labor



12,000 Lb. 2 Post Lift with 3 Stage 2n1 Arms

SKU **OUTSIDE BUY/EPO** AMM4T212NSR1

- 90" Offset 3-Stage Front and Rear Arms for Asymmetric or Symmetric Vehicle Positioning
- · Includes Door Bumper Guards and Lifting Adapters
- Premium U.S. Made Power Unit
- Overall Height: 154-7/8" or 158-7/8"
- · Raised Height with Standard Pads 76", with Adapters 87'

12,000 Lb. 2 Post Lift with 3 Stage Symmetric **Straight Arms** SKU OUTSIDE BUY/EPO

AMM4T212SSR1 10.249⁹⁹

WARRANTY: 1 Year Parts, 6 Months Labor



CL Challenger Lifts

EDDIE

BEFORE PLACING YOUR AUTOMOTIVE LIFT ORDER:

Please verify minimum ceiling height, concrete requirements and bay size. See page 2 for delivery information or

Call 901-300-4878.

Challenger Lifts

10,000 Lb. 2 Post New Offset **Arm Design Lift**

SKU OUTSIDE BUY/EPO CHLVLE10

Versymmetric 3-Stage Offset Front Arms

- Lifts
- Versymmetric Rubber Door Guards
- · Color: Red or Blue

Versymmetric® Technology



INCLUDES: Telescoping Footpads

WARRANTY. 1 Year Parts and Labor

10.000 Lb. 2 Post Lift SKU **OUTSIDE BUY/EPO**

CHLCL10V3 Versymmetric 3-Stage Front, 3-Stage

Rear Arms with Swept Arm Design Adjustable Height and Width

- Versymmetric Tech Allows Lifting Symmetric or Asymmetric Vehicles
- Adjustable Height from 11'2" to 11'8"
- · Color: Red, Blue or Black

· Rubber Door Guards

Versymmetric[®]



INCLUDES: Telescoping Footpads

WARRANTY: 2 Years Parts and 1 Year Labor

14,000 Lb. 4 Post Lift SKU OUTSIDE BUY/EPO CHL4P14EFX

- 20" Wide Runways
- 182.5" Wheelbase
- . Minimum Bay Size: 12' x 24'
- Rise Height: 78'

CHL40230E

Air Line Kit SKU **OUTSIDE BUY/EPO**

WARRANTY: 1 Year Parts and Labor **Rolling Jacks Sold Separately**

Rolling Jack SKU OUTSIDE BUY/EPO CHLRJ75

7.500 Lb.



Optional Equipment

Quality Lifts

@ quality lifts

10,000 Lb. 2 Post Lift SKU OUTSIDE BUY/EPO CHLEQ10

· 3-Stage Front, 2-Stage Rear Arms

- Lifts Symmetrically or Asymmetrically · Ceiling Height
- Required: 12 Rubber Door
- Guards Color:
- Black Only

INCLUDES: (4) 3" Stack Adapters

WARRANTY: 6 Months Parts and Labor

UPGRADE YOUR QUALITY LIFT

Double Telescoping Foot Pads (4 Pack) SKU **OUTSIDE BUY/EPO CHLB2270PK4**

- 10,000 Lb. Footpads
- Fits Quality 10,000 Lb. 2 Post Lifts
- Single Pad Features Frame Engaging Ears

(2) 6" Stack Adapters SKU OUTSIDE BUY/EPO CHL10313

• Upgrade for CHLEQ10 Lift

12,000 Lb. 2 Post Heavy-Duty Lift Screw-Style Footpad SKU **OUTSIDE BUY/EPO**

CHLB12162S-12

- Fits Challenger and Quality 12,000 Lb. Heavy-Duty 2 Post Lifts
- Single Pad Features Frame Engaging Ears



Customer Responsible For Offloading.

For Outside Buy/EPO, Call 901-300-4878

 Free Delivery in 48 Continental United States
 Specifications Subject to Change without Notice or Liability
 Equipment Lead Times and Shipping May Vary • Customers Responsible for Offioading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-4



12,000 Lb. I12 2 Post Lift

SKU OUTSIDE BUY/EPO FORI12N300BL

10,399⁹⁹

- 4 Robust 3-Stage Arms with Reach Range from 27-1/2" to 59"
- Includes: 1-3/4", 3-1/2" and 5" Adapter Extenders
- Low Profile 4-3/4" Adapter
- Min. Ceiling Height: 167

• 80-3/4" Rise

INCLUDES: WARRANTY: 1 Year Parts **Truck Adapters** and Labor

Height Configurations of 11'- 10", 12'-10" and 14'-10" are **Available at No Extra Charge** 3-Stage Front and **Rear Arms**

FORWARDURT

15,000 Lb. **DP15N001BL** 2 Post Lift - Blue SKU OUTSIDE BUY/EPO FORDP15N001BL

- 175" Tall
- Single Point Lock Release Design
- . Direct Pull Lifting -Smooth Operating, Low Maintenance Technology



INCLUDES: Truck Adapters

WARRANTY: 1 Year Parts and Labor

14,000 Lb. CR14L 4 Post Lift

SKU OUTSIDE BUY/EPO FORCR14L

- Heavy Duty Hydraulic Cylinder
- · Single Point Latch Release System
- 78-3/4" Rise
- 18 Lock Positions
- Accommodates 182-1/2" Wheelbase Vehicles
- High Performance Cable and Sheave System

Internal Air Line Kit SKU OUTSIDE BUY/EPO ROTFC5760-14

699⁹⁹



WORKS WITH

7,000 Lb. Rolling Jack SKU OUTSIDE BUY/EPO

FORRRJ70G

Optional Equipment



Optional

Offer Valid Only With Purchase of Forward 4 Post Lift

<u>Rotary</u> Lifts

10.000 Lb. 2 Post Lift SKU OUTSIDE BUY/EPO

ROTSPOA10 True

Asymmetric Design 2 Stage Front and Rear Arms

• Flip Up Adapters

WARRANTY:

 Single Point Lock Release



1 Year Parts and Labor

Shown with Additional Accessories

12,000 Lb. 2 Post Lift

SKU OUTSIDE BUY/EPO ROTSP012

12,049⁹⁹

• 3 Stage Front and Rear Arms

• Thread Up Truck Adapters and Stackable Extensions - (4) 3.5" and (4) 5"

 Accommodates Trucks and Most Cars WARRANTY.

Shown with Additional Accessories

14,000 Lb. 4 Post Lift SKU OUTSIDE BUY/EPO

ROTSM14L

• Filter/Regulator/Lubricator Included to Extend the Life of Lift and Tools

- 182" Max Wheel Base
- 78" Rise
- Long Lasting Cables

and Sheaves **Rolling Jacks**

Sold Separately **Internal Air Line Kit**

SKU OUTSIDE BUY/EPO ROTFC5760-14

WARRANTY: 1 Year Parts and Labor

WORKS WITH

7,000 Lb. Rolling Jack SKU OUTSIDE BUY/EPO

ROTRJ7000

Optional





Customer Responsible For Offloading.

1 Year Parts

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

BendPak® Lifts

10.000 Lb. 2 Post Lifts

Bi-Metric[™] Reversible Triple Telescoping Swing Arms
 Low-Pro[™] Swing Arms

- Automatic Arm Restraints
- Expandable Top Beam Accommodates Wide or Narrow Drive-Thru Configurations

SKU **1360698**

BEN10AP

• 145" Height, 135" to 145" Width, 69" Rise

SKU OUTSIDE BUY/EPO BEN10AP-168

- 168" Height, 135" to 145" Width, 69" Rise
- 24" Bolt-On Extension for Increased Vehicle Height Clearance

WARRANTY: 1 Year Parts and Labor

BendPak.



• 181" Height, 135" to 145" Width, 75.5" Rise

 24" Bolt-On Extension for Increased Vehicle Height Clearance

12,000 Lb. 2 Post Lift, Clearfloor, **Triple-Telescope Arms**

SKU **OUTSIDE BUY/EPO BENXPR-12CL**

- Drop-End Arms Provide a Lower Pad Height Triple Telescoping Front
- and Rear Arms
- Overall Height: 170"
- Inside Columns: 120'



• Lift Height: 15" to 22.75"

• Length: 82.65"

Lift Height + Blocks: 31.5" Overall

15,000 Lb. 2 Post Lift, Clearfloor, Stándard Arms

SKU OUTSIDE BUY/EPO **BENXPR-15CL**

• Taller Column Height Provides Greater Overhead Clearance

· Versatile Drop-In Contact Pads with Stackable 8-Piece Truck and Van Adapters

 Frame Cradle Pads Come Standard

BEN10AP

• Overall Height: 170"

• Inside Columns: 120"

• 2-Stage Telescoping Front and Rear Arms WARRANTY: 1 Year Parts and Labor

INCLUDES: Truck Adapters

10,000 Lb. Low-Rise Lift

SKU **1275473** BENLR-10000

INCLUDES:

Truck Adapters

4,74999

1 Year Parts and Labor

- Lifting Cap. (Front): 5,000 Lb. (Rear): 5,000 Lb.
- Dual Voltage Motor: 115/208-230 VAC / 50/60 Hz / 1 Ph



6,000 Lb. Low-Rise Pad Lift

SKU OUTSIDE BUY/EPO BENLR-60

• Max. Height: 23" Overall Width: 70

Overall Lenath: 82"

SKU OUTSIDE BUY/EPO BENLR-60P

Max. Height: 23"

Portable

- Overall Width: 70-1/2" . Overall Length: 82'

Lifts Up to 26" with Optional 3" Blocks

WARRANTY: 1 Year Parts and Labor



Customer Responsible For Offloading.

1 Year Parts and Labor

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-487

BendPak



14,000 Lb. 4 Post Lift SKU OUTSIDE BUY/EPO **BENHDS14**

- Overall Width: 130" Overall
- Length: 241"
- Max. Rise: 70"
- Motor: 220 VAC/1 Ph

14,000 Lb. Extended/ **Limo Style**

SKU **186482** BENHDS14X

Air Line Kit SKU **OUTSIDE BUY/EPO**

BEN5174009

8,199⁹⁹

Shown with Optional Equipment **Rolling Jacks Sold Separately** WARRANTY: 1 Year Parts and Labor

9.000 Lb. 4 Post Lift

SKU OUTSIDE BUY/EPO 5,399⁹⁹ BENHD-9

• Overall Width: 110.25" Overall Length: 174"

. Column Height: 88" (2,235 mm)



11<u>999</u>



WORKS WITH

WORKS WITH

7,000 Lb. Capacity

Rolling Bridge Jack SKU **OUTSIDE BUY/EPO BENRJ7W**

2.099⁹⁹

119⁹⁹



Optional Equipment 4,500 Lb. Capacity Rolling Bridge Jack

SKU **1275497** BENRJ45W



Optional Equipment

DANNMAR

WARRANTY: 1 Year Parts and Labor

Dannmar Lifts

10,000 Lb. 2 Post Lift - Asymmetric

SKU **1350789** DAND2-10A

5.349⁹⁹

With a 10,000 Lb. Lifting Capacity, the Dannmar DAND2-10A Utilizes Asymmetric Columns Positioned in a Slightly Rotated Angle, Allowing the Vehicle's Doors to Swing Open which Makes it Easy to Enter and Exit the Vehicle

- Overall Height: 145"
- Overall Width: 143.5'
- Max. Lifting Height (Top Lock): 78.5'
- Power Unit: 220 VAC/60 Hz/ Single Phase

10.000 Lb.

DAND2-10C

2 Post Lift -**Symmetric** SKU 1350792



WARRANTY: 1 Year Parts

12,000 Lb. Heavy-Duty 2 Post Symmetric Lift with **Triple-Telescoping Low Arms**

SKU 1350783 DAND2-12C

8,099⁹⁹

- Overall Height: 168.75"Overall Width: 155.25"
- . Max. Lifting Height: 80"



INCLUDES: Stackable Pads and Adapters

WARRANTY: 1 Year Parts



6.000 Lb. Low-Rise Lift SKU **1275480**

DANDLR-6

- . Max. Lifting Height: 29"
- . Lowered Height: 4"
- . Overall Length: 82"
- Overall Width: 70.5'

WARRANTY: 1 Year Parts





Customer Responsible For Offloading.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Officading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

Mid-Rise Lifts

BendPak

6,000 Lb. Portable Mid-Rise Lift

SKU **210386 BENMD-6XP**

- · Portable, Easy to Move from Bay to Bay
- Adjustable Arms



6,000 Lb. Capacity **Mid-Rise Scissor Lift**

SKU **OUTSIDE BUY/EPO** CHLMR6

- 6 Safety Lock Positions
- Standard High and Low Adapters
- Sliding/Rotating Arm Design Reaches Pick-Up Points on a Wider Range of Vehicles
- Zerk Fittings on Pivot Points for Serviceability



MAXJAX

6,000 Lb. **Mid-Rise Lift**

SKU **1275470 2,849 99**

DANNMAR

- Max. Lifting Height: 48"Lowered Height: 4.75"
- Overall Length: 81"
- Overall Width: 41.5"



WARRANTY: 1 Year Parts

MaxJax Lift

MaxJax M7K

SKU **1360718** MJXM7K

- Lifting Height: 48"
- Clear Undercar Access
- Portability

WARRANTY.

 Stow to Go in Less Than 15 Minutes



1 Year Parts and Labor **Motorcycle Lift**

Air Hydraulic Motorcycle Lift 1,000 Lb. Capacity

SKU **662742** 24859

999 REG. \$1,299.99

Our Lift Compares to Top Brand Motorcycl

- 86.5" x 26.75" Platform Deck with 25.5" Long Removable Loading Ramp Built-In Casters and Adjustable Stabilizers
- Durable 12 Gauge, Powder Coated Diamond Plate Deck
- Air/Hydraulic Lift System Allows Use with Shop Air or as a Manual Lift
- Tie Down Rings on Deck for Added Stability

Offer Good Through March 31, 2024

OEM TOOLS Heavy Duty, Positive Shop, **Rear Dropout Panel (for Rear** Padded Wheel Vise

QuickJack™ Lifts

You get it all.

CL Challenger Lifts

· Complete Package Includes: (2) Jack Frame Assemblies, (2) 150" Hydraulic Hoses, (2) 14" Aux. Hoses, (2) Quick-Mount Handles, (4) 1.5" x 3" x 4" Rubber Lifting Blocks,

(4) 3" x 3" x 4" Rubber Lifting Blocks.

(1) Mini Hydraulic Power Unit with Pendant Control



OUICKJACK

7,000 Lb. Portable Car Lift System - Extended SKU OUTSIDE BUY/EPO QJK7000TLX **12V DC Options**

• Capacity: 7,000 Lb. (3,175 kg)

• Lowered Height: 3.5" (89 mm)

Maximum Height: 24.5" (622 mm)

 Max. Lift Point Spread: 66" (1,676 mm)

- Min. Lift Point Spread: 43" (1,092 mm)
- Frame Length: 76" (1,930 mm)
- Frame Width: 12.5" (318 mm)
- Frame Weight: 103 Lb. (47 kg)
- . Total Shipping Weight: 304 Lb. (138 kg)



Available

QuickJack™ SUV and Light Truck Adapters SKU **OUTSIDE BUY/EPO**

RAN5150561

- Set of 12 Pieces
- Fits BL-5000 and BL-7000 Series
- Complete Kit Includes: (4) Low Profile Round Polyurethane Contact Pads, (4) Sliding Receivers Accommodate the Round Polyurethane Contact Pads, (4) 3" Stackable Adapters





Customer Responsible For Offloading.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

Tire Maintenance Access)

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-4878

				idetions, <i>van 501-500-4070</i>
Lift Pads SHARK	Fits Models	Replaces	Challenger	CL Challenger Lifts
Forward/Eagle/Gemini/ Worth/American Hexagon Shaped - 2 Bolt Style Lift Pads (Set of 4) SKU 1137807 SHA51663	I-DP9, DP09A2, DP09A, DP07A, DP97A, DP7A, Eagle and Other Texas Style 2 Post Lifts	OEM# 994105, 991234, 991222 and LP603	Truck Adapter and Extension Kit for 10,000 Lb. and 12,000 Lb. 2 Post Lifts SKU OUTSIDE BUY/EPO CHL10319 • Includes: (Part #10318) (4) Frame Engaging Truck Adapters, (Part #10315) (4) 3" Stack Adapters, (2) 6" Stack Adapters, (2) Organizers Racks and Hardware	Truck Adapter Set for 10,000 Lb. and 12,000 Lb. 2 Post Lifts SKU OUTSIDE BUY/EPO CHL10315 429 99 • Stack Adapter Extension Kit Includes: (4) 3" Stack Extensions, (2) 6" Stack Extensions and (2) Organizer Racks with Hardware
Challenger Hexagon Shaped - 2 Bolt Style Lift Pads (Set of 4) SKU 1137812 SHA51661	20000, 21000, 26000, 27000, 28000, 30000, 31000, 33000, 36000, 37000, 39000	0EM# J0K01D, LP602	For Outside Buy/EPO, Call 901-300-4878 For Outside Buy/EPO, When You Buy the Kit	For Outside Buy/EPO, Call 901-300-4878
Challenger and Quality Round Slip-On Lift Pads (Set of 4) SKU 1137816 74 99 SHA51673	VS10, CL10, E10, TLT210, TLT210-AS, TLT211, TLT211-AS, ACD210S and More	OEM# 104130315, B2208	GM Wide Frame Footpads (Pair) SKU OUTSIDE BUY/EPO 5999 CHLB2280PR • Fits 2008 and Up Challenger Lifts CL10V3, E10, LE10, VLE10, CLFP9, E12, CL12 and EV1020 Models • Works on 2019 GMC Sierra and Chevrolet Silverado Trucks • Drop-In Design Makes Switching Simple and Quick • Telescoping Feature Provides Simple Access to Lift Points	
Challenger Octagon Shaped Urethane Snap-On Lift Pads (Set of 4) SKU 1137804 SHA51674 6999	CL10V3, E10, LE10, VLE10, SA10, CLFP9 and EV1020	OEM# A1140HX		Set of 4) 179⁹⁹ BendPak 2 Post Lift
Rotary Square Bolt Style Lift Pads (Set of 4) SKU 1137817 9999 SHA51667	SP09, SP0A9, SP010, SP0A10, SP012, SI29, SL19, SL210	0EM# FJ6213, BH-7536-92P, BH7542-73 and LP609	 Heat and Cold Resistant Highly Resistant to Gouging Oil and Solvent Resistant Tear Resistant Tear Resistant Tear Resistant Tear Resistant Thick Rubber Co Textured Surfac Will Not Scratch Easy Drop-In De 5" Diameter for Enhanced Stability 	e for Extra Grab the Vehicle
BendPak Square Slip-On Lift Pads (Set of 4) SKU 1137805 9999 SHA51666	MX10AC, MXACX, X10CX, MX10C, XPR-9S, XPR-9S-LP, XPR-9DS, XPR-10S, XPR-10S-LP, XPR-10AS, XPR-10AS, XPR-10AS-168, XPR-12FDL, XPR-12FDL, XPR-12CL, XPR-15CL, XPR-12CL, XPR-15CL, XPR-12CL-192, XPR-15CL-192, XPR-18CL-192, RJ6, RJ6000, RJ4500	0EM# 5715-365 and LP608	Cradle Pads • Tactile Rubber Pad Reduces Slippage and Protects the Finish • Made for Heavy Duty Commercial-Grade Trucks • Installs Easily to BendPak 2 Post Lift Arms • Sturdy Steel Construction Frame Cradle Pads 35 mm Pin (Set of 4) SKU 954221 BEN5215754 20999 Wide Fra Go mm (3 SKU 97906 BEN521584	me ads Set of 2) 7



Free Delivery in 48 Continental United States
 Specifications Subject to Change without Notice or Liability
 Equipment Lead Times and Shipping May Vary
 Customers Responsible for Offloading Equipment Upon Arrival
 Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

146P/148/I10 Tire Service ComboSKU **OUTSIDE BUY/EPO**ROT146148I10K

20,64999



Includes:

- I10 10,000 Lb. 2 Post Lift
- R146P Swing Arm PRO Tire Changer
- R148 2D Wheel Balancer

ROTR146P	\$8,799.99
ROTR148	\$6,349.99
FORI10	\$5,599.99
24447	\$79.99
IRT231HA2	\$249.99
24224	\$74.99
Total Price	\$21,154.94
COMBO PRICE	\$20,649.99
TOTAL SAVINGS	\$504.95



OEM TOOLS

16 Piece Locking Lug Master Key Set 24447



9 Piece Thin Wall Wheel Protector Impact Socket Set 24224



1/2" Super Duty Air Impact Wrench with Extended Anvil

IRT231HA2



(IR) Ingersall Rand



© 2023 BendPak Inc. All rights reserved. Ranger is a registered trademark of BendPak.



RC-55E and 1300 Series Tire Service Combo SKU OUTSIDE BUY/EPO AMMCOMBO2

 RC-55E Features an External Clamping Range from 6" to 24" (Max. Tire Diameter 50"; Max. Rim Width 10-1/2")
 RC-55E Drive System: 1 HP Electric Motor

 Tire Changer Allows Inflation from 0 to 60 psi with a Built-In Pressure Limiter

• 1300 Series Wheel Balancer is Powered by Direct Drive

 Static-On-Screen® Display Identifies Any Excess Residual Static Imbalance

 Wheel Balancer Automatically Enters 2-D Data for Wheel Diameter and Offset Measurement



HORES

 AMM8560995001
 \$7,699.99

 AMM80013002D
 \$5,649.99

 Regular Price
 \$13,349.98

 COMBO PRICE
 \$12,899.99

 SAVINGS
 \$449.99

DON'T FORGET THESE ACCESSORIES

Works with Coats Wheel Balancers Listed on This Page



Adjustable Pin Plate Set 2,049 99 SKU OUTSIDE BUY/EPO I AMM85610104



40 mm Light Truck Cone 44.9SKU OUTSIDE BUY/EPO | AMM8113277C

Customize Your Own Combo, Call for Special Pricing 901-300-4878.



R146P and R155 Tire Service Combo SKU OUTSIDE BUY/EP0 16,54999 ROTCOMB04

 Includes: R146P Tire Changer and R155 Balancer High Quality Swing Arm Changer and Pro 3D Wheel Balancer at an Economical Price

 Changer Offers 26" Outside and 28.5" Inside Clamping with Tire Diameters Up to 46"

PLUS91SA Helper Arm Not Installed Prior to Delivery

 Balancer Features Automatic Program, Linked Keyboard, Internal Data Gauge, and Simple Visual Display

R146P

- Inside Clamping: 12 to 28.5"
- Outside Clamping: 10 to 26"
- 115V, Single Phase

R155

- Rim Diameter: 10" to 30"
- Rim Width: 1.5" to 22"
- 115V, Single Phase
- 8 Piece Collet Kit Included



ROTR146P \$8,799.99
ROTR155 \$8,199.99
Regular Price \$16,999.98
COMBO PRICE \$16,549.99

ROTR146P

SAVINGS

INCLUDES: Setup and Training

WARRANTY: 3 Years Parts and 1 Year Labor



Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

Free Delivery in 48 Continental United States
 Specifications Subject to Change without Notice or Liability
 Equipment Lead Times and Shipping May Vary
 Customers Responsible for Offloading Equipment Upon Arrival
 Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

\$449.99

FOR HELP with Selection, Confirm Availability and Ordering Instructions, *Call 901-300-4878*

CEMB Combo

EZ10 and SM825EVOPA Swing Arm Tire Changer Combo

SKU **OUTSIDE BUY/EPO** CMBCOMB03

• Tire Changer Clamping Range of 13" to 24"

- Max. Tire Diameter 44" and
- Max. Tire Width 15" · Powerful and Adjustable Bead **Breaker Shovel**
- Dual Clamping Cylinders and Semi-Automatic Swing Arm
- 3D Wheel Measurement with Sonar
- · Automatic Approach and AutoAdaptive Mode to Save Balancing Time
- Electromagnetic Brake
- 3D Inner Data Entry Arm Eliminates Rim Width Caliper Use
- Direct Measures Input Feature Eliminates Selection of **Balancing Modes**
- · Guided Weight Placement, ALU, Hidden Spoke Modes

On-Site Training Included WARRANTY: 2 Years Parts and 1 Year Labor





CMBEZ10	\$4,599.99
CMBSM825EVOPA	\$6,199.99
Regular Price	\$10,799.98
COMBO PRICE	\$10,099.99
SAVINGS	\$699.99

Hofmann Combo

Geodyna® 7100 Balancer and monty® 1270 Tire Service Combo

SKU OUTSIDE BUY/EPO HOFCOMB01TS

- Economical and Practical Package from a Brand You Can Trust
- Small Footprint Wheel Service Package Great for Low Volume Shops

 Great Choice for Second System in High Volume Shops

· Ergonomic and User-Friendly Design

HOFEEWH764AU1	\$4,699.99
HOFEEWB761AE1	\$4,699.99
Regular Price	\$9,399.98
COMBO PRICE	\$6,449.99
SAVINGS	\$2,949.99

WARRANTY: 1 Year Parts and 6 Months Labor





Ranger:

RANR980AT

Ranger Combos

R980XR and DST-2420 Tire Service Combo

SKU **OUTSIDE BUY/EPO** RANCOMB01

- Includes: R980XR NEXTGEN™ Swing-Arm 30" Tire Changer and the DST-2420 Dynamic Wheel Balancer
- R980XR External Rim Clamping Capacity:
 9" to 28", Internal Clamping 10" to 30"
- 3-Position RimGuard™ Wheel Clamps
- Dependably Ensures an Accurate Result within Hundredths of an Ounce



RANDST2420 RANR980XR

• DST-2420 Dynamic Wheel Balancer

INCLUDES: 7438 Value Wheel Weight Starter Kit 100-Piece Silver Roll and 100-Piece Black Roll

RANR980XR	\$3,849.99
RANDST2420	\$2,599.99
Regular Price	\$6,449.98
COMBO PRICE	\$6,249.99
CAVINCE	¢100 00



R980AT & DST30P Tire Service Combo

SKU OUTSIDE BUY/EPO RANCOMB05

• Inflation Pressure Regulator/Limiter

• Bead Tool/Tire Iron

· Automatic Braking

• Black and Silver Powder-Coated Surface Helps Eliminate Corrosion and Staining of Expensive Wheels





RANR980AT	\$5,699.99
RANDST-30P	\$2,899.99
Regular Price	\$8,599.98
COMBO PRICE	\$8,349.99
SAVINGS	\$249.99



WARRANTY: 1 Year Parts and Labor



BEFORE PLACING YOUR TIRE SERVICE ORDER:

Please verify minimum air pressure and CFM along with voltage and phase. See page 2 for delivery information or *Call 901-300-4878*.



Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offioading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

Tire Changers

Maxx 50 Tire Changer, 110V SKU **1350784** AMM800MAXX50E

· Dual Nozzle, Hi-Flow Bead Sealing System for Quick, Easy Bead Sealing

- 110V Electric Operation, Plug In Almost Anywhere
- 6" to 24" Steel Clamps Standard
- Nylon Duckhead Standard Expanded Capacity to 16" Wheel Width,



Maxx 50 **Tire Changer, Air** SKU **OUTSIDE BUY/EPO**

AMM800MAXX50A

WARRANTY: 3 Years Parts and 6 Months Labor

Maxx 70 Tire Changer, 110V SKU **OUTSIDE BUY/EPO** AMM800MAXX70

- · Dual Nozzle, Hi-Flow Bead Sealing System for Quick, Easy Bead Sealing
- 110V Electric Operation, Plug in Almost Anywhere
- Expanded Capacity to 16" Wheel Width and Up to 50" Total Diameter
- 6" to 24" Steel Clamps Standard
- Steel and Nylon **Duckheads Standard**

 No-Index Tabletop for High Efficiency Use


Maxx 70 Tire Changer, Air SKU OUTSIDE BUY/EPO AMM800MAXX70A

Maxx 70 Tire Changer, 220V, 2 HP SKU OUTSIDE BUY/EPO AMM800MAXX70220



Maxx 80 Tire Changer, 110V SKU **1354781**

08XXAM008MMA



- Dual Control, Hand or Foot Operated Bead Loosener System
- 110V Electric Operation, Plug in Almost Anywhere
- 6" to 24" Steel Clamps and Zinc Plated 6" to 24" Grip Max 2.0 Clamps with Dual Soft Compound Inserts
- . Expanded Capacity to 16" Wheel Width and Up to 50" Total Diameter
- Steel and Nylon Duckheads Standard
- . No-Index Tabletop for High Efficiency Use
- Includes Storage Cabinet



Maxx 80 Tire Changer, 220V, 2 HP

SKU 1350785 AMM800MX80220



HUSTE

WARRANTY: 3 Years Parts and 6 Months Labor

Wheel Balancers

1600A 3D Wheel Balancer

SKU **OUTSIDE BUY/EPO** AMM80016003D

- · Powered by Direct Drive
- Max. Tire Diameter: 44"
- Premium Quicknut
- Behind-The-Spoke Balancing • 8 Piece Collet Kit
- Automatic 3-D Data Entry
- Touch-Screen



WARRANTY: 3 Year Parts and 6 Months Labor

1500A 3D **Wheel Balancer**

SKU **339012** AMM80015003D

coats

- Powered by Direct Drive
- Maximum Tire Diameter: 44"
- Behind-the-Spoke Mode
- Premium Quicknut
- 8 Piece Collet Kit Automatic 3-D Data Entry
- 220V, 1 Phase



WARRANTY: 3 Year Parts and 6 Months Labor

Baseline Combo

AMM8500300350

BASELINE

BL300 Tire Changer and BL350 Balancer Combo SKU OUTSIDE BUY/EPO

• Includes: BL300 Tire Changer and BL350 Balancer • 10" to 24" External Clamping Capacity

Bead Sealing Jets to Aid Inflation

 BL350 Balancer Features Self Diagnosis and Calibration

 One Button Split and Hidden Weight Program





AMM85002350 AMM85002300 \$3,099.99 AMM85002350 \$3,099.99 Regular Price \$6.199.98 COMBO PRICE \$5,149.99 SAVINGS \$1,049.99

WARRANTY: 1 Year Parts



Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-487

Ranger

R76ATR Tilt-Back Tire Changer with Assist Tower SKU **OUTSIDE BUY/EPO**

RANR76ATR

- Motor: 3 HP/220V
- · Alloy and Nylon Mount and Demount Heads
- · External Rim Clamping Capacity: 9" to 28"

 Power Assist Tower
- Right Side Available in 110v or





R980AT RimGuard™ Swing-Arm and Assist Tower Tire Changer

SKU OUTSIDE BUY/EPO RANR980AT

*5,699*99

- Motor: 3 HP/220V
- Internal Rim Clamping Capacity: 10" to 30"
- External Rim Clamping Capacity: 9" to 28"
- Max. Tire Diameter: 50" Power Assist Tower Left Side
- Available in 110v or 220v Power Option



R980XR NextGen™ **Swing-Arm Tire Changer**

SKU **OUTSIDE BUY/EPO** RANR980XR

3,849°°

- Motor: 3 HP/220V
- Drive System Type: Electric/Air
 Adjustable RimGuard™ Wheel Clamps
 External Rim Clamping
- Capacity: 9" to 28"

 Internal Rim Clamping
- Capacity: 10" to 30'
- Max. Tire Diameter: 50" (1,270 mm)
- Bead Seating System: Turbo Blast/Bead Seating



Ranger

DST30P Direct Drive Wheel Balancer

SKU OUTSIDE BUY/EPO RANDST-30P

- Ergonomic Control Board and Easy-To-Read LED Display
- Dynamic, Static and Performance Alloy Settings
- Automatic Rolling Wheel Parameter Setting
- Low RPM Balancing Speed
- Automatic Braking
- Wheel Width Capacity: 1.2" to 20"
- Max. Wheel Diameter: 8" to 30" Quick-Release Hub Nut

INCLUDES: 74³⁸ Value

Wheel Weight Starter Kit 100-Piece Silver Roll and 100-Piece Black Roll



LS43B Wheel Balancer

SKU **OUTSIDE BUY/EPO** RANLS43B

• Included Cones: 3 Standard, 1 Truck

- Cycle Time: 6 Seconds (Avg.)
- Balancing Modes: Dynamic/Static/3-Alloy
- Max. Tire Diameter: 43" (1,100 mm)
 Max. Tire Weight: 145 Lb. (65 kg)
- Wheel Diameter Capacity: 12" to 26" (304 mm to 660 mm)
 Wheel Width Capacity: 4" to 15" (102 mm to 381 mm)

INCLUDES: 7438 Value

Wheel Weight Starter Kit 100-Piece Silver Roll and 100-Piece Black Roll



User Set-Up Required

Do you work on Trucks, Vans, or SUVs? **DON'T FORGET THIS ACCESSORY**

40 mm Truck Cone Kit

SKU OUTSIDE BUY/EPO I RAN5150032

Works with Ranger Wheel Balancers Listed on This Page



MANATEC USA

Hofmann

Monty® 3550EM Tire Changer with smartSpeed™ SKU **OUTSIDE BUY/EPO** HOFEEWH747B

 smartSpeed[™] Technology Automatically Controls Turntable Speed and Torque to Minimize Tire and Wheel Damage

• Push-Button Controlled Mount/Demount Head Pneumatically Lowers and Locks into Position. Automatically Indexing Away from the Wheel to Prevent Contact and Damage

• Fast and Ergonomic Pneumatic Vertical Arm Automatically Re-Positions the Mounting Head to Minimize Wheel Damage

- High Capacity Tire Changer Allows for Broadest Tire and Wheel Assembly Coverage · Clamping Range:
- Inside 12" to 28" Outside 12" to 26'
- Max. Tire Diameter: 47"
- Max. Tire Width: 17'

WARRANTY: 1 Year Parts and 6 Months Labor



HOFMANN

WARRANTY: 1 Year Parts and Labor

Geodyna® 7600P with **Laser and Power Clamp**

SKU **OUTSIDE BUY/EPO** HOFEEWB765AP

• Power Clamp Clamps Wheel Accurately with Constant Force

 Smart Sonar[™] Delivers Automatic, Non-Contact Rim Width



Manatec

DL-65 DSP C Wheel Balancer

SKU **OUTSIDE BUY/EPO** MANDL65-DSPC

. Static and Dynamic Balancing

· Automatic Start with Wheel Guard Closure

• Unbalance Recalculation

- Self-Calibration
- 7 Modes of Alloy Wheel Functions
- Normal and
- Fine Measurement
- Motor Power: 0.35 HP · Maximum Wheel







Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

Tire Service Featured Kits

Master Lug Nut Kit SKU **1190208**

68919

- Includes: 2 Socket Sets for Removing, Locking, Damaged and Undamaged Lug Nuts on Most Vehicles
- Easily Removes Locking Lug Nuts on Most Aftermarket Wheels
- Thin Wall Sockets Prevent Damaging Wheels and Lugs
- Hex-Head Design Fits Most Lug Wrenches as Well as 13/16" and 7/8" Sockets
- Durable CR-MO Flip Socket Set
- Half Metric Sizes for Removal of Warped and Mangled Chrome-Cap Style Lug Nuts
- Sizes Includes: 18.5 mm x 19.5 mm, 19 mm x 21 mm, 21 mm x 21.5 mm, 22 mm x 22.5 mm and 1/2" Drive Extension

Get It Off! Damaged, Undamaged or Locked, This Kit Will Remove Lug Nuts On Most Cars



When You Buy the Kit

Tire Service Kit

SKU **1228725** 69003

- Durable CR-MO Flip Socket Set
- · Half Metric Sizes for Removal of Warped and Mangled Chrome-Cap Style Lug Nuts
- Torque Limiting Extensions Help Prevent Lug Stud/Nut Damage and Warped Rotors Includes

1/2" Drive Extensions: 65 Ft/Lb., 80 Ft/Lb., 100 Ft/Lb., 120 Ft/Lb. and 140 Ft/Lb.

Includes: 18.5 mm x 19.5 mm, 19 mm x 21 mm, 21 mm x 21.5 mm, 22 mm x 22.5 mm and 1/2" Drive Extension



OEM TOOLS

REG. \$84.98 When You Buy the Kit

		9 9 9	WIICH TOU DO	ay and rate			
Mount/Demount Heads	Fits	Models	OE Part Number		Fits	Models	OE Part Number
Red Nylon Mount/Demount Head SKU 1137811 3999 SHA35034	Hunter	TC250, TC300, TC325, TC350, TC2000, TC3250, TC3500, TC3000 and TC3100 Series	221-615-2-13	Nylon Mount/ Demount Head	Coats (Early)	5060, 50601, 5063, 5060AX, 5060EX and 9010A, 9010E, 9024E-PAX, and Many RC Models	8300843
	Accuturn	(Requires Adapter) 220A, All Other Models Require 102765	SM102529	SKU 1125877 39 99 SHA35031	CEMB	All Models	3008403, 2008402
		R980X Rev A Models, R980XR/NXT, R30XLT, RX-850/950-B Models, R23/23ST, R26ST/26EX,	5150523		Hofmann	12SE, 22SE, 1510, 1610, S410 Not for Use on Hofmann 1550,1620 and 1625	8314813
	Ranger				Other	Fits Many Hunter TCX Series, Fits Giuliano and SICE Machines	Various
		R745 and R710 Models ONLY. Require RAN5150524 Adapter		Nylon Mount/Demount	Accuturn	3602, 3602HP, 4260, 4560MR, 4602, 5602 and 5602 HP	2002433, 14024784
Nylon Mount/Demount Tapered Hole Head with Hardware SKU 1137818 3999 SH438306	Conto	5030, 5035, 5040, 5045, 5050, 5060, 5065, 6050, 6060, 7050, 7055, 7060,	0400004	Head without Hardware SKU 1125892 SHA35033 44 99	Hofmann	1520, 1565, 1620, 1625EM, 3300, 3300EM, 1270, 2300, 3000 and 3000GP	4024784, ST0024335
	Coats 7	7065, 7655, 7660, 7665, RC55A, RC55E, 70Xeh1, 70Xeh2, 70Xeh3, and RC45	8183061		John Bean	EHP System IVE, IV, III, IIE	2433, EAA 0247G20A
SHA38306 39	RI 200 RI 3	BL200, BL300, BL400 and	8183061		Snap On	All Models	2433, EAA 0247G20A
	Baseline	BL500		Nylon Mount/Demount Head with Hardware	Accuturn	3602, 3602HP, 4260, 4560MR, 4602, 5602 and 5602 HP	2002433
Low Profile Mount/ Demount Head SKU 1125869 SHA35038 5999	Coats r	Replacement for Coats 8184432. For use on Models RC100, RC150, RC200, 5030, 5035, 5040, 5045, 5050 Se- ries, 5060 Series, 5065 Series, 6050, 6060, 6065, 7050, 7055, 7060, 7065, 7655, 7660, 7665, BL200, BL300, BL400 and BL500	8184432	SKU 1125871 79 99 SHA35032	Hofmann	1520, 1565, 1620, 1625EM, 3300, 3300EM, 1270, 2300, 3000 and 3000GP	4024784
					John Bean	EHP System IVE, IV, III, IIE	24335
					Snap On	All Models	24335
				N. J	All Tool	All Models	2008401
				Nylon Mount/Demount Head with Round Hole Kit	Coats	RC1, 5, 10, 15, 20, Early 5060, 9010, 9024 and APX90	83008402, 83008403
Tool Head for Hunter SKU 557241 TMRTC14120 24 99	11 9/199		SKU 1137815 89 99 SHA35030	Corghi	All Rim Clamp	250309, 450310	
				Hofmann	Earlier Models Except 1550, 1620 and 1625	8314813	
					Sice	M39, S40, S42, S43, S45, S408MAXI, S435, S436 and S436TC	8314813

[•] Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

Non-Marring Lug Nut Sockets

1/2" Drive 17 mm Mercedes-Benz® Flower **Lug Bolt Impact Socket**

SKU **081308** 24469


. Designed Specifically for 17 mm, Convex "Flower" **Shaped Mercedes** Lua Bolts



3 Piece Extra Thin Wall Wheel Nut Protector Impact Socket Set

SKU **094646** 25583

• Blue - 17 mm/11/16", Gold - 19 mm/3/4" Red - 21 mm/13/16"



3 Piece Super Strength Wheel Nut Impact Socket Set

SKU **347212 20**99 24227

• Blue - 17 mm/11/16" Gold - 19 mm/3/4" Red - 21 mm/13/16"



OEM TOOLS

9 Piece Thin Wall Wheel Protector Impact Socket Set

SKU **965856** 74 99 24224

• Sizes: 3/4", 7/8", 13/16", 15/16", 1", 1-1/16", 17 mm, 19 mm and 21 mm



1/2" Drive Non-Marring Lug Nut **Socket Set**

SKU OUTSIDE BUY/EPO 68945

- Services 17 mm, 19 mm, 21 mm and 22 mm Lug Nuts
- Non-Marring Sleeve Prevents Damage of Lug Nuts and Wheel Rims
- · CR-MO Steel Construction for Strength and Durability





Impact Wrench Not Included

For Outside Buy/EPO,

Call 901-300-4878

REG. \$59.96

When You Buy the Kit

Master Key Set

OEM TOOLS

16 Piece Locking Lug Master Key Set

SKU **626107 79**99 24447

- . Easily Removes Locking Lug Nuts on Most Aftermarket Wheels
- . Thin Wall Sockets Prevent Damaging Wheels and Lugs
- Hex-Head Design Fits Most Lug Wrenches as Well as 13/16" and 7/8" Sockets



Lug Nut Sockets

OEM TOOLS

9 Piece Wheel Lock Removal Impact Socket Set - 1/2" Drive

SKU **965865** 24225

• Includes: GM Hubcap Lock Remover, GM Sprocket Hubcap Remover. Ford and Chrysler Hubcap Lock Remover, Large Universal Locking Lug Nut Remover, Large Wheel Cover Lock Remover, Remover for Stripped 18 mm Lug Nuts, GM "M" and "F" Body



4 Piece Deep Thin Wall SAE and Metric Impact Flip Socket Set

SKU **965857** 24223

• Includes: 3/4" to 13/16", 19 mm to 21 mm and 7/8" to 15/16" Sockets and 3" Extension

Flip Sockets



5 Piece 1/2" Drive Flip Socket Set

SKU **1125891** 25555

Half Metric Sizes for Removal of Warped and Mangled Chrome-Cap Style Lug Nuts

- Durable CR-MO Flip Socket Set
- Includes: 18.5 mm x 19.5 mm, 19 mm x 21 mm, 21 mm x 21.5 mm, 22 mm x 22.5 mm and 1/2" Drive Extension



Tire Spreader

5025 Tire Spreader

SKU **757051** BRA00-0161

479⁹⁹

- · Self-Locking Spread Arms
- 4 Horizontal and 2 Vertical
- Adjustments
- · Handles Any Passenger Tire, Including Low Profiles
- Quick Pin Adjustment with Lanyard



Lug Wrenches

4-Way SAE and Metric Lug Nut Wrenches

• Socket Sizes: 11/16" (17 mm) 3/4" (19 mm) 13/16" (21 mm) 7/8" (22 mm)

SKU **003478**

- · Carbon Steel Construction
- Powder Coated Green

20560

SKU **004126** 20562

SKU **003879**

20561

 Socket Sizes: 7/8" 15/16", 1", 1-1/16'

14" 4-Way Folding Lug Nut Wrench

SKU **003459** 20563

14¹¹

- Socket Sizes: 11/16" (17 mm), 3/4" (19 mm), 13/16" (21 mm) and 7/8" (22 mm)
- · Heavy Duty, Drop-Forged Steel
- Chrome Plated to Resist Corrosion
- . Folds for Compact Storage





AZG0124

OFM TOOLS



TPMS Tools

Complete TPMS and Tire Management Diagnostic Tablet

SKU **1340217** ATEVT67-0000

- 100% Coverage for Domestic, European and Asian Vehicles
- Program and Clone 20+ Aftermarket Sensor Brands
- ID Match Functionality to Troubleshoot and Repair TPMS Systems
- Tire Management: Tread Reading, Wheel



TPMS Sensor Activation and Programming Tool

SKU **1343925** ATEVT37-0000

- · Activate, Read and Service all Major OEM and Aftermarket Sensors
- Vehicle Specific Relearn Procedures with On Screen Instructions
- Search TPMS Sensor Replacement Part
- Test Keyfob Signal Strength/Battery Status
- Install and Service TPMS Retrofit Kits







ATEQ





VT57 Complete TPMS Reset Tool

SKU **1340222** ATETS57-1002

- Programs All Leading Aftermarket Programmable Sensors TPMS Sensor Part Number Look-Up (OE and Aftermarket)
- TPMS Reset Via OBD2 On More Than 90% of Car Models
- Retrieve/Clear TPMS DTC Codes
- ECU Unlocking For Toyota Family of Vehicles
- WiFi and Real Time Updates, Powered by Live Sensor™
- DOT (Department of Transportation) Recording
- Comprehensive Make, Model, Year Specific Relearn Procedures
- All-New Updated User Interface
- · Touch-Screen Capability



FUNCTIONALITY	TS57	VT67	VT37
Reads, Diagnoses and Activates 100% of OE and Aftermarket Sensors, Including 2022 Coverage	✓	V	<
VIN Barcode Scanner to Select Make, Model and Year	✓	~	
WiFi and Real-Time Updates Powered by Live Sensor™	✓	✓	
Programs Aftermarket Sensors (Including EZ-Sensor® and All Leading Brands)	✓	✓	~
Secure Gateway (SGW) Ready for Stellantis Vehicles and Others		✓	
Provides Direct (OBD, Auto, Manual) and Indirect TPMS Relearn Procedures	✓	V	✓
98.6% TPMS Reset Coverage, Including Bonus ECU Reset Coverage in <2 Min. (OBD Connectivity)	✓	~	
ECU Unlock for Toyota, Scion and Lexus Models (Closed Loop)	✓	V	
OE and Aftermarket TPMS Sensors and Service Kits Part Number Look-Up	V	V	~
Save, Manage and Edit Customer Jobs and Reports on the Cloud		~	
Retrieves, Decodes and Clears TPMS DTCs	V	V	
Tire Management, DOT, Tread Reading and More	V	✓	

Schrader

TPMS SAVINGS



EZ-sens Multi-pack Options

4 Pack #33500-4

12 Pack #33500-12

50 Pack #33500-50

100 Pack #33500-100



EZ-sensor® is the market-leading OE quality, programmable, single SKU TPMS solution.

Schrader's EZ-sensor® family of products can be programmed to service the majority of vehicles!

EZ-sensor® is compatible with most industry programming tools.

Tool and Sensor Bundle #21324AZ

SKU #1232018



Includes S41 Tool and 16 EZ-sensors®

Benefits:

Exclusive EZ-sensor® programming **Built-in OBDII module** and quick connect cable Full color screen Allows placard pressure change

Tesla-ready & programmable for new vehicles with Bluetooth TPMS for smarter, more connected tires



MaxiTPMS® MX-Sensor BLE 67

SKU 1366285 Part #ATD300100

- Pre-programmed Bluetooth Low Energy TPMS sensors for Tesla 3/Y/S/X models
- •Tesla-ready: Just Fit and Go
- Future-proof: programmable with Autel TPMS tools for the latest BLE-equipped vehicles

MaxiTPMS® 2999 1-Sensor

SKU 317455 Part #1SENSOR

- Combined Frequency: 315MHz & 433MHz
 Interchangeable Valve Stems (rubber included)
- Program to Replace 99% of OE Sensors
- Fast valve stem swap

MaxiTPMS® 2999 1-SensorM SKU 1064478 Part #1SENSORM

· Same as 1-Sensor with Aluminum stem



MaxiTPMS®

6.959⁹⁹

1-Sensor 240 Pack SKU 1089240 Part #300050

with Rubber Valves

MaxiTPMS® 1-Sensor 20-Pack (R) 579⁹⁹
SKU 370328 Part #300010

 Bulk pack of 20 1-Sensors with Rubber Valves

MaxiTPMS® -Sensor 20-Pack (M) 579⁹⁹

SKU 1107286 Part #300060 • Bulk pack of 20 1-Sensors with Aluminum Valves



MaxiTPMS® TS900 79500

- Activate, Read, and Releam ALL known Program universal Autel 1-Sensors to replace 99% TPMS sensors.
- Compatible with BLE TPMS sensors and Autel BLE Sensor for Tesla vehicles

Features Android 11 operating system
 and 64GB storage memory
 All Systems Diagnostics with bi-directional controls, Active Tests & Special Functions



MaxiSYS® MS906Pro-TS SKU 1207797 Part #MS906PROTS 2,794⁹⁹

- AutoVIN 2006+/AutoSCAN
- 21 Service Functions
- · Wi-Fi Software Updates · Eligible for ADAS Software Upgrade
- Advanced Coding & Adaptations

MaxiTPMS® ITS600PR01 SKU 1140847 Part #ITS600PR01

- . Complete TPMS Service and Diagnostics Tablet
- 5.5 Inch Color Touchscreen/Android 9.0 OS
- · Activates, Reads and Relearns All Known Sensors
- On-Tool DOT Tire Registration

Four MX-Sensor Program Modes



MaxiTPMS® TBE200 449 99 SKU 1129878 Part #TBE200

- Tire Tread and Brake Disc Wear Examiner
- Laser-Enabled; No Need to Remove Tire
 1.65" AMOLED Super Retina, Color Touchscreen Display
- Full Color Graphical Display Illustrates Wear
- Displays Recommendations for Tire and Brake Disc Replacement, 4-wheel Alignment and Tire Rotation
- 4-megapixel, 4 cm Macro Camera and 8-megapixel Zoomable Camera to Document Tire Damage



Wheel Stud Tools

8 Piece Wheel Stud Alignment Guide Kit

SKU **818715** 24233

- . Makes the Job Faster and Easier Allowing the Tech to Safely Position the Wheel Prior to Installing the Wheel Bolts
- Applications: Mercedes-Benz, BMW, Audi, VW, Porsche, Fiat and Dodge

· Sizes Included:

12 mm x 1.5, 12 mm x 1.25, 14 mm x 1.25 and 14 mm x 1.75



Wheel Stud Installers

SKU **339123** 24234

- · Works with Hubs. Rotors and Axles on Both Front and Rear Wheel Drive Vehicles
- · Prevents Damage to Lug Nut or New Stud
- Designed to Fit Studs Up to 14 mm or 9/16'



Truck Wheel Stud Installer

SKU **339117** 24235

· Designed to Work on Truck Wheel Studs Up to 22 mm (7/8") in Diameter

• Use with an Impact Wrench or Ratchet



Wheel Stud OEM TOOLS **Installer Set** for Cars and Trucks

SKU **339125** 24236

• Set Includes Both 24234 and 24235



REG. \$28.98 When You Buy the Set

Inflator

OEM TOOLS

Digital Tire Inflator SKU **802198**

24412

- Easy-To-Read Backlit LCD Display . 4 Units of Measure (psi, Bar, KPa, kgf)
- . Measuring Range: 0 to 175 psi (0 to 12 Bar)
- Accuracy: +/-1.2 psi Up to 58 psi, +/-2.3 Between 58 psi and 145 psi Inclusive, +/-3.6 psi Greater Than 145 psi
- . High Air Flow Saves the Technician Time



Bead Seaters

OEM TOOLS

5 Gallon Bead Seater

SKU **526505** 24449

- · Seats Beads on All Tires, from Small 4" Tires to 24-1/2" Truck Tires
- Operates on Standard Shop Air; Max. 120 psi

Barrel Lip Helps to Provide Proper Positioning for Safe and Effective Bead Seating



Tire Blaster and Air Tank

- 3 Ft. 14" Braided Hose
- Max. psi: 150
- · Regulator Gauge
- 5 Gallon Tank Shut-Off Valve
- · Tire Chuck

5 Gallon

SKU OUTSIDE BUY/EPO EGLEA05-TB

10 Gallon SKU OUTSIDE BUY/EPO EGLEA10-TB



AZG0124



Tire Repair

Puncture Repair Set SKU **OUTSIDE BUY/EPO** XTS14-662

• Includes Puncture Repair Procedures Guide and 20" x 32" Shop Poster

 Supplies Enough to Provide More Than 70 **Complete Repairs**



Xotra

Tire Repair Cabinet Assortment SKU OUTSIDE BUY/EPO 64999 XTS14-603

- . Deluxe Wall-Mount Cabinet
- Loaded to Complete Over 110 Industry Standard Puncture Repairs
- All the Tools Plus XLIGHT Air Powered Vacuum Carbide Cutters and More



For Outside Buy/EPO. Call 901-300-4878

8 Piece T-Handle Tire **Repair Kit**

For Outside Buv/EPO.

Call 901-300-4878

SKU **477185** 26683

- (5) 4" String Repair Plugs, Rasp Tool, Insert Needle Tool and Rubber Cement
- · Hardened Steel Rasp and Insert Needle for Durability
- T-Handle Design Provides Greater Leverage and Turning Power





57 Piece Tire Repair Kit

SKU **213119** 26686

REG. \$29.99

• Includes: T-Handle Plug Insert Tool T-Handle Reaming Tool, Replacement Insert Needle, Long Nose Pliers, Hex Keys, (30) Repair Plugs, Utility Knife, Lubricant, Valve Cores, Valve Caps, Valve Stems and a Valve Core Tool

Offer Good Through March 31, 2024

Tire Buffing Cone SKU **1142704** 24479

- Tungsten Carbide Wheel for Fast and Effective Surface Preparation
- 3/8" Quick Disconnect Arbor
- Max. RPM: 5.000




OEM TOOLS

OEM TOOLS



- (30) 4" String Repair Plugs, Rasp Tool, Insert Needle Tool, 2 Hex Keys, Sealing Lubricant and Blow Mold Storage Case
- 4-in-1 Tire Gauge Features a Tire Gauge, Tire Deflator, Rescue Hammer and Seat-Belt Cutter
- . Tire Gauge Measuring Ranges: 0 to 150 psi, 0 to 10 BAR, 0 to 100 kPa and 0 to 10Kg/cm2
- . Backlit LCD Display and Lighted Nozzle for Use in Low-Light Settings





36 Piece Tire Repair Kit SKU **477104**

26682

- (30) 4" String Repair Plugs, Rasp Tool, Insert Needle Tool, 2 Hex Keys and Sealing Lubricant
- T-Handle Design Provides Greater Leverage and Turning Power
- Hardened Steel Rasp and Insert Needle for Durability



OEM TOOLS

OEM TOOLS

Xotra

Refill Plugs for Any OEMTOOLS® Tire Repair Kit

Repair Plug Refill Sets

For Use with 26680, 26682, 26683 and 26686



100 Pack SKU **477176**

26685

OEM TOOLS

Test Tank

106



SKU **291382** LIS19822

- Tank Features Reinforcement Ribs for Extra Support · Will Handle Passenger Tire Sizes to Wide Oval and
- Light Duty Truck Tires Dimensions: 31" (L) x 12" (W) x 12" (H)



Bead Lifting Tool

OEM TOOLS

20" Bead Lifting Tool - 3 Pack

SKU **1142616** 26036

- For Use with Any Make of Tire Changer and Tire Combination
- Curved End to Prevent Tire Damage
- Can Be Used for Both the Removal and Mounting of Tires
- · Heat-Treated for High Strength and Durability

Rim Protector




SKU **OUTSIDE BUY/EPO** TMRTI182963

· For Coats Stainless Steel Mount/Demount Head Coats 8182961 (2 Pk.) RC1, 5, 10, 15, 20 8182963 (12 Pk.) Early 5060, 5030, 5040, 5050, 5060, 5065 5070, 6050, 6060, 6065, 7050, 7055, 7060 7065, 7655, 7660 and 7665



For Outside Buy/EPO, Call 901-300-4878



TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Tire Service Tools

OEM TOOLS

2 Piece Tire Valve Core Tool Set

SKU **1209377** 22589

1999

- . Designed for Removal and Installation of Schrader Style Valve Cores
- . Includes: 2" and 5" Tools
- Extra-Long 5" Tool for Hard-To-Reach Applications
- Tough Impact and Solvent-Resistant Acetate Handle



OEM TOOLS

Spare Tire Removal Set

SKU **749919** 24219



- 32" Reach Allows Access to Spare Tires Stored on the Undercarriage of Pickups, Vans and SUVs
- Includes: 6 Zinc-Plated Steel Tools That Fit a Range of Vehicle Types, Hand Crank and Heavy Duty Nylon Pouch
- No Additional Tools Needed



OEM TOOLS

Cakken **Quick Change** Wheel Stud Cleaner Kit SKU **666299 GO**99 CAL16

• Kit Includes: 1/2" Drive Adapter and 6 Brushes

• Brush Sizes: 7/16" (12 mm), 1/2" (13 mm), 9/16" (14 mm), 5/8" (16 mm), 7/8" (22 mm) and 1-1/8" (28 mm)



Smart Tire Pressure Gauge

SKU **949562**

24807 • Programmable System Stores Tire Pressure

Readings for (4) Tires Tire Deflator Function for Easy Pressure Adjustment

Features an LED Flashlight and Backlit LCD Screen



Adhesive Wheel Weight Removal/ **Cutting Tool**

SKU **1362016** 25096

- All-In-One Wheel Weight Tool for Removal Installation and Cutting with Precision
- · Hammer End with Non-Marring Head Prevents Damage
- Sharp Cutting Edge to Trim Adhesive Wheel Weights
- Jaws Feature a Protected Surface for Non-Marring Removal of Adhesive Wheel Weights
- · Wide Dipped Handle for Added Leverage
- Anti-Slip Rubber Coated Handle

Complete Wheel Weight Program Available! Call 901-300-4878 or go to AZTool1.com for More Styles and Information

OEM TOOLS

60 Piece Wheel Lug Nut Assortment A

SKII 082947 DOWDY-WN-12

• 12 Lug Nut Variations

· Standard, Dome, Acorn Thread



Dynamic

Dvnamic

Wheel Weight Hammer Tool

SKU **217378** 25690

- Tool Installs, Removes, Trims and Tightens All Types of Clip-On Wheel Weights
- Features a Special Plastic Material on Hammer Head for Safe, Mar-Free Installation of Specially Coated Wheel Weights Used on Alloy Wheels



Safe, Mar-Free

Installation

DOWDY-WN-12B • 12 Lug Nut Variations

60 Piece Wheel

SKU **082948**

· Dome Acorn, Bulge, Flat-Capped, External Thread

Lug Nut Assortment B



4 Piece Plastic Scraper Set SKU **900802**

· Works Like a Chisel

25513

· Can Be Used for Wheel Weight Removal



Will Not Scratch Paint Will Not Cause Sparks

OEM TOOLS

Torque Limiting Sets

5 Piece Torque Limiting Extension Set

SKU **965858** 24220

- Quick, Simple and Accurate
- . Helps Prevent Lug Stud/Nut Damage and Warped Rotors
- Includes 1/2" Drive Extensions: 65 Ft/Lb., 80 Ft/Lb., 100 Ft/Lb., 120 Ft/Lb. and 140 Ft/Lb.



© ■ M TOOLS

8 Piece Torque Limiting Extension and Thin Wall Socket Set

SKU **347217** 24228

- 4 Extension Bars: 65 Ft/Lb. (90 Nm). 90 Ft/Lb. (120 Nm), 100 Ft/Lb. (135 Nm) and 110 Ft/Lb. (150 Nm)
- 4 Deep Non-Marring Sockets: 17, 19, 21 and 22 mm



3/8" Drive 10-80 Ft/Lb. SKU **177722**

25694

Torque Wrenches

1/2" Drive 10-150 Ft/Lb.

SKU **012651** 25689

⊘≡M TOOLS

1/2" Drive 25-250 Ft/Lb.

SKU **177715** 25695



25695

1/2" Drive Undercar Torque Wrench SKU **OUTSIDE BUY/EPO**

CEN97354A



- Unique One-Way Design Cannot Be Used as a Breaker Bar (thus Preventing Damage)
- High Contrast Laser Markings for Easier Reading
- Rubber Over-Mold Lock Ring for Better Grip
- · Head and Handle Covers for Increased Durability
- Range: 25 to 250 Ft/Lb. (43.4 to 348.4 Nm)
- Length: 23.3"



Individual Sizes Available on AZTOOL1.COM For Outside Buy/EPO, Call 901-300-4878

Steel Wheel Weights

Wheel Weight Starter Kit with Floor Rack SKU 1339729

OEMREPLENKIT

 Includes: 18 Boxes of Coated Clip-On Wheel Weights, ALFE, MCFE and PFE in Most Popular Sizes (25 per Box) and All Metal Floor Rack

Metal Floor Rack

- All Metal Construction
- 8 Shelves
- Includes Dividers



Metal Wheel Weight Floor Rack, OnlySKU **1328027**

PLM486-31280

369⁹⁹

OEM TOOLS











OEM TOOLS

Adhesive Weights

SKU	Part #	Quantity	Price
19304	23200*	.25 Oz., 40 Strips of 12, 480 Pieces Per Box	52.99
19312	23201*	.25 Oz., 10 Lb. Roll, 640 Pieces Per Box	63.99
19294	23203*	.50 Oz., 24 Strips of 10, 240 Pieces Per Box	63.99
19310	23202*	.50 Oz., 10 Lb. Roll, 320 Pieces Per Box	74.99
1339726	23214	1.00 Oz., 16 Strips of 7, 112 Pieces Per Box	<i>67.99</i>
1339728	23216	.25 Oz. Black, 30 Strips of 8, 240 Pieces Per Box	<i>37.99</i>



Easy Peel Tape

OEM TOOLS

Adhesive Wheel Weight Dispenser Stand

SKU **1363723 149**9

- Easy Assembly
- Can be Secured to Workshop Floors
- Holds 2 Rolls
- All Metal Construction





Not Included

Wheel Weights

Clip-On Wheel Weights

- Easy to Apply and Remain Firmly in Place Once Installed
 Steel Weights are More Environmentally Friendly
- Compared to the Lead Weight Alternative
- Polymer Coated for the Best Appearance and Exceptional Corrosion Resistance
- 1 Box of 25 Each

	- A T	- 1	
4 1			

STORE STOCKED*

SKU	Part #	Profile	Price
1359082	23246	10 gm. IWFE	3.99
1359087	23248	15 gm. IWFE	5.99
1359077	23271	20 gm. IWFE	7.99
1359098	23273	25 gm. IWFE	9.99
1359089	23277	30 gm. IWFE	11.99
1359075	23283	35 gm. IWFE	13.99
1359040	23290	40 gm. IWFE	14.99
1359084	23294	45 gm. IWFE	16.99
1359043	23297	50 gm. IWFE	18.99
382841	23217*	0.25 Oz. MCFE	9.99
382842	23219*	0.50 Oz. MCFE	10.99
382843	23220*	0.75 Oz. MCFE	11.99
382844	23221*	1.00 Oz. MCFE	13.99
382845	23227*	1.25 Oz. MCFE	17.99
382846	23230*	1.50 Oz. MCFE	17.99
1359096	23244	1.75 Oz. MCFE	20.99
1359053	23253	2.00 Oz. MCFE	21.99
1359056	23257	2.25 Oz. MCFE	23.99
1359052	23260	2.50 Oz. MCFE	<i>26.99</i>
1359095	23262	2.75 Oz. MCFE	28.99
1359036	23263	3.00 Oz. MCFE	31.99
382853	23218*	0.25 Oz. PFE	6.99
382919	23223*	0.50 Oz. PFE	8.99
382920	23224*	0.75 Oz. PFE	<i>8.99</i>
382921	23225*	1.00 Oz. PFE	10.99
382922	23226*	1.25 Oz. PFE	12.99
382923	23228*	1.50 Oz. PFE	14.99

SKU	Part #	Profile	Price
382924	23229*	1.75 Oz. PFE	15.99
382925	23232*	2.00 Oz. PFE	16.99
1359093	23235	2.25 Oz. PFE	23.99
1359086	23236	2.50 Oz. PFE	26.99
1359058	23237	2.75 Oz. PFE	28.99
1359069	23259	3.00 Oz. PFE	31.99
1359038	23239	10 gm. FNFE	3.99
1359073	23242	15 gm. FNFE	<i>5.99</i>
1359092	23265	20 gm. FNFE	7.99
1359068	23267	25 gm. FNFE	9.99
1359071	23269	30 gm. FNFE	11.99
1359063	23270	35 gm. FNFE	13.99
1359083	23272	40 gm. FNFE	14.99
1359057	23274	45 gm. FNFE	16.99
1359094	23275	50 gm. FNFE	18.99
1359070	23276	55 gm. FNFE	20.99
383021	23222*	0.25 Oz. ALFE	9.99
383022	23231*	0.50 Oz. ALFE	10.99
383023	23233*	0.75 Oz. ALFE	14.99
383029	23234*	1.00 Oz. ALFE	15.99
1359044	23243	1.25 Oz. ALFE	18.99
1359078	23247	1.50 Oz. ALFE	19.99
1359076	23249	1.75 Oz. ALFE	20.99
1359037	23250	2.00 Oz. ALFE	21.99
1359048	23252	2.25 Oz. ALFE	23.99
1359074	23287	2.50 Oz. ALFE	26.99
1359047	23289	2.75 Oz. ALFE	28.99

SKU	Part #	Profile	Price
1359054	23238	0.25 Oz. TFE	9.99
1359064	23241	0.50 Oz. TFE	10.99
1359091	23255	0.75 Oz. TFE	12.99
1359049	23256	1.00 Oz. TFE	14.99
1359039	23258	1.25 Oz. TFE	18.99
1359088	23261	1.50 Oz. TFE	19.99
1359080	23264	1.75 Oz. TFE	20.99
1359059	23266	2.00 Oz. TFE	21.99
1359060	23268	2.25 Oz. TFE	23.99
1359079	23284	2.50 Oz. TFE	<i>26.99</i>
1359066	23286	2.75 Oz. TFE	28.99
1359062	23288	3.00 Oz. TFE	31.99
1359097	23251	10 gm. ENFE	3.99
1359067	23254	15 gm. ENFE	5.99
1359081	23278	20 gm. ENFE	7.99
1359051	23279	25 gm. ENFE	9.99
1359045	23280	30 gm. ENFE	11.99
1359090	23282	35 gm. ENFE	13.99
1359061	23293	40 gm. ENFE	14.99
1359050	23296	45 gm. ENFE	16.99
1359055	23240	0.25 Oz. LHFE	9.99
1359085	23245	0.50 Oz. LHFE	10.99
1359042	23281	0.75 Oz. LHFE	12.99
1359072	23285	1.00 Oz. LHFE	14.99
1359065	23291	1.25 Oz. LHFE	18.99
1359041	23292	1.50 Oz. LHFE	19.99
1359046	23295	1.75 Oz. LHFE	20.99

Wheel Weight Profile

















PRO-CUT

BRAKE SERVICE

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-487

Brake Lathe Kit

PRO-CUT

Combination Bench Lathe Kit

SKU **OUTSIDE BUY/EPO** PCTB-17K

· Features Adapters and Accessories for All Passenger Vehicles and Light Trucks

· Resurfaces Brake Drums and Discs to Exceed OEM Specs for Surface Finish in 1 Pass

- · Switch from Drums to Rotors in Seconds
- Includes: Bench Lathe, **Dust Collection System and** Side Work Table







Offer Good While Supplies Last Through March 31, 2024

VALUE: \$1,099.99

Ouick Chuck Kit PCT50-4250K

With Purchase of PCTB-17K

Lathe Kit with Trolley

Brake Lathe with Adjustable Trolley SKU OUTSIDE BUY/EPO Call for Price PCTX9-6ADP

• Pro-Cut X9 On-Car Brake Lathe • DRO Computer Box (Accepts G2X Upgrades)

 Speed-Lock Cutting Head Fixed Post Trolley

• 6 Adapters Covering Most Cars and Trucks All Accessories Including

Silencer and Cutting Bits On-Site Installation

and Training 2-Year Warranty (3 Years on Body)



901-300-4878

Ranger®

RL-8500 Combination Brake Lathe with Bench and Standard Tooling

SKU **OUTSIDE BUY/EPO** RANRL8500

8,599

- Complete Kit Includes Lathe, Standard Adapters and Bench
 Provides a FASTER, More ACCURATE and EASIER Resurfacing Capability Than Any Other Brake Lathe in Its Class
- Infinitely Variable Speed Controller Able to Turn Rotors and Drums
- Quick-Change Adapter-Plus System with Built-In Springs Eliminates the Need for Conventional Bell Clamps and Cones
- Independent DC Servo Motors Control the Cross-Feed and Spindle-Feed Drives
- One-Cut Micro Finish
- 150 or 200 RPM Spindle

RL-8500XLT HD Combination Brake Lathe with Bench and Standard Tooling

SKU **OUTSIDE BUY/EPO** RANRL8500XLT

WARRANTY: 1 Year Parts and Labor

Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.



Ranger

Truck Adapter Package

SKU **OUTSIDE BUY/EPO** RAN5150161

- · Super-Duty Truck Tooling Package Consists of an Upgraded 1-7/8" Arbor and a Wide Variety of Adapters
- 32 Piece Set Allows Expanded Coverage to Handle Any Vehicle Through 1-Ton Trucks
- Fits RL-8500 and RL-8500XLT





Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

BRAKE SERVICE

Brake Service Tools

2 Piece Steel Line Stopper Set

SKU **1331483 1999** 35057

Seals Steel Lines Found on Fuel, Brake, AC, Power Steering, Transmission Cooling Lines and Banjo Lines

- Prevents Leaks and Contamination
- For Use with All Automotive Fluids
- Fits 3/8", 1/2", 5/16" and Banjo Lines



OEM TOOLS

8 Piece Brake Tool Set SKU **900827** REG. \$57.99 27194

• Includes: Spring Compressor, Brake Spring Installer, Spring Removal Tool, Brake Retaining Spring Tool, Brake Spring Pliers, (2) Brake Adjustment Spoons and Mini Adjustment Spoon

Offer Good Through March 31, 2024

8 Piece Brake Caliper Hanger Set





Brake Cylinder Retainer Remover

SKU **265111** 25268

- · Expands and Holds Special Retainer So the Brake Cylinder May Be Removed
- · Releases the Spring Clip Retainer That Attaches the Rear Brake Cylinder to Backing Plate



SKU **312538** 24518

- Prevents Kinking or Premature Failure of Brake Hose
- Keeps Calipers Up and Out of the Way When Servicing Suspension Components, Brakes, etc.
- Hi-Vis Green Powder Coat So You Won't Misplace Them or Leave Them Attached to the Vehicle

8 Piece Manual Brake Gauge Set

SKU **191672** 25266

- Color Coded Brake Gauge Identifies Thickness Levels for Brake Lining Inspection Includes Sizes: Red: 2, 3 mm,
- Yellow: 4, 5, 6 mm, Green: 8, 10, 12 mm Red Indicates Must Be Serviced: Yellow
- Indicates Should Be Serviced; Green Indicates Good



OEM TOOLS

Brake Caliper Brush

SKU **250125 14 99** 25435

· Slim Design for Cleaning Brake Calipers and Other Brake Hardware



SKU **1149174** LIS45100

- . Expand Spring to Install or Remove
- Engage Brake Spring in Tool Head
- Turn Handle to Lock on Spring

Central TOOLS, Inc.





Central TOOLS, Inc.

- Shoe Horn Design on the Other End Makes it Easy to Slip the Spring Back Over the Post
- · A Spring Tool for Removing and Replacing Brake Return Springs That are Set Over a Post
- Large Handle Gives Good Grip and Easy Operation



Rotor/Drum Caliper Kit

SKU **186504** CEN3K301

- · Attaches to Any Caliper on the Lower Jaws
- Outward Facing Anvils to Inspect Drums
- Inward Pointing Anvils to Measure Rotors 8" to 13"
- Range 0 to 6" Digital Caliber Included



Electronic Digital Rotor Gage SKU 1330687 CEN3M431

- Easy to See Digital Readout
- Long Arms for All Rotors
- Interchangeable Flat and Pointed Anvils



Disc Brake Rotor Micrometer

SKU **607071** 25367

- .001" Accuracy, .0005" Reading
- Large LCD Display with SAE or Metric Reading
- Manual Power Off/On
- Range: 5.5"/140 mm
- · Easy Glide Action
- Hardened Measurement Surface

OEM TOOLS

Carbide Lathe Inserts









Part Number	Quantity	Application	Description	OEM Part No.	Price
SHA0626	6 Pack	Ammco	Use on Ammco Models 1000, 1001, 3000, 4000, 4100, 7000, 7700	90614-6	29.99
SHA1042	2 Pack	Ammco	Use on Lathe Model 3850	9069186	29.99
SHA06210	10 Pack	Ammco	Use on Ammco Models 1000, 1001, 3000, 4000, 4100, 7000, 7700	90614-10	39.99
SHA06810	10 Pack	Accu-turn/ Bosch	Use on Accu-Turn, Bosch On-The-Car Brake Lathe Models 8700, 8750 and 8800	433796, 878051, 080-80000-68	<i>59.99</i>
SHA1046	6 Pack	Ammco	Postive Rake Cutting Bits for Ammco Models 3850, 4000, 7000 and 7500 as well as Twin Cutter and 9381 Facing Set	906918-6	<i>59.99</i>
SHA069-10	10 Pack	Pro-Cut	Pro-Cut Style Bit for Use on Model 610 On-The-Car Lathes for Ford. RJ West PFM 9.2, FM900, PFM 9.2DRO Warthog and 9.2DRO	50-742	49.99
SHA40710	10 Pack	FMC	Use on FMC, John Bean, Barrett, Snap-On 67BSD, 67DLX, 67GSA, 69DLX, 701ECF, 601PF, 400, 500, 600, 700 Disc/ Drum Lathes	90488, W139, D139	54.99
SHA80210	10 Pack	Kwik Way	Use On All Kwik-Way and Snap-On SDL, DL, 850 Disc Lathes, Rotunda, Snap-On On-The-Car YA180, YA 281 Bench Lathes	109-1092-23, 109-1092-45, BTK10A	84.99
SHA408-10	10 Pack	FMC/Ranger/ Accu-turn	Ranger RL8500 and RL8500XLT Disc and Drum Cutting Lathes. FMC/Barrett Models 400, 500, 600 and 700 Lathes	45016	84.99
SHA06010	10 Pack	Accu-turn	Use on Models: 7700, 8920, 8922, 8944, 8989, 8990, 8991, 8993, 8995 and 8997 Brake Lathes. 3 Cutting Edges	433796	49.99
	SHA0626 SHA1042 SHA06210 SHA06810 SHA1046 SHA069-10 SHA40710 SHA40710 SHA80210 SHA408-10	SHA0626 6 Pack SHA1042 2 Pack SHA06210 10 Pack SHA06810 10 Pack SHA1046 6 Pack SHA069-10 10 Pack SHA40710 10 Pack SHA80210 10 Pack SHA408-10 10 Pack	SHA0626 6 Pack Ammco SHA1042 2 Pack Ammco SHA06210 10 Pack Ammco SHA06810 10 Pack Accu-turn/Bosch SHA1046 6 Pack Ammco SHA069-10 10 Pack Pro-Cut SHA40710 10 Pack FMC SHA80210 10 Pack Kwik Way SHA408-10 10 Pack FMC/Ranger/Accu-turn	SHA0626 6 Pack Ammco Use on Ammco Models 1000, 1001, 3000, 4000, 4100, 7000, 7700 SHA1042 2 Pack Ammco Use on Lathe Model 3850 SHA06210 10 Pack Ammco Use on Ammco Models 1000, 1001, 3000, 4000, 4100, 7000, 7700 SHA06810 10 Pack Accu-turn/ Bosch Use on Accu-Turn, Bosch On-The-Car Brake Lathe Models 8700, 8750 and 8800 SHA1046 6 Pack Ammco Postive Rake Cutting Bits for Ammco Models 3850, 4000, 7000 and 7500 as well as Twin Cutter and 9381 Facing Set SHA069-10 10 Pack Pro-Cut Pro-Cut Style Bit for Use on Model 610 On-The-Car Lathes for Ford. RJ West PFM 9.2, FM900, PFM 9.2DRO Warthog and 9.2DRO SHA40710 10 Pack FMC Use on FMC, John Bean, Barrett, Snap-On 67BSD, 67DLX, 67GSA, 69DLX, 701ECF, 601PF, 400, 500, 600, 700 Disc/Drum Lathes SHA80210 10 Pack Kwik Way Use On All Kwik-Way and Snap-On SDL, DL, 850 Disc Lathes, Rotunda, Snap-On On-The-Car YA180, YA 281 Bench Lathes SHA408-10 10 Pack FMC/Ranger/Accu-turn Ranger RL8500 and RL8500XLT Disc and Drum Cutting Lathes. FMC/Barrett Models 400, 500, 600 and 700 Lathes SHA06010 10 Pack Accu-turn Use on Models: 7700, 8920, 8922, 8944, 8989, 8990,	SHA0626 6 Pack Ammco Use on Ammco Models 1000, 1001, 3000, 4000, 4100, 7000, 7700 90614-6 SHA1042 2 Pack Ammco Use on Lathe Model 3850 9069186 SHA06210 10 Pack Ammco Use on Ammco Models 1000, 1001, 3000, 4000, 4100, 7000, 7700 90614-10 SHA06810 10 Pack Accu-turn/ Bosch Use on Accu-Turn, Bosch On-The-Car Brake Lathe Models 8700, 8750 and 8800 433796, 878051, 080-8000-68 SHA1046 6 Pack Ammco Postive Rake Cutting Bits for Ammco Models 3850, 4000, 7000 and 7500 as well as Twin Cutter and 9381 Facing Set 906918-6 SHA069-10 10 Pack Pro-Cut Pro-Cut Style Bit for Use on Model 610 On-The-Car Lathes for Ford. RJ West PFM 9.2, FM900, PFM 9.2DRO Warthog and 9.2DRO 50-742 SHA40710 10 Pack FMC Use on FMC, John Bean, Barrett, Snap-On 67BSD, 67DLX, 67GSA, 69DLX, 701ECF, 601PF, 400, 500, 600, 700 Disc/Drum Lathes 90488, W139, D139 SHA80210 10 Pack Kwik Way Use On All Kwik-Way and Snap-On SDL, DL, 850 Disc Lathes, Rotunda, Snap-On On-The-Car YA180, YA 281 BPK10A 109-1092-23, 109-1092-45, BFK10A SHA06010 10 Pack FMC/Ranger/Accu-turn Ranger RL8500 and RL8500XLT Disc and Drum Cutting Lathes. FMC/Barrett Models 400, 500, 600 and 700 Lathes

Silencer Bands

Large Solid Rotor Silencer Band (9")

SKU **262396** SHA94

SHA96

SHA70B

SHA930



Silencer Clamp SKU **388821**





Ammco Style Disc Silencer Band with Steel Weights SKU **262392**

SHA69



Ammco Style Large Disc Band with Steel Weights SKU **262397**



See AutoZonePro.com for More Applications

Use on Rotor Models: BL500, 501 and 505 Hunter Lathes

221-639-3

89.99

1142331 SHA065-10

10 Pack

OEM TOOLS

BRAKE SERVICE

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Brake Bleeding Tools

OEM TOOLS

Vacuum Pump Tester, Power Steering and Brake Bleeder Kit

SKU **1103570 20***99* 37070

• Includes: Vacuum Pump Reservoir Jar with Transfer Lid. Storage Lid. Brake Bleeding Adapter Package, Steering Pump Adapters and Tubing Pump with Vacuum Gauge and Accessories



1 Liter Pneumatic Vacuum Brake Bleeder with Refill Bottle

SKU **1282750** 22505

REG. \$47.99

• Convenient Single-Person Operation

 Effective for Use on Disc/Drum Brakes and Clutches

 Auto-Refill Kit to Simplify the Master Cylinder Refill Uses a Standard

Workshop Air Supply

Offer Good Through March 31, 2024

OEM TOOLS

• Capacity: 50 Oz.

Universal Fluid Dispensing Bottle

SKU **568477** 24443

 Refill the Master Cylinder During Vacuum or Manual Hydraulic Brake or Clutch Bleeding and Flushing

. Mounts Securely to Master Cylinder and Clamps



25317

With Purchase of: 24443 Offer Good While Supplies Last Through

2 Liter Pneumatic Vacuum Brake Bleeder with Refill Bottle

SKU **1361989** 22506

· For Use on Brakes and

Hydraulic Clutches

Convenient Single-Person Operation
 Uses Standard Workshop Air Supply

. Includes: Auto-Refill Kit to Simplify the Master Cylinder Refill and Adapters to Fit Most US and Domestic Vehicles

. Standard and ABS Brake Systems



DIY Reverse Brake and Clutch Bleeder

SKU **459112** PH02104-B

· Easily Bleeds ABS

· Removes Trapped Air

 Attachments To Fit All Vehicles



Mituvac:

V-12 Economy Professional Reverse Brake and Clutch Bleeder

SKU **289898** PH02003

. Bleed the Brakes on Any Vehicle in 10 Minutes or Less, Including ABS

· Save Time and Money on Good Parts Not Properly Bled

One Man Operation



1.3 Quart Vacuum **Brake Bleeder**

SKU **459166** MITMV6870

• 1.3 Quart Reservoir

 Applications: Brake Bleeding. Hydraulic Clutch Bleeding

 Universal Bleed Screw Adapter Fits Most Common Sizes

• Includes Two Replacement **Bleed Screw Adapters**





• Provides Either Vacuum or Pressure with Equal Precision and Convenience

 Performs Engine Performance Diagnostics, Brake Bleeding, Fluid Transfer, Evacuation, Sampling and More

 Includes Components Needed to Perform Hundreds of Diagnostic and Mechanical Tests





Brake Bleeding Kit SKU **604208**

MITMV6830 Compressed

Air Operation • 1.9 Quart Capacity

 Swivel Air Inlet with Quick Disconnect



Mituvac:

Refill Kit

SKU **972280** MITMVA6832

· Automatically Refill the Master Cylinder During Brake or Clutch Bleeding or Flushing

• Includes a 40 Oz. Reservoir

• Adapts for Use with Standard 12 Oz. and 32 Öz. Brake Fluid Bottles

 Universal Top-Mount Design



Pressure Brake Bleeding System

SKU **383099 MITMV6840**

• Large 1.2 Gallon Capacity Dispenser

 Includes 7 Master Cylinder Adapters that Connect to Most U.S., Asian and European Cars and Light Trucks

• Pressure Gauge Indicates Dispensing Pressure


Utilizes Push-To-Connect, Quick-Change Adapters

· Integrated Manual Relief Valve for Safety



2.5 L Pressure Brake Bleed Kit

SKU **1361996** MITMV7840



Pressure Control System Safely Maintains Output Pressure Between 20 and 25 psi

 Includes 7 Master Cylinder Adapters that Connect to Most Domestic and Import Cars and Light Trucks

· Conveniently Located On/Off and Flow Control Valve



BRAKE SERVICE

Disc Brake Tools

Dual Piston Press SKU **900811**

25741

REG. \$54.99

- Designed to Press-In Single and Dual Piston Brake Calipers
- Universal Application on Cars, Light and Heavy Trucks
- Rugged Design for Longer Tool Life
- Single Piece Operation Eliminates Nuts and Bolts to Assemble and Disassemble Brakes



37 Piece Disc Brake Service Kit SKU **1125858** 25107

 Includes: Disc Brake Caliper Tool Set, Pad Spreader, Brake Caliper Brush, (8) Brake Caliper Hangers, (3) Bleeder Wrenches and One-Man Brake Bleeder Kit



REG. \$160.92

Offer Good Through March 31, 2024

Pneumatic Brake Caliper Tool Set

SKU **1053954** MSC43050

- Durable Non-Impact Single Piston Shaft
- . O-Ring Protected Shaft to Maintain Proper
- Magnetic Base to Secure Press Adapters
- 15 Piece Press Adapter Set



18 Piece Disc Brake Caliper Set SKU **94798**

27113

- Includes Caliper Adapters from 1-3/16" to 2-1/2" - Some Specifically to Service Nissan, Saab and Honda Models . Contains a Caliper Rotation Tool with
- Left Hand Threads Left Hand Thread is Useful When Working on 2004-2007 Ford Freestyle, 500, 2008 Taurus and Taurus X Models
- · Rust Resistant Finish



OEM TOOLS

Brake Caliper Press (Standard Size)

SKU **954224** LNG279

Size Range is 1.7" to 3"

- · Works on Various Single, Dual and Quad Piston Calipers
- 360° Ratchet Swing Allows Access at Any Angle

Brake Caliper Press (Small Size)

SKU **OUTSIDE BUY/EPO LNG277**

• Size Range is 1" to 2.25"

For Outside Buy/EPO, Call 901-300-4878



Mastercool:



35058

• Includes a Standard Two-Pin Adapter Compatible with Any Piston Adapter

 Includes a Fully Adjustable 3/8" Drive 2 and 3 Pin Adapter Tool That Fits Most Vehicles

• Powerful Internal Spring to Apply Stable Pressure to the Caliper Piston



Brake Hub Resurfacing Tool

SKU **013590** 24686

- · Quickly Remove Rust on Lug Studs and Rotors on the Hub Assembly
- . Use with Drill for a Quick and Easy Job
- · Fits All Passenger Cars, Light Trucks and SUVs
- Includes 4 Pads



OEM TOOLS

VALUE: \$19.99

Large Replacement Pads - 5 Pack 65688

 Replacement Brake Hub Resurfacing Pads for 24686 Includes (5) 2"Pads

With Purchase of: 24686

Offer Good Through March 31, 2024

Quick Change Wheel Stud Cleaner Set

SKU **666299** CAL16

- Kit Includes: 1/2" Drive Adapter and 6 Brushes
- Brush Sizes: 7/16" (12 mm), 1/2" (13 mm), 9/16" (14 mm), 5/8" (16 mm), 7/8" (22 mm), and 1-1/8" (28 mm)



Dual Speedy Pad Spreader

SKU **291420** LIS25750

• Compresses Dual Brake Pistons Simultaneously

 Makes Dual Piston Pad Replacement a Simple Job



Speedy Pad Spreader

SKU **291417** LIS24300



 Makes Brake Pad Replacement Easier



Quick Quad Pad Spreader

SKU **080553** LIS29100



- Simultaneously Compress All 4 Pistons on Quad Piston Applications
- Can Be Used While Caliper is on the Vehicle or Hanging Free



Cakker

Prices subject to change without notice. Prices do not include applicable taxes, vehicles, tires, rims, installation or optional equipment as shown. Please do not return purchases to the store. For information regarding warranty, repair, or any questions or concerns, call 901-300-4878.

BRAKE SERVICE

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Sprayers

Red Powder Coated Aluminum Sprayer

SKU **186463** MSMB8000PL

- 16 Oz. Capacity
- . Not for Use with Chlorinated Solvents
- Pressurize Up to 200 psi

Complete Repair Kit for B8000PL

SKU **186467 27**99 MSMBK50



BRM

Red Powder Coated Steel Spraver

SKU 186459 MSMA1000R

- 32 Oz. Capacity
- Not for Use with Water-Based Products
- Pressurize Up to 200 psi



Repair Kit SKU 186465

MSMK10

Used for MSMA1000R

- Includes All Parts That Can Be Replaced
- All Chemical Resistant Seals





OEM TOOLS

OEM TOOLS

OEM TOOLS

Filler Cap Assembly SKU 186466 MSMP156

- · For Model "A" Sprayers
- Hand Removable

Hones and Stones

Flex-Hone® Kit BC **Kit D 180SC**

SKU **341378 BRMBCKD**

• BC Kit D (18 mm, 20 mm, 22 mm. 25 mm and 29



Rotor Flex-Hone®

- Lowers Harmonic Vibrations
- Ideal for New and Resurfaced Rotors and Flywheels

SKU **341310** BRMRMFH240Z25

Coarse SKU **341314 BRMRMFH60Z25**



BRM



Adjustable Disc Brake or Small Engine Hone

SKU **531707** 25030

• Includes 3 Medium (220) Grit 3/4" Stones



Brake Fluid Testers

Brake Strip + 100 Ct. Coolant Strip Double Ended with Customer Cards

SKU 1089037 PH03006-PLUS **89**99

- Double Ended Test Strips for Brake Fluid and Coolant
- Use on DOT 3 or 4 Brake Fluid
- . Compatible with All Coolant Colors
- Includes: 100 Double Ended Strips and 100 Rating Scale Cards



SKU **666577** PH03001-PLUS





Brake Fluid Tester - DOT 3, DOT 4, DOT 5.1

SKU **850067 7799**

Built-In LED Light to Ensure Tips are in Proper Contact with Fluid

 Easily, Quickly and Precisely Checks the Water Content of 8 Types of Polyglycol-Based Brake Fluids (DOT 3, DOT 4, DOT 5.1, ACDelco DOT 3, Pennzoil, Prestone, Motorcraft and Toyota DOT 3)



Electronic Brake Fluid Tester

SKU **191687**

- Checks Moisture Content in Any Brake Fluid
- Multi-Colored LED Panel for Easy Recognition
- · Automatic Shut-Off
- . Calibrated for DOT 4 Fluid
- 1 AAA Battery Included



Fluid Exchanger

Premium Brake Fluid Exchange System

SKU **OUTSIDE BUY/EPO** MVC500-8100

3,24999

- Includes Brake Adapter Kit
- Pressure and Vacuum Assist
- Portable Operates on 12 Volt DC
- Complete Brake System Exchange in 10 Minutes
- Adjustable Pressure Regulator Controls Operating Pressure
- Performs Brake Flush Using Pressure and Vacuum Simultaneously



Brake Service Tool MOTORVAS

Heavy Duty Hub Drum and Rotor Puller Kit

SKU **1125878** 25106

Use with Impact Wrench to Remove Hubs, **Drums and Brake Rotors** . Includes (3) Hub Adapters for Use with Most

- Common Hub Sizes and Types

 Jaw Spread Up to 12-3/4" with 5" Reach
- Durable Forged Frame Rated to 7 Tons of Pulling Force for the Toughest Jobs
- Drum and Rotor Pulling Arms Feature with Raised Stops for Use with Ratchet Straps (Not Included)
- Easily Adjust the Arms and Set Puller in Place for Tough Pulling Jobs in Tight



AZG0124

For Outside Buy/EPO, Call 901-300-4878

HEAVY DUTY

Scan Tools

AXONE VOICE® Fleet Package - Truck/OHW/Car SKU **OUTSIDE BUY/EPO TEXDFPAV**

- AXONE VOICE®; Hands-Free Smart Diagnostic Tablet
- MULTIHUB VCI (J-2534/RP1210, DOIP, CAN FD, Wi-Fi, Ethernet, and Digital Display)
- · Dealer-Level Coverage for Virtually All Cars, HD/MD Trucks, and Off-Highway/AG Vehicles
- View and Graph Live Vehicle Data
- · Read and Clear Codes, Cylinder Cut-Off, PTO Configurations
- DPF/SCR Regeneration and Emissions Resets
- Built-In Wiring Diagrams
- Off-Highway ApplicationsOff-Highway Cables Sold Separately



AXONE VOICE® Master Fleet Package eTruck/OHW/Car

SKU OUTSIDE BUY/EPO **TEXMFPAV**

• TEXA MULTIHUB VCI Provides J-2534/RP1210

- Compliance as Well as Diagnostics for DOIP, CAN FD, Wi-Fi. Ethernet
- Digital DisplayView and Graph Live Vehicle Data
- Read and Clear Codes
- DPF/SCR Regeneration and Emissions Resets
- Includes: Bonus eTruck Dongle, Adapter Cable and Automotive Software



<u>Can</u>D₀

MLT PRO Light to Medium Duty Truck Scan Tool

SKU OUTSIDE BUY/EPO **CDOMLTPRO**

- · Coverage for Power Stroke, Duramax, Dodge Cummins, Hino, Isuzu, UD and All Types of Sprinter Vans
- DPF After-Treatment Leak Test and Reset Functions
- One Easy-To-Use Interface for All Manufacturers
- True IP65 Drop Test and Water Resistant Rating
- Coverage for J1939/J1708 and OBDII Protocols OBDII Generic: Read/Clear Codes and Live Data Stream with Graphing
- Includes 2 Years of Updates



TEXA

HD Code Pro Scanner SKU OUTSIDE BUY/EPO

CDOHDCODEPRO

- . Heavy Duty, Medium Duty, and Light Duty Truck Emissions (DPF / DEF/ SCR)
- Coverage for Detroit, Cummins, International, Isuzu, Mack/Volvo, Hino/UD, Fuso, Paccar, Mercedes, Caterpillar, Perkins, John Deere and More
- · Oil and Maintenance Reset for Heavy Duty Through Light Duty
- Built-In Printer
- · One Year Free Updates



HD Mobile II

SKU OUTSIDE BUY/EPO 54995 **CDOHDMOBILEII**



- DPF Resets and Regens for Detroit, Cummins, Fuso, Mack, Volvo, Isuzu, International, Paccar and HINO
- Read and Clear Codes for J1708, J1939 and OBDII
- Live Data with Data Logging Capabilities
- . Works with iOS and Android





- Read and Clear Codes, View Live Data Stream, Read System ID and Info
- Activation Tests and More Extensive HD Coverage Including Class 4-8 Trucks and Industrial Equipment
- Powerful Special Functions: OEM-Level Regenerations, Cylinder Cutout, Injector Programming, DPF Activation, Regeneration and Reset, Reset Parameters, DPF/NOX Reset, SCR/DEF Coverage, Service Resets and More
- IP65 Rating
- Drop-Tested and Water Resistant

2 Years of Free Software

- Bluetooth Capability
- Easy-To-Use Interface for All Manufacturers and Systems
- Powerful 1.8 GHz **Quad-Core Processor**
- Includes: Multiple Connectors, Docking Station Class 1 Global **OBDII Coverage**



For Outside Buy/EPO, Call 901-300-4878

Smoke Leak Detectors

Dual Evap Smoke Machine SKU OUTSIDE BUY/EPO 1,64999

- For Evap, Turbo/Intake and Heavy Duty Truck Testing*
- For Evap and High Pressure Diagnostic Testing
 Multiple Options for Smoke Injection Include Built-In Internal Compressor, Shop Air
- · Accessories Include: Smoke Hose, Block Off Caps, Exhaust Cone, Schrader Valve Remover/Installer, Evap Service Port Adapter Hose, Smoke Illuminating Flashlight, Smoke Producing

Fluid and Bladder

* Heavy Duty Truck Testing **Requires** Purchase of MSC43062



Mastercool.

Smoke Machine Adapter Kit SKU OUTSIDE BUY/EPO MSC43062

- Accessories Include: Smoke Hose, (2) Bladders for Heavy Duty/Truck Applications, 6" Ring, Temperature Sensor Port Adapter, Oxygen Sensor Port Adapter, Pressure Sensor Port Adapter
- Accessory Kit Works with Dual Evap Smoke Machine, MSC43065



Reprogrammers



CarDAQ-Plus3 DrewLinQ Bundle SKU **OUTSIDE BUY/EPO**

DRWBNDLCDP3DL

- Designed for Fleets That Include Heavy Duty and Medium Duty Trucks, as well as Light Trucks and Cars
- Includes: DrewLinQ® for Heavy Duty, Medium Duty and Some OBDII Vehicles, plus the CarDAQ-Plus®3 for Passenger Cars
- Both RP1210 and J2534 Pass-Thru in One Bundle



HEAVY DUTY

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-4878

Specialty Tools

NAVISTAR® MAXXFORCE® Fuel Line Disconnect Tool Set - 4 Piece

SKU **004112** 25031

- For Series 11 and 13 Engines
- Sized to Depress Fuel Release Tabs for Efficient Fuel Line Removal
- (1) Straight and (1) 90° Tool for 11.8 mm Fuel lines;

(1) Straight and (1) 90° Tool for 16 mm Fuel Lines



Heavy Duty U-Joint Puller SKU **041474**

24538

- Easily Removes Seized U-Joint Cups on Most Class 7 and 8 Trucks
- · Safely Disassemble Drivelines without Hammering or Heating Components
- Does Not Damage the Driveshaft, Yokes, Joints or Bearing Cups Bearing Cup Outside



Automatic Slack Adjuster **Release Tool and Wrench**

SKU **1207889** 25252

- 5/16" Double Square Ratchet Has an Angled Head to Give Extra Clearance for Hands Side-Mounted Forward/
- Reverse Lever for Easy Operation
- Speeds Up Installation on Meritor® Heavy-Duty Truck Brake Slack Adjusters to Simplify Brake Service



99 REG. \$124.99

- For Removal of Brake Anchor Pins and Bushings on 16-1/2" S-Cam Trailer and Tractor Q Brake Systems
- No Need to Remove the Hub or Dust Shield
- Rigid C-Frame with 10 Ton Capacity
- Manufactured from High Grade Steel for Strength and Durability
- Manual, No Hydraulics Required

27090



Offer Good Through March 31, 2024

Heavy Duty Wheel and Tire Service

Heavy Duty Truck Tire Changer SKU **OUTSIDE BUY/EPO** ROTR511

- Designed to Fit Trucks, Buses, Agriculture Applications and Super Single Tires
- Handle Wheels from 10" to 26", 12" to 28", 14" to 30'
- Locking System Suitable for Reverse Rims
- Quick Locking Wheel Centering Adapter
- Full Range of Bead Clamps and Adapter
- Easy Roller Bead-Breaking Feature
- Max. Tire Diameter: 45"
- 220V, 1Ph

Set Up and Training Included



WARRANTY: 3 Years Parts and Labor

Heavy Duty Wheel Balancer SKU **OUTSIDE BUY/EPO**

ROTR540 . Designed to Fit Commercial Truck, Light Truck

- and Passenger Vehicles Balance Compact Cars to HD Trucks
- Auto Stop on Top for Weight Position
- Auto Entry of Distance and Diameter
- Integrated Wheel Lift-Up-To-441 Lb.
- Max. Rim Diameter: 30"
- Max. Tire Diameter: 51"



Set Up and Training Included

WARRANTY: 3 Years Parts and Labor

Coats® CHD-6330 Heavy Duty Tire Changer SKU **OUTSIDE BUY/EPO**

AMM8006330

- Motor: 2 HP
- Max. Tire Diameter: 63"
- Rim Diameter: 13" to 27"
- · 4-Jaw Chuck Allows for Fast and Easy Clamping of Virtually All Rim Styles
- Features Portable Control Station
- · Solid, Single Piece Frame for Added Capacity and Dependability



INCLUDES: Manufacturer's Set Up

WARRANTY: 1 Year Parts and 6 Months Labor

Coats® 6450-3D Heavy Duty Balancer SKU **OUTSIDE BUY/EPO**

AMM64503DKT1P

Kit Includes Wheel Lift Plus Lug and Hub Centered Budd Style Adapters

- Dual Calibration Software Stores and Runs Two Independent Sets of Calibrations
- Powerful 1.5 HP Direct Drive Motor Shaves 20 Seconds Off of a Typical 22.5" Spin
- Designed for High Volume Balancing, the PerfectMachine for Delivery Vehicles and **Tractor Trailers**
- Max. Tire Diameter: 52"
- Max. Tire Weight: 500 Lb.

INCLUDES: Manufacturer's Set Up

WARRANTY: 1 Year Parts and 6 Months Labor



HOW IS

Men-Tool



Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

Truck Tire Tools

Tubeless Truck Tire Iron

SKU **394384** KTL34645

Includes: (1) Tire Iron

- Tip Ends Insert Easily and Will Not Cut or Rip Bead or Sidewall
- Length: 37
- Stock Diameter: 3/4"





Tubeless Truck Tire Iron

SKU **394389** KTL34645C

- Tip Ends Insert Easily and Will Not Cut or Rip Bead or Sidewall
- Length: 37"
- Stock Diameter: 3/4"

Heavy Duty Tubeless Truck Tire Iron

SKU **394391** KTL34647

Single-End Mount/Demount Spoon

SKU **394381** KTL33220



- Length: 30"
- Stock: 11/16"



Heavy Duty Lifts

56,000 Lb. Mobile Lift System/Set of 4 SKU **OUTSIDE BUY/EPO**

CHLCLHM-140-4

- 110 Volt Charging System
- Completely Wireless System

Lifting Equipment

SKU **OUTSIDE BUY/EPO**

• Unique Pinned Alignment

Shaft Allows Technician to

Remove Jack to Install Clutch

Assembly without Obstruction

AFF3700

Capacity:

500 Lb. Low

High

· Length:

36-1/2"

Height: 13'

Height: 39"

SKU **1267948**

• 4 Different Boom

and 1 Ton

· Rear of Crane:

Settings: 3, 2, 1,5

AFF3584

6.000 Lb. Heavy

Duty Engine Crane

Heavy Duty Clutch Jack

- Adjustable Wheel Carriage Adapts from 5" to 24.5"
- Integrated Touch-Screen Control Console at Each Column Allows Operation from Any Unit
- 14,000 Lb. Capacity Per Column

Includes: Batteries, Fluids and Factory Training

Provides "One-Man" Operation for Removal, Installation

and Transportation of Heavy Duty Truck Clutches

Includes Two Splined Alignment Shafts





27,000 Lb. Heavy Duty Truck Lift

SKU OUTSIDE BUY/EPO BENHDS27

- Runways Include Rail-Kit for Optional Accessories
- Runways Adjust for Different Tread Widths
- Electric/Hydraulic Power System
- · Fully Enclosed Lifting Cables, Safety Locks and Sheaves
- Pneumatic Push-Button Safety Release
- Length: 297'



Customer Responsible For Offloading.

WARRANTY: 1 Year Parts and Labor

For Outside Buy/EPO, Call 901-300-4878

Locknut Sockets

OEM TOOLS

BendPak

7 Piece Wheel Bearing Locknut Set

SKU **1207886** 37385

• Can be Used with 1/2" Square Drive Ratchet, Breaker Bar or Torque Wrench

. Comes with Standard Hex (6PT) and Rounded (6R) Hex Sockets to Fit Many Applications

• Includes: 55 mm 6PT, 2-3/8" 6R, 2-3/8" 6PT, 2-1/2" 6R, 2-1/2" 6PT, 2-9/16" 6R and 2-3/4" 6R



5 Piece Budd Wheel Socket Set

SKU **1207878** 37384

. Works on Import and Domestic Trucks

• Includes: 33 mm Socket with 1" or 1/2" Drive, 35 mm Socket with 1" Drive, 38 mm Socket with 1" or 3/4" Drive, 41 mm Socket with 1" or 3/4" Drive, 1-1/2" Socket with 1" or 3/4" Drive



Oil Filter Wrenches

OEM TOOLS

Heavy Duty Truck Oil Filter Wrench Small

SKU **344322**

Medium

25232

SKU **344323**

25231 • Range: 4-1/8" to 4-5/8" (104 to 118 mm)



SKU **344324** 25233

Range: 5-1/4" to 5-3/4" (134 to 142 mm)

61.5" Tall and 33" Wide Distance Between Front of Legs: Retracted 23" Extended 28.5"

35 Ton Air Hydraulic **Axle Jack**

SKU **954200 AFF536**

• Unique Motor Design

Advances Ram to Load Faster Air Assisted Lowering and **Dual Return Springs Provide** Controlled and Easy Descent

· Safety Overload System Prevents Jack from Being Used Beyond its Rated Capacity

 Corrosion Resistant Aluminum and Nylon Composite Air Motor



10 Ton Air/Hydraulic Service Jack SKU **OUTSIDE BUY/EPO**

AFF3135

• Large, Rugged 4-1/2" Front Wheels and 2-3/4" Rear Casters • Can Be Operated Manually When Shop Air is Not Available

• Foot-Operated Pump for Quick Lifting Efficiency

Automatic Overload Safety Valves

. Chassis Length: 61"

• Low Height: 7

• Width: 18'

4.400 Lb. Transmission Jack

SKU **954183** AFF3180A

of Over 2 Tons · Rugged Industrial Grade 4" Casters

Fully Adjustable Saddle

· Extra-Long 32" Handle

• 8.5" Low Height

 Convenient Side Tray to Store Small **Tools and Parts**



Low Profile Oil Drains

17 Gallon Low Profile Truck Drain SKU **526486**

LIN3665 • 6' Hose Extends from the Bottom of the Reservoir and Can Be Connected to

a Pump to Evacuate Fluid

from the Drain

17 Gallon Low Profile Truck Drain with Electric Pump

SKU **OUTSIDE BUY/EPO** LIN3669

• Features a Durable 120V Electric Pump Installed Below the Front of the Reservoir

• Pump Operates with a Standard Power Outlet and Discharges Fluid Through a 6' Hose with Steel J-Hook



Heavy Duty Stands

22 Ton Heavy Duty Axle Stands (Pair) SKU **757098**

• Range: 4-5/8" to 5-1/4"

(118 to 134 mm)

24854

• Min. Height: 12-1/4'

• Max. Height: 19-3/4"

Adjustable Pin Design

Features Handle for Transport and Positioning

• Large V-Shaped Saddles Center Lift Points for Secure Placement



OEM TOOLS

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available. Ask Your AutoZone® Commercial Sales Manager

PAINT & BODY

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Dent Repair

Aluminum and Steel Stud Gun

SKU OUTSIDE BUY/EPO HSAUNI-9700

- . Only Handheld Stud Gun for Aluminum and Steel Dent Pulling Repair
- Adjustable Output Power with LED Display and 15' Torch Cable
- ETL Certified 115VAC Charging Power Supply
- Includes: Power Supply, Aluminum and Steel Studs, Pull Tabs, Weld-Tip Puller and Heavy Duty ABS Carrying Case



Stud Gun Starter Kit - Steel SKU OUTSIDE BUY/EPO 33999 HSAUNI-4550

- #1 Selling Dent Pull Stud Gun Kit
- 3800VA Transformer 1500A Output
- C/US ETL Certified Spot Welder
- Heavy-Wall 4.5 mm Housing
- Includes: Slide Hammer and 500 Studs



Steel Stud (2.2 mm) SKU **OUTSIDE BUY/EPÓ** HSAUNI-1001



- Provides Instant Weld Puddle and Easy Weld Flow
 Easily Removed from the Surface After Repair is Complete
- Less Trigger Time
- 500 Pieces per Box

Steel Stud (2.6 mm) SKU OUTSIDE BUY/EPO HSAUNI-1002



Stud Puller

SKU OUTSIDE BUY/EPO **HSAUNI-1095**



- . Allows You to "Feel the Pull"
- Eliminates Over-Pulling
- One-Handed Operation



OEM TOOLS

OEM TOOLS

For Outside Buy/EPO, Call 901-300-4878

Dent Puller

Trim

5 Piece Trim and Panel Tool Set

SKU **1105337 CAL113**

· Ideal Tool Set for Removing Plastic Fasteners, Plastic Clips, Upholstery or Door Panels

3 Piece Body

Seam Splitter Set



O=M TOOLS

Catton

Air Bag Release Tool for GM SKU **191678** 25310

- · Fits Most GM Cars,

Make Removal Fasier

Panel

25930

Comes in a Blow Mold Case

Hood Prop with Adapter SKU **291352**

LIS46170

Slide Hammer Dent Puller Set

Screw and Holder, Nose Piece with Screw

• 12 Lb. Hammer, Slide Hammer Shaft, Slide Hammer

Handle, Slide Hammer Adapter, Deep Hook, Short Hook,

Door Edge Tool, Claw, Straight Driver, Hook and Chain, Sheet Metal



SKU **265129 38** 99 25337 • Includes: Straight, 30° Offset and 90° Angle Seam Splitters Tough Chrome

- Vanadium Steel · Go Through Shafts
- Shock Dampening Grip Provides Comfort

Trim Fastener and Molding Remover Set SKU **900801**

25314

- . Includes: 5 Tools for Easy Removal of Fasteners, Molding, Wheel Hubs and More
- For Use on Internal and External Vehicle Molding and Trim Fasteners

3 Piece Light Duty Smoothing/Prving Kit

SKU **004111** 25084

- Damaging Interior

- Evenly Smooth Epoxy and Adhesives

· Pry Dashboard Parts and Vents without Clean Crevices and Joints in Small Electronics Disassemble Key Fobs and Other Remotes

Windshield Tool

18" Professional Windshield Knife

SKU **480782** CAL53100

. Constructed of Heavy Duty Steel and Aluminum with a Padded Ergonomic Handle

SKU **265148** 25922

and Trim Clip Pliers

. Minimizes Risk of Damage

to the Clip and Panel

During Removal

O=M TOOLS

OEM TOOLS

Callan

Minivans and Light Trucks

Tips are Tapered to

SKU **447154**

Hood Prop

Includes a Support to Help Prevent Slipping

• 3 Piece Telescoping Shaft Locks in Any Position (Telescopes from 20" to 48-1/4")

Door Tools

SKU **989263**

2 Trim Tools

25312

OEM TOOLS

OEM TOOLS

Adapte

Included

Window and Door Clip Remover/Installer SKU **191679 Q** 99

REG. \$45.99

25311 . Works on GM, Ford and Other

5 Piece Door Panel

and Trim Remover Set

· Comprised of 3 Door Panels and

· Textured, Comfortable Grips with

Thumb Stop and Hanging Hole

Vehicles Using the Common "C" Type Clip

Door Spring Tool SKU **447118** 25336

· Quickly and Easily Remove or Install Door Hinge Springs

· Designed for GM Cars

and Light Trucks

6 Piece Door Panel and O≡MTOOLS **Trim Removal Set** SKU **003868**


25301 REG. \$59.99 Includes: V-Notch Clip Remover. U-Notch Clip Remover, 2 Door

Panel Removal Tools, C-Type Clip Removal Tool and Handle Clip Removal Tool



Offer Good Through March 31, 2024







- 24" Deep Drawers
- 100/200 Lb. Drawer Capacity
- Non-Slip PVC Drawer Liners
- UV Protected Finish
- Constructed with 16 G Steel Frame
- Lift Latch Drawer Pulls







54" 8 Drawer Top Chest – Black Sku **Outside Buy/epo**

HOM54RSPCHSTBK

1.199⁹⁹

• 54"(W) x 23.5"(D) x 21.375"(H)

54" 10 Drawer Rolling Cabinet – Black

SKU OUTSIDE BUY/EPO HOM54RSPCABBK

1,**249**99

1,69999

• 54.5"(W) x 24"(D) x 40.375"(H)



54" Top Hutch – Blue SKU OUTSIDE BUY/EPO HOM54RSPHUTBL

1.09999

• 54"(W) x 23.5"(D) x 24.375"(H)

54" 10 Drawer Rolling Cabinet – Blue

SKU OUTSIDE BUY/EPO HOM54RSPCABBL

1,69999

• 54.5"(W) x 24"(D) x 40.375"(H)



41" 7 Drawer Top Chest – Blue SKU OUTSIDE BUY/EPO 84999 HOM41RSPCHBL

• 40.5"(W) x 23.5"(D) x 21.375" (H)

41" 9 Drawer Rolling Cabinet – Blue

SKU OUTSIDE BUY/EPO HOM41RSPRCBL

• 41"(W) x 24"(D) x 39" (H)



41" Top Hutch – Orange

SKU OUTSIDE BUY/EPO 8

• 40.75"(W) x 23.5"(D) x 24.375" (H)

41" 9 Drawer Rolling Cabinet – OrangeSKU **OUTSIDE BUY/EPO**

HOM41RSPRCO• 41"(W) x 24"(D) x 39" (H)

1,24999



27" 4 Drawer Top Chest – GreenSKU OUTSIDE BUY/EPO
HOM27RSPCHG **569 99**

• 27"(W) x 23.5"(D) x 21.375" (H)

27" 7 Drawer Roller Cabinet – Green SKU OUTSIDE BUY/EPO 899 99 HOM27RSPRCG

• 27"(W) x 24"(D) x 39" (H)



36" 4 Drawer Top Chest – Red SKU OUTSIDE BUY/EPO 69999

• 35.25"(W) x 23.5"(D) x 21.375" (H)

36" 7 Drawer Rolling Cabinet – RedSKU **OUTSIDE BUY/EPO**HOM36RSPRCR **1,129**1,129

• 36"(W) x 24"(D) x 39" (H)



Customer Responsible For Offloading, Liftgate Service Available.

For Outside Buy/EPO, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary
• Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

FOR HELP with Selection, Confirm Availability and Ordering Instructions, *Call 901-300-4878*



- 24" Deep Drawers
- Non-Slip PVC Drawer Liners
- UV Protected Finish
- 100/200 Lb. Drawer Capacity
 Constructed with 16 G Steel Frame
 - Lift Latch Drawer Pulls







54" 10 Drawer **Rolling Cabinet** with **Stainless** Steel Top - Blue

SKU **1343816** HOM54RSPCABSSBL

1,79999

• 54.5 (W) x 24 (D) x 40.375 (H)



35" 7 Drawer Flip-Top **Service Cart –** Orange SKU **1343819**

HOM35FRSCO

1,04999 • 31 (W) x 22.5 (D)

x 38.875 (H)



35" 4 Drawer Slide Top Cart – Blue

SKU **1343821** HOM35STCBL

• 35"(W) x 20.625"(D) x 42"(H)



44¹¹ 8 Drawer Power Service Cart – Grav SKU **1282738** HOMRSPR044G

• 40.5 (W) x 23.9 (D) x 40.2 (H)

Power Tool Storage Drawer and Security Box with Power Strip



3511 **Professional** 4 Drawer Flip Top Service Cart - Red SKU **1343822** HOM35PSCR **699**99

• 35"(W) x 20.5"(D) x 39.375"(H)



34" Professional **3 Drawer Service** Cart - Black

HOM34PSCBK **649**99 SKU **1267944**

• 34.5"(W) x 16.75"(D) x 39.38" (H)



32" Professional **1 Drawer Service** Cart - Blue

SKU 1343817 HOM32PSCBL

• 31.5"(W) x 17.5"(D) x 35.625" (H)



Customer Responsible For Offloading, Liftgate Service Available.

Free Delivery in 48 Continental United States
 Specifications Subject to Change without Notice or Liability
 Equipment Lead Times and Shipping May Vary
 Customers Responsible for Offloading Equipment Upon Arrival
 Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

72" 31 Drawer Professional **Chest and Cabinet Set**

SKU **662880** 24741

 Overall Dimensions: 72"(W) x 24"(D) x 67"(H)

• Storage Space: 52,299 Cubic Inches • Drawer Space: 13,906 Sq. Inches





24740	72" 15 Drawer Professional Chest	72"(W) x 24"(D) x 26"(H)	23,076 Cu. In.	\$1,799.99
24739	72" 16 Drawer Professional Cabinet	72"(W) x 24"(D) x 41"(H)	29,223 Cu. In.	\$2,099.99
	Regular Price			\$3,899.98
24741	COMBO PRICE			\$3,299.99
	SAVINGS			\$599.99

Total Loading Capacity: 4,750 Lb.

Description

Casters Rated to 880 Lb. Each

28" 7 Drawer **Tool Cart - Molded** Worktop

SKU **477172 589 99** 24566

• Dimensions: 28.3"(W) x 18.9"(D) x 40.5"(H)

• Storage Space: 9.505 Cubic Inches

• Full Extension Ball **Bearing Drawers** (100 Lb. Capacity)

 4 Bumpers on Cart Edges Help Prevent Damage to Vehicles

 Features 5" x 2" Heavy Duty Casters (Rated to 450 Lb.)



OEM TOOLS



57" 22 Drawer **Professional** Combo

SKU **662893** 24738



- · Overall Dimensions: 57"(W) x 24"(D) x 66.5"(H)
- Storage Space:

41,466 Cubic Inches • Drawer Space: 13,404 Sq. Inches						
Part #	Description	Dimensions	Storage Space	Price		
24737	57" 10 Drawer Professional Chest	57"(W) x 24"(D) x 26"(H)	18,938 Cu. In.	\$1,199.99		
24736	57" 12 Drawer Professional Cabinet	57"(W) x 24"(D) x 40.5"(H)	22,528 Cu. In.	\$1,499.99		
	Regular Price			\$2,699.98		
24738	COMBO PRICE			\$2,299.99		
	SAVINGS			\$399.99		



57" 10 Drawer Professional Chest

SKU **666333** 24737



57" 12 Drawer **Professional Cabinet**

SKU 666300 24736

1,49999

Total Loading Capacity: 2.697 Lb. Casters Rated to 880 Lb. Each

36" Slide Top 3 Drawer **Tool Cart - Green**

SKU **666298** 24731

699 REG. \$749.99

- Constructed with a 19 Gauge Steel Shell and 21 Gauge Steel Drawers
- Full Length Anodized Aluminum Drawer Pull
- Shallow Drawer Dimensions: 30" (W) x 18" (D) x 2.9" (H)
- Deep Drawer Dimensions: 30" (W) x 18" (D) x 6.1" (H)

Overall Dimensions: 36" (W) x 21" (D) x 46" (H)









Tubular

Lock for

Secure

Storage







Bearing Slides



Access Your Most Used Tools with an OEMTOOLS **Slide Top Tool Cart**

Black

SKU **662836** 24732

REG. \$749.99

Blue

SKU **662792** 24730

REG. \$749.99



Customer Responsible For Offloading, Liftgate Service Available.

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-487

Service Cart

Service Cart with Locking Lid and Drawer

SKU **512948** 24961

REG. \$249.99

- Total Load Capacity: 350 Lb.
- Drawer Loading Capacity of 75 Lb.
 Easy to Maneuver with (4) Swivel
- Casters: (2) Standard and (2) Locking
- Stays Securely in Place with (2) Locking Casters
- Durable Powder Coated Finish
 Raise-and-Release Safety Drawer Latches to Prevent Drawer from Drifting Open
- Dimensions: 36" (H) x 18" (D) x 30" (L)





Locking Lid and Drawer



(2) Standard Casters (2) Locking Casters



67* F

OEM TOOLS



Offer Good Through March 31, 2024

Benches and Trays



Professional Engine Tear Down Bench

SKU **1284971** SPLSP40415

- Tapered Bench Top to Drain Oil/Fluid Away from Work Area
- . Load Capacity: 573 Lb.
- Lockable Drawers
- Fluid Receiver: 1.3 Gallon
- . Can be Bolted to the Floor





SKU **1284959** SPLSP40400

- Combination Stainless Steel and Rubber Worktop
- Load Capacity: 2,200 Lb. (1 Ton)
- Lockable Drawers
- 3234 Cu. In. Storage Capacity
- . Can be Bolted to the Floor



Heavy Duty Workshop Bench - 59"

SKU **1284965** SPLSP40410

- Rubber Worktop
- Load Capacity: 882 Lb.
- 2074 Cu. In. Storage Capacity
- Lockable Drawers
- . Can be Bolted to the Floor



Heavy Duty Tear Down Tray and Work Table with Drawer

- 220 Lb. Capacity Adjustable Height: 34" to 47.75"
- Rubber Bumper Corners for Protection for Top Work Surface
- Includes: Top Tray Rubber Mat
- Tray Size: 28.9" x 19.8" x 1.0"
- Drawer Size: 15" x 18.5" x 2.5"
- (4) 2" x 1.25" Swivel Casters for Easy Moving



19999







1<u>99</u>99



KTOOL

TOOL ORGANIZATION

Magnetic Socket Tray Sets

3 Piece Magnetic Socket Tray Set - Metric or SAE

• Includes: (3) Trays - 1/4", 3/8" and 1/2" Drive in Metric or SAE

Blue (Metric) Metric SKU **1149155** 22486

Red (SAE) SKU 1149183 22484

Black (Metric) Metric SKU 1149156 22487

Green (SAE) SAE SKU **1149165** 22485



OEM TOOLS



6 Piece Magnetic Socket Tray Set - Metric and SAE

• Includes: (6) Trays - 1/4", 3/8" and 1/2" Drive in Both Metric and SAE

Black and Green SKU 1331490 22488







Blue and Red SKU 1331485 22489



REG. \$36.99





Tools Not Included

OEM TOOLS

SAE • 1/4" Tray Holds 2 Sets of Sockets 1/8" to 5/8"

- 3/8" Tray Holds 2 Sets of Sockets 3/8" to 7/8"
- 1/2" Tray Holds 1 Set of Sockets 3/8" to 1-1/4"

METRIC • 1/4" Tray Holds 2 Sets of Sockets 4 mm to 14 mm

Gray and Red

- 3/8" Tray Holds 2 Sets of Sockets 6 mm to 20 mm
- 1/2" Tray Holds 1 Set of Sockets 10 mm to 27 mm

2 Post Socket Travs

6 Piece Socket Tray Sets

• Metric Socket Range: 4 mm to 15 mm (1/4" Drive), 6 mm to 20 mm (3/8" Drive), 10 mm to 27 mm (1/2" Drive)

Metric

• SAE Socket Range: 1/8" to 5/8" (1/4" Drive), 1/4" to 1" (3/8" Drive), 3/8" to 1-1/4" (1/2" Drive)

Black and Green

SKU **949573** 22233 REG. \$36.99

• Includes: (6) Trays - 1/4" 3/8" and 1/2" Drive in Both Metric and SAE



Black and Orange SKU **1142583**

22418 REG. \$36.99 • Includes: (6) Trays - 1/4"




SKU **477209** 22413

SAE



3 Piece Green SKU **749921** SAE

22207 • Includes: (3) Trays - 1/4"



Tools Not Included



3 Post Socket Trays

3 Piece Socket Tray Set SKU **943126**

• Store and Organize 1/4", 3/8" and 1/2" Drive Sockets • Designed to Fit Deep, Semi Deep and Shallow Sockets

- Metric Socket Range: 4 mm to 15 mm (1/4" Drive), 6 mm to 20 mm (3/8" Drive), 10 mm to 27 mm (1/2" Drive)
- SAE Socket Range: 1/8" to 5/8" (1/4" Drive), 1/4" to 1" (3/8" Drive), 3/8" to 1-1/4" (1/2" Drive)
- Each Post Features an Extended Base for a More Secure Fit

OEM TOOLS

DEED SEMI-DEEP SHALLOW



Pro Socket Organizers

Tools Not Included
Offer Good Through March 31, 2024

22389

Magnetic 36 Socket Tray SKU **082922**

 Magnetic Socket Tray with Customizable Stud Configurations for Easy Storage and Organization

. Store Up to 36 Total Sockets -1/4", 3/8" and 1/2" Drive

· Removable Back Panel Allows Magnets to Adhere to Any Ferrous Surface







OEM TOOLS

Tools Not Included

TOOL ORGANIZATION

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Flexi-Trays

3 Piece Set SKU **943130** 22417

5999

- Includes: 10-1/2" x 5-1/4", 10-1/2" x 8-1/2" and 21" x 11-1/2" Trays
- · Withstands Motor Oil and Non-Corrosive Fluids
- · Anti-Static, Silicone Material Protects Work Surfaces from Damage and Scratching






16 Piece **Pliers Holder**

SKU **765589** 22215 **13**99



Tools Not Included


- 16 Extra-Wide Spaces for Pliers with Rubber Grips
- Vinyl Coating for Lasting Dependability
- Dimensions: 14.0" (L) x



OEM TOOLS

Drawer Organizer Trav SKU **749932**

- 22213 Rolled Bottom Edges Allow Easy Removal of Small Parts
- · Low-Profile Fits in Shallow **Toolbox Drawers**
- 10-Compartment Tray
- Stackable Design
- Dimensions: 16" (L) x 11" (W)



Magnetic Trays

Magnetic Foldable Tray (4 Pack)

SKU **1207890 94 99** 26052

• Collapsible Tray Expands from 3/4" to 2" Deep

- . Holds Up to 2 Lb.
- Multiple Color Set Keeps You Organized
- Dimensions: 4-1/2" x 4-1/2"







Tools Not Included

Magnetic Bit Holders

OEM TOOLS

4 Piece Magnetic Hex Bit Trays

SKU **1284964** 24142

REG. \$54.99 • Each Tray Holds 36 Hex Bits

 Coated Magnetic Trays Adhere to Most Metal Surfaces

Offer Good Through March 31, 2024



Magnetic Trays

- Trays Stick to Most Metal Surfaces
- · Ideal for Holding Small Parts and Tools
- Heavy Duty Stainless Steel



5" x 9"

SKU **965834** 25117C

• 2 Powerful Magnets with Protective Rubber Coating to Resist Scratching



10" x 11" SKU **965835** 25119

. 4 Powerful Magnets with Protective Rubber Coating to Resist Scratching



Paper Towel Holder

OEM TOOLS

Magnetic Paper Towel Holder

SKU **280376** 24952

 Adjusts to Fit Different Size Rolls

 3 Rubber-Faced Magnets Won't Scratch Metal Surfaces



Towel Roll Not Included

OEM TOOLS


Wrench Organizers

4 Piece Magnetic Wrench Rails

- Holds 40 Wrenches
- Rail Dimensions: 16.6" (L) x 1.9" (H)

Green SKU **749850**

22217



SKU **765514** 22219



Magnetic Wrench Organizer

SKU **662782** 22177

• Organize Up to 12 Wrenches

 Strong Magnets will Hold Organizer Upright at Full Capacity

Non-Marring Foam Backing




2 Piece Wrench **Organizing Rails - Black**

SKU **213161**

22218

· Holds 35 Wrenches • Slotted Design Will Fit a Variety of Wrench

Types and Sizes • Rail Dimensions:



Tools Not Included

Magnetic Wrench Holder and Organizer

Holds 10 SAE or Metric Wrenches

. Magnetic Base Attaches to Your Tool Box, Tool Chest, Cart or Metallic Peg Board

Length: 9-1/4", Width: 1-1/4", Depth: 2"

Green

SKU 1331491 22512

Black SKU 1331501 22513

1899



SHOP EQUIPMENT

Shop Presses

10 Ton Hydraulic Benchton Shop Press

SKU **666327** 25088

- · Removable Press Cap with 25 mm Hole to Accept OEMTOOLS Press Pin Set (#24813)
- Double Speed Pump Greatly Reduces Set-Up and Press Time
- Movable Press Head for Added Flexibility in Working Position
- Liquid Filled Pressure Gauge



VALUE: \$114.99

OFM TOOLS

Shop Press Pin Set 24813



With Purchase of: 25088 Offer Good Through March 31, 2024

20 Ton Air Hydraulic Shop Press

SKU **662928** 25087

- · Removable Press Cap with 25 mm Hole to Accept OEMTOOLS Press Pin Set (#24813) Air/Hydraulic **Pump Provides Added Versatility Double Speed Pump Greatly** Reduces Set-Up and Press Time
- Movable Press Head for Flexibility of Working Positions
- Liquid Filled Pressure Gauge for Accurate Pressure Readings
- Durable Powder Coated Steel Frame
- Includes Press Blocks



20 Ton Shop Press SKU **300134**

24810

OEM TOOLS

- · Stronger Compared to Similar Lighter Weight Shop Presses on the Market
- Includes Press Plates
- Remove and Install Bearings, Gears, U-Joints, Bushings, Ball Joints and Pulleys
- Multi-Position Bed for Work Height Adjustment
- Max. Height: 31.5"
- Max. Width: 21.75

Super Heavy Duty



30 Ton Super Duty Shop Press

SKU **954213** AFF852ASD

- Shatter Resistant Polycarbonate Shield Provides Maximum Protection Against Shrapnel and Debris
- Includes: 2 Piece Press Plate Set and 10 Piece Press Pin Adapter Set
- · Glycerin Filled Gauge **Accurately Shows** Pressing Force
- · Double Pump Air Motor for **Faster Speeds**
- 7 Position Bed Height Configuration



50 Ton Super **Duty Shop Press**

SKU **954201** AFF854ASD

Universal Press Support

SKU **804487** 24809

- . Will Make your Shop Press Safe and Easy to Use
- Supports in 3 Points to Ensure Safe Support Without Any Wobbling
- Numerous Holes on Main Block and Swivel Element for Easy Set-Up
- Swivel Element and Removable/Height Adjustable Anvil Bolts Allow Adjustment to Individual Requirements

• Dimensions: 7-3/4" (W) x 9-3/4" (L) x 1-1/2" (H)

Shop Press Pin Set

SKU **544794** 24813

• Includes Set of 8 Press Pins (2-20 Ton

- Capacity) with 25 mm Ram Adapter · Suitable for Use with Hydraulic Ram Style Shop
- Presses That Have a Female Ram Assembly Diameter of 25 mm and are Secured with a Bolt
- Works with 0EMT00LS 24811, 24812, 25087 and 25088
- . Not for Use with Bottle Jack Style Shop Presses

Arbor Plate Set

SKU **1053951** AFF832AK12

- 2 Piece Notched Set
- · 30 Ton Capacity
- 11.5" x 11.5" x 1.375" (Thick)





OEM TOOLS

M TOOLS


OEM TOOLS

Bearing Separators

5 Ton Bar-Type Puller/Bearing Separator Set


SKU **347218** 27236

- · Separator Tools are Used with Bar Puller and Legs for a Wide Variety of Pulling Jobs
- Set Includes: 2" and 3" Bearing Splitters, 4 Sets of Hex Push-Puller Legs and a Bar-Type Puller Head with a 9/16" Forcing Screw



SKU **514005**

- Maximum Spread: 15/16'
- Minimum Spread: 1/4"
- Thread of Tapped Holes in Adapter: 5/16" to 18"
- Distance Between Adjusting Screws: 1-11/16"



Bearing Splitter 1/2" to 4-5/8" SKU **514006**

27232



OEM TOOLS

Vacuum Blower

Air Blow and Suction Gun SKU **1168663** REG. \$49.99

 One Touch Button that Changes the Gun from Blow to Suction

- Standard Shop Vacuum Power for Quick and Easy Clean Up
- Lightweight Gun
- High Filtration Collection Bag Rugged and Durable Metal Construction and Easy to Use Trigger
- 1/4" PT/NPT Inlet and 90 psi





Offer Good Through March 31, 2024

SHOP EQUIPMEN

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Aqueous Parts Washers | 0EMT00LS® aqueous parts washers give you all the cleaning power of a solvent parts washer but use cleaning solutions that are safe and biodegradable. (These washers are not compatible with solvent based solutions.)

- Parts Washers Works with Safe Water-Based Cleaning Solutions Only (Not for Use with Solvents)
 - 325 GPH Pump
 - · Includes a Drain Shelf

3.5 Gallon **Bench Top** SKU 300128

24800 **139**99

• Dimensions: 18" (L) x 13-1/2" (W)



SKU **546660**

179⁹⁹

• 4 GPM Pump

· Lid Has Positive Seal

• Dimensions: 26" (L) x

18" (W) x 9.5" (H)

and Latches for Mobility

24804

20 Gallon Mobile SKU **750449** 24805

- · 4" Casters for Maneuverability
- Drain Tray with 2.9 Gallon Collection Reservoir
- Dimensions: 38" x 21.5" x 37'



• Fully Flexible Nozzle

 Tank is Made of Powder-Coated 20 Gauge Steel for Durability and Rust Resistance

20 Gallon

Offer Good Through March 31, 2024

SKU **300117 REG. \$299.99**

24801 Small Parts Tray



40 Gallon

SKU **300118** 24803

REG. \$479.99

Small Parts Tray

Dimensions: 44.75" (L) x 20.5" (W) x 35" (H)





Pneumatic Heated Parts Washer Cabinet

SKU **1330681** 24677

• Uses Compressed Air to Spray Heated

- Cleaner for Maximum Cleaning Effectiveness • Fully Enclosed Chamber Keeps Cleaning
- Solution and Debris Contained
- . Thermostat Controlled Heating Element Heats Cleaning Solution Up to 140°F (60°C)
- Fluorescent Lighting Inside Cabinet Illuminates Work Area
- Built-In Vent Fan Improves Visibility Inside Chamber While Cleaning
- Built-In Air Pressure Regulator and Gauge
- Adjustable Leveling Pads for Added Stability on Uneven Floors
- Holds up to 3.5 Gallons of Cleaning Solution

Portable Bucket-Top Parts Washer SKU **003759**

REG. \$59.99

• Fits Most Standard 5 Gallon Buckets

24816

 Includes: Submersible Pump, 40" Hose and Flow-Through Brush

Pumping Rate: 1 GPM

Offer Good Through March 31, 2024

Solvent Parts Washers

4 Gallon Mobile Parts Washer

Stamped 30 Gallon Solvent Parts Washer

SKU OUTSIDE BUY/EPO BACAZSWH1630

8**59**99

• Includes: Stamped Tub, Gas Shock Lid Assist Cover, 210 GPH Pump and Flow Thru Cleaning Brush



30 Gallon Solvent Parts Washer

SKU OUTSIDE BUY/EPO

BACAZT30 85999

Includes: 170 GPH Pump, Crumb Cup with Reusable Filter Bag, 30 Gallon Drum and Baggie Liner



30 Gallon Heated **Aqueous Parts** Washer

SKU OUTSIDE BUY/EPO BACAZAQ30

Include

• Includes: Stainless Steel Sink 300 GPH Recirculating Pump, Flex Hose with Flow Thru Brush, 900W Drum Heater and 30 Gallon Plastic Drum



BUILD-ALL

Aqueous Parts Washer Degreaser SKU OUTSIDE BUY/EPO

BACAZAQD

25499

- 5 Gallon Pail
- · Aqueous Degreasing Concentrate
- Environmentally Friendly
- Non-Hazardous

To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878

LINCOLN

Washer Accessories

Straight Handle Flow Thru Parts **Washer Brush**

BRMPWA



- Made with Synthetic Filaments to Resist Solvent Cleaners
- Works with Most Popular Recirculating Parts Washers
- For Use in Either Petroleum-Based or Water Based Solutions

Parts Washer Brush without Tube

SKU **1368624** BRMPWANT



Air Operated **Sprayer**

SKU **222507** LIN5983



- 1/4" NPT (F) Inlet
- Max. Operating Pressure: 150 psi
- Can Be Used with Solvents or Detergent Solutions



Solvent-Free Cleaning Solutions

Heavy Duty Degreaser Concentrate (5 Gallons)

SKU **227558** WWSHD-5G

Designed to Effectively Replace Hazardous Solvent in Water-Based Parts Washers

· Quickly Removes Grease, Oil, Carbon and Grime While Safe for the Technician

Storm Ultra Spray Wash Solution (5 Gallons)

SKU **227559** WWSSU-5G

29999

 Professional Wash Solution for Heated Spray Cabinet/Jet Cabinet Style Parts Washing Equipment



AZG0124

WATER WORKS

Key Machines

- Includes Three Functions: Copy by Original, Decode and Cut by Code
- Fast Key Search Enter Make/Model/Year and the Software Guides You Through the Process
- US Based Tech Support Available

Futura Auto Electric Key Machine

SKU **1267953** KABFUTURAAUTO

- User Friendly Software with Step-By-Step Instructions
- Multiple Language Support
- · Step-By-Step Calibration
- Automatic Tip Detection for Tip Gauged Keys



Futura Pro Electric Key Machine

SKU **1267950** KABFUTURAPRO 10,449°°



Smart Pro™ Vehicle Key Programmer

SKU OUTSIDE BUY/EPO **KABSMARTPRO**

4,749⁹⁹

• Includes 1 Year of Free Unlimited Token Plan





Popular Remote Assortment Kits

35 Piece **Most Popular** SKU **1267947** KAB0221-35

1.44999

35 Piece Most **Popular Late Model** SKU **1267965**

KAB0221-35LM 1,55999

100 Piece **Most Popular** SKU **1267939** KAB0221-100





Go To AZTOOL1.com for **Remote Kit Component List** and Application Chart

Abrasive Blasting

Bench Top Abrasive Blast Cabinet

SKU **300119** 24815

- · Easily Remove Paint, Rust and Oxidation · Fits on the End of
- Any Bench or Cabinet Ovérall Height: 19.3"
- Exterior Width: 19.3"
- . Work Area: 3.18 Cubic Ft. • Includes 10 Replaceable Window Underlays

25 Lb. Glass Bead Blasting Media

- Ideal for Many Uses
- Prevents Surface Rust
- Paint and Body Applications

Coarse Grit Media SKU **010136** SHA13077

Medium Grit Media SKU **010139** SHA13078



OFM TOOLS

For Use with OEMTOOLS® 24815 Abrasive Blast Cabinet

Spray Wash Cabinets

- Heavy Duty Steel Construction
- Removable Parts Tree
- Brass Nozzles · Heavy Duty
- **Rubber Casters** Stainless Oil Skimmer
- Removable Tank Screen



Inside Height 43"



Ranger

Each Includes 20 Lb. Aluma-Klean **Soap Bucket** SKU **751966** RAN5155096



129⁹⁹ VALUE

SKU	Part #	Product	Tank Capacity	Load Capacity	Price
1105323	RANRS500DS	Stainless Steel	50 Gallon	500 Lb. Load	9,999.99
1089035	RANRS750DS	Stainless Steel Truck	53 Gallon	1,000 Lb. Load	10,599.99
82919	RANRS500D	Professional	50 Gallon	500 Lb. Load	<i>6,899.99</i>
82920	RANRS750D	Truck	53 Gallon	1,000 Lb. Load	7,549.99



Customer Responsible For Offloading, Liftgate Service Available.

Vises

OEM TOOLS

4.5" Light **Duty Bench Vise** with Swivel Base

SKU **751645** 24216

. Clamping Strength: 100 Lb.



OEM TOOLS

SHARK

4" Heavy **Duty Bench Vise** with Swivel Base SKU **751643**

24217 · Clamping Strength: 200 Lb.



Professional Workshop Vise

• Replaceable, Reversible Jaws

6.5" SKU **394648**

KTL64065 **399**99

• Jaw Width: 6-1/2"

• Jaw Opening: 9'

EX Kan-Tool

5.5" SKU **394642** KTL64055

- Jaw Width: 5-1/2"
- Jaw Opening: 7-1/2"



Drill Press

15" 16 Speed Floor Drill Press SKU **082857**

24992 • Drilling Depth: 3-5/16"

- 16 Speed Spindle: 240 to 3,200 RPM
- Dimensions: 15" x 25-1/3" x 63-1/3"
- Distance from Spindle to Table: 27" • Distance from Spindle

to Base: 47'

Chuck Size: 5/8" JT3 **Taper**



OEM TOOLS



Prices subject to change without notice. Prices do not include applicable taxes, vehicles, tires, rims, installation or optional equipment as shown. Please do not return purchases to the store. For information regarding warranty, repair, or any questions or concerns, call 901-300-4878.

Dual Fuel Powered Generators

3500 Watt Dual Fuel Electric Start Generator

SKU **OUTSIDE BUY/EPO** CHM200966

- 3500-Watt Portable Generator Operates on Either Gasoline or Propane
- . Unit Holds 0.6 Quarts of Oil (Included) and Features a Low Oil Shut-Off Switch
- Power Up the 208cc Champion Engine with the Handy Rocker Switch, Battery Included
- . Keep Track of Voltage, Frequency and Run-Time Hours to Easily Monitor Output and Track Maintenance Intervals
- Volt Guard™ Built-In Surge Protector Protects Your Generator from Electrical Voltage Spikes

WARRANTY: 3 Years Limited

5500 Watt Dual Fuel Portable Generator SKU **OUTSIDE BUY/EPO** CHM100231

- Dual Fuel Runs on Gas or Propane Straight Out of the Box
- 6,900 Starting Watts, 5,500 Running Watts
- Up to 9 Hours Run Time on a Full Tank of Gas and Up to 6.5 Hours on a 20 Lb. Propane Tank
- Powered by a Reliable 389cc Champion Engine
- Outlets: 120V/240V 30A Locking, (2) GFCI 120V 20A Duplex Outlets
- Volt Guard[™] Built-In Surge Protector Prevents Overloads and Keeps Your Appliances and Equipment Safe



CARB Compliant

CHAMPION



CARB Compliant

Pressure Washers

3100 psi 2.2GPM Gas Cold Water Pressure Washer SKU **OUTSIDE BUY/EPO**

CHM100780

• Ergonomic Comfort Grip Trigger Gun Reduces Fatigue, Plus Onboard Storage for the High Pressure, Hose, Trigger Gun and Spray Wand

- High-Performance Annovi Reverberi Axial Cam Pump Provides Consistent Cleaning for Everyday Jobs
- Includes: Quick-Connect Nozzles (5). Storage Strap, High Pressure Hose (25 ft.), Trigger Gun, Detergent Hose, Oil Funnel. Spray Wand and Engine Oil

WARRANTY: 2 Years Limited



HSE 1.500 psi 2.0GPM SKU **OUTSIDE BUY/EPO**

MTMHSE15020MM

- Temperature Rise: 150°F (66°C); Max Outlet Temperature: 200°F
- Unit Includes: (4) Quick Connect Nozzles, 50' x 3/8" Wire-Braided High Pressure Hose, Insulated Trigger Gun with Safety Lock and Adjustable Pressure Insulated Dual Lance
- 35' Power Cord



WARRANTY: 1 Year Electric Motor, 3 Years Coil and 7 Years Mi-T-M Pumps

For Outside Buy/EPO, Call 901-300-4878

Gas Powered Electric Start Generators

9200 Watt Portable Generator with Carburetor-Free Electronic Fuel Injection Engine and CO Shield®

SKU OUTSIDE BUY/EPO CHM100485

- Includes: Smart Charger, Wheel Kit, Engine Oil, Oil Funnel • Featuring Powerful 11,500 Starting Watts and 9200 Running
- Watts, 459cc Champion EFI Engine Ensures Optimal Performance at All Temperatures and Altitudes Resulting in Up to 25% Savings on Fuel
- EFI Technology Reduces Carbon Monoxide Emissions By up to 60%, Making Portable Generators More Environmentally Friendly



CARB Compliant

12,000 Watt Portable **Generator with Electric Start**

SKU **OUTSIDE BUY/EPO** CHM100111

- Touch Start Push-Button Electric Start (Battery Included)
- 15,000 Starting Watts, 12,000 Running Watts with Up to 9 Hours Run Time on a Full Tank of Gas
- Powered by a Reliable 717cc Champion V-Twin Engine
- · Durable Steel Frame with a Lift Hook for Safe and Easy Transport
- Covered Outlets -120/240V 50A, 120/240V 30A Locking. 120V 30A Locking, (4) 120V 20A GFČÍ Protected Household Outlets
- Volt Guard™ Built-In Surge Protector Prevents Overloads and Keeps Your Appliances and **Equipment Safe**



CARB Compliant

Pipe Bender

BendPak.

BB-2 Pipe Bender with 302 Die Package

SKU **1368619** BENBB2

- · Knee Control and Depth-of-Bend Degree Plate for **Manual Bending Operations**
- Includes: BB-2 Tooling Package, Quick Release Bending and Finishing Dies, High-Speed Clampless Swager and Internal Expander



Large 3" Die Package – Optional SKU **1368621** BEN300-1

 Optional Die Package Extends the Bending Capabilities of Your BendPak Pipe Bender



AZG0124

Inverter Generators

4500 Watt Inverter Generator SKU OUTSIDE BUY/EPO CHM200989

- Quiet Technology and Extended Run Time
- Parallel Ready
- Clean Power for Sensitive Electronics Includes: a 120V 30A
- RV (TT-30R), Two 120V 20A Household Outlets (5-20R) and Dual USB Outlets (5V DC, 2.1A)



CARB Compliant

3100 Watt RV Ready Portable Inverter Generator 1.04999

SKU **OUTSIDE BUY/EPO** CHM755311

· Quiet, Lightweight and Portable - Operates at 58 dBA and Weighs Less than 99 Lb. with Wheel Kit

- . 3,100 Starting Watts, 2,800 Running Watts with up to 8 Hours Runtime on a Full Tank of Gas
- RV Ready Outlets 120V 30A RV, (2) 120V 20A Household, (1)12V DC Outlet



CARB Compliant


WELDING & CUTTING

Welding/Cutting

OEM TOOLS

Spot Welder 120V SKU **814396** 24819

- Convenient 120V AC Input Power
- Spot Welds Uncoated Mild Steel Including Galvanized and Stainless
- Output Current: 13.5A
- Rated Duty Cycle: 50% @ 1.5kVA



SKU **8**14197 **249**99

24817

- Rated Duty Cycle: 20% @ 70 Amps
- Adjustable Wire Feed Speed
- . High and Low Output Settings
- Includes: Welder, Welding Gun and Cable, Ground Cable with Clamp, Chipping Hammer/Brush, 1 Spool of .035" Flux Core Wire and Protective Face Shield with Welding Lens



Stick Welder 110V 70 Amp

SKU **814387** 24818

REG. \$149.99

OEM TOOLS

- DC Inverter Powered for Improved Efficiency and Control
- Lightweight and Portable
- Welds Mild Steel, Stainless and Cast Iron
 Includes: Welder, 5' Ground Cable and Clamp, 6.5' Electrode Cable and Rod Holder, Shoulder Strap Mask and Combo Brush/Hammer



MIG Welder (130 Amp) SKU **OUTSIDE BUY/EPO HSAHSW-6213**

- · Features Wire Speed and Power Settings by Material/Wire Thickness
- 115 Volt Line
- Includes: Inverter Power Supply, Torch, Earth Clamp, Gas Regulator and Welding Wire



Multi-MIG Welder

SKU **OUTSIDE BUY/EPO** HSAHSW642003



- TIG and Stick Applications • 16 Synergic Programs for Steel, Aluminum and Silicone Bronze on LCD Display
- Dual Input Voltage 115/230V (with Voltage Adapter)
- Spool Gun Ready for Aluminum and Silicone Bronze MIG Welding
- Package Includes: Inverter Power Supply, MIG Torch, TIG Foot Pedal, Stick Electrode Holder, Gas Regulator with Hose, Welding Wire and TIG Starter Kit



40A Plasma Cutter (115-230VAC) SKU **OUTSIDE BUY/EPO**

HSAHSW-6004 • Genuine Cut 1/2" & Severance Cut

- 1" Mild Steel 115V or 230V
- High-Powered Inverter CSA/UL Rated 40A @ 50% DC
- LCD Display Output Power, Air Pressure, Grid or Standard Cut
- Includes: Plasma with Regulator-Filter, 48 Gun, Earth Clamp Cable, 115V Adapter and Spare Contact Drag Tips and Electrodes



MIG Welder (140 Amp)

SKU **OUTSIDE BUY/EPO** HSAHSW-6214

- Includes Inverter Power Supply, Torch, Earth Clamp, Gas Regulator with Hose, Steel Welding Wire and Operator Manual
- · Features Digital Voltage, Wire Speed and Amperage Display, Adjustable Wave Control, Plus Torch
- 115 Volt Line



Welding Cart with Cylinder Support

SKU **1105340 HSAHSW-7000**

- Heavy-Duty Cart with Extended Shelf for Inverter Machines
- 150 Lb. Capacity
- Steel Hub Wheels with Bearings





Spool Gun 20' Silicone, **Bronze and Fe** SKU OUTSIDE BUY/EPO

HSAHSW-7020

- 220A Spool Gun with 20' Coaxial Power Cable
- Direct-Connect Cables for 140A - 200A Welders
- · Speed Adjust Potentiometer on Handle







WELDING & CUTTING

Auto

24357

Darkening

SKU **362974**

· Viewing Area:

Includes

3.54" x 1.37'

Replacement

Cover Lenses

Battery Powered

with Solar Assist

Welding Helmet

• TIG Rated Variable Shade 9 to 13

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

> **Mechanics Butane Mini Torch**

SKU **804655**

· Adjustable Flame

Safety Lock When

Not in Use

Lights Upside Down

24353

Welding Helmets

Auto Darkening Welding Helmet

SKU **1089051** HSAHSW-7030

· Large Visibility Auto Darkening Lens (4.5" X 5.25")

 Adjustable Grind/Weld, 9 to 13 DIN, Sensitivity and Delay

 Solar Cell and Lithium Battery Power

 Spare Inner and Outer Protective Lenses

· Helmet Bag Included

Welding Helmet

SKU **347233**

24358

with Grinding Function



OFM TOOLS

• TIG Rated Variable Shade 9-13 · Variable Sensitivity and Delay Controls 2 Independent Arc Sensors

Grinding Function

· Lens Darkening is 1/25,000

 Battery Powered with Solar Assist Includes

Replacement Cover Lenses • Viewing Area:

3.62" x 1.65"



JACKSON **Premium Welding Helmet - Gray Matter** SKU **OUTSIDE BUY/EPO** JAS47102

• 6.24 Sq. Inch Viewing Area

· Auto Darkening Filter Meets 1/1/1/1 Optical Clarity Standard, the Highest in the Industry

Powered By Solar Technology and (1) CR2032 Lithium Battery



OEM TOOLS

For Outside Buy/EPO, Call 901-300-4878

Soldering

Butane Torche

Mechanics

SKU **802236**

24354

Butane Torch

· Heavy Duty Piezo Ignition

with Strong Flame

SKU **1189064** 20910

• Butane Flow Regulator for Flame Adjustment

. Dual Flame Mode for Controlled or Continuous Flame Output

 Safety Feature Allows User to Lock Torch When Not in Use



logix

Butane Not Included

OEM TOOLS

SKU **420338** 24355

· Cable Free

Professional 3-in-1 Butane Micro Torch Kit

Butane Not Included

SKU **420339** 24356

REG. \$41.99 • 3-in-1 Design Can Be Used as a

Soldering Iron, Torch or Hot Air Blower without Iron Tip • Micro Torch Kit Includes: Torch, Metal Tip

Wicking Cup with Sponge, Heat-Shrink Deflector, Chisel Point Tip, Anvil Solder Tip, Needle Tip and Hot Air/Soldering Tip and Base

 Ideal for Use with Electrical Repair, Tin and Plastic Melting, Heat-Shrinkable Tubing, Auto Repair, Hobby Repair and Jewelry Repair

> Butane Not Included Offer Good Through March 31, 2024

Power Range: 30W to 125W



OEM TOOLS

Soldering Gun. General Purpose Soldering Tip, Plastic Cutting Tip and 0.5 Oz. (14g) Rosin Core Solder Reaches Max. Temperature of 937°F at

Low Power

High Power

• 120V, 150/230W, 60 Hz



AZG0124

Welding Accessories

Professional MIG/Stick Welding Gloves SKU **1125890**

HSAHSW-9006 • Comfort Lined Welding Glove for

Added Heat Protection · Kevlar-Stitched for

Extra Durability Made in Select Cow Split Leather Used for High

Dexterity, Protection and Durability • 14" Glove Length



Premium TIG/MIG Welding Gloves

SKU 1137810 HSAHSW-9007

· Premium Glove for TIG Welding; Also Suitable for MIG

 Wing Thumb and 6" Split Leather Extended Cuff Kevlar-Stitched for

Extra Durability Used for Maximum

Dexterity and Protection

14" Glove Length



Mini-Ductor

Mini-Ductor II SKU **OUTSIDE BUY/EPO** IDIMD-700

· Ergonomic Cylinder

- No-Slip Grenade Grip
- LED Illumination
- Push Button Activation

For Outside Buy/EPO,

• Operates on 120 Volts/1000 Watts of Power



- Bearing Buddy Coil and Carrying Case Weight: 5.6 Lb.
- 110 Volts
- 1,000 Watts











Auto Ignition, Refillable

OEM TOOLS

Butane Not Included

O=M TOOLS **Professional 3-in-1 Butane Soldering Iron Kit** 3499

Professional

24773

• Includes: Soldering Iron, Metal Tip Wicking Cup with Sponge, Solder Wire, Protective Tip Cap, Heat-Shrink Deflector, Chisel Point Tip, Anvil Solder Tip, Needle Tip and Hot Air/Soldering Tip



OEM TOOLS

Soldering Gun Kit SKU **1362003** • Includes: Heavy-Duty 230/150-Watt

• Reaches Max. Temperature of 1400°F at



Combo Wrench Sets

RingStop® Reversible **Ratcheting Wrench Set**

- Patented RingStop® Design Makes One-Hand Use Easy
- Posi-Grip No-Slip[®] Design
- Jaw is 15° Offset
- . Made with Chrome Vanadium Steel



Go Thru Ratcheting Head

8 Piece Set (SAE) SKU **803139** 23989 499

 SAE Sizes: 5/16", 3/8", 7/16" 1/2", 9/16", 5/8", 11/16" and 3/4"

Set (SAE)

22979



12 Piece Set (Metric)

SKU **803140** 23988

· Metric Sizes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17. 18 and 19 mm



15" Width x 10" Depth

12 Piece Go Thru Socket Set (Metric)

22978

Offers Good While Supplies Last Through March 31, 2024

With Purchase of 23988

Flex Head Flare Nut Wrench Set 5 Piece (SAE)

SKU **749849** 22063

• 1/4" x 5/16", 3/8" x 7/16", 1/2" x 9/16", 5/8" x 11/16", 3/4" x 7/8'



6 Piece (Metric)

SKU **749930** 22064

• 9 mm x 11 mm, 10 mm x 12 mm. 13 mm x 14 mm, 15 mm x 17 mm, 16 mm x 18 mm, 19 mm x 21 mm

OEM TOOLS

Medium Fuel Line Hose Clamp 25379



With Purchase of 22063 or 22064

Offer Good While Supplies Last Through March 31, 2024

Combo Wrench Sets

8 Piece Go Thru Socket

14 Piece (SAE)

With Purchase of 23989

SKU **802222** 23993 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 7/8", 15/16", 1", 1-1/16" and 1-1/8"

16 Piece (Metric) SKU **802224**

23994 • 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21 and



10 Piece Combination Wrench Set (Metric)

SKU **127920** 22995

- Includes: 10 to 19 mm
- Posi-Grip No-Slip® Design Provides Off-Corner Loading for Greater Torque with More Socket-To-Fastener Contact
- . Marked on All 4 Sides for Easy Identification



JUMBO WRENCHES Jumbo wrenches are made of high quality drop forged steel and are precision machined to prevent fastener damage.



Individual Jumbo Wrenches Available on AZTOOL1.COM

SKU	Part #	SAE SIZE	Price
338859	22102	1-1/16"	15.99
338864	22103	1-1/8"	17.99
338866	22104	1-1/4"	19.99
338868	22105	1-5/16"	21.99
338877	22106	1-3/8"	23.99
338890	22107	1-7/16"	<i>25.99</i>
338896	22108	1-1/2"	27.99
338898	22109	1-5/8"	29.99
338903	22110	1-3/4"	31.99
338935	22111	1-7/8"	34.99



M TOOLS

Ratcheting Combination Wrenches

- · Ratcheting Box End Requires Only 5° to Move Fasteners
- 12 Point Design Providing More Positions to Engage the Fastener

16 Piece (Metric)

SKU **213125 264 99** KDT9416

- Includes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 and 24 mm
- 13 Piece (SAE)

SKU **213095** KDT9312

• Includes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1"

GEARWRENCH



Wrench Extender

Wrench Extender SKU **1368628** 22656

Safely Provides Extra Leverage to Loosen

Rusted Bolts, Jammed Fasteners, or Over-Tightened Nuts Great for Use on Those Hard to Reach Fasteners



IAND TOOLS

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

OEM TOOLS **Ratcheting Screwdriver Pivot-Grip Ratcheting Screwdriver** SKU **004103 71** 99 22557

- · Pivoting Handle Provides Ergonomic **Gripping Positions**
- Forward and Reverse Ratcheting
- . Magnetic Bit Shaft for a Secure Fit
- Overall Length: 10"
- Internal Bit Cartridge for Convenient Storage
- Includes: 6 Bits: Phillips (#1, #2). Slotted (4 mm, 6 mm) and Robinson (#1, #2)



Pivoting Handle Rotates from Straight-Grip to Pistol-Grip

OEM TOOLS

22555

Multi-Bit Screwdriver

13-in-1 Screwdriver. **Nut Driver and Schråder Valve Tool**

SKU **1142444** 22588

• Includes Bit Sizes: Slotted (3/16", 1/4"), Phillips (#1, #2), Square (#1, #2), Torx (T10, T15) Includes Specialized Schrader Valve Core Bit Screwdriver

 Shaft Converts to Nut Driver Sizes: 1/4". 5/16" and 3/8"



Long Reach Screwdrivers

• High Performance Hex Shaped Shaft for More Torque and Less Flex • Precision Machined and Sand Blasted Tips That Reduce Cam-Out

• Durable Ergonomic Handles are Made of Hardened Resin

5/16" x 20" Slotted Screwdriver SKU **1142473**

22555 #2 x 20" **Phillips Screwdriver**

22574

SKU **1142485**

δŌ,

20"



3-Sided Comfort Handle



Extra Long Blades for Hard to Reach and Recessed Fasteners in Tight Spaces

Screwdrivers

19 Piece Screwdriver Set

SKU **1142325** 73775



- Slotted: 3/32" x 1.5", 1/8" x 2.5", 3/16" x 4", 3/16" x 8" (Cabinet Tip), 1/4" x 1.5" (Stubby), 1/4" x 4", 1/4" x 6", 5/16" x 6", 3/8" x 8"
- Phillips: #0 x 1.5", #0 x 2.5", #1 x 3", #2 x 1.5" (Stubby), #2 x 4", #2 x 8", #3 x 6", #4 x 8"
- Offset: 3/16" x #1, 1/4" x #2
- . Magnetic Tips Hold Fasteners in Place
- Square Shafts Can be Used with Wrench for More Torque
- · Hexagon Shaped Handles Prevent Roll Off
- Color Coded Fluting Defines Driver Type





Impact Resistant Acetate Handle (Fluted for Better Grip)



Star Screwdrivers

GreatNeck 5 Piece Star Screwdriver Set

SKU **1142630** 73721

• Star (T10 x 4", T15 x 4", T20 x 4" T25 x 5", T30 x 6")





GEARWRENCH

7 Piece Torx® Dual Material Screwdriver Set

SKU **1368625** KDT80071H



- Torx® Sizes Included: T10, T15, T20, T25, T27, T30, T40
- "Speed Zone" Handle Design for Faster Rotation in Low-Torque Applications
- Non-Slip Black Oxide Tip for More Secure Fit in Fastener
- 6" Laser Etched Blades with Part Number and Size for Quick Identification



8 Piece Mechanics Screwdriver Set

SKU **802208** 23999



- . EVA Tray with Custom Cut Contrast Soft Foam and Sizes Marked for Easy Identification, Designed to Fit Securely in a Cabinet or Tool Box
- Features a Hard Chrome™ Finish, an Easy-to-Clean Smooth Satin Finish That Won't Show Prints and Keeps Rust Away
- · Custom Cut of the Tool is a Hi-Vis Green Making it Visible if a Tool is Missing
- Slotted: 1/4" x 1-1/2", 3/16" x 3", 1/4" x 4", 5/16" x 6" and 3/8" x 8"





Hex Key Sets

- Manganese Phosphate Finish Resists Corrosion
- 25° Entry Angle for Better Work Near Obstructions
- Long Arms Provide for Increased Torque and Extra Reach



OFM TOOLS

35 Piece SAE, Metric and Star

SKU 1168819 24249















AZG0124

Offers Good Through March 31, 2024

Gasket Scraper Set

26501

3 Piece Gasket Scraper Set SKU **1069069**

• Includes: 3/4", 1" and 1-1/2" Gasket Scrapers





OEM TOOLS

10 mm Socket Set

10 Piece 10 mm Master Socket Set (Metric)

SKU **1267951 90**99 22463

- . Magnetic Impact Sockets are Constructed with Chrome Molybdenum for Strength and Durability
- Includes: (5) 1/4" Drive Sockets and (5) 3/8" Drive Sockets

If You Know, You Know

OEM TOOLS

10 mm

Mechanics Set

64 Piece 1/4" Drive Metric Set SKU **020788** 23997

- Shallow Sockets, 6 Pt: 4 to 15 mm
- Deep Sockets, 6 Pt: 4 to 15 mm
- Drive Wobble Straight Extension
- . Bit Extension Bars: 6" and 10"
- · Ratchet Screwdriver



- Universal Joint
- Ratchet
- 28 Bits



Ratchet and Socket Set

OEM TOOLS

26 Piece 1/2" Drive Ratchet and Socket Set

SKU **591154** 23995

• Includes: (21) 6 Pt. Metric and SAE Sockets (1) 1/2" Dr. Extension Bar 3" (1) 1/2" Dr. Extension Bar L6 (1) 1/2" Swivel U-Joint (1) 1/2" Dr. Regular Ratchet



Universal Joints

1/4" Drive

SKU **081225** 22520

3/8" Drive SKU **081226**

22521 1/2" Drive

SKU **081227** 22522

(Style May Vary)



Socket Adapters

3 Piece Low-Profile Adapter Set

SKU **818570** 22535

· CR-V Steel for Strength Get into Tighter Spaces

1/4" F x 3/8" M. 3/8" F x 1/2" M, and 1/2" F x 3/4" M





OEM TOOLS

FOAM

Socket Sets

- Posi-Grip No-Slip®
- . Off Corner Loading for Greater Torque
- Knurling Position for Best Finger Gripping
- Chamfered Ends Allow the Socket to Easily Slip Over the Bolt Head
- Deep Marking for Easy Identification

1/4" Drive Socket Sets

10 Piece (SAE)

SKU **127786** 22952

• 3/16" to 9/16"

12 Piece (Metric)

SKU **127836** 22950

• 5 mm to 15 mm

SKU **127791** 22953A

• 3/16" to 9/16"

10 Piece Deep (SAE) 12 Piece Deep (Metric)

SKU **127772** 22951

• 5 to 15 mm

10 Piece 1/4" Deep (SAE)

SKU **850056 94 99** 23985

• Includes: 3/16" to 9/16"

12 Piece 1/4" Deep (Metric)

SKU **850510 90**99 23986

Includes:

5 mm to 15 mm



10" Width x 4" Depth

3/8" Drive Socket Sets

11 Piece (SAE)

12 Piece (Metric)

SKU **127798** 22956

• 1/4" to 7/8"

SKU **127794**

22954

• 8 mm to 19 mm

11 Piece Deep (SAE) 12 Piece Deep (Metric) SKU **127803**

22957

SKU **127797** 22955

• 1/4" to 7/8'



12 Piece 3/8" Deep Socket Set (Metric)

SKU **103402 2199** 23981

• Includes: 8 mm to 19 mm



10" Width x 7" Depth

24 Piece 3/8" Dr. Socket Set (Metric)

• Includes: 8-19 mm (Deep) and 8-19 mm (Shallow)



1/2" Drive Socket Sets

22960

• 1/2" to 1-1/8"

SKU **127807**

• 10 mm to 19 mm

11 Piece Deep (SAE) 10 Piece Deep (Metric) SKU **127846**

SKU **127868** 22963

22 Piece 3/8" Drive

Socket Set (SAE) SKU **127869**

22962 · Includes: 1/4" to 7/8" (Deep); 1/4" to 7/8" (Shallow)



11 Piece (SAE) SKU **127812**

10 Piece (Metric)

22958

22961

• 1/2" to 1-1/8"







TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Spiral and Square Bit Sets

5 Piece Spiral Drive Bit Set SKU **80223**4

22975 • 3/8" Drive: MTS0, MTS1, MTS2, MTS3 and MTS4





10 Piece Extra Long XZN Triple Square Spline Bit Socket Set

SKU **1368626** 23519 REG. \$44.99

• Sizes Included: M4, M5, M6, M8, M9, M10, M12, (Tamper Proof) M14, M16, M18

Socket Length: 3.93





Offer Good Through March 31, 2024

10 Piece Magnetic Long Triple Square **Bit Socket Set**

SKU 1313567 23907



Socket Length: 3.93"



OEM TOOLS

9 Piece Triple Square Bit Set

SKU **191052** 25953

• 1/4" Drive: M4, M5 and M6 (Length: 37 mm)

• 3/8" Drive: M8, M10 and M12 (Length: 48 mm)

• 1/2" Drive Tamper-Proof: M14. M16 and M18 (Length: 55 mm)



10 Piece Triple Square Bit Socket Set

SKU **1368630** 22711

• Use on European Vehicles Like BMW, Mercedes, VW, Audi and Porsche

Includes Sizes: M4. M5. M6. M8. M9. M10. M12. (Tamper Proof) M14. M16. M18

• Heat-Treated Alloy Steel Bits to Reduce Premature Wear

 Reinforced Chrome Vanadium Steel Sockets to Increase Turning Power

 Fully Refined Hard Chrome Plated Finish and Zinc Phosphate Bits Treatment to Prevent Rust and Corrosion


. Meets and Exceeds ANSI Standards

 Comes Enclosed in Blow Mold Case for Easy Identification and Storage



10 Piece Magnetic Triple Square Bit Socket Set

SKU **1368615** 23906



Heat-Treated S2 Steel Bits to Reduce Premature Wear

· Reinforced Chrome Vanadium Steel Sockets

to Increase Turning Power

• Fully Refined Hard Chrome Plated Finish and Zinc Phosphate Bits Treatment to Prevent Rust and Corrosion

. Comes Enclosed in Blow Mold Case for Easy Identification and Storage

• Sizes Included: (1/4" Drive) M4, M5, M6; (3/8" Drive) M8, M9, M10, M12, M14; (1/2" Drive) M16, M18



· Chamfered Ends for Positive Engagement

. Knurled Shank for Easy Fingertip Turning

· Milled Ends Provide a Solid Connection

M TOOLS

Extensions

with Drive Tools

Ratchets

- 36 Teeth with 10° Arc Motion for Precision and Strength
- Reversing Lever Allows a Forward and Reverse in One-Hand Action
- . Sealed to Keep Dirt and Debris Out of Head
- · Compact Head Designed to Get into Tight Spaces



Drive Length Price Type 1/4" **081298** | 22900 Standard 4-1/4" 18.99 **177728** 22911 8" Standard 3/81 34.99 4" 33,99 177702 22910 Stubby 3/8" 081301 22901 1/4" 6" *29,99* Flexible 177730 22912 Flexible 3/8" 11-1/2" 42.99

Flexible

Flex Head Breaker Bars

· Special Alloy Steel, Heat-Treated to Provide Durability

• 180° Flex Head Provides Leverage at Desired Angle for Hard-To-Reach Applications

SKU	Part #	Drive	Length	Price
081302	22913	3/8"	11-9/16"	14.99
750437	22923	1/2"	24"	24.99



177769 22921

OEM TOOLS

45.99

17-1/2"

OEM TOOLS

HARD CHROME™FINISH

001213	22701	1/7		0100
081215	22482	1/4"	6"	7.99
081218	22483	1/4"	11"	9.99
081220	22491	3/8"	4"	10.99
306326	22492	3/8"	6"	8.99
306287	22494	3/8"	10"	11.99
081221	22500	1/2"	3"	9.99
081223	22501	1/2"	6"	11.99

SKU Part # Drive Length Price

081213 | 22481 | 1/4" | 4" | **5.99**

Impact Driver

5 Piece Impact Driver Set SKU **529289** IMD5

. For Loosening Screws and Nuts that are Rusted or Hardened Reversible to Firmly Tighten Fasteners





Bit Sizes: #2, #3, 5/16", 3/8"

6 Way Pen Screwdriver, 4 Pack

Pocket Screwdriver

SKU **1368633** 22537

- 6 Precision Drivers in One Handy, Pocket Size Tool
- 2 Double End Phillips and Slotted Screwdriver Bits
- #0 and 1/8", #1 and 5/32" Double End Bits

Perfect for Small Parts and Assembly Tasks





10"




081224 | 22502 | 1/2"



5/32"



18.99



- . Constructed for Professionals with Superior Materials for Increased Torque and Hardness
- Heat-Treated S2 Steel Bits to Reduce Premature Wear
- Reinforced Chrome Vanadium Steel Sockets for Durability and Improved Finish
- Fully Refined Hard Chrome Plated Finish and Zinc Phosphate Bits Treated to Prevent Rust and Corrosion



Hex Sets

12 Piece Magnetic (SAE)

SKU **1282759** 23900

REG. \$34.99

- 1/4" Drive: 1/16", 5/64", 3/32", 7/64" and 1/8"
- 3/8" Drive: 9/64", 5/32", 3/16", 7/32", 1/4", 5/16"

12 Piece Magnetic (Metric)

SKU **1282804** 23901

REG. \$34.99

- 1/4" Drive: 2 mm, 2.5 mm, 3 mm, 4 mm, 5 mm and 5.5 mm
- 3/8" Drive 6 mm, 7 mm, 8 mm, 9 mm, 10 mm and 12 mm

12 Piece Magnetic Long (SAE)

SKU **1282807** 23902

📅 REG. \$44.99

- 1/4" Drive: 1/16", 5/64", 3/32", 7/64", 1/8" 3/8" Drive: 9/64", 5/32", 3/16", 7/32", 1/4", 5/16" and 3/8"

12 Piece Magnetic Long (Metric)

SKU **1282737** 23903

and 5 mm

REG. \$44.99

- 1/4" Drive: 2 mm, 2.5 mm, 3 mm, 4 mm
- 3/8" Drive: 5.5 mm, 6 mm, 7 mm, 8 mm, 9 mm, 10 mm and 12 mm

Offers Good Through March 31, 2024



26 Piece Master Hex Bit Set

• Includes: 1/4" Drive Sizes: 1/8" to 7/32" and 2.5 to 5 mm, 3/8" Drive Sizes: 1/4" to 11/32" and 6 to 9 mm, 1/2" Drive Sizes: 3/8" to 5/8" and 10 to 19 mm









12 Piece Long (SAE)

SKU **1282747** 23563

- 1/4" Drive: 1/16", 5/64' 3/32", 7/64" and 1/8"
- 3/8" Drive: 9/64", 5/32", 3/16", 7/32", 1/4", 5/16 and 3/8'



12 Piece Long (Metric)

SKU **1282757** 23538

• 1/4" Drive: 2 mm, 2.5 mm, 3 mm, 4 mm and 5 mm

• 3/8" Drive: 5.5 mm, 6 mm 7 mm, 8 mm, 9 mm, 10 mm and 12 mm







32 Piece Hex Bit Socket Set SAE and Metric

SKU **1282740** 22989

SAE

- 1/4" Drive: 1/8", 5/32", 3/16", 7/32" and 1/4"
- 3/8" Drive: 9/32", 5/16", 3/8", 7/16"
- 1/2" Drive: 9/16", 5/8", 11/16" and 3/4"

Metric

- 1/4" Drive: 2, 2.5, 3, 4, 5, 5.5 and 6 mm
- 3/8" Drive: 7, 8, 9, 10 and 12 mm
- 1/2" Drive: 14, 15, 17 and 19 mm





SKU **802219**

23990





1/2" Drive Hex Bit Set (Metric) SKU **OUTSIDE BUY/EPO**

25417

- Sizes: 12, 14 and 17 mm
- Use on Transmission and Differential Drain Plugs

For Outside Buy/EPO, Call 901-300-4878



7 Piece Hex Bit Set (SAE)

SKU **127904**


- 22982
- 3/8" Drive: 5/16" and 3/8'
- 1/2" Drive: 7/16", 1/2", 9/16", 5/8" and 3/4"



1/2" Drive Metric Hex Bit **Socket Set (7 Piece)**

Offer Good Through March 31, 2024


SKU **1168830** 22998





9 Piece Hex Bit Set (Metric) SKU **127903**

22983



. Knurling Position is Optimized for Best Finger Gripping Position



1/2" Drive SAE Hex Bit Socket Set (6 Piece)

SKU **1168826** 22999





. Tempered Chrome Vanadium Steel with a Plated Finish for Long Life




12 Piece Hex Bit Set (SAE)

SKU **127905** 22984










 Knurling Position is Optimized for Best Finger Gripping Position





Multi-Drive Sets 35 Piece Multi-Drive Star Socket Set

SKU **802217** 23991

39 REG. \$49.99

• 1/4" Drive Star: T10, T15, T20, T25, T27 and T30

- 1/4" Drive Tamper-Proof Star: T7, T8, T9, T10, T15, T20, T25 and T30
- 1/4" Drive Female Star: E4, E5, E6, E7 and E8
- 3/8" Drive Tamper-Proof Star: T40, T45, T50 and T55 3/8" Drive Star: T40, T45, T47, T50 and T55
- 3/8" Drive Female Star: E10, E12, E14 and E16
- 1/2" Drive Star: T60 and T70
- 1/2" Drive Female Star: E18

Offer Good Through March 31, 2024



44 Piece Multi-Drive Socket Set

SKU **802206** 23992

REG. \$54.99



- 1/4" Hex Drive Tamper-Proof Star Bits: T7, T8, T9, T10, T15, T20, T25, T27, T30

REG. \$33.99

- 1/4" Hex Drive Star: T10, T15, T20, T25, T27 and T30
 3/8" Drive Star: T40, T45, T47, T50, T55 and T60
 3/8" Drive Metric Hex: 2, 2.5, 3, 4, 5, 6, 7, 8 and 10 mm
 3/8" Drive SAE Hex: 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", and 3/8"
- 3/8" Drive Phillips: #1, #2 and #3
- 3/8" Drive Slotted: 3/16", 1/4", and 5/16"

Offer Good Through March 31, 2024

• 1/4" Drive: T8, T10, T15, T20, T25,

13 Piece Magnetic

SKU **1267957**

T27 and T30

• 3/8" Drive: T40,

T45, T47, T50,

T55 and T60

23904



Star Sets



SKU **1282735** 22710

- 1/4" Drive: T8, T10, T15, T20, T25, T27 and T30
- 3/8" Drive: T40, T45, T47, T50 and T55
- 1/2" Drive: T60



SKU **1282806 7499** 22977



- 1/4" Drive: T8, T10, T15, T20, T25, T27 and T30
- 3/8" Drive: T40, T45, T47, T50 and T55
- 1/2" Drive: T60


35 Piece Master Star Bit Set

SKU **466622** 25951

- 1/4" Drive Star: T8 to T30
- 1/4" Drive Tamper-Proof Star: T7, T8, T9, T10, T15, T20, T25 and T30
- 1/4" Drive Female Star: E4, E5, E6, E7 and E8
 3/8" Drive Star: T40, T45, T47, T50 and T55
- 3/8" Drive Tamper-Proof Star: T40, T45, T50 and T55
- 3/8" Drive Female Star: E10, E12, E14 and E16
- 1/2" Drive Star: T60







13 Piece Magnetic Long SKU OUTSIDE BUY/EPO 23905 **REG. \$44.99** • 1/4" Drive: T8, T10, T15, T20, T25 T27 and T30 • 3/8" Drive:

T40, T45, T47, T50, T55 and

For Outside Buy/EPO, Call 901-300-4878

OEM TOOLS

OEM TOOLS

13 Piece **Extra Long**






• 1/4" Drive: T8, T10, T15, T20, T25, T27 and T30

• 3/8" Drive: T40, T45. T47, T50, T55 and T60





Ratchet Not Included

11 Piece Tamper-Proof Star Set SKU **127872**

22972

79 REG. \$25.99

- Includes: (1/4" Drive) T8, T10, T15, T20, T25, (3/8" Drive) T27, T30, T40, T45, T47, T50
- Knurling Position is Optimized for Best Finger Gripping Position
- Black Oxide Finish Indicates Star Drivers



Stubby Star Drive Sets

T27, T30, T40, T45, T47 and T50

13 Piece

SKU **447157** 24293









• 1/4" Drive: T7, T8, T9, T10, T15, T20, T25,



Offers Good Through March 31, 2024



• 1/4" Drive: T7H, T8H, T9H, T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H, T47H and T50H



Offer Good Through March 31, 2024

4 Pc. Long Star Socket Set (3/8" Dr.) SKU **141506** 25418


• Sizes: T40, T45, T50 and T55 **Great for Brake Caliper Service**



12 Piece Tamper-Proof Star Set

SKU **127870 20 99**





- Knurling Position is Optimized for Best Finger Gripping Position --Go Ahead and Put On Serious Torque, it Won't Slip
- Black Oxide Finish Indicates Star Drivers
- . Chamfered Ends Allow the Socket to Easily Slip Over the Bolt Head
- · Makes Fastener Engagement Quick and Smooth





March 31, 2024

3 Piece Mechanics Pliers Set

SKU **662748** 22647

 Pliers and Sizes: 7" Diagonal Pliers, 8" Linesman Pliers and 10" Speed-Fit Pliers



OEM TOOLS

Locking Pliers

7 Piece Locking Pliers Set SKU **012622** 23987

REG. \$89.99 Sizes: 4", 5", 7", 10" Curved Jaw and 4", 6", 9" Long Nose







Offer Good Through March 31, 2024

15" Width x 10" Depth

OEM TOOLS

GreatNeck

Extended Reach Pliers

11" Long Reach Long Nose Pliers

- Constructed with Durable Heat-Treated Steel-Allov
- · Precision-Machined Jaws Provide Improved Grip
- TecReady Grip Handles Reduce User Fatigue
- · Nickel Chrome Plated to Resist Rust

Straight

SKU **081249** 22621

45°

SKU **081250** 22622

90°

SKU **081251** 22623

Duck Bill

SKU **213108** 22644

(Color May Vary)

Bolt Cutters

8" Mini Bolt Cutter

SKU **479080 7799** 22609

- . Designed for Heavy Duty Wire, Bolt, Nail and Rivet Cutting
- 8" Mini Bolt Cutter Features Induction Hardened Cutting
- . Blades Rated at Over 58 HRC

Bolt Cutters

- Forged S2 Steel Construction for Cutting Power
- . Hardened Cutting Edge for Long Life
- Ergonomic Comfort Grip Handles
- Limited Lifetime Warranty



24¹¹

SKU **025213 BC24**

36¹¹

OEM TOOLS

SKU **965827 BC36**

Safety Wire Pliers

M TOOLS

Reversible Wire Twister Pliers

Includes: 10 Meter x 0.5 mm Wire

- Heavy Duty Construction with Automatic Spring Return
- · Reversible Action for Left and Right Twists
- Locking Jaws for Superior Wire Twisting
- Forged High Carbon Diamond Grooved Jaws to Cut and Grip Stainless Wire

6" and 9"

SKU 1282746 22663

SKU 1282736 22661

911

SKU **1362002** 22662



SKU **452624** 22659

- Great for Stubborn Oil Filters
- Designed for Tight Spaces
- · Double-Action Allows Use in **Either Direction**
- · Capacity: 6" Diameter
- 15" I-Beam Handle

Double-Action Allows Use in Either Direction

Adjustable Gland Nut Wrench

- For Hydraulic Cylinders with Gland Nuts
- Reversible Design

SKU **1207900** 27398

• Range: 1" to 3.75", Pin Size: 7/32" and 1/4", Drive: 1/2"

Heavy Duty SKU 1340231

27397

• Range: 2" to 6", Pin Size: 1/4" and 5/16", Drive: 3/4'

Chain Pliers

OEM TOOLS


19" Locking Chain Pliers

SKU **81267** 22642

- For Clamping Around Irregularly Shaped Objects or Groups of Materials
- Constructed with Heat-Treated Alloy Steel
- . Heavy Duty Chain Provides Added Strength
- · Easy Release Trigger for Improved Control
- Nickel Chrome Plated to Resist Rust









• Includes: 0.7, 0.9, 1.3, 1.5, 2.0, 2.5 and 3.0 mm



Offer Good Through March 31, 2024



6 Piece 8" Hook and Pick Set SKU 1207883 26545 • Set Includes: (1) Hook Pick, (1) Complex Pick, (1) 90° Pick, (1) Combination Pick, (1) Double Angle Pick, (1) Straight Pick

(#0 and #1)



Magnetic Tips to Secure Fasteners

SHOP OWNERS, WE LOAN SPECIAL JOBS!



AUTOZONE® LOAN-A-TOOL® PROGRAM

Over 90 Specialty Tools for Loan or Sale

We offer the most complete selection of tools for a variety of jobs, from steering and suspension, air conditioning, engine repair and more.

The best part is Loan-A-Tool[®] products are free to use! Leave a deposit at the store when you pick up the tool. When you're through just bring it back within 90 days, and we'll refund the deposit, or keep the tool.



Ford Triton Spark Plug Porcelain Extractor Master Set

A/C Flush Kit

Fuel Injector Puller Kit – VW/Audi

AZG0124

See your Commercial Sales Manager for a complete list of loaner tools.

Pry Bars

OEM TOOLS

3 Piece Light Duty Smoothing/Prying Kit

SKU **004111** 25084

Pry Dashboard Parts and Vents without Damaging Interior

. Disassemble Key Fobs and Other Remotes



4 Piece Pry Bar Set with Black Handle

SKU **1361997** SUN9704

Lengths Include: 8", 12", 18" and 24"
Heat Resistant Comfort Grip Handle

Helps to Reduce Hand Fatigue Precision Machined, Chiseled Tip **Edges for Tight Spaces**


Punch Set

OEM TOOLS

16 Piece Mechanic's Punch and Chisel Set

SKU **914624** 25515

• Includes: 5 Taper Punches, 5 Pin Punches, 2 Center Punches, 3 Cold



36" Pry Bar

SKU **695126** 24435

 Unique Ergonomically Designed 3-Sided Handle for Secure Grip and Comfort

Handles Made with Hardened Resin that is Solvent Resistant and Easy-To-Clean

Forged and Hardened 5/8 In. Square Stock for Incredible Strength



6 SUNEX



GreatNeck

Adjustable Wrenches

4 Piece Adjustable Wrench Set

SKU **1267962** SUN9618A

• Durable Laser-Etched Scale Measure Fasteners • Ergonomic No-Slip Rubber Grip

Includes: 6", 8", 10", 12" Lengths for Various Applications



Hack Saw

Professional Hack Saw

SKU **1142352** 74007

- Includes (1) 12" 24 TPI Bi-Material Blade
- . High Tension Blade Prevents Twisting to Ensure Straight, Fast Cut

 Ergonomic Comfort Grip on Front Frame and Handle Provides Two-Handed Control



Dead Blow Hammers

3 Piece Dead Blow Hammer Set

OEM TOOLS

SKU **900804**

- Soft Rubber Handles for Non-Slip Grip
- Steel Shot Filled for More Force

25517

· Non-Spark Material Used



15" Adjustable Wrench

SKU **81297** 22655

· Chrome Plated and Fully Polished to Prevent Rust



OEM TOOLS

OEM TOOLS

Cutting Tools

Scraper Kit

SKU **1282744** 69004

• Includes: (2) Packs of Razor Blades (200) and (1) Razor Blade Scraper Perfect for Removing Paint and Decals

 Steel Backed High Carbon Steel Blade Fits All Standard Razor Blade Tools

• 2 Piece Design for Added Strength



Premium Folding Lock Back Utility Knife

SKU **1142319**

12115

- Patented Quick Change Mechanism
- 3-1/2" Lightweight Hardwood Handle
- Pocket Clip

- Back Lock Release 6 Oz. 6" Overall
- Includes 1 Blade
- · Accepts All Standard Utility Blades

Folding Auto-Loading Utility Knife with Blade Dispenser

SKU **1022295** 25538



- Blade Dispenser Pre-Loaded with (50) Utility Blades
- Durable Lightweight Aluminum Body
- Extra-Wide Handle for Increased Comfort and Leverage Lock Back® Release Mechanism



OEM TOOLS

SHEFFIELD

10" Utility Scissors

SKU **1142911** 25085

- Super Hard Diamond-Like Carbon (DLC) Coating
- Stainless Steel Construction for Strength and Durability
- · Resistant to Chemical Solvents and Acids
- Bolt Lock Keeps Blades Secure
- Ergonomic Handle for Comfortable Grip

Folding Lock Back® Utility Knife with Blade Dispenser

SKU **1022296** 25537

- Includes: Blade Dispenser Pre-Loaded with (50) Utility Blades
- Durable Lightweight Aluminum Body
- Extra-Wide Handle for Increased Comfort and Leverage Lock Back® Release Mechanism



OEM TOOLS

Prices subject to change without notice. Prices do not include applicable taxes, vehicles, tires, rims, installation or optional equipment as shown. Please do not return purchases to the store. For information regarding warranty, repair, or any questions or concerns, call 901-300-4878.

lisle

THREAD REPAIR

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Ford Triton Repair Kits

Ford Triton 2 Valve Cylinder Repair Set

SKU **1268421** CAL38900

- · A Quality Foolproof Repair System that is Cost-Effective and Fast
- High-Quality Oversized Steel Alloy Insert Will Repair Other Inserts that Fail
- Application: 1996 to 2003 Ford 4.6L, 5.4L and 6.8L Engines



Ford 2 Valve Insert

SKU **1268420** CAL389-100

- Designed to Aid in Repairing 1996-2003 Two Valve Ford Modular Cylinder Heads
- High Quality Oversized Steel Alloy Insert will Repair Other Inserts that Fail



Cal-Van

Ford Triton Plug-Saver® Kit

SKU **094873** FIX98140T

- Designed to Specifically Repair the Spark Plug Ports in 4.6, 5.4 and 6.8 Ford Triton Engines
- Repairs Worn, Damaged Threads
- Includes: Self Cutting Tap, Tool and 8 Inserts in a Sturdy Case



Inserts (Pack of 8)

SKU **110263 29** 99 FIX98149P

Ford Triton 3 Valve Set

SKU **343388** CAL39300

. Application: 2004 to 2008 Ford 4.6 and 5.4 3 Valve Engines with Spark Plugs That are M16 x 1.5

· Includes 8 Inserts



M16 x 1.5 **3 Valve Insert**

al-Yan

SKU **396658** CAL393-100

• Note: this is NOT the Replacement Insert for the Triton 2 Valve Kit



Ford Triton Spark Plug and Electrode Repair Set

SKU **1268418** CAL39500

• Extracts the Broken Porcelain or Seized Sleeves from Broken Spark Plugs in 2003 to Current Ford Triton Engines



FIX-A-THRED

Broken Spark Plug Remover Ford Triton 3 Valve

SKU **489173** LIS65600

• Includes a Unique Porcelain Pusher Tool and a Tapered Left-Hand Thread Remover for Removing the Broken Spark Plug without Leaving the Porcelain in the Engine Cylinder



Oxygen Sensor Thread Repair

Oxygen Sensor FIX-A-THRED **Thread Repair Kit**

SKU **010134** FIX38189-1

- No Need to Replace Exhaust Manifold
- Pilot Nose Tap Provided



Thread Repair

al-Van

Thread Restoring File, Tap and Die Kit SKU **OUTSIDE BUY/EPO**

27142

- #1 Thread File Pitches (Metric): 0.75, 1, 1.25, 1.50, 1.75, 2, 2.5 and 3 mm
- #2 Thread File Pitches: 11, 12, 13, 14, 16, 18, 20 and 24 Threads per Inch
- #3 Thread File Pitches: 9, 10, 12, 16, 20, 27, 28 and 32 Threads per Inch
- Taps: 1/4" 9/16" Popular Sizes (Coarse and Fine); 6-14 mm Popular Size Pitches
- Dies: 1/4" 9/16" (Coarse and Fine)
- · Will Restore Both Left and Right Handed Threads

For Outside Buy/EPO, Call 901-300-4878



Ouick Change Wheel Stud Cleaner Kit

SKU 666299 CAL16

· Kit Includes: 1/2" Drive Adapter and

6 Brushes • Brush Sizes: 7/16" (12 mm), 1/2" (13 mm), 9/16" (14 mm), 5/8" (16 mm), 7/8" (22 mm) and 1-1/8'

(28 mm)



C'46 Year

Nut Busting Bolt Extractors

Specialized Design for a Secure Universal Grip



Nut Busting Bolt Extractor Socket Sets High Visibility Markings for Fast, Easy Socket Selection

3/8" Drive

9 Piece (Metric)

SKU **751718 24** 99 22967

• Includes: 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 16 mm, 17 mm and 19 mm



Chrome-Molybdenum Steel Construction for Maximum Durability

9 Piece (SAE) SKU **751720 24** 99

22968

 Includes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" and 3/4"



000 0000

OEM TOOLS

VALUE: \$14.99

9 Piece Low-Profile **Socket Set (SAE)** 22976



With Purchase of: 22967 or 22968

Offer Good While Supplies Last Through March 31, 2024

THREAD REPAIR

Spiral Bolt Extractor Sets



- Made of High-Quality Chrome Molybdenum Steel for Durability
- Grips and Removes a Wide
- Range of Stubborn Fasteners
- 3/8" Drive

Bites into Rusted, **Rounded and Painted Over Nuts and Bolts**

Ratchet Not Included




18 Piece Impact Nut and Bolt Extractor Set SKU **1361992**

23700

Cal Fan

• Sizes Included: 3/4" (19 mm), 11/16", 17 mm, 5/8" (16 mm), 9/16", 14 mm, 13 mm, 1/2", 12 mm, 7/16" (11 mm), 10 mm, 3/8", 9 mm, 5/16" (8 mm), 7 mm, 1/4", Hex Adapter and Knockout Pin



10 Piece Spiral Type Bolt Extractor **Set on Aluminum Rail**

SKU **081788** 22988

• Sizes: 5/16" (8 mm), 3/8", 10 mm, 7/16" (11 mm), 13 mm, 11/16", 1/2" (13 mm), 9/16" (14 mm), 3/4" (19 mm) and



Drain Plug Repair

Drain Plug Repair Kit SKU **818569** CAL38400

- · Designed to Repair Aluminum Oil Pans with Damaged Drain Plug Threads, Size M12 x 1.75 Commonly Found in GM, Ford and Mazda Vehicles
- Drain Plug Repair Kit Contains a Drill, Counter Bore, Tap, Driver, Guide and (5) 12 mm Inserts Allows Use of OEM Plug Instead of an Oversize Replacement



Oil Pan Rethreading Kit

SKU **751709** LIS58850

• Oil Pan Plug Rethreading Kit Works on Steel Or Aluminum Pans 1/2", 12 mm and 14 mm Threads



Axle Spindle Thread Repair

Axle Spindle Threading Set

SKU **1103645** 37233

Used to Clean or Repair Axle Threads

OEM TOOLS

- Set Comes with a Special Twist Shape that Provides Easier and Quicker Work
- Sizes Included: M20 x 1.25, M20 x 1.50, M22 x 1.00, M22 x 1.50, M24 x 1.50, M24 x 2.00, 13/16" x 20 UNEF, 3/4" x 20 UNEF and 27 mm **Extension Bar**



Head Bolt Thread Repair

FIX-A-THRED **Metric Head Bolt Thread Repair Kit**

SKU **010131** FIX35119S

OEM TOOLS

- Extended Reach for Deep Threads
- Longer Length (33 x 1.5 mm) Inserts for Maximum Thread Engagement
- · Applications: Cadillac, Honda, Toyota and Other Imports that Use M11 x 1.5 Head Bolts



OEM TOOLS

Screw Extractor Bits

10 Piece Spiral Extractor and **Drill Bit Combo Pack**

SKU **099229** 24373

- Extractors: Ex-1, Ex-2, Ex-3, Ex-4 and Ex-5
- Left Hand 135° Split Point Cobalt
 Drill Bit Sizes: 5/64", 7/64", 5/32", 1/4" and 19/64"
- · Pilot Point Starts on Contact and Eliminates Bit Walking



6 Piece Spiral Flute Screw Extractors Set

SKU **099277 21 99** 24374

- Extractors: Ex-1, Ex-2, Ex-3. Ex-4. Ex-5 and Ex-6
- Comes in a Vinyl Pouch



4 Piece Damaged Screw Extractor Set

25158

- Used to Quickly Remove Stripped, Broken and Painted Over Screws
- Will Work with Phillips, Flathead, Hex and Other Common Screws



35 Piece Master Screw Extractor/Drill Bit Set

24377

SKU **099258 99**

- Spiral and Multi-Spline Extractors for Removing the Toughest Bolts and Screws from 3/32" to 15/16"
- OEMTOOLS® 135° Split Point Left Hand Cobalt Drill Bits
- · Comes in a Foam-Lined Metal Case



SLIP GRIP

SHOP SUPPLIES

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

Start-Up Kit (Dispenser and Product)

SKU **262544 SNGMFKP994376**

· Kit Includes: 250 Seat Covers 250 Paper Floor Mats 500 Plastic Floor Mats 500 Parts Bags 100 Tire Bags (1) Metal Floor Rack (1) Sign



VALUE: \$64.99

Steering Wheel Cover SNGFBP994462

With Purchase of: **SNGMFKP994376**

Price does not



SLIP

Offer Good While Supplies Last Through March 31, 2024

Plastic Write On Key Tag (1,000 Count)

Self Locking

Plastic Key Tags Help Secure Keys

White

SKU **262547 SNGMFBP993323**

Blue


SKU **1125872 SNGFBP993398**

Yellow

SKU **1125859** SNGFBP993324

Red

SKU **1125868** SNGFBP993399



OEM TOOLS

Plastic Floor Mats (500/Box)

SKU 186488 SNGMFGP994302

- Slip-N-Grip® Plastic Disposable Mat
- Roll Size: 16.5" x 21"



Adhesive Floor Mats (175/Roll)

SKU **262546 SNGMFBP993349**

119⁹⁹

• Self Adhesive, 3 mil Protective Film Keeps Carpet Protected



Work Ticket Holder (25/Box)

- Durable Brass Grommet Increases Strength
- · Accommodates Most Pre-Printed and **Computer Generated Forms**

Clear

SKU **698887** SNGFBP993302

• 10.5"x 14.5" Clear Front and Back

Clear/Black SKU 1142449 SNGFBP993303

• 11" x 13" Clear Front and Black Back



Parts Bag 11" x 17" (500/Case)

SKU **262541 SNGMFGP994330**

4099

- · High Strength Protection
- · Impervious to Most Shop Chemicals





20 Oz Stainless **Steel Double Wall Tumbler**

SKU **OUTSIDE BUY/EPO** 26046

- · Keeps Drinks Cold for 24 Hours and Hot for 6 Hours
- Lid Made from Durable **BPA-Free Plastic**

For Outside Buy/EPO. Call 901-300-4878



OEM TOOLS

Oil Change Labels

Thermal Oil Change Sticker Printer

SKU OUTSIDE BUY/EPO SNGFKGX00106

· Kit Includes: Printer, Keyboard. and (2) Rolls of 500 Generic Static Cling Labels



Static Cling Refill Kit SKU **291380** SNGMFKG016501

- 2 Rolls of Labels
- 1 Replacement Ribbon
- · Fits Thermal Oil and Static Cling Printers

Red Oil Can Service Reminder Labels

SKU **OUTSIDE BUY/EPO** SNGFB-P993345



 Replacement Roll of 500 Labels



SLIP GRIP

Blue Wrench Service Reminder Labels

SKU OUTSIDE BUY/EPO SNGFB-P993394

 Replacement Roll of 500 Labels



Hand Cleaner

World's Best Hand Cleaner

- Kit Includes: Wall-Mount Dispenser and 4.000 mL of Cherry Fragrance Cleaner
- · All Natural, Concentrated, Solvent Free Cleansing Formula
- Unique Skin Conditioning System Leaves Hands Feeling Smoother, While Fibril Scrubbers Deep Clean Even the **Toughest Dirt**
- Cherry Fragrance Leaves Hands Smelling Great • 100%
- Biodegradable





Starter Kit with Dispenser SKU **972773**

24292

24291

4000 mL **Refill Bottle** SKU **972772**

For Outside Buy/EPO, Call 901-300-4878

SHOP SUPPLIES

Creeper Seats

Workshop Seat and Step Stool SKU **1189077**

24904

REG. \$89.99

- Combination Step Stool and Creeper Seat that Allows Additional Maneuverability
- Thick Padding Covered with Durable Vinyl **Provides Comfort While Working**
- Includes a Tool Tray for Organization and Convenience
- 4 Swivel Casters Made for All Terrain
- Capacity: 300 Lb.
- 18"(L) x 16"(W) x 7"(H)



Offer Good Through March 31, 2024

Sidekick Creeper Stool

SKU **1168662** 24987



- Large Open Tray Allows Users to Carry a Wide Range of Items with Additional Holster Caddies on the Side for Rapid Access to Most Used Items
- The Slide Out Under Seat Drawer Can Be **Used to Store and Organize Tools**



Offer Good Through March 31, 2024

OEM TOOLS

Heavy-Duty Rolling Workbench and **Creeper Seat**

SKU **1142423** 24986

- Molded Seat and Frame Provides **Durable Support**
- Removable Clip-In Trays for Storage and Easy Transport of Parts and Tools
- Trays Feature Screwdriver Storage Holes for Easy Organization
- Capacity: 300 Lb.



OEM TOOLS Cushioned **Creeper Seat** with Tool Tray

SKU **757019** 24948

- Tool Tray Dimensions: 11-1/2" x 12-1/2"
- Cushioned Seat
- 4 Swivel, Oil-Resistant Wheels
- · Weight Capacity: 330 Lb.



Creepers

Mechanics Creepers with Headrest

- Made with HDPE Plastic and Molded for Comfort to Ensure a Quick and Accurate Job
- Easy to Handle, Lift and Store
- 6 Swivel Casters Able to Maneuver All Terrain
- · Casters are 3" in Diameter for Additional **Durability and Product Longevity**
- Weight Capacity: 350 Lb.

40¹¹

SKU **1189063** 24909

24972

REG. \$54.99

- Light Weight 13.2 Lb.
- 40"(L) x 19"(W)

36¹¹

24977

REG. \$49.99



• Light Weight 9 Lb. Offer Good Through • 36"(L) x 18"(W)

March 31, 2024

Racing Body Board EVA Foam Creeper SKU **125754** • EVA Construction is Water, Chemical and Impact Resistant • Includes Handle and 2 Tool Compartment Cut-Outs · Great for Both Garage and Outdoors Lightweight Construction is Portable

Workshop Stools

Swivel Shop Stool

SKU **512951** 24910

RA99

- Swivel Seat • Double Foot Ring
- for Strength Seamless Pad
- 30.5" High x 14" Across



Multi-Purpose Pneumatic Adjustable Rolling Stool

SKU **1168661** 24956

- Adjustable Height: 20" to 26"
- Molded Nylon Base Assures Reliability

 • 3.5" x 14" Diameter Vinyl
- **Upholstered Seat Provides** Comfort
- Weight Capacity: 250 Lb.



Pneumatic 360° Swivel Stool SKU 1189060

24907

99 REG. \$149.99



• Industrial Strength Wire Grid Lower Shelf Adds Rigidity and Will Store a Variety of Tools, Supplies and Parts

 Lower Shelf Can Also Be Used as a Footrest

Heavy-Duty Welded **All-Steel Frame**

 Seat Adjusts From 22 to 27.5'



OEM TOOLS

Offer Good Through March 31, 2024

Professional 41" **6 Wheel Creeper**

SKU **125749** 24970

• 3D Streamline Design for Shoulder Clearance

and Easy to Stow 41" x 18" x 1"

- 6 Heavy Duty TPU Casters
- Low Ground Clearance Allows for Greater Mobility
- 4 Tool Storage Trays
- . Weight Capacity: 300 Lb.

44" Aluminum Creeper

SKU 237641

71004

- . Lightweight and Strong Aluminum
- Adjustable Headrest







Adjustable Hydraulic Stool

SKU **512945 QQ99** 24911

• Ideal for Shop or Garage Use . Adjustable Height: 28" to 32-1/2"


• Durable, Vinyl-Padded Swivel Seat and Backrest for Comfortable Support

Adjustable Hydraulic Stool (2 Pack) SKU **362969**



Adjustable Hydraulic Shop Stool (2 Pack)

SKU **758787** 24931TW0



SHOP SUPPLIES


TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.



Topside Creeper

SKU OUTSIDE BUY/EPO TRX3-100

• Height Adjusts From 48" to 64"







Call 901-300-4878

NXT Topside Creeper SKU **OUTSIDE BUY/EPO** TRX3-200

49999

- Height Adjusts From 48" to 64"
- Flexible Positioning Around the Vehicle



For Outside Buy/EPO, Call 901-300-4878

TRAXION **ProGear Topside Creeper** SKU **OUTSIDE BUY/EPO** TRX3-700 **549**99 · Height Adjusts From 53" to 75" Perfect for Working on Lifted Trucks · Weight Capacity: 400 Lb.

Work Stand

Pro Step Adjustable **Work Stand**

SKU **222856** STK20350

24999

- 500 Lb. Capacity
- Height Adjustable from 6-1/2" to 22-1/2"
- 32" x 16"



Truck Tire Step

Truck Tire Step

SKU **418849** 24913B

- Fits Both Front and Rear 9" to 13" Wide Tires
- Powder Coat Finish
- Designed for SUVs, Motor Homes and Light Duty Trucks
- Heavily Textured Non-Slip Step for Safety

OEM TOOLS

- Adjustable Rubber Bumpers Protect Your Wheels and Ensure the Step is Sturdy and Level
- · Easy to Adjust

For Outside Buy/EPO.

Call 901-300-4878

• Weight Capacity: 300 Lb.







OEM TOOLS

Fender Covers

Fender Cover

SKU **965832** 24900

- Heavy Gauge Vinyl Wipes Clean
- 27" x 34"

OEM TOOLS



Soft Fleece Fender Cover

SKU **751711** 24899

- Soft Fleece Fender Cover to Prevent Paint Damage
- 2 Super Powerful Corner Magnets for Securing the Cover in Place
- · Magnets are Removable to Wash the Cover
- Large 42" x 24" Size for Cars, Trucks and SUVs






Magnetic Nut Cups Multicolor Magnetic Nut Cup Assortment (4 Pack)

SKU **1282743** 68939

- Holds Bolts, Nuts and Parts to Speed Up Work and Eliminate Misplacing Parts
- Coated Magnet Sticks to All Ferrous Metal Work Surfaces
- Includes:
- 1 Green Cup
- 1 Red Cup
- 1 Orange Cup
- 1 Blue Cup







Strong Magnets Attach the Cups Securely to Most Flat Metal Surfaces

SHOP SUPPLIES

Hardware and Service Parts

88 Piece Master Auto Fuse Assortment

SKU **271161** 68147

• Includes: Popular Sizes of Mini. ATO and Maxi Fuses 3A to 100A



96 Piece Mini **Fuse Kit** SKU **271169** 68148

Includes: Mini Fuses 3A to 30A



96 Piece ATO **Fuse Assortment**

SKU **271172** 68149

Includes: ATO Fuses 3A to 30A



24 Piece Maxi **Fuse Assortment**

SKU **271152** 68146

 Includes Maxi **Fuses** 20A to 100A



200 Piece Spring Assortment

SKU **271195** 68140

• Includes: 20 Popular Sizes from 7/32" x 11/16" to 5/16" x 1-1/4"





MACHINERY.

MACHINERY.

Universal O-Ring Set 419 Piece 407 Piece (Metric) (SAE)

SKU **546661** 68168 1999

• Inside Diameters • Inside Diameters from 1/8" to 2"


MACHINERY.

00

MACHINERY

SKU **546659** 68167 1999

from 3 mm to 50 mm



270 Piece A/C 0-Ring Kit SKU **271196**

68141

Dynamic

· Contains 270 O-Rings in a Variety of SAE Sizes

. Great 0-Ring Set for Most Automotive and Refrigerant Applications



110 Piece Copper **Washer Assortment**

SKU **271176** 68117

• Includes: Popular Sizes M6 to M16



240 Piece Zinc Nut and Bolt Assortment SAE

SKU **271179** 68106

· Includes: 20 Popular Sizes and Lengths from #8 to 3/8"



115 Piece Master **Brake Line Fitting Assortment Kit** SKU **082943**

DOWDY-BLF-5 23 Brake Line

Fitting Variations Tube Nuts, Union, Brake Line Adapters



230 Piece **Domestic Retainer Assortment Kit**

SKU **082940**

DOWDY-6000U

• 23 Retainer Variations

· For Doors, Trim and Shrouds



555 Piece Stainless Cotter Pin Assortment

SKU **271183** 68121

Includes: 6 Popular Sizes from 1/16" x 1' to 5/32" x 2-1/2"



500 Piece Aluminum Rivet Assortment

120 Piece Oil Drain

SKU **271150**

68109 • Includes: 1/8" and 3/16" Rivets

1/4", 5/16" and 3/8" Long

80 Piece Vacuum Cap Assortment

SKU **271197** ____99 68129

• Includes Sizes: 3/16" to 3/8"



34 Piece Hose Clamp Assortment

SKU **271201** 68137

• Includes Sizes: 5/8" to 1-1/4"



88 Piece Drain Plug and Gasket Assortment Kit

SKU **617724 DOWDY-DPA-6**

• 18 Drain Plug Variations, 4 Gasket Variations

 Most Popular 12 mm and 14 mm Drain Plugs



Dynamic

Assortment SKU **OUTSIDE BUY/EPO** SURDPG120

Plug Gasket

• Covers Most Domestic and Import Cars and Light Trucks

• 120 Total: 24 Variations (5 each), Incl. Copper, Metal Crush,

Nylon, Fiber and Rubber/Metal

For Outside Buy/EPO, Call 901-300-4878



SUR!R.

76 Piece Oil Drain Plug Assortment

SKU **662839** SURDP454

• Includes: 76 Pieces with Corresponding Gaskets, 17 Direct Fit SKUs

. Includes: Labeled Case for Quick Identification and Organization

 Covers Most Domestic and Import Cars and Light Duty Trucks



SUR!R.

240 Piece **Dynamic Master Drain Plug Gasket Assortment Kit** SKU **606762** DOWDY-DGK-240

• 24 Drain Plug Gasket Variations

· Aluminum, Copper, Crush, Fold-Over, Nylon,

Rubber/ Metal



60 Piece Wheel Lug Nut

• 12 Lug Nut Variations

Assortment A SKU **082947** DOWDY-WN-12

· Standard, Dome, Acorn Thread



Assortment B

SKU **082948** DOWDY-WN-12B 12499

 Dome Acorn, Bulge, Flat-Capped. External Thread

Đṽ̃namic



Hanger Clamp Assortment SKU **OUTSIDE BÜY/EPO** SURCL484

• Rubber Coating Reduces Chance of Corrosion and Other Damage

• Includes Clamp Sizes: 5/16" 1/4", 3/8", 1/2", 5/8" and 3/4"

For Outside Buy/EPO, Call 901-300-4878



SUR!R.

ŚAŚ

SAFETY & GLOVES

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com.

First Aid Kits

10-Person First Aid Kit

SKU **000006** SAS6010

- . Multi-Use First Aid Kit Designed for Workplace with Up to 10 Employees
- · Contains an Assortment of Practical, Single Use Disposable Items to Treat Injuries in a Sanitary and Simple Way
- Ideal for Light Industry. Contractors and Job Sites
- Meets ANSI Z308.1-2009



25-Person First Aid Kit

SKU **765588 SAS6025W**


- Designed for Workplace with Up to 25 Employees
- Contains Essential Supplies to Treat Medium to Light Injuries
- Wall-Mount Hardware Included
- Meets ANSI Z308.1-2009
- Plastic Case Dimensions: 6.69" (L) x 9.44" (W) x 2.75" (D)



100-Person First Aid Kit

SKU **765585** SAS609901





- Includes Dressings, Antiseptics. Burn Treatment Products and Personal Protective **Devices**
- Meets ANSI Z308.1-2009
- · Meets OSHA 1910.151(b)

OEM TOOLS



Hot Sleeve

Hot Sleeve

SKU **291321** LIS18700

• Protects Arms from Burns While Working Around the Engine

. Made of Durable, Heat-Resistant Kevlar





Safety Supplies

Digital Tire Gauge and Emergency Tool

SKU **979069** 26681

lisle

- · Backlit LCD Display and Lighted Nozzle for Use in Low-Light Settings
- . Measuring Range: 0 to 150 psi, 0 to 10BAR, 0 to 100KPA and 0 to 10Kg/cm²
- Window Breaking **Emergency Hammer for** Emergency Escape
- Sharp Angled Cutting **Blade Easily Cuts** Through Seatbelts



Face Shield Clear

SKU **972271** SAS5140

• Impact-Resistant

- Polycarbonate Shield Curved Lens Design
- Ratcheting
- Headpiece Meets ANSI
- Z87.1-2015



ŚAŚ

ŚAŚ

Ear Plugs

Foam Ear Plugs

SKU **526953** SAS6100

- Noise Reduction Rating: 31
- 200 Individually Packaged Pairs
- Pre-Shaped Foam Earplugs





Eyewash Stations

Emergency 9 Gallon Eyewash Station Wall **Mount Gravity Fed**

SKU **912344** SAS5134-00

- Compliance ANSI Z358.1-2014
- Portable Unit Measures 20.15" x 16.5" x 9.5"
- Includes: Mounting Bracket. Inspection Tag, Tamper Resistant Tie and Preservative



SKU 1142715 SAS5136-01

 For Use with 9 Gallon Eyewash Station #SAS5134-00





- · Made of Lightweight, Cool, Washable Polyester
- 4 Plastic Stays for Flexible. Contoured Support
- Tapered Design Allows a Full Range of Body Motion While Maintaining Proper Support

Small SKU **803153 | SAS7161** Medium SKU 803156 | SAS7162

Large SKU **803161 | SAS7163**

X-Large SKU 803151 | SAS7164 XX-Large SKU **803152 | SAS7165**



AZG0124

Masks

Bandit™ OV/N95 Disposable Dual Cartridge Respirator

· Lightweight, Comfortable NIOSH Approved

Medium

SKU **972274** SAS866192

Large

SKU **972275** SAS866193



ŚAŚ

Bottle Evewash Station

SKU **094904** SAS5132

 Includes: (2) 16 Oz. Eye Irrigate Solution Bottles Does Not Meet ANSI Z358.1

16 Oz. Eyewash Irrigate Refill SKU **977588**



SAFETY & GLOVES

OEM TOOLS

Safety Glasses

LED Safety Glasses SKU **555987** 26039

- · High-Impact Resistant Lens Protects Eyes
- · Flexible, Lightweight and Padded Frames
- Meets ANSI Z87.1
- Includes: (8) LR41 **Batteries**



NSX Turbo Safety Glasses

- High-Impact Polycarbonate Lens
- Safety Eyewear That Also Provides 99.9% UV Protection
- · Scratch-Resistant Coating
- Single Lens Design

Clear

SKU 301767

SAS5330PK

Box of 12

- Lightweight Wrap-Around Lens
- ANSI/ISEA Z87.1-2015 Compliant



Smoke

SAS

SKU **462983** SAS5331PK

2999



2999



Amber SKU **462984**

SAS5332PK • Box of 12

Multifocal Safety Reading Glasses

- Eye Protection and Multifocal Reading Glasses
- High Impact, Anti-Scratch Lenses Protect Your Eyes
- · Fully Adjustable Temples for Comfort and Fit
- ANSI/ISEA Z87.1-2015 Compliant



+2.5SKU **752076** SKU **752078** 26023 26025

+2.0

SKU **752077** 26024

+3.5

SKU **750496** 26027

OEM TOOLS

Glove Dispenser

Magnetic Glove Dispenser SKU **765562** 24945

- Attaches to Any Magnetic Surface for Convenient Glove Storage
- Self-Adjusting Spring Sides Hold Various Box Sizes
- 4 Powerful Magnets Provide 8 Lb. **Load Capacity**





Sanitizing Equipment

MiST™ 2 Ultrasonic Cleaning Unit Starter Pack SKU OUTSIDE BUY/EPO UVU590160P

- Includes MiST 2 Ultrasonic Cleaning Unit
- Includes 24 (each) of UVU590250, MiST Cleaning Solution Bottles
- Perform Services on 24 Vehicles
- · Service is Simple and Easy, and Can Be Performed on Any Vehicle
- ROI Before First Case of Cleaning Solution is Used



+3.0

26026

SKU **752086**



Wiew.

For Outside Buy/EPO, Call 901-300-4878

More Sanitizing Equipment Available at AZTOOL1.com | 901-300-4878

MX Pro

- · Excellent Dexterity and Flexibility for Intricate Work
- Outstanding Gripping Power
- Great Protection Against Blisters, Cuts and Abrasions
- · Stretch Top for Great Flexibility and Ease of Movement
- Hook-and-Loop Closure
- Machine Washable







Medium SKU **1142392 | SAS6652**

Large SKU **1142346 I SAS6653**

XL SKU 1368618 I SAS6654

XXL SKU 1142418 | SAS6655

Nitrile Palm Knit Glove



- 1 Box of 12 Each
- Liquid Dipped 100% Nitrile Palm Coat
- 16 Gauge Seamless Nylon Shell
- Knit Back Helps Keep Hands Cooler Longer



Large SKU 250887 | SAS6401909

XL SKU **250888 | SAS6401910**

XXL SKU 250890 | SAS6401911

Raven Gloves

146

- 7 mil Powder-Free Latex-Free Nitrile
- · Superior Puncture and Abrasion Resistance
- Ambidextrous Textured Grip
- Beaded Cuff







Large SKU 265052 | SAS66518CS

XL SKU 265053 | SAS66519CS







Disposable Gloves - Buy More, Save More



ASTRO-GRIP

• Powder-Free Exam Grade Nitrile, 7 mil • Exceptional Chemical and Puncture Resistance • New Embossed Cube Grip

2 Boxes of 100 Each 4199 20.99 per hox

Medium SKU 1330679 | SAS66472-2PK

Large SKU 1330676 | SAS66473-2PK

XL SKU **1331500 | SAS66474-2PK**

2XL SKU 1331496 | SAS66475-2PK

5 Boxes of 100 Each $99^{99}_{19,99 \text{ ner box}}$

Medium SKU 1330686 | SAS66472-5PK

Large SKU 1331480 | SAS66473-5PK

XL SKU 1331488 | SAS66474-5PK

2XL SKU 1331487 | SAS66475-5PK

10 Boxes of 100 Each **189** 99 18.99 per box

Medium SKU 1330697 I SAS66472CS

Large SKU 1331497 | SAS66473CS

XL SKU 1331489 | SAS66474CS

2XL SKU 1331494 | SAS66475CS



DERMA-TUFF

Powder-Free Exam Grade Nitrile, 6 mil
 Textured for Enhanced Grip
 Outstanding Strength, Wear and Dexterity

2 Boxes of 120 Each $37^{99}_{18.99 \text{ per box}}$

Medium SKU 1189340 | SAS66582-2PK

Large SKU 1189330 | SAS66583-2PK

XL SKU 1189352 | SAS66584-2PK

5 Boxes of 120 Each $89^{99}_{17,99 per box}$

Medium SKU 1189348 | SAS66582-5PK

Large SKU 1189350 I SAS66583-5PK

XL SKU 1189331 | SAS66584-5PK

10 Boxes of 120 Each $169_{16.99 \text{ ner box}}^{99}$

Medium SKU 1189349 | SAS66582CS

Large SKU 1189326 I SAS66583CS

XL SKU 1189347 | SAS66584CS



DERMA-PRO

• Powder-Free Exam Grade Nitrile, 4.5 mil • Provides Comfort Fit and Durable Wear • Superior Strength and Puncture Resistance

2 Boxes of 100 Each $25^{99}_{12,99 \text{ per box}}$

Small SKU 1189277 | SAS66541-2PK

Medium SKU 504166 | SAS66542-2PK

Large SKU 504171 | SAS66543-2PK

XL SKU **504170 I SAS66544-2PK**

2XL SKU 1189345 | SAS66545-2PK

5 Boxes of 100 Each $59^{99}_{11.99 \text{ per box}}$

Small SKU 1189353 | SAS66541-5PK

Medium SKU 1189337 | SAS66542-5PK

Large SKU 1189365 | SAS66543-5PK

XL SKU 1189343 | SAS66544-5PK

2XL SKU 1189329 I SAS66545-5PK

10 Boxes of 100 Each 109 99 10.99 per box

Small SKU 1077222 | SAS66541CS

Medium SKU 504168 | SAS66542CS

Large SKU 504169 | SAS66543CS

XL SKU **504172** I **SAS66544CS**

2XL SKU 1077229 I SAS66545CS





• Powder-Free, Exam Grade Latex, 7 mil • Comfortable Fit, Flexibility and Performance • Fully Textured for Excellent Grip • Beaded Cuff

2 Boxes of 100 Each $34_{17.49 \text{ per box}}^{99}$

Medium SKU **1077228 | SAS6501002-2PK**

Large SKU 1077226 | SAS6501003-2PK

XL SKU 1077227 | SAS6501004-2PK

2XL SKU 1077223 | SAS6501005-2PK

5 Boxes of 100 Each **79** 99 per box

Medium SKU 1189361 | SAS6501002-5PK

Large SKU 1189363 | SAS6501003-5PK

XL SKU 1189360 | SAS6501004-5PK

2XL SKU 1189362 | SAS6501005-5PK


10 Boxes of 100 Each **149** 99 per box

Medium SKU 1189364 | SAS6501002CS

Large SKU 1189276 | SAS6501003CS

XL SKU 1189344 | SAS6501004CS

2XL SKU 1189319 | SAS6501005CS







2024 Jan-Mar

Hablamos Español Call 901-300-4878

GREAT FINANCING PROGRAMS*



- Leases are handled by four companies
- Customer must:
 - Select equipment
 - Complete credit application
 - Receive approval from leasing company
- Once the transaction is approved and documents are signed by customer:
 - Customer invoice is funded by leasing company
 - Equipment order is placed









2 30-60-90

- AutoZone® credit account in existence for 6 months
- Satisfactory payment history with AutoZone®
- Updated account application with agreement section completed and signed
- No NSF checks within 6 months
- No credit holds within 6 months
- · Established credit worthiness
- Minimum down payment = 35%
- Minimum 52 wks. sales = \$15 K
- Minimum equipment cost = \$1 K (sales tax included)

EXTENDED TERMS

- AutoZone® credit account in existence for 1 year
- Satisfactory payment history with AutoZone®
- Updated account application with agreement section completed and signed
- No NSF checks within 6 months
- Established credit worthiness
- Minimum down payment = 35%
- Minimum 52 wks. sales = \$25 K
- Minimum equipment cost by term:
 - 6 months \$3 K
 - 9 months \$6 K
 - 12 months \$8 K or greater (financial statement may be required)
- Financing is provided by third parties who are not affiliates of AutoZone. All of the advertised loan programs, rates, terms and conditions are subject to change at any time without notice. An extra charge may be imposed at the end of the lease depending on the residual value of the leased goods. Free overnight shipping available to continental U.S. for qualifying VDP orders of 70 lb. or less. Free overnight shipping excludes: liftgate fees, residential delivery, non-network carriers, and certain freight intensive items that are shipped FOB.

©2024 Great Neck Saw Manufacturing, Inc. Certain content provided by and is the property of AutoZone Parts, Inc. All rights reserved. AutoZone, AutoZone & Design, Loan A Tool, Duralast, Duralast Gold, Duralast Proven Tough and Duralast ProPower are registered marks of AutoZone IP LLC or one of its affiliates. All other marks are the property of their respective holders. iPhone® and iPad® are registered trademarks of Apple Inc., Android® is a trademark of Google Inc., STP® is a registered trademark of the Armor All/STP Products Co., and Bluetooth® is a trademark of Bluetooth® SIG, Inc. Items requiring freight shipping cannot be delivered outside of the continental United States. For shipping cost to Alaska or Hawaii, please contact Commercial Sales Manager. Ad prices cannot be combined with any other offer. Offers may vary by market. Offers valid while quantities last. Items may not be available at all locations at all times. We reserve the right to limit quantities and to correct pricing errors. Some new items might not be available at the time of print deadline. Prices valid only during sales catalog effective dates. All photographic, clerical, typographical and printing errors are subject to correction. Images shown may not be actual product but represent products or sets which include product. We reserve the right to substitute a like item or an item of greater value on any promotional offer in this publication. Store stock items may be purchased at any local AutoZone store or through your AutoZone Commercial Sales Manager. Bonus items are fulfilled while supplies last and may ship separately. Bonus items may be replaced with like items of the same or greater value.

