
# TOOL & LOUIDING TO QUARTERLY



**OEM** TOOLS

Call 901-300-4878

### **CL** Challenger Lifts **Get Your Shop EV Ready**



### **Keep Cool** and Keep Going **3-Speed Pedestal, Floor** and Wall Mount Fans



### 10K Versymmetric® 2-Post Lift with EV Adapters

SKU 1544683 | CHLCL10AV3



10,000 Lb. 2-Post Lift	\$7,549.99
EV Footpads	\$1,249.99
Truck Adapter Set	\$644.99
Double Telescoping Footpad	Included
Regular Price	\$9,444.97
FINAL PRICE	\$8,349.99
SAVINGS	\$1,094.98

See Pages 90-97

Versymmetric 3-Stage

with Swept Arm Design



### DEDICATED TO HELPING YOUR BUSINESS RUN BETTER



Scan This QR Code to Link to the Digital AutoZone Tool & Equipment Catalog on AutoZonePro.com



The AutoZone® Tool and Equipment Team is here to ensure our customers are always satisfied. As our customer, you can expect fast, personalized and professional service. Our customer service associates have over 200 years of combined experience in the tool and equipment industry.

## Call AutoZone® Tool & Equipment at 901-300-4878 for Questions Concerning:

- Equipment Selection
- Product Delivery
- Service After the Sale

- Product Availability
- Technical Support
- Ordering Capital Equipment

## Call Your AutoZone® Commercial Sales Manager or Go to AutoZonePro.com

- To Place Orders for Parts, Tools and Equipment
- For Questions Related to Parts and Vehicle Accessories
- For Commercial Credit, Lease or Financing Information

Businesses can take advantage of IRS S-179 tax credits on equipment purchases. Contact your CPA for details.

### FREE OVERNIGHT SHIPPING -



Free overnight shipping available to continental U.S. for qualifying orders of 70 lb. or less. Free overnight shipping excludes: liftgate fees, residential delivery, non-network carriers, and certain freight intensive items that are shipped FOB.

### IMPORTANT INFORMATION ABOUT RECEIVING YOUR FREIGHT ORDER

The freight company will call 24 hours prior to delivery. It is important to take or return their calls to schedule delivery. Most items are shipped freight prepaid. Limited access, residential, carrier surcharges, redelivery and storage fees are not included.

### **OFFLOADING?** Do you need:







- Items shipped via flatbed and most lifts will require a forklift.
- Palletized items including most capital equipment and tool storage require a liftgate or forklift.
- Drivers will not allow you to break down pallets and offload by hand.
- Inside delivery is not available. Product will be dropped as close as safely possible. Make sure your location is accessible to the truck and driver.
- DO NOT SIGN until you have inspected the freight and confirmed carton/ pallet count.
- Refuse shipment and/or notate any discrepancies or possible hidden damage on the bill of lading.
- DO NOT ACCEPT OR SIGN FOR DAMAGED ITEMS. Accepting and signing for a damaged or short shipment without notation releases the carrier and distributor from any claim or responsibility.
- Contact us at 901-300-4878 immediately with any questions or problems with delivery.
- For hidden minor or cosmetic damage, we may at our discretion, choose to send replacement parts.

### **ASK BEFORE YOU RETURN**

Many of the Tool and Equipment products are covered by the manufacturer's warranty and will be serviced and repaired in the field.

Note: Most manufacturers require you to register your products with them before receiving support or service.

IF YOU HAVE OUESTIONS ABOUT WARRANTY OR RETURNS CALL 901-300-4878.

### AUTOZONE® STORE MANAGERS AND COMMERCIAL SALES MANAGERS

### **Call Your Tool & Equipment Team at 901-300-4878 for Questions Regarding:**

- Product Ordering and Availability Assisting Customers with Price Quotes Service After the Sale Help with Outside Buy/EPO Orders
  - Prices subject to change without notice. Prices do not include applicable taxes, vehicles, tires, rims, installation or optional equipment as shown. Please do not return purchases to the store. For information regarding warranty, repair, or any questions or concerns, call 901-300-4878.

## To place orders or for pricing contact your AutoZone® Commercial Sales Manager. For product information, availability and product support, *call 901-300-4878*.

### **TOOLS AND EQUIPMENT IN THIS ISSUE:**

Air Compressors	Engine Stands & Cranes.       .84-85         Evaporative Coolers       .10-11         Exhaust Tubing Bender       .126         Fans       .10-12         Fluid Handling       .34-37         Generators       .71, 127         Gloves       .129, 147         Grease Guns       .33         Hand Tools       .5-8, 131-139         Hardware Kits       .23-24, 46, 145         Heating & Cooling       .10-13         Heavy Duty       .120-122	Power Tools & Accessories	Smoke Leak Detectors       27, 120         Specialty Tools       46-52, 120, 122         Surface Prep       73, 76         Technician Sets       37, 80         Thread Repair       140-141         Tire Service       90, 97-108, 121         Tool Organization       118-119         Tool Storage       5, 114-117         Torque Wrenches       50, 105         TPMS Tools       102-103         Tubing       76         Vacuum Pumps       16-17
·		Safety Supplies	Vacuum Pumps
Disconnect Tools 46, 120  Drill Bits & Extractor Sets 141	Jacks & Hydraulics 9, 81-85, 122	Shop Equipment 123-127	Wheel Weights106-107
	RRANDS IN	THIC ICCIIE:	

ABAC.   70-71   CPS   15, 17, 23, 120   Lisle   39-40, 42, 46, 48, 53-54   SAS   146-147   Access Tools   51   CRC   144   56-67, 60-61, 108, 112, 140-141, 146   Shark   39, 76, 78, 80, 96, 104, 41   41   41   42   43   44   44   56-67, 60-61, 108, 112, 140-141, 146   Shark   39, 76, 78, 80, 96, 104, 41   41   41   41   41   41   41   41		BRANDS IN	THIS ISSUE:	
CoolBoss	Access Tools	CPS       15, 17, 23, 120         CRC       144         Crushproof Tubing Co       12         CTA       41, 53         Cutting Edge       85         Duralast       5-9         Ecotechnics       14-15         Energy Logic       13         FIX-A-THRED       140         FJC Inc       19, 24         Flexzilla       65, 77         Forney Industries       128-129         Forward Lift       89, 92         GearWrench       131         GreatNeck       64, 132, 138-139         H&S Autoshot       128         Hardware Machinery       23, 51, 145         Hofmann       86-87, 89, 98, 101         Homak       114-115, 117         Hunter Fans       12         Ingersoll Rand       72-74         Innova       32         IPC       125         Jackson       129, 146         John Dow       13, 36, 46, 108, 142, 145         Ken-Tool       125         Knipex       31         Lanair       13         Lang       31, 112	Lisle 39-40, 42, 46, 48, 53-54, 56-57, 60-61, 108, 112, 140-141, 146 Livernois	Shark.       .39, 76, 78, 80, 96, 104, 110, 124, 129         Sheffield       .117, 138         Slip-N-Grip       .142         Solar       .67         SRI       .124         Steck.       .48, 51, 84, 143         Streamlight       .65         SUNEX.       .75         Sunfire.       .13         SUR&R.       .31, 40, 46, 145         Sure Shot.       .113         SureBilt       .42         Sylvania.       .65         TEXA       .14, 29, 120         Thexton       .45         Titan       .31         TMR/The Main Resource       .104         TOPDON       .26, 30, 66-69         Traxion       .143         Tuxedo       .90         UView       .21-22         Viking       .117         VIM Tools       .111         Water Works       .125         Wiha Tools       .31



### **OEM TOOLS Gauge Set Dual Aluminum R134a/R1234yf Gauge Set 144** 99 REG. \$249.99 SKU **1335797** 25130 • Includes: 72" Hoses. Manual Couplers and Can Tap Valves with 1/2" ACME Fittings for Use with Both R134a and R1234yf Refrigerants

**Workshop Stool** 

**Double Ring Adjustable Stool** with Backrest SKU OSB

25700



See More **SHOP SUPPLIES** on Pages 142-145



### **Battery Charger**

6/12V, 40A Standard **Duty Wheel Charger** SKU **344795** ASCUS20





Safe In Any

### **VALUE: \$39.99**

20 Ft. 4 Gauge **Booster Cables** with Storage Bag 24335

With Purchase of: ASCUS20





**Ball Joint Service Kit** 

See More AIR CONDITIONING on Pages 14-24


**74 Piece Master Ball Joint Press Kit** SKU **1207895** 

37388



**OEM** TOOLS

Comes with Easy-to-Read **Manual for Finding Adapters Quickly and Easily** 



PRO-CUT

See More CHASSIS & SUSPENSION on Pages 58-62

### **Fluid Extractor**

**OEM** TOOLS 2.5 Gallon (10 Qts.) SKU **666881** 24938 11<u>9</u>99 REG. \$189.99 See More **FLUID HANDLING** 

### **Combo Wrench Set**

**RingStop® Reversible Ratcheting Wrench Set** 

**12 Piece Set (Metric)** 

SKU **803140 149** 99 REG. \$199.99

**BONUS+SAVINGS** 



**OEM** TOOLS

### BONUS value: \$34.99 📦 🖤

**OEM** TOOLS

**12 Piece Go Thru Socket Set (Metric)** 

22978 With Purchase of 23988

on Pages 131-139

### See More HAND TOOLS

### A/C Service Tools

on Pages 34-37

A/C Clutch Hub **Puller and Installer** SKU **1103539 79<sup>99</sup>** REG. \$109.99 37150

BONUS+SAVINGS



VALUE: \$19.99

**26 Piece Master Orifice Tube Assortment** 



With Purchase of: 37150

### **Brake Lathe Kit**

Combination **Bench Lathe Kit** 

SKU OSB **Call for price** PCTB-17K







**Training Included** 



See More BRAKE LATHES on Page 109

## Duralast tool storage

### Duralast

42" 4-Drawer Top Chest, Blue **SKU** 1354163

- 21-gauge steel construction
- 100 lb. soft-close full-extension drawers with liners
- Built-in power strip (4 outlets & 2 USB ports)
- 7,668 cubic inches of storage
- 400 lb. total weight capacity
- Combine with 1354168 (sold separately)

### 42" 9-Drawer **Tool Cabinet. Blue**

**SKU** 1354168

- 21-gauge steel construction
- 100 lb. soft-close full-extension drawers with liners
- 5"x2" heavy-duty casters to support up to 1,200 lbs.
- 10,532 cubic inches of storage
- 800 lb. total weight capacity
- Combine with 1354163 (sold separately)



### Duralast

30" 5-Drawer Mechanic's Cart **BLUE SKU** 1354167 **BLACK SKU** 1354164


- High-capacity, full-extension ball bearing drawer slides
- 90-degree lid opening with dual gas struts
- 15,000 cubic inches of storage
- 700 lb. total weight capacity



### Duralast

30" 4-Drawer **Technician Cart** 

**BLUE SKU** 1354165 **BLACK SKU** 1354166



- 90-degree lid opening with dual gas struts
- 12,600 cubic inches of storage
- 580 lb. total weight capacity




### SPECIAL DEALS

### Duralast

1/4", 3/8", 1/2" Drive 435PC Mechanic's Tool Set

**SKU** 1089589



### \$1.850 Value

- Features 237 Chrome Sockets, 51 Wrenches, 42 Impact Sockets, 6 ratchets & more!
- The most tools for your money, all guaranteed for life

### Duralast

1/4", 3/8", 1/2" Drive 335PC Mechanic's Tool Set



### \$1,350 Value

- Features 210 Chrome Sockets, 41 Wrenches, 3 Ratchets & more!
- Professional Grade Tool Selection, All Guaranteed for Life

## Duralast Mechanic's tool sets



- 1/4-in, 3/8-in, and 1/2-in drive mechanic's tool set
- 6-point standard and deep sockets (1/4-in, 3/8-in drive) and 12-point standard sockets (1/2-in drive)
- Sockets feature off-corner loading design to help prevent the rounding of fasteners
- Alloy Steel sockets and drive tools heat treated for superior strength









### Duralast

180PC Mechanic's Tool Set SKU 52378

119<sup>99</sup>



- 1/4-in, 3/8-in, and 1/2-in drive mechanic's tool set
- 6-point standard and deep sockets (1/4-in, 3/8-in drive) and 12-point standard sockets (1/2-in drive)
- Sockets feature off-corner loading design to help prevent the rounding of fasteners
- Alloy Steel sockets and drive tools heat treated for superior strength

### Duralast

90PC Mechanic's Tool Set SKU 52377

8999



- 1/4-in and 3/8-in drive mechanic's tool set
- 6-point standard and deep sockets
- Sockets feature off-corner loading design to help prevent the rounding of fasteners
- Alloy Steel sockets and drive tools heat treated for superior strength

### Duralast

60PC Mechanic's Tool Set

**50**99



- 3/8-in drive mechanic's tool set
- 6-point standard and deep sockets
- $\bullet$  Sockets feature off-corner loading design to help prevent the rounding of fasteners
- Alloy Steel sockets and drive tools heat treated for superior strength

### Duralast

45PC Mechanic's Tool Set SKU 15879

**39**99



- 1/4-in drive mechanic's tool set
- 6-point standard and deep sockets
- Sockets feature off-corner loading design to help prevent the rounding of fasteners
- Alloy Steel sockets and drive tools heat treated for superior strength
- Premium S2 steel bits for durability

## Duralast tool bundle deals

## 2999\* FULL RETAIL OVER \$420!

\*Special bundle pricing only applied when all 3 items are on a single invoice

### **TECHNICIAN STARTER BUNDLE**

Score this Duralast Starter Tools bundle featuring our top selling 265pc tool set, digital torque wrench, and diamond tip screwdriver set. Be ready for whatever job comes your way!

### 265PC Mechanic's Tool Set

SKU 1077624

- Comprehensive selection of 1/4", 3/8", and 1/2" drive tools
- Forged from alloy steel for durability and long-lasting performance
- 3-drawer blow mold case, with trays marked by drive size for easy storage and transportation
- Guaranteed for life backed by a Lifetime Warranty

### 3/8" Drive Electronic Torque Wrench

- Torque accuracy of +/- 2% clockwise and +/-3% counter clockwise
- 20-100 Ft-Lb range
- 3 different alerts as torque limit is reached (vibration, beep, LED alter)
- 6 button design allows for easily switching between different torque units (N-m, Kg-m, Ft-Lb, In-Lb)

### **6PC Diamond Tip Screwdriver Set** SKU 79374

- Ergonomic handle for extreme comfort for the toughest jobs
- Contains: (3) Diamond Tip Phillips Screwdrivers: #1x3", #2x1-1/2", #2x4"
- (3) Diamond Tip Slotted Screwdrivers: 3/16x4", 1/4x1-1/2", 1/4x4"
- Chemical-resistant handle for durability





## 5999\* FULL RETAIL OVER \$84!

\*Special bundle pricing only applied when all 3 items are on a single invoice

### **100 POSITION RATCHET BUNDLE**

1/4" Drive SKU 565700 | 3/8" Drive SKU 565717 | 1/2" Drive SKU 565721

These Duralast 100 Position ratchets are designed with a patended stacked pawl technology - allowing for a reduced ratcheting arc of just 3.6 degrees. They also come with a Duralast Lifetime Guarantee. Don't miss out on this opportunity to add all 3 sizes to your tool box!



## Duralast tools must haves

### Duralast

**6PC Ratcheting Wrench Set** MM SKU 569779 **SAE SKU** 570921



- Metric Set Includes: (6) Metric Ratcheting Wrenches: 8, 10, 12, 13, 14, 15mm
- SAE Set Includes: (6) SAE Ratcheting Wrenches: 5/16, 3/8, 7/16, 1/2, 9/16, 5/8"
- 72 tooth ratcheting box ends

### Duralast

**7PC Impact Hex Bit** Socket Set

MM SKU 1077628 **SAE SKU** 1077626





- Metric Set Includes: (7) 1/2" Drive Impact Hex Bit Sockets: 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm
  - SAE Set Includes: (7) 1/2" Drive Impact Hex Bit Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" 3/4"

### Duralast

13PC 1/4", 3/8", 1/2" Drive Tamper-Proof **Torx Bit Socket Set** 

**SKU** 565140



- Contains 13: (4) 1/4"Drive Tamper-Proof Torx Bit Sockets: T-8, T-10, T-15, T-20; (8) 3/8" Drive Tamper-Proof Torx Bit Sockets: T-25, T-27, T-30, T-40, T-45, T-47, T-50, T-55; (1) 1/2" Drive Tamper-Proof Torx Bit Socket: T-60
- Bit sockets attach to drive tools, such as ratchet or breaker bar, providing a long handle for leverage

### Duralast

10PC 1/4", 3/8" Drive 10MM Socket Set **SKU** 582151

- The Duralast 10pc 10mm socket set takes the need of the 10mm socket, and provides a solution for any application
- Chamfered lead-ins help to provide fast and easy placement of sockets and accessories onto drive

### Duralast

**9PC Triple Square Bit Set** 

**SKU** 1077622



- Cold formed alloy Steel socket base and S2 tool steel bit heat treated for superior durability and strength
- Bit sockets attach to drive tools, such as ratchet or breaker bar, providing a long handle for leverage
- Full polished chrome finish socket easily wipes clean of oil

### Duralast

3/8" Drive Electronic **Torque Wrench** 

SKU 1227964



- 20-100 ft-lbs range ideal for engine work and smaller vehicle lug nuts
- Torque accuracy of +/- 2% Clockwise / +/- 3% Counter Clockwise
- 6 button design allows for easily switching between different torque units (N-m, Kg-m, Ft-Lb, In-Lb)
- Reversible, ratcheting head and alloy steel construction

### Duralast

**4PC Impact** Flip Socket & **Extension Kit** SKU 1077627



- Forged chrome molybdenum alloy steel for strength and durability in impact use
- Set Includes: (3) 1/2" Drive Flip Impact Sockets -21mmx22mm, 7/8"x15/16", 3/4"x13/16"; (1) 1/2" Drive Impact Extension: 3"

## Duralast LIFT EQUIPMENT & BATTERY CHARGERS



3 Ton Aluminum Floor Jack





3-1/2 Ton Professional Foldable Garage Jack



22099

### Duralast



- 2.5 ton capacity
- 2.5 ton stands

### Duralast



- 3 ton capacity
- Dual piston pump with universal release
- High lift height

### Duralast

2.5 Ton Aluminum Steel Garage Jack SKU 979807



- 2.5 ton capacity
- Aluminum design for lightweight
- Dual pump piston with universal release for controlled loads

### Duralast

6 Ton Jack Stands SKU 234799

6789



- Full welded heavy gauge steel base
- Large Cast iron ratchet pawls for secure locking
- Multiple height positions

### Duralast

250 Amp 12 Volt Battery Charger SKU 1277303

- The DL-250D is compatible with 12-volt standard, lithium, AGM, gel, and deep-cycle batteries
- The 250-amp engine start is strong enough to jump start cars, SUVs, trucks, and boats
- Manual operation controlled by 135-minute timer and manual rate selection knob
- Built-in ammeter lets you monitor the complete charging process



### Duralast

Lithium Battery Booster/Jump Pack SKU 567656

 Powerful 1200-amp jump start is strong enough for cars, trucks, motorcycles, boats, SUVs, and other large engines

 150-PSI air compressor features a digital pressure gauge making it easy to inflate tires, toys, mattresses, and more

 The 2.4-amp USB port charges smartphones and other mobile devices two times faster than a standard USB charger"



### **Raise Productivity**

Unique high efficiency propeller design is quiet and delivers airflow over long distances.

Keep your technicians cool and comfortable.









### **Evaporative Coolers**

### 5300 CFM SKU **213172**

23969

**699**<sup>99</sup><sub>REG. \$799.99</sub>

- 1/3 HP 3 Speed Motor
- Water Capacity: 14.6 Gallons
- Cooling Area: 1,600 Sq. Ft.
- Dimensions: 45" x 17" x 28"
- Weight: 56 Lb.



23968 • 1/5 HP 3 Speed Motor

3100 CFM

SKU **213184** 

- Water Capacity: 10.3 Gallons
- Cooling Area: 950 Sq. Ft.
- Dimensions: 37" x 17" x 25'
- · Weight: 39 Lb.



**OSCILLATING** 

Offers Good While Supplies Last Through September 30, 2025

Replacement **Media Sets** 

For 23969/23977 5300 CFM

30" Indoor Fan

SKU **592385** 

219<sup>99</sup>

REG. \$349.99

30" Outdoor Fan

• CFM: 9500

SKU **949582** 

**299**99

**0EM24894** 

**0EM24884** 

SKU 1485036 HESCP610

For 23968/23976 3100 CFM

SKU 1485034 HESCP370

**OEM** TOOLS

### **Shop Fans**

- Powerful 3-Speed Motor
- Easy to Assemble and Wall Mountable
- Oscillating Function Provides Effective Air Circulation





- 5 Aluminum Blades



**REG. \$219.99** 

### 24" Indoor Fan

SKU **592383 0EM24883** 

REG. \$299.99

• CFM: 6500

24" Outdoor Fan

SKU **949553 0EM24893** 

**259**99

REG. \$299.99

- IP44 Water Resistance Rating







Offers Good While Supplies Last Through September 30, 2025

### 20<sup>11</sup>

SKU **688197 0EM24871** 

• CFM: 4500

30<sup>11</sup>

SKU **592248 0EM24885** 

REG. \$299.99

• CFM: 9500



Offers Good While Supplies Last Through September 30, 2025

### Floor Fan

### 20" High Velocity Floor Fan

**OEM** TOOLS

SKU **688200 59** REG. \$109.99 **0EM24870** 

- CFM: 4500
- Precision-Balanced Aluminum Fan Blades and Energy-Efficient **Motor Optimize** Airflow Output
- 3-Speed Motor Allows Operator to Control Airflow
- 5' UL Listed Power Cord

Offer Good While Supplies Last Through September 30, 2025



**OEM** TOOLS

OEM TOOLS

### **Barrel Fan**

**42" Direct Drive Barrel Fan** 

SKU **344969 0EM24879** 

### REG. \$699.99

- CFM: 12,718
- 2-Speed, Direct Drive Motor Allows Control of Airflow Volume
- 3 Aerodynamic Aluminum Blades Produce Optimal Airflow Output



Offer Good While Supplies Last Through September 30, 2025

**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.com

### PORTACOOL

### **PEAK COOLING,** INTELLIGENT CONTROL

- Portacool APEX<sup>™</sup> Series
- Setting the STANDARD for **Auto Shop Cooling**
- HydroTek<sup>™</sup> Evaporative Media designed to MAXIMIZE cooling performance with less maintenance
- Control Your Comfort with COOLSYNC<sup>™</sup> - Sync your Portacools to your smartphone for intelligent control
- Fan Speed
- Wind Direction
- Water Control
- Group Syncing
- Scheduling





PRCA05001A1

### **Apex 500**

SKU 1392317 PRCA05001A1

- Cooling: Up to 500 Sq. Ft.
- Velocity: 40 MPH
- Air Flow Reach: 55 Ft.
- · Water: 13 Gal.

### **Apex 700**

SKU 1392315 PRCA07001A1

- Cooling: Up to 700 Sq. Ft.
- Velocity: 37 MPH
- · Air Flow Reach: 60 Ft.
- · Water: 22 Gal.



PRCA12001A1

### **Apex 1200**

SKU **1392332** PRCA12001A1

- . Cooling: Up to 1200 Sq. Ft.
- Velocity: 25 MPH
- · Air Flow Reach: 40 Ft.
- · Water: 40 Gal.

#### **Apex 2000**

SKU **1392329** PRCA20001A1

• Cooling: Up to 2000 Sq. Ft.

COOL BOSS

- Velocity: 28 MPH
- Air Flow Reach: 60 Ft.
- · Water: 45 Gal.



PRCA65001A1

### **Apex 4000**

SKU 1392335 PRCA40001A1

- . Cooling: Up to 4000 Sq. Ft.
- Velocity: 25 MPH
- . Air Flow Reach: 50 Ft.
- · Water: 55 Gal.

### Apex 6500

SKU 1392341 PRCA65001A1

- Cooling: Up to 6500 Sq. Ft.
- Velocity: 24 MPH
- Air Flow Reach: 40 Ft.
- · Water: 66 Gal.



**Customer Responsible For Offloading, Liftgate Service Available.** 

### **Evaporative Coolers**

- 80W 4000 Lumens Adjustable LED Floodlight
- Anion Negative Ion Air Purifier
- Low Level Shutoff
- Built-In Bluetooth® Audio Player and Speakers
- Wireless Remote Control

### **CB-12L**

### SKU 1360694 Call For Price **CLBCB-12SL**

- Max. Airflow: 1,565 CFM
- . Cooling Area: 650 Sq. Ft.
- Fan Diameter: 12"

### **CB-16L**

#### SKU 1275460 Call For Price CLBCB-16L

- Max. Airflow: 4,950 CFM
- . Cooling Area: 1,125 Sq. Ft. • Fan Diameter: 16"

• Fan Diameter: 36"

#### **CB-36L**

#### SKU 1275465 Call For Price CLBCB-36L

• Max. Airflow: 12,615 CFM . Cooling Area: 3,125 Sq. Ft.

### **CB-14L**

### SKU 1400037 Call For Price CLBCB-14SL

- . Max. Airflow: 2,300 CFM
- Cooling Area: 850 Sq. Ft.
- Fan Diameter: 14"

### **CB-28L**

#### SKU 1275461 Call For Price CLBCB-28L

- Max. Airflow: 9,020 CFM
- . Cooling Area: 2,125 Sq. Ft.
- Fan Diameter: 28"



We Offer the Full Line of Portacool and Cool Boss Evaporative Coolers and Accessories

### **Blower Fans**



### 300 CFM Blower Fan

SKU **1392323** MSC20300-A

- 120 Volts, 60 Hz
- For Indoor or Outdoor Use
- 3-Speed Switch (High, Medium, Low)
- 4-Position
- Adjustment Feet
- 8.5 Ft. Cord Length



### **Heater Attachment** for 300 CFM Blower

SKU OSB MSC20300-HTR

- Converts Your 300 CFM Portable Blower into a Heater for Your Garage or Work Space
- 1320 Watts, 5000 BTU
- Fits Many Popular Brands (300 CFM Only. Not for 1,200 CFM Fans.)



For OSB, Call 901-300-4878

### **Industrial Fans**



AIR MOVEMENT SOLUTIONS

### **More Air, Less Noise Means Improved Comfort and Productivity**

- Output: 43,000 CFM
- 43.4 DB
- 110V

### AirMobile 59" Fan

SKU OSB AMS81011300

• Industrial Grade Casters



### AirFocus 59" **Variable Speed Fan** SKU OSB

AMS81011304

**2,989**<sup>99</sup> . Wall or Ceiling Mount

### AirFocus 59" **Single Speed Fan**

SKU **OSB** AMS81011308

2,549<sup>99</sup>

Wall or Ceiling Mount





### Titan Fan 14' Kit

SKU OSB HNT81011517-1P

. Highest Performance and Versatility

Direct-Drive Motor

• Whisper-Quiet Air Circulation



**Hunter Fan Kits Include: Down Rod, HMI Controller and VFD Control Panel** 

To Confirm Price. Availability and Ordering Instructions on OSB, Call 901-300-4878

### **Exhaust Hoses**

### **Flarelock Hoses**

- Made Exclusively for Cars and Small Trucks
- End is Flared to Permit Connection of 2 or More Links at a Time

2.5" x 11'

SKU **977557** ACSFLT250

3.5" x 11'

SKU **977589 224 99 ACSFLT350** 

3" x 11'

SKU **977559** ACSFLT300

4" x 11'

SKU **977590 244 99** ACSFLT400

### 3" Y-Assembly Kit with **F300 Adapter**

SKU **977550** ACSYA300



**Door Port Adapters** 

ACSDF25

G CRUSHPROOF TUBING COMPANY

Rubber Garage Door Port Adapter
Designed for 2-1/2" ID

### For 3" Hose (Aluminum)

SKU **977552** ACSADF30

• Aluminum Port Allows Hose to Be Vented Through the Door

### For 4" Hose (Aluminum) SKU **977554** ACSADF40

• Use on 1" Thick Doors



Hunter

#### **Bell Hose Adapters**

- Designed for Easy Adapting to All Sorts of Tailpipes
- . Connects with Ball and Snap

### 2.5" Adapter

SKU **97754**4 ACSRA250

3" Adapter SKU **977545** 

ACSRA300



### 2.5" Service Station Kit

SKU **977547 274 99** ACSDSS25

• 1 Each - 6' x 2-1/2" Hose • 1 Each - 2-1/2" Rubber "Y" Connector • 2 Each -

Straight Tailpipe Adapter, Hook and Chain

• 1 Each - Splice Connector



### 3" Service Station Kit

SKU **977548** ACSDSS30

• 2 Each - 4' x 3" Hoses • 1 Each - 6' x 3" Hose

• 1 Each - 3" Rubber "Y" Connector

• 2 Each -Straight Tailpipe Adapter, Hook and Chain

• 1 Each - Splice Connector



**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.con

*energylogic* 

### Energylogic



On-board air compressor



Burn No.2 to 90W and synthetics



Small footprint

### Stop paying to have your waste oil hauled off! Save and burn it for FREE heat this winter.

75H Waste Oil Furnace with Built-In 10 Gal. Tank						
JRNACE	BTUs	HEATS UP TO	PART NO.	PRICE		
EL-75	75,000	1,750 Sq. Ft.	ENL11075104	4,299.99		

Waste Oil Heater Complete Systems*							
FURNACE	BTUs	HEATS UP TO	PART NO.	PRICE	Reg. Price	Savings	
EL-140	140,000	3,500 Sq. Ft.	ENL01140103	11,349.99	11,999.99	\$650	
EL-200	200,000	5,000 Sq. Ft.	ENL01200104	12,599.99	13,349.99	\$750	
EL-350	350,000	8,500 Sq. Ft.	ENL01350104	15,599.99	16,549.99	\$950	

<sup>\*</sup>Complete systems include waste oil furnace and 250 gallon tank, swing-away burner with built-in air compressor, low-fuel cutoff, draft gauge, drain valve and Class A flue kit. Not for sale in CA

To Confirm Price, Availability and Ordering Instructions on OSB, Call 901-300-4878



### **FREE Strainer Pan & Tank Gauge Included!**

	Heater Package*	BTUs	Heats up to	Part Number	Price
	XT1503	150,000	3,500 sq. ft.	LANXT150C	10,549.99
Thru-roof	XT2003	200,000	5,000 sq. ft.	LANXT200C	10,899.99
chimney	XT2503	250,000	8,500 sq. ft.	LANXT250C	13,999.99
	XT3003	300,000	10,00 sq. ft.	LANXT300C	14,749.99

\* Packages Include 215 Gallon Tank and 6" Chimney Kit. For OSB, Call 901-300-4878

Not For Sale in CA



### **Sunfire**

### **Portable Radiant Heaters**

- · Quiet. Clean. Odorless
- Safe for Indoor Commercial Use

### 80,000 BTU

SKU OSB SFRSF80

- . Heats up to 1,900 Sq. Ft
- Diesel or Kerosene
- 6 Gallon Tank

### 120,000 BTU

SKU OSB SFRSF120

- · Heats up to 2,800 Sq. Ft
- Diesel or Kerosene
- 14 Gallon Tank

### 150,000 BTU

SKU **OSB** SFRSF150

- · Heats up to 3,500 Sq. Ft
- Diesel
- 19 Gallon Tank

### **SUNFIRE**

### NO SMELL **W** NO FUMES



### **Exhaust Extraction**

### **Portable Exhaust Extraction System**

SKU OSB **DOWEV5100** 

- · Works with Standard 3" Exhaust Hoses and "Y" Hose Adapters
- · Captures Fumes and Discharges Them Safely Up to 30' Away
- . Mobile Base Makes it Easy to Position and Move Around the Shop
- Uses Standard 110V Current
- · Not for Use on Diesel
- Optional "Y" Hose Adapter Available for Dual-Exhaust Vehicles



To Confirm Price, Availability and Ordering Instructions on OSB, Call 901-300-4878

AZG0325

John**D**ow

Industries

### FOR MORE DETAILS ON RECOVERY MACHINES GO TO AZTOOL1.COM

### **Recovery Machines**

### **Arctic**PRO®



	Refrigerant 134a			Refrigerant 1234yf	
MAHLE	ACX-2150 R134a Recovery Machine SKU 213170 MSSACX2150	ACX-2180 R134a Recovery Machine SKU 213168 MSSACX2180	ACX-2180H R134a Hybrid Recovery Machine SKU 213203 MSSACX2180H	ACX-2250 R1234yf Recovery Machine SKU 213151 MSSACX2250	ACX-2280 R1234yf Recovery Machine SKU 1187032 MSSACX2280
Automatic Oil Drain	✓	✓	✓	✓	✓
Automatic Air Purge	✓	✓	✓	✓	✓
Included Database	Optional	✓	✓	Optional	✓
Automatic Oil and Dye Injection	✓	✓			
Includes Refrigerant Identifier				<b>√**</b>	<b>√</b> *
Phone Application	Optional	✓	✓	Optional	✓
Price	<b>4,399</b> <sup>99</sup>	<i>5,099</i> <sup>99</sup>	<b>5,099</b> <sup>99</sup>	<i>6,349</i> <sup>99</sup>	<b>7,249</b> <sup>99</sup>

On-Board Integrated Thermal Printer (Optional) \*Integrated \*\*Non-Integrated

### **ECOTECHNICS**



Description	Hybrid Ready R134a SKU 1339733 HOFEEAC820B	Hybrid Ready R1234yf SKU 1335790 HOFEEAC830B	Eco Dual Gas A/C Service Station SKU 1335792 HOFEEAC800
Refrigerant Type	R134a	HF0-1234yf	R134a + HF01234yf
Refrigerant Tank	30 Lb.	30 Lb.	30 Lb. + 30 Lb.
Command Valves	Automatic	Automatic	Automatic
Display	5" Touch	5" Touch	7" Touch
Database	<b>√</b>	✓	<b>√</b>
Printer	✓	✓	✓
Status Light	✓	✓	<b>√</b>
Hybrid Function ✓		✓	✓
<b>Price</b>	<i>5,249<sup>99</sup></i>	<i>6,799<sup>99</sup></i>	10,499 <sup>99</sup>





TEXA	<b>750R R134a Recovery Machine</b> SKU 1282745 TEX211450	760 R1234yf Recovery Machine SKU 1282756 TEXA17910	780 Dual Gas Recovery Machine SKU 1282809 TEXA17810
Automatic Oil Drain	✓	✓	✓
Automatic Oil and Dye Injection	✓		
10 in. Multi-Touch Display		✓	✓
R134a Management	✓		<b>√</b>
R1234yf Management		✓	✓
Vehicle Capacity Database	✓	✓	<b>√</b>
Software Update Over Wi-Fi		✓	✓
Push-Pull Recovery	✓	✓	✓
Fully Automatic Operation	✓	✓	✓
Price	<i>5,399</i> 99	8,749 <sup>99</sup>	10,549 <sup>99</sup>

### **Recovery Machines**

### ROBINAIR.



Warranty: 1 Year Parts and Labor

Description	AC1234-4 Premier R1234yf SKU 1212384 ROBAC1234-4	AC1234-9 Connected R1234yf ACS SKU 1212383 R0BAC1234-9	<b>34288NI Economy R134a</b> SKU <b>221185</b> R0B34288NI	34788NI-H Premier R134a Refrigerant for Hybrid and Non-Hybrid Vehicles SKU 751572 R0B34788NI-H	34788NI Premier R134a Refrigerant SKU 751569 R0B34788NI	<b>34998 Connected R134a ACS</b> SKU <b>1212385</b> R0B34998
Operation	Automatic	Automatic	Semi-Automatic	<ul><li>Automatic</li><li>Hybrid Vehicle</li><li>Applications</li></ul>	Automatic     Auto Oil Injection	Automatic     Auto Oil Injection
Display	4.3" LCD Display	10" Hi-Res Touch Screen	4.3" Full Color Display	4.3" Full Color Display	4.3" Full Color Display	10" Hi-Res Touch Screen
Printer	ROB30038 (optional)	Wireless Printing	ROB30038 (optional)	ROB30038 (optional)	ROB30038 (optional)	Wireless Printing
Bluetooth and Wi-Fi		<b>√</b>				<b>√</b>
Price	Call for Price 001 200 4070					

**Call for Price** 901-300-4878



<b>CPS</b> °	R134a SKU 1407803 CPSMSX134	R1234yf SKU 1407806 CPSMSX1234	R134a/R1234yf SKU 1407510 CPSMSX3030	Heavy Duty R134a SKU 1407805 CPSMXHD
Fully Automatic	✓	✓	✓	✓
Onboard Oil Injection	✓			
High Capacity Oil-less Compressor	✓	✓	✓	✓
Vehicle Database Included	✓	✓	✓	✓
10 Ft. Service Hoses	✓	✓	✓	18' Hose
Includes 2 Tanks and 2 Sets of Hoses			✓	
Wi-Fi and Bluetooth Enabled	✓	✓	✓	✓
Touch Screen	7" Hi-Res	7" Hi-Res	7" Hi-Res	7" Hi-Res
Includes Refrigerant Identifier		✓	✓	
Converts Between R134a and R1234yf in 10 Min.			✓	
Price	<b>5,399</b> <sup>99</sup>	<i>6,999</i> 99	<i>9,299</i> 99	<b>7,649</b> <sup>99</sup>

### **Recovery Machine Filters/Maintenance Kits**



CPS°



**MAHLE** 

**ECOTECHNICS** 

SKU	Part Number	Brand	Fits	Price
522875	R0B34430	Robinair	17700A, 34450, 34700, 34134Z	133.99
414883	R0B34724	Robinair	34288, 34788, 34788NI, 34788NI-H, 34988, 347002, 341342	89.99
752703	R0B13172	Robinair	Maintenance Kit for Models Using 34724 Filter - Includes Oil	<i>159.99</i>
186483	CPSARXF5	CPS	FX and AR Series CPS Equipment	99.99
1149172	CPSFX3030X1	CPS	Includes FX Series Filter, Vacuum Pump Oil and Coupler O-Rings for FX134A	<i>154.99</i>
389222	MSC69788FLTPK	Mastercool	69788, 69789 and 69789-H	249.99
199681	MSCCOM1FLTRPK	Mastercool	Commander 4000 and 4000x	184.99
199675	MSCCOM2FLTRPK	Mastercool	Commander 1000, 2000 and 3000	229.99
1149182	MSS3608325400	Mahle	ACX2180, ACX2180H and ACX2280	119.99
207349	MSS268077600	Mahle	ACX1120H, ACX1150, ACX1150H and ACX2120H	119.99
207508	MSS3608273900	Mahle	ACX1280, ACX2150 and ACX2250	114.99
818739	RTI3608213300	Mahle	RHS980 and ACX1180	119.99
1406968	H0FEEAC33023B	EcoTechnics	HOFEEAC800, HOFEEAC810, HOFEEAC820B, HOFEEAC830B	99.99

### A/C VACUUM PUMP KITS - BETTER VALUE FOR YOUR MONEY

A/C Service Set with Air Vacuum **Pump - R134a** 

SKU **850564** 68991

• Includes: Air Vacuum Pump with 1/2" ACME R134a and R12 Connectors, Brass Manifold Gauge Set with 60" Hoses and Snap Style Couplers, Brass Can Tap Valve, Large Diameter **Dual Scale Thermometer** 



Starter A/C Vacuum Pump Kit - R134a SKU **1400034** 

68950 · Includes: 1.8 CFM, 100 Micron Single Stage Vacuum, Professional Quality Extruded Aluminum Manifold with



**OEM** TOOLS

REG. \$299.97 When You Buy the Kit R134a and R1234yf **Spark-Free A/C Vacuum** Pump Kit SKU 1400036

68951 • Includes: 6 CFM, 75 Micron, Spark-Free Single Stage Vacuum for Use with R134a or R1234vf, Extruded Aluminum Manifold Gauges, 72" Hoses with High Quality Manual Couplers, R1234yf Conversion

Couplers That Convert R134a

Manifold and Hoses to R1234yf, 1/2" ACME Right Hand to 1/2" ACME Left Hand Tank Adapter, 1/4" SAE x 1/2" ACME Hose to Vacuum Pump Adapter and R134a and R1234yf Can Tap

REG. \$404.98

**OEM TOOLS** 

When You Buy the Kit

### **Electronic Leak Detection**

### **A/C Refrigerant Leak Detector**

SKU **466307** 24510

REG. \$114.99

**Detects All Types of Hald** 

- Sensitive to 0.1 Oz. per Year Single Color LED Display with 7 Level Leak Alarm
- Flexible Stainless Steel Probe to Reach Almost Any Space
- Includes Spare Sensor Tip
- Works with 1234vf

Offer Good While Supplies Last Through September 30, 2025

### **Black Series Infrared Refrigerant Leak Detector**

SKU OSB MSC55600-A

- Easily Select Sensitivity Levels with a Maximum Sensitivity Up to 0.14 Oz./Yr.
- TFT Screen Provides Clear and Easy Readings That Show Leakage, Sensitivity, Battery Level and Sensor Fault Indicators

  • Designed to Meet EN14624, SAE1627, SAE2791
- and SAE2913 Standards



### **Raptor Refrigerant Leak Detector**

SKU **916550 274 99** MSC56100

- Features 3 Sensitivity Levels and 5 Detection Levels
- Detects Leaks as Small as 1/10 Oz. per Year
- Detects All Refrigerants (CFC, HCFC, HFC)
- Flexible 16" Probe for Hard-to-Reach Areas
- · Works with 1234vf



Inspector 2-in-1 Electronic/UV Leak Detector SKU **916553 299 99** 

MSC56200

- Pinpoint Leaks as Small as 1/10 Oz. (3 gr) Per Year
- Built-In Ultra-Bright UV Light at End of Probe Allowing Easy Access into Tight Areas
- · Works with 1234vf



**√** Mastercool:ී

### **Portable Recovery Systems**

### **R-134 Twin Turbo Complete Recovery Machine**

SKU OSB MSC69360

- Largest Volume Recovery Rate on the Market
- For Use with All Refrigerants Including R410A
- Injection Molded High Density Polyethylene Case for Maximum Durability
- · Safety High Pressure Switch Revolutionary
- Double Piston 0il-Less Compressor



### **R1234yf Twin Turbo Complete Recovery Machine**

SKU **OSB** MSC69360-YF

- Revolutionary Double Piston Oil-Less Compressor
- Largest Volume Recovery Rate on the Market



### R134a/R1234yf Complete A/C Recovery Set SKU **OSB**

MSC69372



 Includes All Hoses and Couplers Needed to Recover, Cleanse and Remove the Oil from R134a and R1234yf Automotive A/C Systems

• 30 Lb. DOT Tank for R134a and 30 Lb. DOT Tank for R1234yf Refrigerants Included with Each Unit

- (Refrigerant Sold Separately) • 115V/60 Hz
- 1/2 HP Oil-Less Compressor
- Compatible Refrigerants: All CFCs, HCFCs and HFCs



To Confirm Price, Availability and Ordering Instructions on OSB, Call 901-300-4878

**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.com

### **Vacuum Pumps**

### **1.8 CFM Single Stage Vacuum Pump**

SKU **466312** REG. \$199.99 24500

- Motor: 1/4 HP, 110V
- Ultimate Vacuum Rating: 100 Microns
   Inlet Ports: 1/2" ACME 1/4" Flare
- Oil Capacity: 6.7 Oz. (200 mL), Included
- Internal High Volume Cooling Fan for Extended Use

Offer Good While Supplies Last Through September 30, 2025



### 4 CFM Single Stage **Vacuum Pump**

SKU **466305** REG. \$179.99 24501

- Motor: 1/3 HP, 110V
- 75 Microns
- Inlet Ports: 1/2" ACME 1/4" Flare
  Oil Capacity: 11 Oz.
- (330 mL), Included
- Internal High Volume Cooling Fan for Extended Use

Offer Good While Supplies Last Through September 30, 2025



**6 CFM Single Stage Vacuum Pump** 

SKU **466306 PAREG.** \$299.99 24502

- Motor: 1/2 HP, 110V
- 75 Microns
- Inlet Ports: 1/2" ACME 1/4" Flare
- Oil Capacity: 11 Oz. (330 mL), Included
- Internal High Volume Cooling Fan for Extended Use



6 CFM Spark-Free Vacuum Pump SKU **213133** 

- 24642 REG. \$399.99 Motor: Spark-Free 1/2 HP, 110V
- Ultimate Vacuum Rating: 75 Microns
  3 Inlet Ports: 1/4" Flare, 1/2" ACME and 1/2" ACME LH
- Oil Capacity: 330 mL, Included
- Internal High Volume Cooling Fan for Extended Use
- Can Be Used with R1234yf Refrigerant



**Black Series 1.8 CFM Single Stage Vacuum Pump** 

SKU **1414397** MSC90059-BL

- 80 Microns
- 1/4 HP
- 110/120, 60 Hz
- T-Fitting 1/4" FL-M x 1/2 ACME-M



🕶 Mastercool: 🕷

🕶 Mastercool:ී



**▼** Mastercool:

- 1.8 CFM Deep Vacuum Pump
- 1/4' and 1/2' Fittings
- · For Use with Multiple Refrigerants



### **3 CFM Single Stage Vacuum Pump**

SKU **1392324 239** 99 MSC290062

- Large Fan Keeps Vacuum Pump Cooler and Extends Life
- 1/4" SAE and 1/2" ACME Port Access
- 110-120V, 60 Hz Voltage



### 6 CFM 2 Stage **Vacuum Pump**

SKU OSB MSC900662V-BL

- 15 Microns
- 1/2 HP
- 110/220, 50/60 Hz
- Includes: 3 Inlet Ports: 1/4", 3/8" SAE and 1/2" ACME



For OSB, Call 901-300-4878

### **Spark-Free 6 CFM** Vacuum Pump (Single Stage)

SKU **1400035** MSC90066BLSF

- 80 Microns
- 1/3 HP
- 110/120V. 60HZ
- T-Fitting 1/4" FL-M x 1/2 ACME-M



### **Air-Operated Vacuum Pump**

SKU **544730** 24533



- · Air Pressure Range: 75 to 180 psi
- Air Consumption: 4.2 CFM @ 90 psi
- Vacuum Capacity: 28.3" of Mercury @ 90 psi



### **Vacuum Pump Oil** (8 Oz.)

ŠKU **363429** 24399

- . Increases Life Span of the Pump
- Performance of Your Pump Depends on Regular Service and the Quality and Purity of the Vacuum Pump Oil That You Use
- Compatible for Use in Pumps Made by Most Manufacturers





SKU **517580** 



- Compatible with Most Pumps
- . Increases Life Span of the Pump
- Performance of Your Pump Depends on Regular Service and the Quality and Purity of the Vacuum Pump Oil That You Use







AZG0325

### **Manifold Gauges**

### **R1234vf Manifold Gauge** and Hose Set

SKU **752518** 24559

REG. \$199.99

- 3" Easy-to-Read Gauges with Temperature Chart
- 72" Hoses
- High Quality 6-Ball Manual Couplers

Offer Good While Supplies Last Through September 30, 2025



**Offer Good While Supplies Last** 

Through September 30, 2025

**Dual Aluminum R134a/R1234yf Gauge Set** SKU **1335797** 

25130 REG. \$249.99

• Includes: 72" Hoses, Manual Couplers and Can Tap Valves with 1/2" ACME Fittings for Use with Both R134a and R1234yf Refrigerants



OEM TOOLS

**OEM** TOOLS

### **R134a Brass Manifold Gauge Set**

SKU **752520** 24563

REG. \$129.99

- High Quality Brass Body with Sight Glass • Large 2-1/2" Gauges are Easy to Calibrate
- and Have a High Impact Lexan Lens • 60" Hoses (3,000 psi Burst,
- 600 psi Working Pressure)
- Snap Style Quick Couplers

Offer Good While Supplies Last Through September 30, 2025



SKU **466319** 24527

• Easy-to-Read 2-3/4" Spring Dampened Gauges to Reduce Flutter

Extruded Aluminum Manifold

• 72" Hoses with Manual Couplers



### **Deluxe R134a Gauge Set**

SKU **1282751** MSC289772CL

- Solid Block Extruded Aluminum Manifold
- 72" Long Hoses with Manual Couplers
- Gauge Guards for Protection



**OEM** TOOLS



### **Dual R134a, R-12 Manifold Gauge Set**

SKU 1335804 MSC293996PBCL

- Solid Block Extruded Aluminum Manifold
- 96" Long Hoses with Manual Couplers
- Gauge Guards for Protection
- Silicone Dampened Calibratable Gauges
- Extra Long Hose for Access to Heavy Duty Buses, Fleet and Refrigerated Trucks Systems



### **R134a Aluminum Manifold Kit with Dye Injector**

SKU **290023** MSC89660UV

• Includes: R134a Aluminum Manifold, 60" Hoses, Standard Couplers and 10 Application Mini Dye Injector



### Dual R134a/R1234yf Brass Gauge Set

SKU **1142631** MSC66661AYF

18499

- 2-1/2" Silicone Dampened, Recalibrateable Gauges
- Extra Access Port for Vacuum Line
- R1234yf High and Low Side Quick Couplers R134a High and Low Side Economy Couplers 1/2" ACME-M x 1/2" ACME-F LH Thread Adapter (2) 12 mm-M x 14 mm-F R1234yf Adapters Set of 3 - R134a Standard Hoses



### **R1234yf Aluminum Manifold Gauge Set**

SKU **505065** MSC83272

- Ideal for Shops That Want to Wait to Invest in New AC Service Stations Adapted for R1234yf
- Contains Manifold, 3 Service Hoses, 2 Service Couplers LT/HT



### **Dual Aluminum R134a/R1234yf Gauge Set** SKU 1086254

MSC89661AYF

- Professional Extruded Aluminum Block
- 2-1/2" Silicone Dampened, Re-Calibrateable Gauges
- Free-Floating Piston Type Valves Reduce O-Ring Wear
   R1234yf High and Low Side Couplers with Extended
- Disconnect Protection Sleeve
- · Standard Hoses, R134a Manual Couplers, R1234yf Couplers, 1/2" ACME-M x 1/2" ACME-F LH Thread Adapter, (2) 12 mm-M x 14 mm-F R1234yf Adapters



TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

### **Can Taps**

### R1234yf **Self-Sealing Can Tap**

SKU **213178** 24553

R134a **Can Tap** SKU 466315

24524





#### **OEM** TOOLS **4-Way Side Can Tap**

SKU **1103203** FJC6842

- For Use with R-12, R134a or R1234vf Refrigerant Cans and Oil Change Cans
- Fits Cans with 2-7/8", 2-1/2" and 2" Diameter
  Includes: 1/2" ACME LH, 1/2" ACME and 1/4" Flare Male Fitting with Check Valve



### **Refrigerant and Oil Charge Side Can Tap**

SKU **466313** 24523

- Fits 1 Lb. Cans of R134a, R12 and 2" Oil Charge Cans
- Plier Type Grip with Positive Lock
- Includes: 1/2" ACME Male and 1/4" FL Male Ports with Safety Valve



### 3-In-1 Side Mount Can Tap

SKU **290033** MSC85530

- Unique Design will Work on All R134a (2-7/8"). R12 (2-1/2") and Oil Charge (2") Cans
- Outlet Port Offers a 1/2" ACME and 1/2" FL Fitting with an Internal Check Valve to Prevent System Backflow



### **Manifold Gauge Repair**

### **Replacement Gauge High Side** for A/C Manifold

SKU **481705** 24530

REG. \$34.99



- 1/8" NPTF Male Threads
- Reads 0 to 500 psi



SKU **481709** 24531

REG. \$34.99

• Reads 0 to 120 psi and 0 to 30" Hg

Offers Good While Supplies Last Through September 30, 2025

### **RI34a/RI2 Charging Hose Repair Kit**

SKU **295557** MSC91334-A

• 50 Piece Assortment of Replacement Gaskets. 0-Rings, Depressors for Charging Hoses and Adapters



**✓** Mastercool:

#### **OEM** TOOLS A/C Manifold Upgrade Kit SKU **1043688**

68903

• Includes: 3-in-1 Side Mount Can Tap Valve, R134a Manual Coupler Set, 1234yf Self Sealing Can Tap, 1/2" ACME Hose Set 72", R134a to HFO-1234YF Conversion Coupler Set



### **R1234yf Manifold/Hose Adapter Assortment**

25091

SKU **1142732 2099** 

• 6 Common Adapters to Fit Manifolds, Hoses, Couplers and Vacuum Pumps

• Includes: 1/2" LH ACME Female x 1/4" Male Flare, 1/2" ACME Male x M12 x 1.5 Male, 1/2" ACME Female x M12 x 1.5 Female, 1/4" Male Flare x M12 x 1.5 Male, 1/2" LH ACME Female x M14 QDK, 1/2" LH ACME Male x 1/4" Female Flare

• Includes Organizer Case with I.D. Labels













**OEM** TOOLS

**✓** Mastercool L 72 Pc. Valve and Gasket Set

SKU **1544670** 25099

- Includes: 50 Common Gaskets for 134a Hoses and Manifold Sets, 10 Replacement Valves and 10 Replacement Valve Cores
- Includes: Valve Core Replacement and Installation Tool and Organizer Case



### A/C Hoses

SKU **489151** 

### 96" R134a Red Hose SKU **489152** MSC84963

• 1/2" ACME-F and 14 mm-M Auto A/C Fittings - 96"



MSC84961 • 1/2" ACME-F and 14 mm-M Auto A/C Fittings - 96'



### 72" R134a Hose Set

SKU **752516 49** REG \$64.99 24558

• 72" R134a 3 Hose Set Color Coded: Red.

Yellow and Blue



### 72" 1/4" Hose Set SKU **752515**

**REG \$49.99** 24557

• 72", 1/4" SAE 3 Hose Color Coded: Red, Yellow and Blue



Offers Good While Supplies Last Through September 30, 2025

### 72" R1234yf Hoses

SKU **85803** 25009

- Includes: (2) 72" High/Low Charging Hoses with 12 mm Male Fittings and 72" Charging Hose with 12 mm and 1/2" x 16" Left Hand Acme Fitting
- Meets or Exceeds SAE J2888 Standards





25010

- Includes 96" Set Blue/Red 12 mm-M x 12 mm-M
- Meets or Exceeds SAE J2888 Standards

AZG0325

### A/C Couplers

### **R134a Manual Coupler Set**

SKU **362980** 24396

- REG. \$39.99 All Metal Construction for **Extra Durability**
- 6-Ball Coupler for Secure Grip Includes: Adapter for Use with

R12 Hoses

Offer Good While Supplies Last Through September 30, 2025

### R134a High Side **Manual Coupler**

SKU **347267** 24395

R134a Low Side **Manual Coupler** 

SKU **347266** 24394



**OEM** TOOLS

OEM TOOLS

3/8" FL-M x 13 mm SKU **695637** MSC82934-SLE

**R134a Refrigerant** 

**Manual R134a** 

High-Side.

SKU **695636** 

Low-Side,

**Safety Lock Coupler** 

• Safety Lock Ensures That Hose

for Containment of Refrigerant

1/4" FL-M x 16 mm

MSC82834-SLE **49**99

· Suitable for Use On All R134a Systems

**Remains Connected During Operation** 

• Meets All SAE, UL and EPA Requirements



Mastercool∴

### **1234yf Manual Coupler Set** with 134a Hose Adapters and Acme Adapter

SKU **1544682 2099** 25093

- . Couplers Have 12 mm F Threads to Connect to 1234yf Hose Connections
- Two 12 mm M to 14 mm F Brass Adapters Included for Use with 134a Hoses

• Includes: 1/2" M to 1/2" F Left Hand Acme Adapter

### R1234yf High-Side **Coupler and Adapter Set**

SKU **1544684** 25094

R1234vf Low-Side **Coupler and Adapter Set** SKU **1544686** 

25095

**OEM** TOOLS

### **Conversion Coupler Set R134a to R1234vf**

SKU **752527** 24561

• 1234yf Manual Couplers with 14 mm Female Threads to Convert R134a Manifold and Hoses to R1234yf

• Includes: Tank Adapter, 1/2" ACME Right Hand to 1/2" ACME Left Hand Adapter





 Male Low-Side R134a to Female 1/2" ACME

**Tank Adapter** 

SKU **850565** 

24554

· Attaches to Virgin Tank and Low-Side Service Coupler



### R1234vf Low Side **Tank Adapter**

SKU **1103204** 25086

- Used to Fill Refrigerant from R1234yf Cylinders
- · Attaches to Virgin Tank and Low Side Service Coupler
- This Fitting Does Not Have a Valve Core or Valve Core Depressor

✓ Mastercool<sup>®</sup>



### R1234yf Hose to Vacuum **Pump Adapter Fitting** 1/4" x 1/2"

SKU **600806** 24509

• 1/4" SAE x 1/2" ACME Female LH Thread



**✓** Mastercool:

### **Valve Core Tools**

**OEM** TOOLS

### A/C Valve **Core Tool**

SKU **466314 4 // 99** 24555

• Double Ended Valve Core Tool to Service Both Standard and Large Bore R134a and R12 Cores



**No Gas Loss** 

24529 **REG. \$74.99**  Remove and Install Standard R134a Valve



- Built-In Ball Valve Retains Charge and Allows Access to A/C System
- For 13 mm and 16 mm High and Low Service Ports



Offer Good Through September 30, 2025

### **Universal Valve Core** Remover/Installer for R1234yf

SKU 1043686 MSC58490-YF



- Ball Valve Design with Stainless Steel Ball Provides Smooth Movement and Durability
- Kit Covers 17 mm and 14 mm High and Low Side Service Ports
- Includes: Valve Assembly, High Side 17 mm Connector, Low Side 14 mm Connector, Standard Valve Core Shaft, GM Large Bore Valve Core Shaft and Eaton R134a/ R1234yf High Side Valve Core Shaft



### **Universal Valve Core Remover/Installer for** R134a/R12

**BONUS+SAVINGS** 

SKU **1142576** 

MSC58490

- Kit Covers All R12 and R134a System Valve Cores for Standard, JRA, Eaton and GM Large Bore
- Includes: Valve Assembly, R134a High Side 16 mm Connector, R134a Low Side 13 mm Connector, 1/4" FL Swivel Connector, Adapter 1/4"-M x 3/16"-F High Side GM/Ford, Adapter 1/4"-M x 1/8"-F High Side Ford and Blow Mold Case



### A/C Service Tools

### A/C Condenser Fin Comb Straightener/Cleaner

SKU **466317** 24526

- · Clean and Straighten Condenser and **Evaporator Coils**
- . Compact Design for Confined Spaces

 6 Clearly Marked Combs: 8, 9, 10, 12. 14 and 15 Fins per Inch



### Valve Core Tool Set (2 Piece)

SKU **1209377** 22589

• Designed for Removal and Installation of Schrader Style Valve Cores



### A/C Clutch Holding Tool

SKU **1392339** 26550

- · Holds Compressor Clutch in Place When Removing the Holding Bolt
- Adjustable Pins to Fit Various Compressor Clutches
- Compatible with Domestic and Import Vehicles



### A/C Clutch Hub **Puller and Installer** SKU **1103539**

37150



Includes: Orifice Tube Extractor Tool Set

OEM TOOLS

### RONUS VALUE: \$19.99


**26 Piece Master Orifice Tube Assortment** 

With Purchase of: 37150

Offer Good While Supplies Last Through September 30, 2025

REG. \$109.99





**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.com

### SpotGun® Jr.

### SpotGun® Jr. Univ. Oil/UV Dye Kit for R134a/R1234yf - 1 Oz.

SKU **1368623** UVU390100

- Works with Both R134a and R1234Yf Refrigerant Systems
- 4 Universal Oil Cartridges (1 Oz.)
- 2 ExtenDye<sup>™</sup> Cartridges (1 Oz.)
- 2 LeakGuard<sup>™</sup> OneShot Cartridges (1 Oz.)
- 2 Low-Side Service Adapter Hoses and R134a/R1234yf Couplers



### SpotGun® Jr. Univ. Oil/UV Dye Kit for R134a/R1234yf -1 Oz. with UV Lite

SKU **1400039 299**99 UVU390200

- Works with Both R134a and R1234Yf Refrigerant Systems
- Includes UV Phazer (AAA) UV Lite and UV **Enhancing Glasses**
- 4 Universal A/C Oil (1 Oz.)
- 2 ExtenDye™ Cartridges (1 Oz.)
   2 LeakGuard™ OneShot Cartridges (1 Oz.)



### A/C ExtenDye™ Cartridge

- SAE J2297 Certified Super Concentrated UV Dye
- . Works in R134a, R1234yf Systems and is Hybrid Safe
- Contains Friction Modifier to Increase Lubricity and Decrease Friction
- . Contains Antioxidant to Prolong Oil Life
- · Anti-Wear Additive for Better Wear Resistance
- · Works with SpotGun® Jr. Injection System

A/C ExtenDye™ Cartridge 1 Oz. (4 Pack) SKU **1362004** UVU399020A **50**99

A/C ExtenDve™ Cartridge .25 Oz. (6 Pack)

SKU OSB UVU399006A **59**99



### Universal PAG 46 Oil for R134a 10z. Cartridge (12 Pack)

SKU 1363781 UVU399046



- OEM Approved
- Works with SpotGun® Jr. Injection System
- · Formulated to Work with R1234yf, R134a and Hybrid Safe
- Sealed Cartridge Assures Clean Oil Delivered to Vehicle A/C System
- Injection System Measures the Correct Dosage



**Universal PAG 46 Oil** R1234yf - 1 Oz. Cartridge (4 Pack)

SKU **1407808** UVU399046YF

**54**99

To Confirm Price. Availability and Ordering Instructions on OSB, Call 901-300-4878

### **SpotGun®**

### SpotGun® Univ. Oil/Dye Kit for R134a/R1234yf - 8 Oz. without UV Lite

SKU OSB UVU490100

19999

- Works with Both R134a and R1234Yf Refrigerant Systems • 1 Universal Oil Cartridge (8 Oz.)
- 1 ExtenDye™ Cartridge (8 Oz.) Service Maintenance Stickers 2 Low-Side Service Adapter Hoses and R134a/

R1234yf Couplers



### SpotGun® Univ. Oil/Dye Kit for R134a/R1234yf -8 Oz. with UV Lite

SKU OSB UVU490200

- Works with Both R134a and R1234Yf Refrigerant Systems
- 1 Universal Oil Cartridge (8 Oz.)
- 1 ExtenDye™ Cartridge (8 Oz.)
- UV Phazer<sup>™</sup> Black (AAA Batteries Included) UV Enhancing Glasses



### WIEW.

A/C ExtenDye™ Cartridge - 8 Oz.

SKU OSB UVU499108A

**79**99

- Works in R134a, R1234yf Systems and is Hybrid Safe Contains Friction Modifier
- . Contains Antioxidant to
- Prolong Oil Life
- Fits Competitive Guns



### **Mastercool**

### **Professional UV Leak Detection Kit with 12V/50W UV Light**

SKU **290041** MSC53351

- 12 Volt/50 Watt UV Leak Detector
- 1 Oz. Coolant Dye, 1 Oz. Oil/ATF/Fuel Dve, Dve Remover
- Mini Dye Injector (10 Applications of Universal A/C Dye) Compatible with R134a and R12 Adapter
- UV Enhancing Safety Glasses
- 12 Service Labels



### Universal **Concentrated Dve** Cartridge 1 Oz. (5 Pack)

SKU **505040** MSC53810-5

- 5 Pack of Dye for 53585 Leak Detector Kit
- 10 Applications per Bottle





SKU **591153** 24609

**UV Leak Detection Lights** 

• 5 Hr. Run Time on High



UV Leak Dve **Detection Light** 

**OEM** TOOLS

400 Lumens Super Bright Work Light

Yellow Smoke **Detection Light** 

### **Rechargeable UV Flashlight**

SKU **1544660** MSC53518UV



✓ Mastercool<sup>®</sup>

- High-Intensity LED Ensures Superior Illumination for Accurate Leak Detection
- 2W Lamp Power: Provides Powerful Performance In a Compact Design
- UV Intensity: 154–170 μW/cm², Comparable to a 50-Watt UV Flashlight

• UV Wavelength: Operates At 390-400 Nm for Optimal Detection

- Rechargeable Battery: Delivers 3 to 5 Hours of Continuous Use
- · Backup Power Option: Includes Holder and 3 AAA Batteries



**OEM** TOOLS

#### **UV Phazer Professional 395nm Leak Detection Light**

- Adjustable Zoom Lens Allows for Focusing Light Intensity In a Smaller/Larger Area for Precision Viewing
- · Rechargeable Li-ion Battery

#### **Black**

SKU 1405963 UVUEW40395

- High Output True UV LED Light
- Precise, True UV Wavelength and Bandwidth to Optimize the Fluorescence of UV Dyes
- . Max. Run Time: 4 Hrs.



#### NEO

SKU 1400042 UVUEW50395

• UV Dye Shines Brighter with the Phazer Neo Than Any Other UV Light

> SKU **191688** 25465

- Water Résistant
- Max. Run Time: 5 Hrs.



### **UV Leak Detection Light and Glasses**

SKU **213144 24 99** 24516

- . Compact UV Leak Detection Pen Light
- Can Be Used with All Types of UV Leak **Detection Dyes**
- Yellow Lens Protective Glasses Enhance Visibility of Leaks





2 AA

### Magnifying Glass with 5 LED and 1 UV Light

. Compact Magnifier with 5 LED Lights and a Super Bright UV Light

UV Light Detects Dyes




### **Refillable Injectors**

**In-Line Dve and Oil Injector** 

SKU **466322** 

**39** REG. \$54.99



 Use with UVU499008A A/C ExtenDye™ Bottle (8 Oz.)



OEM TOOLS

SAVE

### **OEM TOOLS**

**Oil and Dye Injector** 24517

**R1234yf Hand Turn** 

- Easy to Operate Hand Turn Injection
- Durable Aluminum Construction with Laser Etched Filling Guide
- Includes R1234vf System Coupler
- 2 Oz. (60 mL) Capacity
- Use with UVU499008A A/C ExtenDye™ Bottle (8 Oz.)



### OEM TOOLS R12 and R134a **Hand Turn Dye Injector**

SKU **466320** REG. \$129.99 24528

- Injects Dye or Oil into R12 or R134a Systems
- Refillable, Capacity: 2 Oz.
- Includes: R134a Quick Coupler
- Use with UVU499008A A/C ExtenDye



✓ Mastercool<sup>®</sup> **Refillable Universal Dye Injector for R1234vf** 

MSC53123-YF **164**99

- Heavy Duty Aluminum Construction
   Injects Dye or Oil into R1234yf Systems
- · Refillable, Any Dye or Oil Can Be Used
- Easy Twist Injection System



### **Pourable Dyes**

A/C ExtenDye™ Bottle - 8 Oz.

SKU OSB UVU499008A

- SAE J2297 Certified Super Concentrated UV Dye
- Works in R134a, R1234yf Systems and is Hybrid Safe
- Contains Friction Modifier to Increase Lubricity and Decrease Friction
- . Contains Antioxidant to Prolong Oil Life
- Anti-Wear Additive for Better Wear Resistance

For OSB, Call 901-300-4878

### **Multi-Purpose Dye**

SKU **1392316** UVUB483206

• Pinpoint Leaks in Engine Oil, Transmission, Hydraulic, Power Steering, Gasoline and Diesel Fuel Systems



### PAG 100 Oil with A/C ExtenDye™ 8 Oz. Bottle (4 Pack)

SKU OSB UVU488100PBD4

- PAG 100 Oil
- · Contains ExtenDve for Leak Detection
- A/C ExtenDye Includes Additive Package to Reduce Wear A/C ExtenDye Will Extend Component Life and Improve
- A/C Efficiency • Formulated to Have the Correct Dye/Oil Performance

For OSB, Call 901-300-4878



**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.com

### Orifice Tube

### **26 Piece Master Orifice Tube Assortment** SKU **851868**

24564

**REG. \$29.99** 

- Covers Most Vehicles That Require Air **Conditioning Orifice Tubes**
- Includes: Chrysler (Orange, Purple T-Top), Ford (Black, Blue, Brown, Green, Red), GM (Black T-Top, White, Yellow) Jeep (Green - White) and Volvo (Yellow)

Offer Good Through September 30, 2025

OEM TOOLS



### A/C O-Ring Assortment

### 270 Piece A/C **0-Ring Kit**

SKU **271196** 68141

· Great O-Ring Set for Most Automotive and Refrigerant Applications



**Kit Contains 270 O-Rings in a Variety** of SAE Sizes



**✓** Mastercool≗

**⋘** Mastercool≗



### **Digital Scales**

### **Digital Refrigerant Scale (240 Lb. Capacity)**

SKU **752521 200**99 24560

- High-Visibility .75" x 2.5" LCD Backlit Display
- 3 Units of Measure: Kg/Oz./Lb.
- · Automatic Shut-Off After 10 Minutes, Backlight Will Shut Off After 3 Minutes
- Fully Enclosed and Removable Metal Scale Platform Enables Use of Product in or Out of the Protective Case



### **Black Series Electronic Charging Scale with Bluetooth**

SKU **290029** MSC98210-BL

- Includes Bluetooth Wireless Technology
- · Capacity: 243 Lb.
- Accuracy: ≤±0.05% of Reading
- Resolution:
- 0.05 Lb./0.5 Oz./0.01 kg
- · Rugged, Non-Slip Platform



### A/C Flush

### A/C Flush Machine

SKU OSB CPSAFM100

- Air Operated 8' Hoses to Reach Any System
- · Forward or Reverse Flush without Changing Hoses
- 2-1/2 Gallon Capacity Tank for Use on Cars and Buses
- · Universal Couplers Allows Connection to Most Types of Connections
- · Clear Filter Bowl Allows You to See What is Coming Out of the System with a Cleanable Filter



For OSB. Call 901-300-4878

### **MASTERCLEANSE** A/C Flush Machine

SKU OSB MSC69900

- Designed to Flush All HVAC/R and Automotive Systems
- Pump Power: 0.4 HP; Flow Rate: 4 Gal/Min.
- · Stainless Steel Ball Valve Controls
- 1/4" SAE Connection
- Pump Equipped with Mechanical Seal and PTFE Gasket
- 110 VAC

For OSB, Call 901-300-4878

### **Adapter Kit**

SKU **481575** MSC69925

- Isolates A/C System Components for Closed Loop Flushing
- · Flush Individual Components without Removing Them from the Vehicle
- Install Adapters on A/C Line Ends to Allow Attachment of Flushing Equipment



### A/C Flush Kit

SKU **1103579** 

REG. \$99.99

- Uses Shop Air to Pressurize the Solvent to Thoroughly Clean the System
- Simple, Effective and Easy to Use Attached Nozzle Directs the Solvent
- without Sprayback
   Includes: Canister, Hose, Blowgun, Rubber Tip and Cylinder Cap
- Solvent Purchased Separately



### A/C Flush Solvent

Bottle (32 Oz.)

SKU **695650** MSC91049-32

1 Gallon

SKU **695653** MSC91049-128



MSC91049-128

✓ Mastercool ∴

MSC91049-32



AZG0325

**OEM** TOOLS

### A/C Hose and Line Repair

**OEM** TOOLS

**Heavy Duty Ratcheting Hose Cutter** 

SKU **466311** 24522

- . Smooth Action and High Quality Blade Provide Quick, Clean and Accurate Cuts
- · Ratcheting Action Makes it Faster and Easier to Use than Other Cutters
- . Cuts Rubber Hose and PVC Up to 1-1/2" OD
- Wide Hooked Jaws Hold **Tubing Securely**



. Ratcheting Action is Ideal Where Space is Limited Cuts 1/4" to 7/8" Tubing Spare Cutting

**OEM** TOOLS

**✓** Mastercool∴



Ratcheting

SKU **466309** 

**Tubing Cutter** 

### **Hand-Held Hydraulic Crimper Kit for** A/C Hoses

SKU OSB FJC2806

- Includes Complete Set of Dies
- For Hose Sizes: #6, #8, #10, #12 and Reduced Barrier Hose Sizes
- Hand-Held, Hydraulic Tool Ideal for Shop and Field
- **Applications**  Custom-Molded Protective Case



For OSB, Call 901-300-4878

### **Manual Style A/C Hose Crimper, Bench or Vise Mounted**

SKU **290028** MSC71550

- Manual Style A/C Hose Crimper
- . Mount to Bench Using Holding Fixture or Place in Vise
- Includes: 71500 001 Yoke Assembly, 71550 002 Arbor Assembly, 71550 - 003 Holding Fixture Assembly, 71500 - 6 Die Set - #6 (5/16"), 71500 - 8 Die Set - #8

(13/32"), 71500 -10 Die Set - #10 (1/2"), 71500 - 12 Die Set -#12 (5/8") and 71500-PB Custom Mold Box Carrying Case



### **Thermometers**

24552

### **Thermal Imaging Camera** SKU **213193**

REG. \$299.99

- Temperature Range: -4°F to 1,202°F -20°C to 650°C), Selectable Temperature (C or F)
- Captures Thermal Images and Saves to MicroSD Card (Not Included)
- 3 Selectable Color Palettes
- 1.8" LCD Color Display
- Includes Storage Pouch and Mini USB Cable

Offer Good While Supplies Last Through September 30, 2025

### **Non-Contact Infrared Thermometer**

SKU **951642** 25245

- Point-and-Click Non-Contact Thermometer Uses a Laser Pointer to Give Precise Temperature Readings Ranging from -58°F to 716°F (-50°C to 380°C)
- Laser Pointer Identifies the Spot to Be Measured and Provides Accurate Temperature Measurements from a 12:1 Distance-to-Spot Ratio (Emissivity 0.95 Preset)
- Lightweight and Easy to Operate with an LCD Backlit Display That Makes it Effective Even in Low Light Situations
- Auto Power-Off Feature Conserves Battery Power by Shutting Thermometer Off After 7 Seconds of Non-Use
- 9V Battery Included (Typical Battery Life: 22 Hours in Non-Laser Mode, 12 Hours in Laser Mode)



**AIRSEPT** 

**OEM** TOOLS

AirSept® Line Repair

### SAVE TIME & MONEY!



**UP TO 2,600 psi** 

**OE-APPROVED REPAIR SOLUTION INSTALLS IN** MINUTES, NO SPECIAL TOOLS, NO GLUE

### FIX or TERMINATE a Line in 5 MINUTES!

SKU **504122** AIR76526

**Line Terminator SAE (5 Pack)** 

- Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y
- Block Off Leaking Rear Evaporators and Failed System Components
- Include One Each: 5/16", 3/8",1/2", 5/8" and 3/4" SAE Kits



### **Line Terminator SAE/Metric (10 Pack)**

SKU **504124** AIR76530

- · Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y"
- Block Off Leaking Rear Evaporators and Failed System Components
- Includes One Each: 5/16", 3/8", 1/2", 5/8", 3/4", 8 mm, 10 mm, 12 mm, 15 mm and 16 mm







• Includes One Each: 5/16", 3/8", 1/2", 5/8", 3/4", 8 mm, 10 mm, 12 mm, 15 mm and 16 mm



### **Line Terminator Rear A/C Blockoff Kits**

- · Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y"
- . Block-Off Leaking Rear Evaporators and Failed System Components
- Help Maximize Front A/C Performance
- Eliminate Refrigerant and Oil Pooling in Rear A/C Lines

SKU	Part #	Size	Price
504149	AIR76502	3/8" Line	<i>26.99</i>
504146	AIR76501	1/2" Line	26.99
504150	AIR76503	5/16" Line	26.99
504152	AIR76504	5/8" Line	30.99
504154	AIR76505	3/4" Line	35.99
329221	AIR77508	8 mm OD Line	26.99
329219	AIR77510	10 mm OD Line	26.99
329231	AIR77515	15 mm OD Line	30.99
329230	AIR77516	16 mm OD Line	30.99

### **Line Splice Straight Repair Kit**

- High-Tech Anti-Vibration Tension Ring Ensures **Durability in Tough Automotive Applications**
- HNBR Seal Sleeve Dramatically Expands the Sealing Surface Area
- Burst Tested to 2,600 psi



SKU	SKU Part #		Price
504140	AIR76003	5/16" Line	35.99
504138	AIR76002	3/8" Line	<i>35.99</i>
504136	AIR76001	1/2" Line	35.99
504143	AIR76011	5/8" Line	44.99
<b>504132</b> AIR77008		8 mm Line	35.99
504155	AIR77010	10 mm Line	35.99

### Smart Splice™ Line to Hose

- Leak-Proof Line Splice<sup>™</sup> Technology on the Metal Side of the Connection
- Superior Hose Crimp Technology on the Rubber Side
- Also Works for Heater and Coolant Lines
- Install in 5 Minutes



SKU	Part #	Size	Price
504125	AIR76701	1/2" Line to #8 Hose	<i>35.99</i>
504128	AIR76702	3/8" Line to #6 Hose	<i>35.99</i>

AZG0325



### **TopDon**

### **6" Bluetooth Scan Tool with Service Functions & CAN-FD**

TPDAD800BT2

- FCA SGW Support
- 28+ Special Services for Your Productive Days
- · Wider Coverage, Faster Solutions
- . Cut the Cord, Work Without Limits
- All Systems Covered, All Issues Addressed
- Real-Time Performance Tracking with Live Data
- Effortless Organization, Ergonomic Excellence
- . Identify, Record, and Share with Ease
- Take Advantage of the Feedback Feature to Communicate Any Issues You Encounter



For OSB, Call 901-300-4878

### **T-Ninja Pro Key Programming** Via OBD2

SKU **1340225 TPDNINJAPRO** 

- · Pin Reading and Key Learning
- Remote Control Learning
- Deletes Keys
- All Keys Lost
- · Reads and Clears Fault Codes
- Supports Wireless and Wired **Dual Connectivity**



TOPDON®

### **Phoenix Smart Diagnostic System**

SKU **1331482** TPDPXSMART

- Android Based OE-Level Coverage
- 10.1" HD Touch Screen
- TOPOLOGY Feature for **Enhanced Diagnostics**
- SmartLink VCl -Adds CanFD, DolP, J2534, RP1210
- · Codes/Data/Bi-Directional/ Special Functions/Coding/ **Programming**



### **Phoenix Max Diagnostic System** SKU 1331492

**TPDPXMAX** 

- Includes A 4-Channel Oscilloscope
- Supports Cloud-Based Programming For 9+ Brands, Including: Mercedes-Benz, BMW, Audi, Volkswagen/ Skoda/Seat, Porsche, Jaguar/Land Rover, Nissan, Subaru and Renault
- . Supports 9V to 24V Vehicle Models, Configuring Both Passenger Cars and Heavy Trucks
- Heavy Duty Housing with IP65 Standards
- Auto VIN Technology Automatically Uses the Right Diagnostic Software After Identifying the Vehicle Through Its VIN



### **UltraDiag 2-in-1 Diagnostic Scanner and Key Programmer**

SKU **1368629 TPDULTRADIAG** 

- Full-System Diagnostics
- 8 Reset Functions: Oil, Throttle Adaptation, EPB, Steering Angle, DPF Regeneration, ABS Bleeding, BMS and Airbag
- Key Programming Functions: Number of Keys, PIN Reading, Key Learning, Remote Control Learning, Delete Keys and All Keys Lost



### **Transponder and Remote Tester Tool**

SKU OSB **TPDT-DARTS** 

- · Allows Either USB or Battery **Powered Function**
- . Supports Transponder Chips
- Supports 100+ Transponder Chips
- Includes: Quick Guide and a USB Type-C Cable





### **5" Thermal Imaging Camera Tablet**

SKU OSB TPDTC003

- · Superior Image Quality with an IR Resolution of 256 x 192
- . Highly Accurate Temperature Readings
- · Expanded Capabilities with OTG Functionality
- Optimized Testing Range



For OSB, Call 901-300-4878

### SHARED SERVICE FUNCTIONS

Oil Reset

**EPB - Electronic Parking Brake BMS - Battery Management** System SAS - Steering Angle Sensor

Immo Keys - Immobilizer &

**Brake Bleed** 

**DPF - Diesel Particulate Filter** Injector

Suspension Throttle ABS/SRS

VGT Learn **Relative Compression** Window / Door / Roof Seats

MaxiCheck® MX900 SKU #1369200 | Part #MX900 Odometer Language Change Headlamp **CHG Tire Size** Speed & PTO Cylinder Trans Adaption Airbag Reset Clutch A/F Setting Resolver Sensor Calibration **Automatic Start/Stop Electronic Water Pump Start EGR** 

**FRM Reset** Transport Mode **HV Battery** ACC A/C Rain/Light Sensor **Reset Control Unit** CCS/ACC VIN Coolant/Refrigerant Change Sunroof Initialization **TEC learn** HV De-energization/ Energization All System Auto-Scan



	MAXICHECK MX900	MAXITPMS TS900
OPERATING SYSTEM	ANDROID 11	ANDROID 11
SOFTWARE UPDATES	1 YEAR FREE	1 YEAR FREE
AUTOMATIC DETECTIONS	AUTO-VIN/SCANVIN	AUTO-VIN/SCANVIN
VEHICLE COVERAGE	US, ASIAN & EUROPEAN 1996 & NEW	US, ASIAN & EUROPEAN 1996 & NEW
OBDII TEST MODES	PERFORM BI-DIRECTIONAL ACTIVE TESTS AND SPECIAL FUNCTIONS	PERFORM BI-DIRECTIONAL ACTIVE TESTS AND SPECIAL FUNCTIONS
DIAGNOSTICS & SERVICE	ALL SYSTEMS / 40+ SERVICES	ALL SYSTEMS / 40+ SERVICES
VEHICLE CONNECTIVITY	CORDED	BLUETOOTH VCI
TPMS DIAGNOSTICS	-	INCLUDED WITH ENHANCED TPMS STATUS SCREEN
TPMS SENSOR COMPATIBILITY	-	AUTEL BLE SENSOR FOR TESLA + Program autel MX-Sensor 1-Sensors

**CALL FOR PRICE** 

**AUTEL** 

REDLIR

### **Smoke Leak Detectors**

### ReadySmoke™ Leak Detector

SKU **744010** RED95-0400 **749**99

- Pinpoint Intake, Exhaust and Other EVAP Leaks In Minutes
- Flow Meter Identifies Minute Leaks at and Below .010" in Diameter
- Easy Fill Dipstick Style Fluid Port
   Includes: (2) 2 Oz. 0EM-Approved Vapor Producing Fluid, EVAP Service Tool Kit, Halogen Inspection Light, Cap Plug Kit, Standard Cone Adapter and Storage Case






REDLINE

### Smoke Pro Air™

SKU **1340239** RED95-0075



- Features an Onboard Micro Air Compressor for Total Portability and Includes All Needed Accessories
- Uses OEM-Approved Fluid to Produce a Visual Vapor That is Free of Dyes and Contaminants
- Detects Leaks as Small as 0.010" and Performs Air Leak Decay Test



### Smoke Pro® Total-Tech®

SKU OSB RED95-0050

• Find ALL Types of Leaks

- Greatly Reduce Diagnostic Time
- One Simple Connection Diagnoses an Entire System in Seconds
- Eliminate Comebacks by Verifying That Leaks are Completely Repaired
- Includes Easy INTAKE

Warranty: 2 Years

For OSB, Call 901-300-4878



REDLINE



#### **Intake Inflatable Block Off Bladder**

SKU **598274** 24536

- · Conforms to Any Shape
- Intake/Exhaust: Square, Round, Oval or Rectangular
- . Works with Most Automobiles and Light, Medium and Heavy Duty Trucks
- · Replacement Bladder Available

**Use with All Smoke Machines** 



**OEM** TOOLS

#### **EasyConnect® Test Kit**

SKU **1189091** RED96-0190

REDLINE

- · Forms a Complete Seal for Effective Leak **Testing without Disturbing Other Components**
- Comes in a Compact and Durable Storage Case
- Compatible with Any Smoke Machine
- . Includes: 4 Different Sized Adapters with 4 Add-On Components



### **Easy INTAKE™**

SKU **696477** RED95-0082

 Compatible with Any Smoke Machine

· Block Off Bladder Conforms to Any Shape Intake/Exhaust



REDLINE

### **Smoke Producing** Fluid (8 Oz.)

SKU **802333** RED96-0039

- · Contains No Dye or Other Contaminants
- · Works in Most EVAP **Smoke Machines**



### **EasyEVAP™ Universal Filler Neck Connector**

SKU **343405** RED95-0030

- . Compatible with Any Smoke Machine and Removes Cleanly from the Gas Cap
- · Essential Tool for Late Model Cars with Fuel Tank Rollover Valves



**✓** Mastercool:

### **Digital Dual Smoke Machine** SKU OSB


MSC43066

- High-Precision Gas Pressure Sensor **Ensures Accurate Data**
- 3 Built-In High-Power Air Pumps, Offers Faster and Thicker Smoke Generation
- Pressure Regulated at 0.44-0.5 psi for Safe EVAP Testing, Maximum Out 20 psi for High Pressure Testing
  • Accessories Include: Full Set of Block
- Off Caps, Schrader Valve Remover/ Installer, Service Port Adapter Hose, 2 Oz. Smoke Producing Fluid and Bladder for Intake Testing





SKU ŌSB MSC43060EV



- Pressure Decay Gauge 0-30" H20 (70 mbar)
- Flow Meter: 0 to 0.040" (0 to 1.0 mm)
- Input Pressure: Max. 100 psi (8.2 bar)
- Built-In Pressure Regulated at 0.5 psi







**⋘** Mastercool:

AZG0325

### **Diagnostic**

### **Compression Tester Gauge Set**

SKU **1103601** 37138

3999

• Use to Test Compression 0 to 300 psi on 14 mm and 18 mm Spark Plug Ports and Determine Engine Mechanical Condition



### **Exhaust Back Pressure Tester/Gauge**

SKU 1103604 37263

- Oxygen Sensor Adapter is M12 and M18 Thread
- 6' Hose Allows User to Test from Driver's Seat
- Test for Restricted Exhaust Systems



### **8 Piece Noid Light Set** SKU 1103589

37161

- Includes: GM TBI, GM SCPI, GM PFI, Ford TBI, GEO TBI, Bosch PFI, Bosch Type 2 and GM Multec 2
- See-Through Design to Check Electrical Pulses



### **Oil Pressure Gauge Set**

SKU **347229** 27262

- For Use on Diesel and Gasoline Engines
- Includes Standard and Metric Adapters Found on Most Cars and Trucks
- 2-1/2" Easy-to-Read Gauge with Protective Boot
- Range: 0-100 psi, 0 to 7 Bar



### **OEM** TOOLS

### Automotive Tune-Up and **Brake Bleed Kit**

SKU **466495** 25138

- Includes Components to Diagnose and Service Vacuum and Pressure-Related Systems
- Tests Distributor Vacuum, Power Brakes, Carburetor Chokes, EGR Valves Along with Other Sensors and Components







\* 6 \* 00 0 0 0 0 0 0 0 0 0 0 0

MaxiSYS® MSULTRA S2

SKU #1540763 | Part #MSULTRAS2

MaxiSYS® MS919 SKU #1093326 | Part #MS919

MaxiSYS® MS909

Built on its award-winning predecessor, the Autel MaxiSYS Ultra, the Ultra S2 sets a new benchmark for efficiency and accuracy with upgraded hardware and advanced diagnostic features that deliver near OEM-level diagnostics and service capability.

Data Visualization: Enhanced graphing capability to visualize multiple parameters to identify the relationship between PIDs and pinpoint system anomalies

Live Data Fusion: Record and compare value changes across multiple systems.

Parameter Grouping: Multi-PID selection for analyzing related parameters simultaneously. Ideal for engine fault and performance and emissions troubleshooting.

Reference Sampling: Record, store, and review selected PIDs for pre- and post-repair comparison that will flag min, max, and average.

**Real-Time, Split-Screen Analysis:** Access the oscilloscope directly from the current Live Data screen.

SCAN FOR FULL ULTRA S2 DETAILS OR VISIT: AUTFL US/ULTRA-S?



#### MaxiVIDEO® MV480 SKU #1137680 | Part #MV480

Record/Playback Images

& Videos 4.1" Color LCD Display

· Dual Front and Side Cameras for Wider Viewing Angle

#### AutoLINK® AL549 | SKU #789375 | Part #AL549

- · Universal OBD II and ABS Code Reader
- · Read & Erase Codes, View Freeze Frame and Live Data
- · Supports all 10 Modes of OBD II
- · Compatible with U.S., Asian, and European vehicles, 1996 & Newer



#### AutoLINK® AP2500 SKU #1414288 | Part #AP2500

Read/erase codes, view Freeze Frame & Live Data, perform Emissions test

- Includes Bluetooth dongle for vehicle connection.

  Download FREE MaxiAP Diag app
- Vehicle health check includes engine oil life, average fuel consumption, and brake pad life.
- All Systems diagnostics on first vehicle brand. Additional coverage can be added with in-APP purchase.

### AutoLINK® AL329 SKU #103946 | Part #AL329

- Read/Erase Engine DTCs
- One-Touch I/M Readiness /LED Indicator
- Display Live & Freeze Frame Data

MaxiVIDEO® MV460

· 3.5" Color LCD Display

SKU #1089243 | Part #MV460





6-in-1 VCMI2

MaxiSYS® ULTRAEV

MaxiSYS® MS909EV SKU #1267098 | Part #MS909

SKU #1267097 | Part #MSULTRAEV

### MaxiSYS® MS909CV

- SKU #1174556 | Part #MS909CV • For Class 1-8 Commercial Vehicles
- · Topology Mapping on Select Models ·
- · Engine Coverage for Construction & Agricultural Vehicles



AUTEL

MaxiSYS® MSULTRA

**DIAGNOSTIC SOLUTIONS** 

#### MaxiSYS® MS906 MAX SKU #1507706 | Part #MS906MAX SKU #1369200

- 10.1-inch professional diagnostics Part #MX900 and service tablet
- Perform all-systems diagnostics Bi-directional Active Tests and Special Functions



- Read & Erase Codes
- · Bidirectional Active Tests and Special Functions
- 40+ Function Service Menu





- Programming Bundle Program IMMO & Keys for U.S., Asian, and European Vehicles
- IM608PROII Tablet, XP400Pro, Wireless JVCI, IMKPA Key Programming Adapter Kit



#### MaxilM® IM508S SKU #1442228 Part #IM508S

- Fast and Portable IMMO & Key Programming Tablet
- Includes the XP200 Key Programmer







One-minute Key generation, Easy key button customization







### **TEXA**

### **Axone Light Car Diagnostic Kit (NANO)**

DIAGNOSTICS

SKU OSB **TEXAXLTAKN** 

The Navigator NANO S can perform diagnostic operations on all major brands of cars and light commercial vehicles. It is the perfect entry level scan tool for automotive repair shops.

- · Axone Nemo Light Rugged Tablet
- Navigator NANO S VCI
- IDC5m Car Software License
- · Rugged Carrying Case with Custom Foam
- Motor TruSpeed Repair included



SKU OSB TEXAXLTAKMH

The TXT MULTIHUB is TEXA'S flagship scan tool. It is IP53 Certified, can handle Doip, Can-FD, J2534/RP1210 protocols and more. Perfect for advanced diagnostics and shops that want the capability to work in more than one environment from the same device.

- · Axone Nemo Light Rugged Tablet
- Navigator TXT Multihub
- IDC5m Car Software License
- · Rugged Carrying Case with Custom Foam
- Motor TruSpeed Repair included





### TruSpeed Repair





#### Both packages offer a complete diagnostics solution:

Access repair information (including torque specs, torque sequences, fluid type, capacities), read and clear codes, view live data, wiring diagrams, maintenance resets, adaptation value resets (engine, brake systems, transmission), cylinder tests, idle learning and much more.

### **WHY TEXA?**

- Lifetime equipment warranty with active software subscription.
- . Built by TEXA to the highest Tier 1 OEM standards.
- · Secure Windows-based architecture, not Android.
- With TEXA, YOU own your data.
- · Need help? You can rely on TEXA's U.S. based support team to be responsive and knowledgeable.

Try us! Call to set up a demo.

For OSB, Call 901-300-4878

## KT-IFVFI INNNVΔ



If you're in the market for a replacement aligner, or if you're exploring ADAS calibration, invest in the scalable, future-proof system that's setting the new industry standard. For the cost of a typical single-purpose alignment machine, the Autel IA900 delivers advanced diagnostics, digital vehicle inspection, state-of-the-art wheel alignment, and step-by-step ADAS calibration instructions all in a single investment, system, and workflow.

### IA900+TABLET

SKU #1281937 | Part #IA900WAT

- IA900 system & Accessories
- · MaxiSYS Ultra ADAS Tablet & MaxiFlash VCI
- · ADAS & Wheel Alignment Software Included









### IA900 LDW + TABLET

SKU #1337324 | Part #IA900LDWT

- IA900 System & Accessories LDW Targets
- · MaxiSYS Ultra ADAS Tablet & MaxiFlash VCI
- · ADAS & Wheel Alignment Software Included













ADVANCED DIAGNOSTIC With network topology, full vehicle health checks, SCAN TOOL and 40+ service functions and resets.

FULL-SERVICE Guided step-by-step ADAS instructions and industry-ADAS CALIBRATION leading dynamic and static vehicle coverage.

DIGITAL Inspect, image, & document the vehicle's overall condition INSPECTION including brakes, tire pressure, suspension, & steering.

AUTEL REMOTE Finish every repair and keep all work in-house, EXPERT PLATFORM including factory tool module programming.

CURRENT YEAR VEHICLE Industry-leading alignment vehicle specs ALIGNMENT COVERAGE and coverage, with frequent updates.

### IA900 ALL SYSTEMS + TABLET

SKU #126877 | Part #IA900AST

- IA900 system & ACCESSORIES
- · LDW, AVM, NVS, ACC, BSD, LIDAR, RCW Targets · MaxiSYS Ultra ADAS Tablet & MaxiFlash VCI
- ADAS & Wheel Alignment Software Included





















### Reprogrammers

### **Programmer and Power Supply Bundle**

SKU OSB

### **TPDRLINKBNDL**

#### **Simplify Your Diagnostic Process and Elevate Your Capabilities**

- Highly Compatible with OE-Level Diagnostic Software for Performing Diagnostic, Programming and Coding Tasks

  One-Click Installation of OE-Level Diagnostic Software Drivers and
- Online Upgrades
- ECU Programming Voltage Stabilizer
- Suitable for All Types of 12V and 24V Lead-Acid Batteries, with a Wide Battery Capacity Range from 5 to 90 Amps
- Includes: T90000 Smart Battery Charger/Power Supply, T90DC Tornado90000 9.5' DC Cable Extension and RLINKLITE J2534 Compliant Passthrough Programming Device

For OSB. Call 901-300-4878



REG. \$1.749.97

When You Buy the Kit

### TOPDON®

#### **Power Supply** SKU **1414398** TPDT90000

**Smart Battery Charger/** 

- . ECU Programming Power Supply
- . 9 Step Smart Charging with Thermal Compensation
- Charges 12V and 24V AGM, WET, GEL, MF, CAL and EFB Batteries
- Protects Against Reverse Polarities, Reverse Charges, Short Circuits, Overheating and Over-Voltages
- Current Range: 5-90 and 5-45A
- · Voltage Range: 11-15.8V and 22-31.5V
- Cables: AWG18-70"



### **Power Probe**

### **Power Probe III with Case** and Accessories

SKU **262523** *Call For Price* PWPPP319FTC

- Relay and Component Tester
- Voltmeter and Continuity Tester
- Audio Tone
- 20' Jumper Lead
- Works on 12V to 24V Sources



### **Power Probe III with Lead Set**

SKU 1330690 Call For Price PWPPP3LS01

- Supplies Power and Ground
- Digital Voltmeter with Min./Max. Voltage Capturing
- 4 mm Banana Jack
- 20 Ft. Power Lead



### **Power Probe III Master Combo Kit**

### SKU 1105994 Call For Price PWPPPKIT03S

- Power-Up Components
- Audible Monitoring of Electrical Signals Voltmeter
- 12V to 24V Range
- Bad Ground Indicator
- Continuity Tester
- Relay and Component Tester
- . Trace Short and Open Circuits



### **Power Probe IV Master Kit**

#### SKU 1330692 Call For Price PWPPPKIT04

- Supply Power or Ground for Functional Component Testing
   Self-Resetting Thermal 8 Amp
- Circuit Breaker
- . Multiple DC Volt Readings on the Same Display
- Quickly Determine if the Circuit is Open or is Shorted



### **Power Probe III Circuit Tester**

### SKU **OSB** Call For Price PWPPP3CSRED

- Digital VoltmeterContinuity Tester
- 20' Jumper Lead Set
- Relay and Component Tester
  Removable Probe Tip Adapts to
- Any 4 mm Lead 2 Bright LED Lamps
- Quickly Supply Power and Ground to the Tip



### **Power Probe III Professional Electrical Test Kit**

### SKU 1330691 Call For Price PWPPPROKIT01

- Supplies Power and Ground for Functional Component Testing
- CAT-IV 600V Hybrid Safe AC/DC Voltmeter
- Measures Resistance to 60M Ohms
- Measures Current from .001 Amps to 10 Amps



### **Power Probe IV with Case and Accessories**

#### SKU **802331 Call For Price** PWPPP401AS

- · Supplies Power and Ground for Functional Component Testing
- . Digital Volt and Ohmmeter for Circuit Testing
- Large Color LCD Screen with Easy to Navigate
  User Menu
- AC-RMS, AC Peak-to-Peak, Frequency and Pulse Width for Signal Testing

  Fuel Injector Tester for Easy
- Circuit Diagnosis
- PCM/ECM Driver Supplies Safe Voltage for Testing Circuits




For OSB. Call 901-300-4878

**TO ORDER**, contact your Commercial Sales Manager or go to AutoZonePro.com

### LANG

### TU-113PB Fuel Injection Pressure Tester

SKU **1330689 LNGTU-113PB** 





=1

### **TU-24A-PB Three Way Exhaust** and Back Pressure Kit

SKU **1331498 LNGTU-24A-PB** 

 Allows Quicker and Accurate Testing for Blockages in Catalytic Converters, Mufflers, etc.

 Test in 3 Different Access Points: Oxygen Sensor, Exhaust Pipes and Air Injection System



### TU-550 Master Fuel Injection Pressure Tester

SKU **1330693 LNGTU-550** 

Covers All Domestic and Foreign



Does Not Include Cis and TBI Adapters

### **Fuel System Cleaners**

### **MOTORVA®**

### **Carbon Clean 1000**

SKU **OSB MVC500-0220** 

**2,149**99

- Complete, Through the Rail, Fuel System Decarbonizing Service
- Fuel Rail Hookup Provides the Most Effective Results
- Online Application Guide
- Unique Time Saving Adapter System
- Cleans Fuel Injectors, Combustion Chamber and Intake Valves
- Works with MV5 (400-0050) Fuel System Cleaner

### MV5 Press Gas/Petrol Fuel System Cleaner 17 Oz. (6 Pk.)

SKU **OSB MVC400-0050** 

**129**<sup>99</sup>

For OSB, Call 901-300-4878



### SUR&R®

### **S-Hook Sprayer**

SKU 1149152 749 SURS-TOOL

- Nozzle End Produces Fine Mist Spraying Action for Thorough Cleaning of the Air Intake
- Helps Improve Fuel Performance
- Removes Carbon Build-Up
- For Use with SURFIC203



### **Fuel Injection Cleaner Kit**

SKU 1137808 SURFIC203 **439**99

LANG

- Makes Connections Quickly and Easily Using S.U.R.&R.'s Exclusive Quick Connects
- Holds Up to 18 Oz. of Canister Cleaning Solution
- Cleans More Thoroughly Than Aerosol Methods
   Easy to Connect and Use with Shop Air
- For Top Engine and Throttle Body Cleaning



### EV Tools - Contact Us for Additional EV Specialty Tools 901-300-4878

### 7 Pc. Pliers and Screwdriver Tool Set-1000V Insulated Pouch Set

SKU **471065 KNP9K989825US** 

5 825US **249**99

 Set Contains 4 Pliers and 3 Screwdrivers in a Roll-Up Nylon Material Pouch



KNIPEX

KNIPEX

### 10 Pc. Pliers and Screwdriver Tool Set, 1000V Insulated

SKU **OSB** KNP9K989830US

**299**<sup>99</sup>

• Set Contains 5 Pliers and 5 Screwdrivers in a Shock-Resistant Plastic Case



### 10 Pc. Socket Set, 3/8" Drive, SAE, 1000V Insulated

SKU **OSB KNP989911S3**  *519*<sup>99</sup>

- Includes 10 Insulated Tools for Working on Electrical Installations 3/8" Drive SAE in a Shock Resistant Plastic Case
- Foam Insert with Precise Recesses for Holding the Tools
   All Tools 100% Tested and Meet 1000V Insulated
- All Tools 100% Tested and Meet 1000V Insulated Requirements



TIT73328

TITAN

### **15 Pc. Tool Roll Bag, 1000V Insulated**SKU **0SB 579 99**

KNP989913 **579** 

- Includes 15 Insulated Tools for Working on Electrical Installations in a Roll Made Pouch Made of Hard-Wearing Polyester Fabric
- Pouch is Secured with a Quick Release Fastener Once Rolled Up
- All Insulated Tools Meet the Requirements of ASTM F1505



### **Insulated VDE Combination Pliers**

- Tested to 10,000 Volts AC for Maximum Safety
- GS/VDE Certification and Tested, Certified to 1000 VAC
- Individually Certified to EN 60900
- TPR Ergonomic Cushion Grips

6" SKU **OSB** TIT73326

**19**<sup>99</sup>

7" SKU **OSB** TIT73327

19<sup>99</sup>

99 SKU **OSB** TIT73328

**24**<sup>99</sup>

### 10 Pc. Insulated Socket Set 1/4" Drive, Metric

SKU **OSB** WIH31393

*169*<sup>99</sup>



- Meets ASTM F1505
- Professional Series Long Life Insulated
- High Visibility Coatings on Sockets
- Double Covered Insulation Red
   Over Yellow
- Includes: 5 mm to 14 mm



AZG0325

wiha 🕾

To Confirm Price, Availability and Ordering Instructions on OSB, Call 901-300-4878

### **Mityvac**<sup>®</sup>

### **Professional Compression Test Kit**

SKU 972276 Call For Price MITMV5530

**Everything You Need to Perform Cylinder Compression Tests** on Motorcycles, Marine and Small Engines and an Air-Hold **Adapter for Performing Valve Seal Repairs** 

· Adapters Include: 10 mm, 12 mm, 14 mm and 18 mm

- · Extended Hoses for Hard-to-Reach Cylinders
- Large 2-3/4" Easy-to-Read Gauge
- Quick Disconnect **Fittings**



#### **Silverline Elite Test Kit**

SKU **988888 Call For Price** MITMV8500

- Provides Either Vacuum or Pressure with Equal Precision and Convenience
- Performs Engine Performance Diagnostics, Brake Bleeding, Fluid Transfer.

Evacuation, Sampling and More Includes

Components Needed to Perform Hundreds of Diagnostic and Mechanical **Tests** 



### **Power Steering Adapter Kit**

SKU **752069** MITMVA670

**Mityvac** 

**Call For Price** 

- Words with a Hand Vacuum Pump
- Helps Remove Trapped Air in the Power Steering System
- Includes: Universal Power Steering Adapter (MVA660), GM Power Steering Adapter (MVA661), Ford Power Steering Adapter (MVA662) Works with a Hand Vacuum Pump Helps Remove Trapped Air in the Power Steering System



### **Digital Gas Engine Compression Test Kit**

SKU 383182 Call For Price MITMV5532

- Stores Maximum Compression Value for Up to 12 Cylinders
- 3 Minute Auto Shut-Off
- · Sealed, Grease and Oil-Resistant Gauge Face Prevents Contamination of Electronics
- · Displays Values in psi, Bar and kPa



### **Diesel Digital Compression Test Kit Call For Price**

SKU **988885** MITMV5535

• Features an Electronic Tester that Memorizes Peak Values for Each

Cylinder Injector Adapter Includes: (2) Injector Adapters and (4) Glow Plug Adapters for Testing Most Modern Diesel Cars and Light Trucks Sold in the U.S.



### **Ford 6 Liter Adapter**

SKU **972279** MITMVA5610

#### **Call For Price**

- · Glow Plug Adapter -M14 x 1.25
- International VT365



### 

#### **OE-LEVEL DIAGNOSTIC TOOLS US-BASED SUPPORT**

### SDS-Pro

Contact commercial sales manager for pricing.

#### INNOVA® 7111 SKU#1062521

- FREE access to RepairSolutionsPRO built-in
- · Secure Gateway (SGW) access on 2018 & newer FCA vehicles



#### Special Functions Removeable

STORE STOCKED

VCI - Wireless Diagnostics



### SDS-Tech

manager for pricing.

#### INNOVA® SDS50 SKU#1269649

- · OEM Diagnostics · FREE access to · Active Tests and
  - RepairSolutionsPRO OEM Diagnostics
  - · Active Tests and Special

### Functions for ECM/PCM, TCM

16



#### Contact commercial sales **SDS-Inspector**

STORE STOCKED

- · Reads TPMS/Tire
- Pressure · Service Check and Warning Light

#### Contact commercial sales INNOVA® SDS43 manager for pricing.

SKU#1269650

- · FREE access to RepairSolutionsPRO
- · OEM Diagnostics
- · Multiple Report Types · Active Tests and Special Functions for ECM/PCM, TCM



Automotive repair database with verified fixes and repair tips.

STORE STOCKED

· Reads Tire Pressure.

Service Check and

Warning Light

#### INNOVA® AUTOMOTIVE DIGITAL MULTIMETER Contact commercial sales

### 3340

SKU#94874

· Tests alternators, diodes, solenoids, breaker points. wiring, switches and more

- 10 MegOhm impedance prevents damage to ECU
- Measure RPM. Dwell. Frequency, Temperature, Pulse Width, Duty Cycle
- Accessories included



Contact commercial sales

STORE STOCKED

manager for pricing.

STORE STOCKED

## POWERED BY



Designed for professional technicians to simplify and augment their vehicle diagnostic process.

- Repair Tips
- Technical Services Bulletins (TSBs)

· Parts/Tools for Repair

· Scheduled Maintenance

- · Verified Fixes
- · Predicted Repairs






### INNOVA® AUDIO ENHANCED INSPECTION CAMERA

### 3381

SKU#1392578

Record video and audio



IP67 Rated Submersible Lens allows safe inspection of areas contaminated by oil or water



Accessories Included: Magnet, Hook and Mirror



**Grease Guns** 

- · Cast Iron Pump Head for Added Strength and Durability
- Multiple Filling Options to Support Suction, Filler and Cartridge Loading

**Clear Barrel for Easy** 

- Precision Fit Plunger Prevents Grease Bypass and Resists Scoring . Heavy Duty Follower Spring Allows Easy Priming and Efficient Pumping
- **OEM TOOLS**

87206 Mini



SKU 1207899 | 87204

8720

Lever

**Action** 

SKU 1362012 | 87201

• Includes: 6" Steel Extension

87203 **Pistol Grip** with 18<sup>11</sup> **Extension** Hose

SKU 1207888 | 87203

• Pistol Grip Handles Supports

87205 **Pneumatic** with 18" **Extension Hose** 

SKU 1207896 I 87206

**Lever Action** 

 Includes 7" Extension • 4.000 Max. psi • 10,000 Max. psi

> REG. \$44.99 **Offer Good Through** September 30, 2025

REG. \$39.99 **Offer Good Through** September 30, 2025

• 7,000 Max. psi

One Handed Operation

• 6,000 Max. psi

• Includes 5.5" Extension

Air Operated for Continuous Lubrication Flow

SKU 1207901 | 87205

• 6,000 Max. psi

REG. \$69.99 Offer Good Through September 30, 2025

OEM TOOLS

### **Grease Gun Accessories**

### **7 Piece Grease Gun Accessory Kit**

SKU **978118** 25711

REG. \$64.99

SAVE

• Includes: Press-On 90° Lube Tool. Straight Extension, 300 mm Hose Extension, Slide-On 90° Coupler, Rubber Tip Nozzle, Needle Nozzle and 60° Coupler



Offer Good Through September 30, 2025

### **Extension Hoses with Spring Guard**

• Premium Grease Hoses for Manual and Air-Operated Grease Guns

18"

- · Spring Guard for Added Rigidity to Prevent Kinking
- Max. Working Pressure: 4,500 psi
- Burst Pressure: 12,000 psi
- Accessory Thread: 1/8" NPT

12<sup>11</sup>

SKU **1207902** 87220

SKU 1207887 87221

36<sup>11</sup>

SKU **1207893** 87222

### **70 Piece Grease Fitting Assortment**

SKU **577685** 25752

**24** 99

 70 Assorted Grease Fittings in 6 Popular Sizes



### **Bearing Packer**

SKU **1055505** 26540

- · Quickly Flushes Out Old Grease and Repacks Bearings with New Grease
- Transparent, Impact Resistant Cup Allows User to Clearly See Grease Level
- Works on Bearings with Up to 3-1/2" Outside Diameter



### **Universal Bearing Packer**

SKU **1339731** 25081

- · Connects to Any Grease Gun
- Services Most Roller and **Ball Bearings**
- Forces Out the Old Grease and **Evenly Injects Fresh Grease**



#### Lincoln

#### **20V Li-ion PowerLuber Kit** SKU **751676** Call For Price LIN1884

- Delivers Grease at Up to 10,000 psi
- Built-In LED Illuminates the Work Area
- . Includes: Grease Gun. 2 Batteries. Charger and Case
- 36" Flex Hose



### **12V Li-ion PowerLuber Kit** SKU 605324 Call For Price

LIN1264

- Li-ion Battery for Maximum Power and Efficiency
- Delivery at Up to 8,000 psi
- Built-In LED Illuminates Dimly Lit Areas
- 30" Grease Hose



### **Fully Automatic Pneumatic Grease Gun**

SKU **445386** LIN1162

- **Call For Price** Fully Automatic, Continuous
- Operation • 30" High-Pressure Hose with Coupler and Attachment Clin
- Pump Ratio: 40:1 at 150 psi
- Max. Grease Pressure: 6,000 psi



### **Super Pistol Grip** SKU **445385**

LIN1134

### Call For Price • 18" Whip Hose

- Includes Rigid Pipe
- Variable Stroke Design
- 7.500 psi
- Filler Nipple/ Bleeder Valve



### **Professional Lever Grease Gun with** 18" Whip Hose and Coupler SKU **522903**

**Call For Price** 

LIN1147

 3-Way Loading: By Cartridge, Bulk Load and Suction Load



AZG0325

### FLUID HANDLING

### **Fluid Extractors**

Change fluids quickly and easily anytime. No mess, no clean up. Simply remove the dipstick and insert the tube.



**All OEMTOOLS** Fluid Extractors Include:







- Single Piece Reservoir Structure Features a Leak Proof Bottom
- Overflow Shut Off Valve Prevents Fluid from Overflowing
- Use to Extract Most Fluid Types: Engine Oil, Transmission Fluid, Gear Oil, Coolant and Power Steering Fluid

24937

Updated 41" Extended Dipstick Hose Adapter for Longer Reach and Broader Applications

### **Manual Fluid Extractors**

· Reservoir with Hand Operated Pump to Tackle Big Jobs





2.1 Gallons (8.4 Qts.) SKU **666877** 

24936 REG. \$129.99

Offer Good Through September 30, 2025

24397

2.5 Gallons (10 Qts.) SKU **547010** 

### **Pneumatic/Manual Fluid Extractors**

• Working psi: 85: Max. psi: 120

• Air Consumption: 6.5 CFM





1.5 Gallon (6.3 Qts.) SKU **666978** 

2.5 Gallon (10 Qts.) SKU **666881** 24938

REG. \$189.99


**Mityvac** 

Offer Good Through September 30, 2025

### **Brake Bleeder Adapter Hose for Fluid Evacuators**

SKU **568479** 24446





· Universal Bleed Screw Adapter

### **Main Suction Hose Replacement**

SKU **1442592** 

24389 and 24936

24938-1 • Replacement for OEMTOOLS 24938, 24937, 24397,



### **Replacement Dipstick and Tube Adapters**

SKU **1442595** 24938-2

• 1/4" x 17" PVC Hose



### Fluid Evacuators

### **PneumatiVac Fluid Evacuator** (2.3 Gallon)

SKU **497203** Call For Price **MITMV7300** 

- · Operates on Compressed Air Independent Air
- Shut-Off Valve



### **Fluid Evacuator Plus**

SKU **497200** Call For Price MITMV7201

- · Evacuates or Dispenses at the Push of a Button • Integrated 2.3 Gallon
- (8.8 Liter) Capacity Reservoir · Durable, Chemical Resistant Polyethylene Construction
- Dipstick Tube Adapters Included



### **Fluid Evacuator** (1.9 Gallon)

SKU 594882 Call For Price MITMV7400

- Integrated 1.9 Gallon (7.3 Liter) Capacity Reservoir
- Evacuates All Kinds of Fluids Including Engine Oil, Transmission Fluids, Gear Oil, Coolant, Brake Fluid and More



### **Fluid Extractors and Fillers**

### **Mityvac**

### 1.5 L Fluid **Extractor/Dispenser**

SKU 606541 MITMVA6852


- Simple Manual Syringe-Type Action Quickly and Cleanly Extracts or Dispenses Fluid
- Integrated Valve and Cap to Prevent Spills and Leaks
- · Compact, Streamlined **Design Allows Access** into Tight Spaces
- · Ideal for Evacuating or Topping Off Fluid
- · Easy to Clean; Hose and Seals are Simple to Replace

### **mityvac**

### 1.5 L Fuel **Extraction Syringe** SKII OSB

MITMVA6853

- **Call For Price** · Ideal for Evacuating or
- Priming Diesel Fuel Systems • 2 Adapter Hoses: 10 mm Male to 3/8" or 5/16" Female Fuel System Connections
- 3 Male-to-Male Adapters: 10 mm Male to
- a Barbed, 3/8" or 5/16" Male Connection







• Hose Reach: 6' with 1/2" Diameter

### **Manual Fluid Extractor and Filler** (7 Oz./.21 Qt/200 mL)

SKU **666326** 



- Dual Scale Molded into Cylinder Body (Qt./mL)
- Includes Extension Tube for Accessing Hard-to-Reach Filler Necks and Reservoirs

### **Manual Fluid Extractor and Filler**

SKU **1544658** 25572




**OEM** TOOLS

### **Transmission Fluid Fill Adapter**

SKU **1125880** 25740





**OEM TOOLS** 

### **FLUID HANDLING**

**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.com

### **Fluid Management**

### **OEM** TOOLS

### **Manual ATF Filler System**

SKU **526508** 24441

- Complete System for Servicing Sealed Automatic Transmissions
- Includes Adapters to Fit Ford, BMW, Honda, Nissan, VW, Porsche, Mini Cooper, Audi and Mercedes-Benz Transmissions
- · Reservoir Capacity: 3 Liters (3.1 Quarts)
- Fluid Dispensing Hose Features a Swivel Connector and Fluid Dispensing Shut-Off Valve Comes with Belt Attachment for Storing All

of the Adapters on Dispenser Adapters Included: DSG M24 x 1.5, CVT M22 x 1.5, CVT M12 x 1.5, ATF M10 x 1.0, ATF 1/8 NPT - 27, ATF 04. ATF 03 and ATF 02



### ATF Refill Kit, 5 L

SKU **265092 Call For Price** 

- MITMV6410A
- Fluid is Dispensed Under Pressure for Smooth Continual Flow • Integrated Manual Pump Adds Air Above the Fluid Level to Prevent Aeration
- Internal Pump Components are Sealed Against Exposure to Fluids Flow Control Valve is Conveniently

Located Near Fluid Output Features Integrated Safety and Manual



### **Mityvac Pneumatic ATF**

Refill Kit, 10 L SKU 1330680 Call For Price MITMV7412

• Utilizes Compressed "Shop-Air" to Produce Pressure for Fluid Dispensing



### **ATF Refill Adapters** with Hose

SKU 1361999 Call For Price MITMV7216A

**Quickly Converts the Mityvac MITMV7201** Fluid Evacuator Plus into a **Professional Tool for** 

Refilling Sealed Automatic Transmissions 13 Quick-Change ATF Refill Adapters Fit



#### **Gear Oil Dispenser Mityvac**\* **Bottle and Tubing Kit**

SKU **1544678** MITMVA577

**Call For Price** 

- 10 Liter Gear Oil Dispense Bottle with Low Restriction Hose. Valve and Nozzle
- Bottle and Dispensing Equipment Included with Most Automotive Fluids (Except DEF)
- Fluid Level Indications on Reservoir to Monitor Fluid Levels
- Compatible with MV7100 and MV6400 Lids
- 10 Liter Reservoir for Larger Dispensing/ Longer Refill Intervals
- Compressed Air Moves Fluids-Reduces Risk of Contamination

### **Mityyac**\*

**mityvac** 

**Gear Oil Dispenser** SKU **1544685** 

**Call For Price** MITMV7454

- 10 Liter Pneumatic Pump Gear Oil Dispense Bottle with Low Restriction Hose. Valve and Nozzle
- · Powered by Compressed Air

Pneumatic Powered =

- 10 Liter Reservoir for Larger Dispensing/Longer Refill Intervals
- Can be Pressurized and Disconnected from Compressed Air Source for Convenience
- Easily Replaceable Tubing for Repair or Customization of Unit to Job Requirements



**Mityvac** 

### Hand Pump Powered **mituvac Gear Oil Dispenser**

SKU **1544672** MITMV7455

**Call For Price** 

- 10 Liter Hand Pump Gear Oil Dispense Bottle with Low Restriction Hose. Valve and Nozzle
- 10 Liter Reservoir for Larger Dispensing/Longer Refill Intervals
- Hand Pump Supplies Compressed Air to Power Unit Manual Pump to Compress Air; Nothing but Pressurized Air

Moves Fluid which Lessens

Risk of Contamination Fluid Level Indications on Reservoir to Monitor Fluid Levels



#### **Universal Fluid Mituvac Dispensing System**

SKU **265093** Call For Price **MITMV6400** 

- Large 1.2 Gallon (5 Liter)
- Fluid Capacity

  Integrated Manual Pump Adds Air Above the Fluid Level to Prevent Aeration
- Pressure Gauge Indicates Fluid Dispensing Pressure
- Safety and Manual Pressure Relief Valve
- Vehicle Adapters Not Included



### **Dispensing Hose Assembly Call For Price**

MITMV7455 and MITMVA577

SKU **1544679** MITMVA595

Replacement Hose for MITMV7454,



### **Great for Use with Generators**

**OEM** TOOLS

### **Battery-Operated Liquid Transfer Pump**

SKU **1414413** 87230

- . Move Liquids Safely and Easily with this Convenient Handheld Pump
- Use in Garage, Aquariums, Home and Yard
- Pumps Up to 6 Quarts of Liquid per Minute
- Battery Operated (2 "D" Batteries)



### FLUID HANDLING

### **Lever Action Pumps**

**OEM** TOOLS

### **Lever Action Hand Oil Pump**

SKU **462495** 24381

- Oil Pump for Use with Oil-Based Fluids, Heating Oils, Motor Oils, Heavy and Light Oils. Diesel and Kerosene
- Built-In 1-1/2' and 2" Bung for Use on 16 to 55 Gallon Drums with Either Opening
- Not for Gasoline or DEF



### **Lever Action Barrel Pump -Polypropylene**

SKU **688036** 24471

- Lever Action Pump, Self-Priming
- Ideal for Diesel, Kerosene, Lubricants and Other Oils
- · Not for Gasoline. Water Based Chemicals or DEF
- Maximum Flow Rate: 12 Oz. per Stroke
- Maximum Viscosity: 40 Wt. Oil



### **Lever Action Barrel Pump Polypropylene Stainless Steel Rod**

SKU **688038 54 99** 24472

- Ideal for Pumping Diesel, Oils, Kerosene, Water-Based Chemicals, Bases and Mild Acids
- · Not for Gasoline or DEF



### OEM TOOLS **Lever Action Barrel**

Pump - Ryton® Stainless Steel Rod

SKU **688037** 24473

- Ideal for Pumping Diesel, Oils, Kerosene, Water-Based Chemicals, Bases and Acids Including DEF



### **Lever Action Barrel Pump**

SKU **970530 Call For Price** LIN1340

LINCOLN

- Pumps Non-Corrosive Fluids, Not for Gasoline
- Telescoping Tube for 16 to 55 Gallon Drums





**LINCOLN** 

### **Rotary Pumps**

### **OEM** TOOLS

**Rotary Barrel Pump** SKU **462486** 24382

• Fluid Transfer Pump for Use with Oil-Based Fluids,

Heating Oils. Motor Oils. ATF, Diesel and Kerosene Not for Gasoline or DEF



### **OEM** TOOLS

### **Polypropylene Rotary Drum Pump**

SKU **688035** 24470

- Ideal for Pumping Diesel, Oils, Kerosene, Water-Based Chemicals, Bases and Mild Acids
- . Not for Gasoline or DEF



### **Manual Rotary Oil Pump** with Hose for

**55 Gallon Drums** 

SKU **265089** Call For Price LIN1385H • Includes: 8 Ft. x 3/4"

Anti-Static Hose with Non-Sparking Aluminum Nozzle with Hanger; Seal Tight Telescoping Pick-Up Tube with Strainer for 16 to 55 Gallon Drums with 2" Bung



SKU 462977 Call For Price LIN1385

Hose Not Included

Drum Not Included

John Dow Industries

### **LINCOLN**

### **Manual Rotary Fuel Pump** with Hose for **55 Gallon Drums**

SKU **265088** LIN1387

### • 3 Vane Manual

Rotary Pump for Most Fluid Types Including Gasoline, Diesel, Kerosene. Coolant, Non-Corrosive Materials. Medium Viscosity Petroleum Based Fluids, Hydraulic

Oils and ATF

**LINCOLN** 



**Drum Not Included** 

### **Drum Wrench**

#### **OEM TOOLS** Aluminum **Drum Bung Wrench**

SKU **1267963 24** 99 22664

- · Comfortable and Textured Grip for Ease of Use
- · Non-Sparking, Non-Corrosive Aluminum Construction
- · Fits Most Steel and Plastic Caps, Including 3/4" Vent Plugs
- Effortlessly Opens and Tightens Bungs to Guarantee Drum Contents are Safe
- Opens 10, 15, 20, 30 and 55 Gallon Barrels

36



### **Fuel Transfer Pump**

### **25 Gallon Steel Gas Caddy**

SKU **360585** DOWFC25GC

**749**99

- UL Approved
- 25 Gallon Tank is Constructed of 14" Gauge Steel for Use with Unleaded Gasoline, Kerosene, Ethanol E85. Diesel and Bio-Diesel Fuels



### **DEF Pump**

### **Lift Action Pump**

SKU 1142361 Call For Price LIN1390

 Transfers Popular Shop Fluids Including Acetone, Antifreeze.

Windshield Washer. Thinners and More

- Includes NPT and **Buttress Threads for** Steel and Plastic Drums · Adjustable Bung Type Fits
- 15, 16, 30 and 55-Gallon Drums
- Welded Ground-Post for Safe Dispensing of Volatile Fluids
- Premium Grade 316 Stainless Steel
- · Self-Priming

### **Grease Pump**

### Manual **Gear Lube** Dispenser

SKU **174166** LIN1293

**Call For Price**• 5' Hose, 13" Pump Tube • Fits 25 to 50 Lb. 5 Gallon Containers

LINCOLN

Delivers 1 Oz. per Stroke



# **Fluid Exchangers**

# MAHLE

# **ATX280 Trans Fluid Exchange Unit**

SKU **OSB** MSS4008002300

• 7" Touchscreen LCD Display with Graphical

Interface · Onboard Additive Tank for Detergent/ Injection



**Trans-Tech 4 Plus** SKU OSB MVC500-1125B

- · Automatic, In-Line Exchange Through Vehicle Cooler Line
- ATF Exchange Through Vehicle Transmission Dipstick
- Drain Pan Feature
- 26 Quart New Fluid Reservoir
- High Volume Pump for Rapid and Efficient Service
- Comes with Standard Set of Adapters
- Uses MVC400-0137 2-Part ATF Cleaner and Conditioner Fluid

Fluid Not Included



**MOTORVA®** 

# **BFX-10 Brake** Fluid Exchanger

SKU **OSB** MSS4258001600

Fluid Not Included

- Suitable for ABS, ESP, EDS and SBC
- Hydraulic Pump Two
- Universal Adapters Included

Fluid Not Included

# MAHLE

**BFX-20 Brake Fluid Exchanger** 

SKU OSB MSS4258001400

- Hydraulic Pump
- Suitable for ABS, ESP, EDS and SBC
- Adapters Included

Fluid Not Included

MAHLE

**Lube Tech Set** 

SKU **227302 | 24965** 

REG. \$2,252.39

# **Includes 160 of the Most Common Tools in Tool Cart**

• SAE and Metric, 1/4", 3/8" Drive Tools, Combination Wrench Sets, Pliers and Screwdrivers. Plus Battery Service Tools, Oil Change Tools and More



**OEM** TOOLS





Go to AZTOOLS1.com for 24965 Contents List

Cart Style and Color May Vary

Offer Good Through September 30, 2025

To Confirm Price, Availability and Ordering Instructions on OSB Call 901-300-4878

# **Oil and Grease**

# **Lvnx 3:1 Universal Stub Pump**


SKU OSB BAL1110-007

- Reliable Air Motor Design that Features Corrosion **Resistant Materials**
- Double-Acting Pump Design for Smooth and Accurate Fluid Delivery
- Includes: 2" Bung-Adapter



# **Oil Control Handle with Digital Meter**

SKU 1485049 BAL3330-159



- Replaceable Electronic Circuit Board and Face Plate
- Ergonomically Designed Grip Handle Reduces Fatigue for Technicians



**Electronic Preset Meter** SKU OSB

BAL3331-032



# **Tank Package**

SKU OSB BAL1135-017

- 50' EVO Reel
- Lynx 5:1 HD Pump • 275 Gal Double Wall
- Construction • UL 2258 Certified
- · Compatible Fluids: DEF, Diesel and Lubricants
- Package Assembled from Factory



# **5:1 HD Oil Pump Drum Package**

- Reliable Air Motor Design that Features Corrosion
- · Includes: Heavy-Duty Drum Cart with Semi-Pneumatic 10" Tires, Front Caster with Brake to Steady Cart While in Use. 50' x 1/2" Hose Reel and



SKU OSB BAL1131-069

- **Resistant Materials**
- **Electronic Metered Handle**

Drum Not Included



BAL1151-036


- Reliable Air Motor Design that Features Corrosion Resistant Materials
- Double-Acting Pump Design
- Optional Hose Reel Mounting Kit

Lvnx 55:1 Portable **Grease 120 lb Package** 

SKU OSB BAL1151-028

Drum Not Included





# OIL CHANGE

# **Oil Drains**

Fluids

# LINCOLN

# 18 Gallon **Rolling Oil Drain**

SKU 988882 Call For Price LIN3601

- All Steel Design Includes Reinforced Caster Supports
- 14" Telescoping Bowl: Range of 45" to 72"
- Preset Air Regulator (Up to 150 psi)
- Pressurized Self-Evacuation Feature Requires Only Shop Air and a Tire Chuck



# **25 Gallon Used Fluid Combo Drain/Evacuator**

SKU 543345 Call For Price LIN3639

- Powerful Compressed Air Operated Venturi Vacuum Quickly Draws Fluids from Reservoirs
- Includes: Mercedes-Benz, BMW and VW Dipstick Tube Adapters and 6 Evacuation Wands of Varying Flexibility, Diameter and Length

• Pressurized Self-Evacuation Feature Requires Only Shop Air and a Tire Chuck to Discharge Fluids





LIN3637 **Call For Price** 

25 Gallon **Used Fluid Gravity Drain** SKU **543350** 

LIN3635 **Call For Price** 



# **OEM** TOOLS **18 Gallon Rolling Oil Drain**

SKU **667005** 87042

- Pressurized Self-Evacuation Feature Requires Only Shop Air
- Funnel Capacity: 2.6 Gallons
- Funnel Diameter: 17'
- Min. Height: 44.5"
- Max. Height: 68.5"



# **OEM** TOOLS 21 Gallon Oil **Drain Vacuum and Extractor**

SKU **546658** 24862

- Designed for the Collection of Used Fluids from Lift Mounted Vehicles or by **Evacuation Directly from Fluid Reservoirs** or Dipstick Tubes
- Funnel Diameter: 15"
- Funnel Extension Adapter: 22"
- Funnel Height Adjustment: 45" to 62"
- Includes 5 Extraction Tubes: 7 mm x 35"; 6 mm x 29" 6 mm x 23" 6 mm x 22" and 3/8" x 15"



**OEM** TOOLS

# **9 Gallon Upright Portable Oil Drain**

SKU **908386** 

- Adjustable Drain Height: 32" to 62"
- Funnel Diameter: 17"
- Features Built-In Drain Valve and Evacuation Spout
- · 4 Heavy Duty Casters for
- Includes: Tool Holder





# **OEM** TOOLS

# **18 Gallon Upright Portable Oil Drain**

SKU **908388** 87031

- Adjustable Drain Height: 54" to 70"
- Funnel Diameter: 18'
- · Features Built-In Drain Valve and Evacuation Spout
- 4 Heavy Duty Casters for Easy Transport
- Includes: Tool Holder







# **OEM TOOLS**

# 21 Gallon **Waste Oil Drain**

SKU **544817** 

24861

· Pressurized Self-Evacuation Feature Requires Only Shop Air

- Large Diameter Funnel Includes a Removable Filter Screen and Wide-Mouth Extension
- Funnel Diameter: 15"
- Funnel Extension Diameter: 22"
- Funnel Height Adjustment: 45" to 62"



Large Funnel



Catches Fluids without Spills



87032

- Easy Transport







**OEM** TOOLS

# **Used Fluid Drains**

# 23 Gallon Anti-Freeze Drain

SKU **1485042** BAL4110-025

- Powder-Coated Green
- 3/4" Cam-Lock Fitting





23 Gallon Oil Drain

SKU **1485039** BAL4110-024

- Powder-Coated Black
- 1" Cam-Lock Fitting



**Premium Drains Capture Used Fluids and Transfer Them to Any Bulk Storage** Tank Using a Cam-Lock Kit and Evacuation System

# **Oil Change Kit**

# **Oil Change Lube Tech Kit** SKU 1169108 | 68916

• Includes: Oil Filter Wrench Pliers, Oil and Transmission Funnel, 3-Legged Oil Filter Wrench, 10L Oil Jug, Drain Plug Socket Set, Professional Swivel Oil Filter Wrench Kit (Fits Sizes 2-3/8" to 4-3/8"), Safety Glasses, 18 Gallon Upright Portable Oil Drain and 10 Piece

Metric Cap Wrench Set





# **Prevents Splashing of Hot Oil**

# **Oil Drain Splash Pads**

Accessories

• Keeps Work Areas Clean While Changing Transmission or Other Oils

. Allows Hot Oil to Drain Through Porous Pad





22" Square SKU 1340219 SHA73851

**7**199



**OEM** TOOLS

SHARK

Drains Not Included. Not for Coolants or Fluids That Will Be Recycled in the Vehicle



**Super Transmission** 

**Drain Funnel** 

- Extends the Catch Area of Any Lift Drain
- Fits the Ford E 40D

SKU **291377** 

LIS17902

• Dimensions: 24" x 36"



# **Transmission Drain Pan**

SKU **908383** 87035

• Flexible Plastic Construction Fits on Top of Funnels for Most Lift Drains

 Built-In Screen to Catch Debris, Parts and Tools

· Dimensions: 22-3/4" (L) x 23-3/4" (W) x 4-3/4" (H)



# **Filter Crusher**

# **Industrial 10 Ton Oil** Filter/Can Crusher

SKU OSB RANRP20FC

- Reduces Used Oil Filters to 1/4 of the Original Size
- 20,000 Lb. Crushing Power

**Call For Price** 

- 100% Air Operated for Minimal Maintenance
- Save on Disposal Costs and Storage Space · Automatic Safety Door Stops Operation When Opened
- Pressure Regulator and Air Moisture Separator Come Standard
- Transparent Door for a Convenient View of the Crushing Process
- Welded Steel Plate Construction
- Exclusive X-Shape Bevel in Press Head Pre-Aligns Filters for Absolute Vertical Press

For OSB, Call 901-300-4878

Ranger.

# **Used Oil Evacuation**

• Includes All Necessary Fitting, Brackets, Valves, Hoses and Components for Seamless Integration with Air System and Fluid Collection/Discharge Processes


**Evacuation Package for Used Antifreeze** SKU **1485050** BAL1121-025

1" Evacuation Package for Used Oil

SKU **1485032** BAL1121-024







# OIL CHANGE

# **Oil Filter Tools**

#### **OEM TOOLS Swivel Oil Filter Wrench**

87115

- Fits Oil Filters 4-3/4" to 5-3/4"
- 1" Wide Stainless Steel Band



# **Auto Fit Filter Pliers**

SKU **1339727** 87164

• Suitable for Filters with 2.4" to 5" Diameters

**OEM** TOOLS

- Long Reach Slip Joint Design
- Precision Machined Jaw • Non-Slip Comfort Grip



### **OEM** TOOLS 3 Jaw Adiustable **Magnetic Oil Filter Wrench**

SKU **908387 14 99** 25101

- Oil Filter Diameter: 2.4" to 3.6" (60 mm to 93 mm)
- Secure Magnetic Attachment
- Spring-Loaded Legs for a Secure Grip
- Includes 3/8" to 1/2" Drive Adapter



# 3 Jaw Adjustable **Filter Wrench**

SKU 1339734 87160

- . Works on a Variety of Vehicles • Fits Oil Filters 2-1/2" to 4-1/2" (63.5 mm to 114 mm)
- Fits 3/8" Drive Ratchets and Extensions
- Perfect for Removing Hard to Reach Filters



# **4 Piece Swivel Oil Filter** Wrench Set

SKU **1414418** 87117

- Fits Oil Filters 2-3/8" to 2-7/8", 2-7/8" to 3-3/8", 3-3/8" to 3-3/4" and 3-3/4" to 4-3/8'
- . Dimpled Band with 3 Sets of Grippers to Hold Filter Securely in Place
- 1" Wide Stainless Steel Band for a Strong Grip and Slip Resistance
- Rubber Cushioned TPR Grip for Comfort and Safety in Tight Places
- Includes OEMTOOLS 87111, 87112, 87113 and 87114

# **OEM** TOOLS

# 4-in-1 Steel Oil **Filter Wrench**

SKU **1189097** 87116

### 4 Interchangeable **Swivel Bands**

• Size Range 2-3/8" to 4-3/8" (60.3 mm to 111.1 mm)

**OEM TOOLS** 

- 1 Swivel Handle with 4 Stainless Steel Bands
- Bands are Easily Removed and Installed





180° Swivel Joint Reaches Impossible Places

# **OEM TOOLS**

2 Detent Pins Help **Quickly Remove and Install Bands** 



**OEM** TOOLS

# 2-3/8" to 5" **Oil Filter Pliers**

SKU **757057** 25324

- Removes Stubborn Oil Filters from Gas or **Diesel Engines**
- Long Reach Slip Joint Design Precision-Machined Jaw
- Non-Slip Comfort Grip
- 14" Length

2-1/2" to 4-5/8" Oil **Filter Pliers** SKU **548380** 

25320 1499

- 20° Jaw Bend for More Applications
- Jaw Teeth for Sure Grip
- 12" Length

# **Dual Drive Oil Filter Strap** Wrench

SKU **1544663** 87119



• Fits Oil Filters Over 8" in Diameter

. Heavy Duty 27' Nvlon Strap



**OEM** TOOLS

# 15" Chain Wrench SKU **452624** 22659

**REG. 64.99** 

- Great for Stubborn Oil Filters
- Designed for Tight Spaces
- Double-Action Allows Use in Either Direction
- Capacity: 5-1/2" Diameter
- 15" I-beam Handle

Offer Good Through September 30, 2025

# **Heavy Duty Truck Oil Filters**

- Extra Wide Band for Secure Grip
- 1/2" Drive Tools



SKU	Part #	Range	Reg.	Price	Savings
344322	25231	4-1/8" to 4-5/8" (104 to 118 mm)	34.99	19.99	\$15
344323	25232	4-5/8" to 5-1/4" (118 to 134 mm)	34.99	19.99	\$15
344324	25233	5-1/4" to 5-3/4" (134 to 142 mm)	34.99	19.99	\$15

# **OEM** TOOLS

# **Oil Filter Plug for Cummins** SKU **1340221**

87168

- · Perfect Tool for Installing and Removing Oil Filters
- Compatible with Dodge 6.7 Diesel Engines
- Prevents Oil Leaks When Removing Oil Filters from Engines
- Hard Plastic Construction for Maximum Strength and Durability
- Wide U-Shaped Handle for Added Grip and Control



**OEM** TOOLS

# **Filter Removal Cup**

• Specifications: 6" x 6" x 6" (34 Oz. or 1 Liter), Volume Sufficient to Hold Typical Size Filters Commonly Used on Cars, SUVs, Light Duty Trucks and Vans

· Safely Holds Oils, Fuel (Gasoline, Diesel, Biofuels), Brake Fluid. Antifreeze and Other Hazardous Fluids, (Not Intended for Storing Fluids)



# 1 Pack

SKU 1089033 2999 SURFC5





2 Pack SKU 1245617 SURFC5PK2

> REG. \$59.98 **OVER** When You Buy the 2 Pack

# **Swivel-Gripper "No-Slip" Filter Wrench - 9 Pack** SKU **1339725**

LIS57160

• Includes: (2) 2.375" - 2.625' **İmport Wrenches** (2) 2.875" - 3.250" **Small Wrenches** (3) 3.500" - 3.875" Standard Wrenches (2) 4.125" - 4.500" Large Wrenches





# **DIL CHANGE**

**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.com

# Cap Style Filter Wrenches

# **Tovota/Lexus Oil Filter Cap Wrench Set**

SKU **383457** 25409

- Sizes: 64 mm, 73 mm and 74 mm
- . Comes in Sturdy Blow Mold Case



#### **9 Piece Oil Filter Cap Wrench Set** SKU **255627** 14999 27199

• Includes: 5 Chrome Plated Aluminum Wrenches (64.5 mm - 14 Flute Toyota, 64.5 mm - 14 Flute Toyota/Lexus, 88.8 mm -15 Flute Hyundai/Kia, 74.2 mm - 14 Flute European, 86.6 mm - 6 Flute European), (1) 63 mm to 83 mm Adjustable Filter Wrench for Universal Applications, 3 Forged Low Profile Oil Filter Sockets (27 mm, 32 mm and 36 mm) and 3/8" Drive Application Chart for Quick Reference



(D)		
0 # 0	00	0

Make	SKU	Part #	Size	Price	
BMW/Volvo	255675	25453	86.6 mm – 16 Flutes	19.99	
Hyundai/Kia	255659	25454	88.8 mm – 15 Flutes	24.99	
Toyota/Lexus	255634	25451	64.5 mm – 14 Flutes	14.99	
Toyota/Lexus	1340227	87131	64.5 mm – 14 Flutes	9.99	
Mercedes-Benz Sprinter/VW/Audi Porsche/Mazda	1340230	87132	74.2 mm – 14 Flutes	9.99	
Mazda/Ford	1340228	87133	75.6 mm – 14 Flutes	4.99	Collision
Chrysler	1340234	87134	84 mm – 14 Flutes	19.99	
Volvo	1340237	87136	88.8 mm – 15 Flutes	19.99	
Land Rover	1340238	87137	90 mm – 15 Flutes	24.99	

# **10 Piece Metric Cap Wrench Set**

SKU **1189096** 87151

REG. \$44.99 • Painted for Rust Resistance

• Includes: 65/67 mm - 14 Flutes, 80 mm - 15 Flutes, 68 mm - 14 Flutes, 86 mm – 16 Flutes, 74/76 mm – 15 Flutes, 93 mm – 15 Flutes, 76 mm – 14 Flutes, 93 mm – 36 Flutes, 76 mm – 30 Flutes,

100 mm - 15 Flutes

Comes in Sturdy, Green Blow Mold Case

Offer Good Through September 30, 2025

# **Drain Plug Tools**

# **14 Piece Drain Plug Socket Set**

SKU **818568** 25374

. Designed for Both Foreign and Domestic Vehicles Including: BMW, Ford, Mazda, Mercedes-Benz, Nissan, Peugeot, Renault and More

 Ideal for Removal of Oil Drain Plugs from Manual Transmissions Transfer Cases, Differential Housings and More

• Includes Hex: 9, 10, 12, 14 and 17 mm; Square: 7, 8, 11, 13 mm, 5/16", 3/8"; Female Square: 10 mm; Male Triangle: 10 mm;

Tamper-Proof Triple Square: 16 mm



### 8-in-1 Oil and Lube Multi-Wrench

- Designed to Fit Most Oil Drains, Transfer Case and Differential Plugs
- Features Offset Head Design with Yoke Support for High Torque Applications

SKU 1442594 CTA2495K





• Sizes: 12, 13, 14, 15, 16, 17, 18 and 19 mm





- Male Square and Hex
- Square: 8 mm, 10 mm, 3/8" and 1/2"
- Hex: 10, 12, 14 and 17 mm

# **3 Piece Plastic Oil Drain Plug Removal Set**

SKU **1207894** 25098

- · Safely and Easily Removes Plastic Oil Drain Plugs on Late Model Ford, Volkswagen, BMW and Audi Cars
- Does Not Cause Damage to the Plug

# **OEM** TOOLS

# 7 Piece Oil Filter Removal **Socket Set**

**Oil Filter Sockets** 

SKU **191682** 27197

- 3/8" Drive
- . Includes: 24 mm for Cadillac: 27 and 36 mm for Mercedes-Benz, VW, Cadillac, Buick, Saturn, SAAB; 29 mm for Dodge Cummins Fuel Filter; 30 mm for Korean Cars; 32 mm for GM, Saturn and SAAB; 35/36 mm for Ford Diesel, Mini Cooper, BMW and Mack; 38 mm for Vauxhall Vectra
- · Comes in Sturdy. Green Blow Mold Case





# **OEM** TOOLS

SKU **548385** 25410

32 mm Oil Filter Cap Socket

· Removes and Installs Oil Filters on 2.2 Liter GM Ecotec Engines Low Profile 1-1/4 In. Socket is Specially Designed for Operating Clearance 3/8" Drive





# 36 mm Oil Filter Socket for 6.0L Ford Diesel

SKU **110279** 25411

### 7 Piece Offset Oil Filter Cap Wrench Set

SKU **1145990** 87165

- 3/8" Drive Set Includes: 24 mm for Cadillac; 27 and 36 mm for Mercedes-Benz, VW. Cadillac, Buick, Saturn, Saab; 29 mm for Dodge Cummins Fuel Filter; 30 mm for Korean Cars; 32 mm for GM, Saturn and SAAB; 35/36 mm for Ford Diesel, Mini Cooper, BMW and Mack; 38 mm for Vauxhall Vectra
- · Comes in Sturdy, Green Blow Mold Case

# 3 Piece Low Profile **Oil Filter Socket Set**

SKU **094803** 27204

- Includes: 27, 32 and 36 mm
- 3/8" Drive









AZG0325

**OEM** TOOLS



**OEM** TOOLS

















# OIL CHANGE

# **Oil Funnels**

# **Magnetic Funnel Holder**

SKU **1372897 99** 98375

- Translucent 16.9 Oz. Reservoir Holds a Variety of Funnels
- Dual Magnetic Arms Attach the Holder Securely to Any Ferrous Surface
- . Magnets Securely Hold Up to 28 Oz. in Weight
- Swivel Design Allows for Easy Screw-In of the Receptacle Bottle
- Fits Standard One Quart Oil Bottle
- · End Cap Keeps Drips off the Floor









# SURE-BILT

### **OEM** TOOLS Oil and Transmission **Funnel**

SKU **547009** 87008

- · Both Straight and 45° Angle Screen to Prevent Trash from **Entering Transmission**
- Includes Screen and **Dust Cap**
- Length: 25"



• 10" Tall Translucent Funnel with a 6-3/4" Offset from Center of Mouth to Center of Spout

Liste

- Lid and Spout Cap Help Keep Funnel Contaminant Free
- Includes: Offset Funnel with Cap and Lid. Adapter for Transmission and Other Dipstick Tubes





# STORE STOCKED

# **Dispensers**

# **8 Quart Dispenser Lid and Cap**

SKU **080078** LIS19702

- . Spout Cap and Lid to Keep Out Contaminants
- Many Large SUVs and Trucks Now Require More Oil

# **10 Quart Oil Jug** SKU **605325** 87018

• Safe for Automotive Oils and Fluids Convenient Carry and Pour Handles

Spill Proof Caps





# **Flexible Spout Measuring Cans**

- Designed for One-Hand Operation
- 14" Flexible Spout with Tapered Tip
- · Recessed Bottom Drains Fully and **Guards Against Punctures**
- Rolled-Edge Top Helps Prevent Spilling

# **5 Quart**

SKU 298486 Call For Price LING525



LING528


SKU 298473 Call For Price



# **Universal Direct Fit No Spill Oil Funnel Set** SKU **824884** 87039

**No Spill Oil Funnels** 

• Set Includes: Universal Oil Funnel, Chrysler (87019), Ford/Mazda (87020), GM (87021), Honda (87022). Toyota/Lexus (87024), Subaru Adapter, Toyota/Lexus Adapter and 150° Extended Adapter (87027) and Storage Rack



- . Threaded to Fit a Range of Import and Domestic Vehicles Older and Current Models
- Transparent Lower Chamber to Monitor Oil Flow
- · Wide Passage for Rapid Refilling







**Includes Wall Mount Bracket and Drip Tray** 



# **Drain Pans**

# **OEM TOOLS**

# **16 Ouart Oil Drain Pan**

• Heavy Duty Polyethylene Construction

· Features a Pour Spout and No-Splash Lip



# Green

SKU **908389** 87034 **39**99

# **Black** SKU **908382** 87033

# **OEM TOOLS** 2.8 Quart Low-Profile **Oil Drain Pan**

SKU **568474** 87017



**Great for Motorcycles** 

and Small Engines

**OEM TOOLS** 

SKU **568469** 87013

4.7 Quart Clear Oil

**Drain Pan** 

• Built-In Level Scale Lets You See Fluid Level



**Great for Transmission Fluid Changes** 

# 4.5 Gallon Black **Oval Drain Pan**

SKU 1142687 LIS17972

# 4.5 Gallon Green **Oval Drain Pan**

SKU 1142342 LIS17982



# **Direct Fit Individual Funnels**

SKU Part		Description	Price
824892	87019	Chrysler, Dodge and Jeep	24.99
824879	87021	GM	19.99
824890	87022	Honda	34.99
824888	87023	Subaru	29.99
824886	87024	Toyota, Lexus, VW and Mercedes	24.99



# COOLING SYSTEM

**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.com

**Pressure Testers** 

**Universal Cooling System Pressure Test Kit** 

SKU OSB 27068

**99** REG. \$179.99



**OEM** TOOLS

- Quickly and Easily Pressure Test Cooling Systems in Most Vehicles
- Includes 3 Expandable Adapters that Take the Place of **Numerous Specialized Adapters**
- Easy Lever Style Pressure Relief Valve
- Prevents Damage to Plastic Reservoir Threads that Occurs When the Wrong Adapter is Forced on



**▲** Mastercool \*

For OSB, Call 901-300-4878

Offer Good Through September 30, 2025

# **Heavy Duty Cooling**

- Includes: Vacuum Gauge, Sealing Collar, Valve, Rubber Gaskets and Coolant/Draining Hoses
- . Minimizes the Risk of Engine Overheating

# **Universal Cooling System Adapter Set**

SKU **434723** REG. \$99.99

- · Designed to Fit Most Passenger Vehicles and Light Duty Trucks
- Fits Both Radiators and Plastic Reservoirs
- Universal Design Works with Any Cooling System Pressure Pump
- Prevents Damage to Plastic Reservoir Threads That Occurs When the Wrong Adapter is

• Includes: Heavy Duty Vehicle Adapters, Pressure Test Regulator,

Vacuum Refill Attachment with Tubing in a Plastic Case

4 Quick-Disconnect Vacuum Attachments Provide Quick

Mack, Volvo, GMC and Sterling Cooling Systems

Uses Shop Air to Pressure Check and Vacuum Refill

• For Use with Freightliner, International, Kenworth, Peterbilt,

Forced On Pressure Test Pump Not Included

Offer Good Through September 30, 2025

SKU **954231** 

Refilling of the

Cooling System

and Eradicates

**Airlocks** 

MSC43306

**Heavy Duty Cooling Kit** 



**OEM** TOOLS

✓ Mastercool

# **Cooling System Pressure Test Pump**

SKU **434722 119** 99 27069

- · Quickly and Easily Pressure Test Cooling Systems in Most Vehicles
- High Quality Pressure Pump Designed to Work with Most Cooling System Adapters
- Easy-to-Use Lever Style Pressure Relief Valve



**OEM** TOOLS



**Pressure Test Kit** SKU **1053958** 

MSC43301-A

• Includes: 1 Blue Radiator Cap Test Connector R123/R125, 1 Black Radiator Cap Test Connector R123/R124, 1 Thermometer, 1 Universal Radiator Cap, 1 Vacuum Purge and Refill Tool, Coolant Hose and Additional

Installation Accessories, 1 Hand Pump and 19 Adapters (Nos. 2 to 4, 6 to 21) to Fit Most Popular Domestic and Import Cars and Trucks



# **Test and Refill Kit**

SKU **954220** MSC43014

- Sealing Collar (with Rubber Cone) Offers a Wide Variety of Applications for Radiator Filler Necks
- 2.3 Gallons per Minute Fill Rate



# **Cooling System Adapters**

### Volvo, Saab, Jeep, Maserati, Ferrari SKU **133600 44 99** 27241R

- Fits Maserati and Ferrari Models (2000 Newer), Jeeps with Male Threads (1990 – 1994), Saab 900 (1978 - 1993), Saab 900 (Drop Top 1994), Saab 9000 (1987 – 1998), Volvos with Male Threaded Necks
- Diameter: 45 mm
- . Thread Size: 3 mm



# **Radiator Adapter GM** SKU **133621**

27118R

**REG. \$44.99** 

 Fits Many GM, Chrysler, Ford, Jaguar and Freightliner



Offers Good While Supplies Last Through September 30, 2025

#### **Audi and VW** SKU **133625 REG. \$44.99** 27245R

• Fits Audi A4 (1996 - Newer), A6 (1998 - Newer), A8 (1997 – Newer), S4 (2004 – Newer), TT (2000 - Newer), Bentley (2006 - Newer) Lamborghini (2006 – Newer), Porsche Cayenne (2003 – Newer), Porsche Panamera (2010 - Newer), Volkswagen Passat (1998 – Newer), Beetle (1998 - Newer). Golf and Jetta (1999 - Newer)



SAVE

# BMW 3. 5 and 6 DEMILOOUS **Series Radiator Adapter**

SKU **133825** 27252R


- Fits BMWs (2007 Newer), 5 and 6 Series (2005 - Newer) and 3 Series (2006 - Newer)
- Diameter: 52 mm
- . Thread Size: 3 mm



# Mazda 3, Volvo S40/V50 and Ford

SKU **133633 1099** 27249R

• Fits Land Rover LR-2 (2008 - Newer), Mazda 3 (2004 - Newer), Volvo S40 and V50 (2004 - Newer), XC60 (2010 - Newer), Ford Fusion and





# **Toyota, Lexus and Scion Radiator Adapter** SKU **133632 1199**

27248R

• Fits Lexus LS (2007 - Newer), Toyota Celica (2000 - Newer), Spyder MR2 (2000 – Newer), RAV4 (2009 – Newer), Prius (2004 and Newer), Camry (2007 - Newer), Highlander (2006 - Newer) and Scion XB (2008 – Newer)

· Diameter: 34 mm; Thread Size: 3 mm



# **Acura, Chevrolet, Chrysler,** Geo. Honda. Isuzu. Lexus. Mazda, Mitsubishi, Suzuki and Tovota

SKU **133624** 27244R

· Fits Early Models with 32 mm Opening and a 9 mm Depth



# **BMW and Range Rover Radiator Adapter**

SKU **133635** 27251R

• Fits BMWs 1988-2006.

Land Rover and Range Rover Models 1995-2005

· Diameter: 52 mm

• Threads: 4 mm



# Ford, Jaguar, Pontiac, Range Rover and Saab Radiator Adapter

SKU **133611** 27243R

- Fits Jaguar X Type (2002 Newer), Saab 900 (1994 - 1998), Saab 9-3 and 9-5 (1999 - Newer), Some Saturns and Other Vehicles
- · Diameter: 52 mm; Thread Size: 3 mm



### VW

SKU **133609** 27242R

- · Volkswagens with Female Threaded Filler Necks (1990 to 1998)
- . Diameter: 57 mm; Thread Size: 3 mm



# Ford, Jaguar and Mazda Radiator **Adapter**

SKU **133631** 27247R

- Ford Contour 1998-2000, Jaguar XJ8 1998-Up, Jaguar XK8 1997-2006. Mazda Tribute 2001-Up
- · Diameter: 52 mm; Thread Size: 3 mm



AZG0325

# COOLING SYSTEM

# **Coolant Funnels**

# **Professional No-Spill Coolant Funnel Kit**

SKU **943142** 87043

- 5 Spring-Loaded Adapters for a Secure Fit
- Simply Select the Correct Adapter, Attach the Funnel and Fill
- · Air-Release Tubes to Vent the System During Refilling Process
- Stopper Prevents Dripping When Removing the Funnel
- Includes: Extensions and Adapters for Hardto-Reach Surge Tanks



# **Leak Tester**

**OEM TOOLS** 

**OEM TOOLS** 

# **Gas Engine Combustion Leak Tester**

SKU **1103608 2**4 99 37145

- Used to Test for Combustion Leaks That Result from Head Gasket, Cylinder Head and Engine Block Leaks
- Pulls Air from the Cooling System Up Through the Leak Tester; if Carbon Dioxide is Present, the Leak Tester Fluid Color Will Change to Yellow Signifying a Combustion Leak



# **No-Spill Coolant Filling Funnel Kit**

SKU **802197** 87007

- · 4 Radiator Cap Adapters to Fit Most Passenger and Light Trucks
- Simply Select Correct Adapter, Thread Together, Attach the Funnel and Fill
- · Rotary Switch to Effectively Prevent Drips and Spills, and Stop Overflow and Bubbles
- Includes: 5 Adapters, (2) 45° Elbows and (2) 5" Extension Rods for Difficult-to-Reach Areas

# **No-Spill Coolant Filling Funnel Kit with Coolant Tester**

SKU **1340229** 87045



- . Includes 5 Direct Fit Cooling System Adapters to Fit Most Passenger Vehicles and Light Trucks
- Includes: 45° Angled and 5" Extension Adapters for Accessing Hard-to-Reach Spots and Tester for Glycol **Based Coolants**
- · Fluid Stopper to Prevent Drips and Spills When Removing from the Filler Neck



# **Combustion Leak Detector Fluid (8 0z.)**

SKU **391381** 25739

**1**90

- Test for Internal Combustion Leaks on Gasoline Engines Fluid Turns Yellow When Exhaust Gases are Present in Cooling System
- Designed for Use with 37145 Combustion Leak Detector (not included)
- Can Be Used with Other Combustion Leak Testers. See Manufacturer's Manual Prior to Use
- Not for Use with Diesel Engines



**OEM** TOOLS

STORE STOCKED

# **Radiator Filler**

2.4 Gallon Plastic **Radiator Filler** 

SKU **754738** 87104

REG. \$39.99

• Impervious to Oil, Gasoline and Antifreeze • Stands Up to Extreme Weather



Offer Good Through September 30, 2025

**OEM** TOOLS

# STORE STOCKED


# AirEvac Cooling System

# **AirEvac Cooling System Refiller**

SKU **568478** 24444

**114**99

- · Quickly Refills Cooling System and Eliminates Trapped Air
- Helps Prevent Come-Backs and the Threat of Engine Damage
- Universal Adapter Forms an Airtight Seal with Most Radiator and Coolant Bottle Necks
- · Performs Vacuum Leak Tests
- . Covers Most Radiator and Reservoir Types
- No Custom Adapters Required





# **AirEvac Cooling System Kit**

SKU **099292** 27066



- Uses Shop Air to Evacuate the Cooling System for Vacuum Leak Testing
- Refills Cooling System without Trapping Air That Causes Overheating
- · Universal Adapter Forms an Airtight Seal with Both Radiators and Coolant Reservoirs
- . Self-Locking Quick Disconnects for Fast Assembly



# **Coolant Testing**

**OEM** TOOLS

# **Professional Series Ethylene Glycol Antifreeze Tester**

SKU **750007** 24507

- · For Testing Hot or Cold Ethylene Glycol-Based Coolants, Including Dex-Cool®
- Easy-to-Read Discs are Magnified by Convex Design of the Clear, Thermal Resistant Plastic Barrel
- Disc-Type 16-1/4" Tester is Accurate at All Temperatures (Celsius and Fahrenheit Scales)



OEM TOOLS

# COOLING SYSTEM

**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.com

**Cooling System Tools** 

# 4 Piece 14" Jumbo Pick Set

SKU **94658** 25940

• Includes: Straight Pick, 90° Pick, Offset Pick and Hook Pick

# **Clic-R Hose Clamp Pliers** SKU **1089038**


25102

- · Easily Remove or Install Clic-R Type High Tension Clamps
- Heavy Duty and Durable Steel Construction
- · Clamps Commonly Found on BMW, Mercedes-Benz, Audi, VW and Other Cars and SUVs



SKU **1335785** 26519

- · Dual Durometer Handles for Comfort and Grip
- Hooks and Picks are Assembled from Carbon Steel for Strength and Durability
- · Perfect for the Removal of Coolant Hoses, Cotter Pins Brake Springs, Large Electrical Connectors and More



# **GM Water Pump Socket**

SKU OSB 27109

- Works on 1993-newer Cadillac Northstar 4.6L V8 Engine (1993-newer) and Oldsmobile Aurora 4.0L L47 V8 (1995-1999) 1/2" Drive
- Black Oxide Finish to Resist Rust
- · Chrome Vanadium Steel for Toughness



# **Master Freeze Plug Installer Kit**

SKU **965837** 27208

**OEM** TOOLS

· Designed to Remove and Install Freeze Plugs Used in Liquid-Cooled Gas and **Diesel Engines** 





# **Flush Tools**

# **Coolant System Flush Gun** SKU **1284967**

24719

REG. \$54.99 • Universal Nozzle to Fit Various Radiator or Heater Hoses

- Combines Water with Compressed Air to Quickly and Efficiently Flush Cooling Systems
- Comfortable Lever-Action Air Throttle with Lock-On Latch for Simple Attachment of Air Hoses
- Used for the Detailed Flushing of Debris and Contaminants from the Cooling System During Repair and Maintenance

Offer Good Through September 30, 2025

# **Heater Core Backflush Tool**

SKU **511000 THX356** 

- Fits 1/2". 5/8" and 3/4" Heater Hoses
- · Saves Costly Replacement of Most Stubbornly Clogged Heater Cores



THEXTON

**OEM** TOOLS

**B**alcrank

• Made of Corrosion-Resistant Aluminum . Basic Garden Hose Hook-Up Cleans Cooling Systems and Heater Cores without Disassembly

# **Cooling System Back Flush Tool**

SKU **750008** 24506

**REG. \$39.99** 

- Non-Corrosive Aluminum
- Easy to Use
- Connects to Standard Hose 1/2", 5/8" and 3/4" Hose Fittings
- Made of Non-Corrosive Aluminum



Offer Good Through September 30, 2025

# To Confirm Price, Availability and Ordering Instructions on OSB, Call 901-300-4878

# **Coolant Exchangers**

# **VCX-1 Vacuum** Coolant **Exchanger** SKU OSB

MSS4708001900

Extremely Fast Service

- Cycles . Simple Hook-Up and
- Operation Flexible Adaptation for Most Makes and Models



### MAHLE FluidPRO® MCX-2 **Multi-Coolant System Fluid Exchanger** SKU OSB MSS4708003000

- Includes System Pressure Test Feature and "Hot Car" Radiator Cap Pressure Release
- Compatible with All Coolant Types for Adaptability
- Contains (2) 7.5 Gallon New Coolant Tanks and (1) 15 Gallon Waste Tank Providing Simple, Rapid Switching from One Coolant to Another
- 3 Minute Service Time for Increased Productivity

# **Used Fluid Drains**

23 Gallon Anti-Freeze Drain

SKU **1485042** BAL4110-025

- Powder-Coated Green
- 3/4" Cam-Lock Fitting
- All-Steel Tank and Base
- · Easy-to-Use Patented Cantilever Mechanism

**Premium Drains Capture Used Fluids and** Transfer Them to Any **Bulk Storage Tank Using** a Cam-Lock Kit and **Evacuation System** 





AZG0325

Coolant Not Included

# **Line Repair Tools**



3/16" Brake Line Kit SKU **662854** SURBR-EZ316

- 110 Piece Kit Includes Most Popular Brake Nuts, Unions and Adapters
- Made in USA
- UltraBEND Tubing Easy to Flare and Bend without Kinking

• Smooth Flares Create Better Fittings Seals, Reduces

Potential for Leaks • Includes: 110 Pieces Plus 25' of UltraBEND 3/16" Tubing

 Standard (SAE) and Metric Fittings Included



# **Deluxe Fuel Line Replacement Kit**

SKU **662866** SURKP1500

- Repair or Replace 1/4", 5/16" or 3/8" Fuel Lines in as Little as 5 Minutes
- No Special Insertion Tools Required
- Thumb Release Convenience Includes 168 Pieces Plus 75' of Tubing
- No Specialty Tools Required
- Pressure Rated Up to 200 psi



S.U.R.R.

AIRSEPT

# **Universal Flaring Set**

SKU **954227** MSC72475-PRC



- Create Perfect Production Quality Flares
- Magnetic Adapter Holder Keeps Adapters in Place
- Tube and Die Set Stabilizing Arm for Easy Tube Forming
- Enlarged Die Set Compression Area for Better Grip of Dies



# Fuel Line Repair Assortment Kit Dynamic SKU **1392319**



- . Kit Includes 23 of the Top Selling Connectors, Fittings and Clamps
- 86 Total Pieces

**DYNDY-FLA-2** 




# **Pro Series Repair Assortment** SKU **1125882**

AIR78019

- · Everything You Need for Transmission and Power Steering Line Repair in One Convenient Kit - 16 Repairs
- 5 Minute Line Repair
- · Leak-Free to 2.600 psi
- OE Approved



# **Bubble Flaring Tool Kit**



- Designed for Metric Soft Steel Brake Lines Where an "ISO" or Bubble Style Flare is Required
- · Forged Yoke is Made of Heat-Treated Steel
- · Includes: Flaring Bar. All Adapters Needed for ISO **Bubble Flaring** and 4 Dies (4.75, 6, 8 and 10 mm)

27214



**OEM** TOOLS

# **Disconnect Sets**

# NAVISTAR® MAXXFORCE® Fuel Line Disconnect **Tool Set - 4 Piece**

SKU **004112** 25031

REG. \$49.99



- 4 Piece Disconnect Tool Set for NAVISTAR® MAXXFORCE® Series 11 and 13 Engines
- Sized to Depress Fuel Release Tabs for Efficient Fuel Line Removal
- 1 Straight and (1) 90° Tool for 11.8 mm Fuel lines;
   1 Straight and (1) 90° Tool for 16 mm Fuel Lines

Offer Good While Supplies Last Through September 30, 2025



# **Fuel Line Disconnect Set**

SKU OSB 26514

**Q**99

- Disconnects Fuel Lines and Spring Lock Couplings on Ford and Chrysler

  Sizes: 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8"

  High Quality ABS Plastic That Can Easily
- Stand Up to Daily Usage
- Includes Reusable Holding Tray
- · Easily Disconnects Air Conditioning and Quick Connect Fuel Lines

For OSB, Call 901-300-4878



**OEM** TOOLS

### **Line Disconnect Set**

SKU **1544674** 68941

- Disconnects Fuel Lines and Spring Lock Couplings on Ford and Chrysler
- Sizes: 5/16",3/8", 1/2", 5/8", 3/4" and 7/8"
- High Quality ABS Plastic that can Easily Stand Up to Daily Usage
- Works on Fuel Lines and Other Quick Disconnect Couplings on Domestic and Import Vehicles
- Angled Handles for Easy Access to Tight Spots
- Sizes Include: 1/4", 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8"



# **Angled Disconnect Set**

SKU **291416 909** LIS39400

- Disconnects Spring Lock Couplings on Ford and Chrysler A/C Lines
- Works on Fuel Lines and Other Quick Disconnect Couplings on **Domestic and Import Vehicles**
- 6 Sizes: 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8"



# **Master Disconnect Tool Set**

SKU **291413** LIS39900





· Comes in a Blow Mold Case





# **Coolant Hose Removal Tool Set**

SKU **383214** CAL244TNZ

- Used to Completely Fill the Void in the Connector to Release the Fastener
- 40° Offset Designed for Jobs Up Against the Firewall or in Tight Spaces









Cal-Nan



**OEM** TOOLS

# SPECIALTY TOOLS

**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.con

Easy Access to Spark Plug Boots

Rubber Dipped Jaws Provide a Secure Grip for

Hardened Jaws Will Not Bend When Gripping

Damage Free Removal of the Spark Plug Boot

**Adjustable Spark Plug Boot Pliers** 

SKU **1340226** 

Jaws Adjust to Five

Different Positions for

• Dipped Handle Grips for a

Comfortable and Sure Grip

25559

# **Spark Plug Service**

# 3/8" Drive Magnetic Spark Plug **3 Piece Socket Set**

SKU **300140** 22891





Spark Plug Sockets								
SKU	Part #	Drive	Size	Features	Price			
082923	22880	3/8"	9/16"	Magnetic	9.99			
082933	22887	3/8"	5/8"	Magnetic	9.99			
082929	22881	3/8"	18 mm	Magnetic	9.99			
082932	22883	3/8"	13/16"	Magnetic	9.99			
082934	22889	1/2"	13/16"	Magnetic	9.99			
082936	22895	3/8"	14 mm	12 Point Thin-Wall	9.99			

# 14 mm x 12 Pt. BMW Spark Plug Socket

SKU **814164 19 99** 22814

· Designed with a Universal Joint for the Installation and Removal of Spark Plugs Situated in Tight Spaces



Overall Length: 3.75

Plug Retainer for a Secure Grip



# 3/8" Drive Magnetic Spark Plug Socket Extra Long (5/8")

SKU **300146** 22885



- Hard Chrome<sup>™</sup> Finish is Easy to Clean and Protects Against Rust Chamfered Ends Make Fastener Engagement Quick and Smooth
- Magnetic and Won't Wear Out or Be Damaged By Oil
- Deep Marking for Easy Identification Knurling Position for Best Finger Gripping
- . Length: 6"

# 3/8" Drive Magnetic Spark Plug **Socket Extra Long (9/16")**

3/8" Drive 14 mm x 12 Pt. Extra

**Long Spark Plug Socket** 

SKU **814337 94 99** 

SKU **300147** 22886

• Length: 6"

22813



### **Spark Plug Boot Pliers** SKU **390900** 25542

· Designed to Remove Hard-to-Reach Spark Plug Boots

 45° Offset Jaws for Easy Gripping of Wires and Boots



# 12-POINT

· Designed with a Universal Joint for the Installation and Removal of Spark Plugs Situated in Tight Spaces

• Durable Chrome Moly Steel Construction

• 12" Extended Reach





# STORE STOCKED

# **Spark Plug Wire Puller**

SKU **532549** 25061

· Insulates Hands from Electric Shock

• Grips Directly on Boot to Prevent Wire Damage





# IPR Socket, 3/8" Drive SKU **912334 14 99**

25280 · Remove/Replace IPR without

- Damaging the Connector
- Applications: Ford 6.0 L and Other **Diesel Engines**



#### **Oxygen Sensor Socket Set** SKU **1103591** 2199

37110

• Special Purpose, Universal Slotted Socket That Services Hex Vacuum Switches and Oxvaen Sensors

 Includes Sockets for Most Applications: 3/8" Drive 7/8" (22 mm) Deep 3/8" Drive 7/8" (22 mm) Crowfoot 1/2" Drive 7/8" (22 mm) Deep Crowfoot







**OEM TOOLS** 

# **7 Piece Sensor Socket Set**

SKU **900823** 27189

- Used for Oil Pressure Switches, Oil Pressure Sending Units and Thermal Sensor Switches
- Includes: 7/8" (22 mm) Offset Extended Oxygen Sensor, 7/8" (22 mm) Offset Oxygen Sensor Socket, 7/8" (22 mm) Vacuum Switch Socket, 7/8" (22 mm) Oxygen Sensor Socket, 1-1/16" (27 mm) Deep Oil Switch Socket, 1-3/16" (29 mm) Oil Sender Unit Socket and 1-1/16" (27 mm) GM Thermal Sensor Switch Socket
- Chrome Vanadium for Toughness

# **Insulated Tools**

# **10 Piece Insulated Screwdriver Set** SKU **1267942**

22593

REG. \$54.99

- 1,000V VDE Certified Insulated Screwdrivers
- Insulated Grip Handle and Precision Handle for Added Efficiency
- Insulation Sculpted Directly Onto Blade for Permanent Bonding
- Quick-Release Mechanism for Effortless Blade Change
- Exchangeable Blades with a Slim Tip to Fit Tight Terminal Blocks
- Durable Tool Pouch Included for Easy Organization
- Includes 4 Slotted Blades

Offer Good Through September 30, 2025





# **Fuel Pump Tools**

# **OEM TOOLS**

**OEM** TOOLS

# **Fuel Tank Adapter**

SKU **1407554** 24832

- . Makes Fuel Tank Removal Safe and Easy
- · Works with Most Transmission Jacks
- Includes: 2 Nylon Straps to Secure Tank
- Foam Rubber Pads Protect Tank



# **Bed Lifter**

SKU OSB STK35885

• Designed to Lift Truck Beds Safely and Easily

. Lifting Brackets Adjusts to **Evenly Distribute Weight** 



For OSB, Call 901-300-4878



SKU **751721** 

24398

• Ford F150 Trucks (2004 - Newer); Chrysler/Dodge Mini-Vans, PT Cruiser, Dakota, Durango (2004 - Newer); Chevy 1/2 Ton and 3/4 Ton Trucks (2004 - Newer)

. Works with 1/2" Drive Ratchet or Breaker Bar



**OEM** TOOLS

# **19 Piece Master Terminal Tool Set**

SKU **447159** 27169

- · Latest Tools for Coolant Sensors, Wiring Harnesses and Terminal Blocks on Most Modern Vehicles
- · Eliminates Potential Damage to Wires or Terminal Blocks
- · Application Chart Included Inside Storage Case



# **Fuel Pump Module Spanner Wrench**

SKU **110278** 25156

· Removes and Installs the Fuel Pump Retaining Ring



# **Throttle Depressors**

# **OEM** TOOLS

**Brake - Accelerator Pedal Depressor** SKU **802194** 


· Holds Brake or Accelerator

- **Pedal at Desired Position**
- · Easy to Adjust . Extends to 24'
- Suitable for Many
- Diagnostic **Applications**



# **Steering Wheel Holder** and Pedal Depressor Set

SKU **802195** 24231



• Depresses Brake Pedal for Various Brake Checks Including Brake

• Simply Hand Squeeze the Actuator to Accomplish Fine Adjustments



# **Throttle Pedal Depressor**

SKU **222525** LIS48700

**OEM** TOOLS

**OEM** TOOLS

**54** 99

• Holds Throttle at a Constant RPM . Engage the Nylon Hook Under the Steering Wheel, Then Extend the Depressor Rod to the Accelerator Pedal

• Length: 40"



**OEM** TOOLS

# **Relay Tools**

# **Relay Puller Pliers**

SKU **291342 2**199 LIS46950

- For Removing Electrical Relays on Most Domestic and Import Vehicles
- · Allows Relay to Pop Free from Socket with Less Chance of Damaging the Relay




# **Relay Circuit Tester**

SKU **383450** 27211

lisle

- Cut Relay Related Diagnosis Time by 75%
- . Identify at the Push of a Button if a Wire, a Part, or a Relay is Defective
- Test an Entire Circuit from the Battery to the Component
- . Bypass Relays to Do Compression Test, Fuel Pressure Test, A/C Fill, etc.
- . Kit Includes: Tester, 6 Popular Relay Leads and 1 Universal Relay Lead



SKU **291341** LIS60610

 Includes 4 Jumpers to Fit Many Popular Relays on Honda, Nissan, Toyota, Newer Ford and GM Mini Micro Relays as well as International Trucks



# **Relay Test Jumper Set** SKU **291333**

LIS56810


• Includes 4 Jumpers to Fit the Most Popular Size Relays on Domestic and Import Vehicles

. Jumpers Have Tabs for Clamping and Flat Pads to Place Test Leads On









**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.com

# **Wire Strippers**

# 8-1/4" Wire Stripper/Cutter/Crimper/Bolt Cutter

SKU **312821** 25193

- AWG: 10, 12, 14, 16, 20 and 22 Stranded
- AWG: 8, 10, 12, 14, 16 and 18 Solid
- . Crimps 7 and 8 mm Ignition Terminals



# 9-1/2" Terminal Crimping Pliers with Cutter

SKU **OSB** 25196

- For Insulated and Non-Insulated Wire Connectors and Terminals
- . Specially Hardened Wire Cutter in Nose
- Tapered Nose for Working in Confined Spaces
- For 10 to 22 AWG Wire Connect
- Plastic-Dipped Comfort Handles Minimize Fatique



**OEM** TOOLS

For OSB, Call 901-300-4878

# 7" Wire Stripper Crimper - Cutter

SKU **751657** 24452

- Strips 20-12 Gauge Insulated and Non-Insulated Wire
- Use for Wire Cutting and Stripping, as Pliers for Grabbing and Twisting or for Crimping of Insulated and Non-Insulated Connectors
- Industrial Finish with Red Textured Grips



# 6-in-1 Long Nose Pliers

SKU **177785** 22631

- Wire Strippers: 10, 12, 14, 16, 18, 20, 22 AWG
- Wire Crimper: 10 20 AWG
- Ergonomic Pistol Grip for Added Leverage
- Ideal for Hard-to-Reach Spot



# **Circuit Testers**

# **Digital Display Circuit Tester** SKU **568468**

- 24451 REG. \$44.99 • Detect Voltage, Power, Ground and Circuit Condition
- Display Provides Precise Voltage
- Voltage: 5 to 30V DC
- Computer Safe DO NOT Use on Airbags

2.8

**OEM** TOOLS

Voltage Display

Offer Good Through September 30, 2025

# **Coiled Cord Circuit Tester** SKU **422468**

25886

· Circuit Tester with a Stretchable and Retractable 12' Cord for Long Circuit Runs



OEM TOOLS

**OEM** TOOLS

# **One Handed Wire Piercina Circuit Tester**

SKU **422469** 25887

- Bright Hi-Vis 12' Heat and Oil Resistant Coiled Cord
- . Molded Strain Relief for Long Life
- · Hangs on Wire for Hands-Free Operation
- 6. 12 and 24 Volt Systems



OEM TOOLS

# **Memory Saver/Parasitic Drain Monitor Call for Price**

SKU OSB **PWPPPDRAW** 





- · Graphing Mode for Displaying Voltage and Amperage as a Wave Form
- Readings are Displayed on the LCD Screen
- Capable of Delivery Up to 10 Amps Continuous Current

For OSB, Call 901-300-4878



**OEM** TOOLS

# **ECT3000 Electrical Circuit Tracer**

SKU **1392338 Call for Price** PWPECT3000B

· Automatic and Manual Sensitivity Locking

· Arrow Indicates Direction to Short

· Signal Distance Indicator Bar

• 10 Minute Auto Shut Off

· Ergonomic Housing




# **Windshield Tools**

**OEM** TOOLS

# **Compact Windshield Wiper Arm Puller** SKU 191681 **1999**

25319



- Will Not Damage Wiper Arm or Hood Cowling During Removal
- · Features Turning Knob for Fast Work and Forged Body for Strength
- Compact Design Works **Great in Tight Spaces**



# **Window Holder**

SKU **191670** 25309



- Works on All Cars and Trucks with a Top Door Frame
- Loop Cable Over Door Frame and Attach Suction Cups to Each Side of Glass
- Window Glass is Securely Held Above the Door While Work is Performed



**OEM** TOOLS

# **Universal Wiper Arm Puller**

SKU **265136** 25339

- For Pulling Front and Rear Wiper Tight Fitting Wiper Arms
- Suitable for Most Wiper Arms Including Audi<sup>®</sup>, VW<sup>®</sup> BMW®, Ford®, Chevrolet®, Mercedes-Benz® and Others
- Designed to Prevent Damage to Wiper Arm Nozzle



# **Double Head Suction Cups**

SKU **291351** 24246

- Twin Head Suction Cups Help Remove Windshields
- ABS Rubber Cups Grab Ahold of Glass
- Flexible Handle Bends to Windshield
- · Quick Release Levers for One-Hand Operation



# 18" Professional Windshield Knife

CAL53100

· Constructed of Heavy Duty Steel and Aluminum with a Padded Ergonomic Handle









Cal-Van



MTOOLS Offers Good While Supplies Last Through September 30, 2025

**OEM TOOLS** 3/8" Drive Torque Wrench (25-250 In/Lb.) SKU **133657 AA** 99 12-3/4" 25685 • 45 Tooth Round Head Ratchet • Both Clockwise and Counterclockwise Operation **OEM TOOLS Click Style Torque Wrench - 3/8" Drive** SKU **133658** 25686 • Precision Torque Control by 45-Tooth Ratchet Head • Audible Click When Desired Torque is Reached 17-3/4" · Both Clockwise and Counterclockwise Operation 6 High Grade Spring Steel Torque Mechanism

1/4" Drive Torque Wrench (20-200 In/Lb.) Central TOOLS, Inc SKU **954210** CEN97361B • Push Through Square Drive for Reverse Operation Reverse Window Laser Marking Rubber Over-Mold Lock Ring for Better Grip NIST Certified 3/4" Drive Torque Multiplier **OEM** TOOLS SKU **191056** 25683 • Increased Torque Output Converts Low Torque (Max. 650 Ft/Lb.) to High Torque (2,200 Ft/Lb., 3000 Nm) with Planetary Gear Set for Heavy Duty Tightening and Loosening Input Drive: 3/4" Output Drive: 1"

1/2" Drive Click Style Torque Wrench (25-250 Ft/Lb.) SKU **133659** 25687 Both Clockwise and Counterclockwise Operation 3/4" Drive Professional Micrometer Torque

**OEM** TOOLS Wrench (100-600 Ft/Lb.) SKU **217376** 25688 12-3/8 · Right Hand Direction **Micrometer Click Style** 

# **Measuring Tools**

# **Tire Tread Depth Gauge** SKU **954233**

CEN3S402A

• Easy-to-Read Digital Display

- Fractional Scale in 1/32" Increments
- Spring-Loaded Plunger

# Central TOOLS, Inc.



Central TOOLS, Inc.

24" Straight Edge SKU **949552** // 199

25355

- Constructed with 1/4" Thick Cold Rolled Steel
- . Durable Powder Coat Finish with Precision Ground Edge
- Hang Hole for Convenient Storage
- Includes Reusable Protective Edge



Central TOOLS, Inc.

**OEM** TOOLS

**OEM TOOLS** 

OEM TOOLS

# 1" Dial Indicator Set SKU **954195**

- **CEN3D101**  Strong Magnetic Base
- Revolution Counter
- Full 1" Range



**Indicator Set with Flex Arms and Lock Pliers** 

SKU **954184 CEN3D103** 

Locking Pliers

- for Mounting Flex Arm for
- Extra Reach • Revolution Counter
- Full 1" Range





Central TOOLS, Inc.

- Extended Range of 1.4" to 6"
- Lower Range for Small Applications
- Reach Deep into Cylinders



0-5.5" Digital Rotor Gauge Central TOOLS, Inc. SKU **954197** CEN3M430A

- Easy-to-Read Digital Display
- Pointed Anvil for Measuring Grooves
- . Inch and Metric Readings



# **Digital Drum Gauge** SKU **954196**

CEN3B531

- . Depth Stops to Improve Accuracy
- Pointed Anvils for Grooves
- · Easy-to-Read Digital Display
- 4" to 20" Range Plus Oversize

# 25' Tape Measure SKU **1414409**

25699

- Two-Sided Blade Printed in Centimeters and Inches
- 1" Extra Wide Blade
- 10' Standout Reach
- . Magnetic End with Dual Hooks
- Heavy Duty Impact-Resistant Case



**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.cor

# **Steck - Lockout Tools**

# **BigEasy™ Glo with Easy Wedge Lockout Kit**

SKU **964494** STK32955

- Glow-In-The-Dark Yellow Allows You to See the Tool at Night or Through Tinted Windows
- Easy Wedge Offers Controlled Opening of the Car Door for Inserting the BigEasy Glo



# **BigEasy™ Carrying Case**

SKU **227873** STK32935




- · Custom Pockets for the BigEasy, Non-Marring Wedge, Lock Knob Lifter and Easy Wedge
- Makes it Convenient to Stow Your BigEasy Kit in Your Truck



# **BigEasy™ Lockout Kit**

SKU **964491** STK32900

- · High Visibility Pink Powder Coating and Improved Non-Marring Wedge
- · Lock Knob Lifter for Cars with Flat Lock Knobs at the Top of the Door
- Paint Protector Reduces Friction Between the Car Door and the BigEasy



# BigEasy™ Easy Wedge (Inflatable)

SKU **964493** STK32922

• Inflatable Controlled Opening of Car Door for Insertion of the BigEasy



Access titools

# **Access Tools - Lockout Tools**

# **Emergency Response Kit Long Case**

SKU **1339730 AETERKLC** 

- Most Popular Accessories, Gets into Any Vehicle
- Designed by First Responders
- · Emergency Ready
- Includes: Quick Max Long Reach Tool, Flex Max, Button Master, Super One Hand Jack Tool, Super Air Wedge, Glassman Wedge and Button Strip Tool



# **Button Master** SKU 1189051 **AETRCBM**

- Flexible Coated Long Reach Tool
- Retractable Loop with Grip Cover
- Grab Vertical Door Buttons with Ease
- . Approximately 38" in Length When Straightened
- Most Flexible and Versatile Version of All the Button Masters

### **One Hand Jack Set**

SKU **1145698 AETOHJS4** 

- Easy-to-Use Car Opening Kit
- · Soft Shielded Long Reach Tool That Won't Scratch Paint
- Air Wedge with Stiff Insert for Easy Insertion
- Vertical Button Tool One Hand Jack for Quick, Damage-Free Insertion of the Air Jack







# **Rivet Tools**


# **500 Piece Aluminum Rivet Assortment**

SKU **271150** 68109

• Includes: 1/8" and 3/16" Rivets 1/4", 5/16" and 3/8" Long











# **Rivet Tool Kit**

SKU **94877** *Call for Price* MAR39001KIT

- 50 each: SB4-2. SB4-4, AB4-2A
- 25 each: SC4-4, AB6-2



# Rivet Tool Kit

SKU 94879 Call for Price MAR39003KIT

• Includes 40 each: SSB4-2S SSB4-3S SSB4-4S SSBL4-2S



# **Big Daddy® Hand Riveter** SKU **094886**

MAR39031 **Call for Price** 

**Sets Large Diameter Blind Rivets.** 

- Double Gear Reduction System Easily Sets from 1/8" to 1/4" Diameter Klik-Fast Rivets in All Alloys Including 1/4" Klik-Split® Rivets
- Comes with 5/32", 3/16" and 1/4" Nose Pieces Stored in the Body



AZG0325

# See More Marson Rivet Tools on AutoZonePro.com

# **Slide Hammer Pullers**

# **5 Lb. Slide Hammer**

SKU 1103572 54 99

- For Use with OEMTOOLS® 27032 Axle Puller, 27058 Inner CV Joint Puller, 27059 Pilot Bearing Puller, and Other Puller Attachments with 5/8" X 18 Threads
- For a Variety of Pulling Tasks
- Chrome Plated Main Shaft
- Thread: 5/8" x 18



# **9 Way Slide Hammer Puller Set**

SKU **1335798 139 99 37191** 

- Pulls Flange-Type Rear Axles and Most Front Wheel Drive Hubs
- Internal and External Jaws Provide a Variety of Combinations to Pull Bearings, Gears and Seals
- 2-Way and 3-Way Cross Blocks
- Includes: Grip Wrench Adapter and Dent Puller Attachment
- Designed for Use with Other 5/8" x 18 Thread Slide Hammer Attachments



# Rear Axle Puller Set

SKU **094801 27202** 

Trucks

 Use for Flange-Type Rear Axle and Bearing Removal on Most Late Model Passenger Cars and Light

• Slide Rod and Adapters are 5/8" x 18 Standard Threads





# **VW/Audi Fuel Injector Puller Kit**

SKU **1103636 37383** 

**59**<sup>99</sup>

- Includes: 1 Mini Slide Hammer, 1 Installation Tool, 2 Special Puller Attachments and 3 Knurled Collars
- Comes in a Sturdy Blow Mold Case
- Used with All 2.0 L TSI/FSI/TSFI Engines



# **Multi-Purpose Puller**

# Multi-Purpose Bearing and Pulley Puller Set

SKU **900824 189** 

Use on Pitman Arms, Timing Gears, Carrier Side Bearings,

- Crankshaft Pulleys and More

  20 Piece Set Includes: 6 Jaws, 2 Bar Housings 6 Bolts and 2 Retainers
- and 2 Retainers
- . Capacity: 6-10 Tons (Depending on the Jaws)
- Combine to Create 10 Different Pullers

# OEM TOOLS



# **Retainer Remover**

# **Brake Cylinder Retainer Remover**

SKU **265111 14 25268** 

 Expands and Holds Special Retainer So the Brake Cylinder May Be Removed

 Releases the Spring Clip Retainer That Attaches the Rear Brake Cylinder to Backing Plate



**OEM** TOOLS

**OEM** TOOLS

**OEM** TOOLS

# **Lock and Snap Ring Pliers**

# **Professional Internal/External Snap Ring Pliers**

SKU **1340233 24 25097** 

• Unique Jaw Design Makes it Easy to Switch from Internal to External Configurations

• For Both Internal and External Rings

· Alloy Steel and PVC Grip with Storage for Tips

 Includes: 3 Pairs of Tips and Hex Key, 1 Pair Straight Tips for 1.2 mm and 1.8 mm, 2 Pair 90° Tips for 1.2 mm and 1.8 mm





# Angle Tip Lock Ring Pliers

SKU **191055 25354** 

**19**99

- For Spreading Snap Rings Found on Brakes, Pedal Shafts, Clutch Shafts, Transmissions, Machine Tools and Piston Rings
- Constructed with Durable Drop Forged Steel Alloy
- Spring-Loaded Jaws Feature a Scored Outside Edge for a Secure Grip

 Vinyl Grip Handles for Added Comfort and Control

• Spread: 3/4"

• Length: 8-1/4"




# **10 Piece Snap Ring Pliers Set** SKU **900819 119 99 27180**

Includes: (2) 5-1/2" Bent Pliers (0.038" and 0.047" Tip), (2) 6" Straight Pliers (0.038" and 0.047" Tip), 7-1/2" Bent Pliers (0.070" Tip), 8" Straight Pliers (0.070" Tip), 8-1/2" Bent Pliers (0.090" Tip), 9" Straight Pliers (0.090" Tip), 1 Pick Tool and 1 Hook Tool

 For Both Internal and External Rings

 Constructed with Heat-Treated Chrome Moly Steel

 Comes in Sturdy Blow Mold Case



# 2/3 Jaw Pullers

### **1 Ton Puller**

- Standard Jaw Puller Made with Hi-Alloy Steel
   Jaws Grip Tighter as
- Pressure is Applied

  Adjustable and Reversible
- Adjustable and Reversib Jaws with 2 and
   3 Jaw Configuration

# 3" Spread

SKU **246386 25902** 

4" Spread

SKU **246387 29**9

5 Ton

SKU **516519 27078** 

*39*<sup>99</sup>







OEM TOOLS



**OEM TOOLS** 

# **ENGINE SERVICE**

**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.com

# **Cam/Crankshaft Tools**

### **Crank Bolt Sockets**

**Deep Counter-Weighted Sockets Provide Increased Torque to Break Loose Stubborn Crank Bolts** 

 Applications: Honda-Acura, Models: Accord, Civic, Pilot, CRV. Odyssey, CL TL Integra, MDX, Vehicles. Plus Toyota-Lexus, Models: Camry, Corolla, 4Runner, Sequoia, ES300, LS400 Vehicles and More

17 mm

SKU **912348 1 99** 25275

**22 mm** SKU **070132** 

25300

19 mm

SKU 1335801 25290

**26 mm** 

SKU **919500** 

SKU **919497** 

**OEM** TOOLS

• Includes: 17, 19, 21, 22, 26 and 27 mm Deep

Provides Increased Torque to Break Loose Stubborn Crank Bolts

 Applications: Honda-Acura, Models: Accord, Civic, Pilot, CRV, Odyssey. CL TL Integra, MDX, Vehicles. Plus Toyota-Lexus, Models: Camry, Corolla, 4Runner, Seguoia, ES300, LS400 Vehicles and More

• Constructed with Durable Chrome Moly Steel

**6 Piece Crank Bolt Socket Set** 

SKU **919501 114 99** 

Counter-Weighted Sockets

21 mm

25276

SKU **912343** 1099

**27 mm** 

25279



Universal **Pulley and Fan Clutch Holder** 

SKU **547013** 27281

• Fits Many Different Fan Clutches, Cam and Crank Pulleys with Slots or Holes Adjustable Diameter: 1-1/2" to 8-5/8" Pin Sizes: 6-10 mm, 8-11 mm, 10-12 mm and 11-16 mm

Comes in Blow Mold Case



**OEM TOOLS** 

25278

# **5 Piece Master Cam/Timing Gear Clamp Set**

SKU **383452 94 99** 27210

- · Covers Most Single, Twin Cam and Quad Cam Engines
- · Locks Camshaft to Hold Valve Timing During Timing Belt Replacement



lisle

**OEM** TOOLS **Ford Cam Tool 1.6 Liter** 

SKU **1103640** 37380

. Designed to Hold the VCT Sprockets in Position During Timing Belt Installation or Camshaft Service

 Alignment Tool Services: Ford Fiesta (2011 to 2014), Ford Escape (2013 to 2014), Ford Fusion (2013 to 2014), Ford Transit (2013 to 2014)



**Ford 2.0 L.** 2.3 L, 2.5 L **Cam Tool Kit** 

SKU **626108** 24448

• Applications: 2.0 L DOHC Engines Found in Ford and Mercury (1994 to 2003), 2.5 L DOHC, 2.3 L DOHC 4V and 2.0 L DOHC Engines in Ford, Mercury and Mazda (2004 to 2012) and 2.0 L DOHC Engines in Ford Probe (1993 to 1994)

**OEM** TOOLS



**Ford Timing Chain Locking** 

**Wedge Tool** SKU **012647** 

24207

 For 2005-14 5.4 L and 4.6 L 3V 0E Type Tool Allows for Easy Cam Changes without Removing the Timing Cover

**OEM** TOOLS

- Compact and Easy to Use
- OE Type Tool
- For 5.4 L and 4.6 L 3V (2005-2014)



# **DOHC Cam Lock Holder**

SKU **291419** LIS36880

• This Versatile Tool Easily Locks and Holds Both Camshaft Sprockets Firmly in Place

 Preserves the Engine Timing **During Belt or Chain** Replacement



# **Pilot Bearing Puller**

SKU **775523** 25089

• Use to Pull Pilot Bearing

from End of Crankshaft · Plate Prevents the Jaws from Spinning When Force is Applied

 Spread Range: 1/2" to 1-1/2'

 Reach Range: 3/16" to 11/4'



**Puller Attachment** SKU OSB

27059

**Pilot Bearing** 

• Use with OEMTOOLS 37033 and 27202 Slide Hammer Pullers

 Threaded with Both 5/8" x 18 and 3/4" x 16 Threads to Fit Most Slide Hammers



For OSB, Call 901-300-4878

# **Ford Master Timing Kit**

SKU OSB CTA2221

**OEM** TOOLS

• Includes: Harmonic Balancer Holder, Camshaft Alignment Tool, VCT Alignment Tool, Crankshaft Positioning Tool, Crankshaft Vibration Dampener Alignment Tool, 3 Pc. Wedges and

Camshaft Timing Kit · Services Ford, Mazda

and Lincoln 1.4 L, 1.5 L, 1.6 L, 2.0 L, 2.3 L, 2.5 L, 3.0 L and 3.5 L Engines



For OSB, Call 901-300-4878

# **Flywheel Turner**

SKU 1207891 25556

• Holds Flex Plates and Fly Wheels to Allow Clutch, Transmission and

- Crankshaft Service . Spring Tensioned to Keep the Wrench Securely Engaged
- · Sure Grip Handle



**OEM** TOOLS

# **Universal Camshaft Bearing Tool**


SKU **191677** 27143

• Removes or Inserts Camshaft Bearings in Nearly All Engines

 Set Includes: Driving Shaft, Driving Shaft Extension, Expander Unit, 5 Split Driving Plugs, 2 Driving

- Collars and Centering Cone · Easy on Bearings
- Range: 1.125" to 2.69"





**OEM** TOOLS

AZG0325

# IGINE SERVICE

# **Valve & Cylinder Head Tools**

# Combustion **Leak Detector**

**OEM** TOOLS

SKU 1103608 37145

- Test for Internal Combustion Leaks on Gasoline Engines
- · Fluid Color Changes to Yellow When a Combustion Leak is Present
- . Comes in a Sturdy Blow Mold Case
- Not for Use with Diesel Engines



# **Combustion Leak Detector** Fluid (8 Oz.)

SKU **391381** 25739





**OEM** TOOLS

**Lever Valve** 

**Installer Kit** 

SKU **011658** 

**Fast and Easy** 

**Makes Valve Component** 

Disassembly and Reassembly

• For Use with Valve Stems from

Chrysler New World Engine

4.5 to 7.5 mm and 5/16" to 3/8"

. Magnet in Tool Body Captures Keepers

Smaller Size Works on Toyota 4 Cylinder and

LIS36050

- Lever Action Stavs Compressed for Easy Valve
- Included Adapters Fit Valve Retainer Diameters
- · Compression Range from 1-3/8" to 5-5/8' (35 mm to 142 mm)



fisle,

**OEM** TOOLS

# Hydraulic OFM TOOLS Valve **Lifter Puller**

SKU **424904** 27146

 Use for Removing Many Valve Lifters from Engine **Block** 

# **Ford Valve Spring Compressor**

SKU **626111 24** 99 24434

- Applications: 1991 to 2004 Ford Vehicles with 4.6 L, 2V, V8 Engines; 4.6 4V, 5.4 V8 and 6.8 V10
- · Works with Engine Removed or Installed. Cylinder Head On or Off
- Not for Triton 5.4 3V



**OEM TOOLS** 

# **Spring Compressor**

SKU **662780** 24676

**Valve Keeper Remover and** 

- Lock Removal
- from 1" (25 mm) to 1-3/16" (30 mm)



Lisle

# **OEM** TOOLS **Spring Compressor**

**OEM** TOOLS

SKU **552331 1 1 99** 25064

Valve

- · Compresses Valve Springs on GM V8 Engines with Stud-Type Rocker Arms without Having to Remove Cylinder Heads
- Use with OEMTOOLS®



### **OEM** TOOLS **Ford Valve Spring Compressor** for 3-Valve Engines SKU **814391** 24429

 Designed to Compress the Valve Spring without Removing the Camshaft While Servicing the Cylinder Head in Ford

3-Valve Engines For Use with Ford 3-Valve 4.6 L and 5.4 L Engines



**OEM** TOOLS

# STORE STOCKED


# **Flexible Air Valve Holder**

SKU **1392465** 25029

- For 14 mm and 18 mm Spark
- Plug Holes
- 14" Flexible Hose Reaches into Tight Areas



# **Push Rod Remover** SKU **459100 9099** LIS48300



· Quickly Removes Push Rods to Replace the Intake Gaskets without Removing Rocker Arms



# **Torque Adapter. Diesel Head Bolt.** Ford 6.0 L Power Stroke® Engines

SKU **298191 1999** 24208

- Eliminates the Need to Remove the Truck/Van Cab from the Chassis to Access the Rear Head Bolts
- Eliminates the Need to Remove the Evaporator Housing, Saving 2 Hours of Time and the Additional Cost of Refrigerant Added During A/C Recharging
- · Prevents Damage to the Rear Heat Shield
- Use with OEMTOOLS® 27309 3/4" Drive Torque Wrench and OEMTOOLS® 22398 18 mm Socket



# 24" Straight Edge

SKU **949552** // 99 25355



- . Use with a Feeler Gauge to Inspect for Distortion on Engine Blocks, Cylinder Heads, Fly Wheels, Main Bearing Saddles, Cam Bearing Saddles, Cam Covers and Bell Housings
- Constructed with 1/4" Thick Cold Rolled Steel
- Precision Ground Edge to +/- 0.001"
- Durable Powder-Coat Finish
- Hang Hole for Convenient Storage
- Includes Reusable Protective Edge



# **Engine Cylinder Hones**

# **BC 180SC Flex-Hone Tool Kit** SKU **213154** BRM14353

- 10 Piece Kit Features Flex-Hone Sizes: 10 mm, 1/2", 5/8", 3/4", 7/8", 1", 1-1/4", 1-1/2", 1-3/4" and 2"
- Complimentary Snap Back Hat, 1/2 Pint of Flex-Hone Oil and 1GB Flash Drive



SKU	Doub #	Dreduct	Cylinder	Price	
	Part #	Product	Metric	SAE	Price
341226	BRMBC30018	Flex-Hone™ GB	76 mm	3"	54.99
341232	BRMGB31412	Flex-Hone™ GB	83 mm	3-1/4"	54.99
341239	BRMGB31212	Flex-Hone™ GB	89 mm	3-1/2"	59.99
341317	BRMGB33412	Flex-Hone™ GB	95 mm	3-3/4"	64.99
341325	BRMGB41812	Flex-Hone <sup>™</sup> GB	105 mm	4-1/8"	69.99
341332	BRMGB45812	Flex-Hone™ GB	118 mm	4-5/8"	69.99

ADDITIONAL SIZES AVAILABLE - CALL US AT 901-300-4878 OR VISIT AZTOOL1.COM



# GINE SERVIC

**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.cor

# **Harmonic Balancer Tools**

**Harmonic Balancer Puller Kit** 

SKU **818738** 25090

**Unique Jaw and Returning Springs for Easy Positioning** of the Puller

- Includes: Puller Body, 3 Jaw Puller, 3 Jaw Retaining Pins, 3 Wave Washers, Pressure Screw
- Insert Rods: 4", 5-13/32", 6-1/2" and 7-13/32"
- Used on Many GM, Ford, Mitsubishi and Chrysler Engines



Harmonic Balancer Puller

SKU **1103576** 37187


- Includes: Yoke, Pressure Screw and Pulling Screws
- Floating Swivel Prevents Damage to Shaft Ends
- Ideal for Any Shop or Garage
- Pulling Balancers and More
- Heat-Treated for Strength and Durability



**OEM** TOOLS **Long Reach Harmonic Balancer/Pulley Installer for GM, Ford and Chrysler** 

SKU **1103550 20 99** 37306

- Use to Install Crank Pulley or Underdrive Pulley on Many Late Model Ford, GM, Dodge and Chrysler Vehicles with V8 and V6 Engines
- Includes: M16 x 2.0 mm (GM), M14 x 1.5 mm (Dodge. Chrysler and Jeep), M12 x 1.75 mm (Dodge Chrysler and Jeep) and M12 x 1.5 mm (Ford)



# **Universal Pulley and Fan Clutch Holder**

SKU **547013** 27281

- Fits Many Different Fan Clutches, Cam and Crank Pulleys with Slots or Holes
- Adjustable Diameter: 1-1/2" to 8-5/8"
- Pin Sizes: 6-10 mm, 8-11 mm, 10-12 mm and 11-16 mm
- · Comes in Blow Mold Case



**OEM** TOOLS

Harmonic **OEM** TOOLS **Balancer Installer** 

SKU **1103603** 37144

- Use to Properly Install Harmonic Balancers without Damage
- . Thread Adapters: 12 mm x 1.5, 14 mm x 1.5, 16 mm x 2.0, 7/16" x 20, 1/2" x 20, 9/16" x 18, 5/8" x 18, 3/4" x 16



**OEM** TOOLS

**Honda/Acura Crank Damper Holder Tool** 

SKU **1069101** 26507

- For Removal and Installation of the Crank Bolt on Honda/Acura Engines
- Use on Honda and Acura Engines (1990 Newer)
- . Designed to Hold Crankshaft Pulley to Install/Remove Crankshaft Pulley Bolt • 50 mm Hex
- 1/2" Drive Works with Ratchet or Breaker Bar



**OEM** TOOLS

# 2.7/5.2 L Ford EcoBoost Long Reach **Harmonic Balancer/Installer**

SKU **1392336** CAL38710

- Designed to Achieve Easy Installation of Harmonic Balancers on Ford Ecoboost
- Can Be Used On 2.7 L, 3.0 L, 3.3 L and 5.0 L Engines in Ford/Lincoln Cars, Trucks and SUV





**Ratcheting Harmonic Balancer Pulley Puller** SKU **1189050** 

CAL38000

- · Eliminates Need to Remove the Radiator
- Push Turn Click Design
- · No Need for Bolts
- Applications: FORD 5.0 Coyote, GM 5.3 L, 5.7 (LS1), 6.0 (LS2), 6.2 (LS3), 7.0 L and Most Three and Six-Spoke Harmonic Balancers/Pulleys



**Hex Oil Pump Primers** 

- . Used to Prime the Lubricating System of a Rebuilt Engine Prior to the First Start, Preventing a Dry Start
- . Connects to the Oil Pump Shaft Through the Distributor Hole
- For Use with 3/8" Reversible Drill



Ford 5/16" SKU **534545** 

27062

Ford 1/4" SKU **534537** 27061

OEM TOOLS



**Piston Ring Compressor** 

SKU **013641** 24682

- 1-1/2" Deep, Low Friction
- Wrinkle Band • Fits 3" to 5" Pistons





**OEM TOOLS** 

ail-Vain

**Piston Ring Expander Pliers** 

SKU **003509** 25083

- Eliminates Piston Ring Damage and Distortion During the Installation and Removal Process Dipped Rubber Handles for Improved Grip
- Diameter Range: 3-1/8"(80 mm) to 4-5/8" (120 mm)





AZG0325

# **Alternator Tools**

# **Alternator Decoupler Pulley Tool Kit**

SKU **300124** 27261

- · Works on Both Overriding Alternator Decoupler (OAD) and One-Way Clutch (OWC) Pulleys
- Tools May Be Used While the Alternator is On or Off
- Includes 2 Pulley Sockets and 3 Shaft Bits
- Comes in a Sturdy Blow Mold Storage Case





SKU **1103629** 37275

- · Removes and Installs Many Alternator Decoupler Pulleys on the Most Popular Vehicles
- Works on Both Overriding Alternator Decoupler (OAD) and One-Way Clutch (OWC) Pulleys



**OEM** TOOLS

# **ENGINE SERVICE**

# **Diagnostic**

# **Compression Tester Gauge Set**

SKU **1103601** 37138

• Use to Test Compression 0 to 300 psi on 14 mm and 18 mm Spark Plug Ports and Determine Engine Mechanical Condition



# **8 Piece Noid Light Set**

SKU **1103589** 37161

- Includes: GM TBI, GM SCPI, GM PFI, Ford TBI, GEO TBI, Bosch PFI, Bosch Type 2 and GM Multec 2
- See-Through Design to Check Electrical Pulses



# **Gas Engine Combustion Leak Tester**

SKU **1103608** 37145

- Test for Internal Combustion Leaks on Gasoline Engines
- Fluid Color Changes to Yellow When a Combustion Leak is Present
- Designed for Professional Auto Mechanics and **Heavy Duty Applications**
- Not for Use with **Diesel Engines**

**Use with 25739** Test Fluid Listed on Page 44



# **Vacuum Pump Tester Power Steering and Brake Bleeder Set**

SKU **1103570** 37070

• Brake Bleeding Kit Bleeds Brakes, Clutches or Other Hydraulic Systems

**OEM TOOLS** 

 Kit Includes: Vacuum Pump Reservoir Jar with Transfer Lid, Storage Lid, Brake Bleeding Adapter Package, Steering Pump Adapters and Tubing



# **Exhaust Back Pressure Tester/Gauge**

SKU **1103604 79 99** 37263

- Oxygen Sensor Adapter is M12 and M18 Thread
- 6' Hose Allows User to Test from Driver's Seat
- · Test for Restricted **Exhaust Systems**



# **Exhaust Tools**

OEM TOOLS

**OEM** TOOLS

**Exhaust Donut Stretcher** SKU **390901** 25543

- · Easily Grabs onto Mounting Rubber Rings or Doughnut Used on Many Exhaust Systems
- · Features an Offset J-Hook
- Large Coated Handle for Comfort

# **Exhaust Manifold Spreader Set**

SKU **504028** 25253TW0

- Use for Reinstalling the Manifold on Small-Block Chevrolets
- Simple Way to Expand Warped Manifold to Align Bolt Holes
- . Helps Prevent Cross-Threading of Manifold Bolts
- . Works Best When Used in Pairs or Install Before Removing Manifold to Prevent Misalignment



OEM TOOLS

**OEM** TOOLS

# 1-1/2" x 2-7/16" **Tailpipe Expander**

SKU ŌSB 27027

• Extra Long Hex Bar for Convenience



**OEM** TOOLS

For OSB, Call 901-300-4878

# **Tailpipe Cutter**

SKU OSB 27045

- Used to Cut Tail Pipe Range 3/4" to 3-1/4" (19-83 mm)
- Cushion Grip Handles
- . Designed for Both On and Off Cutting



For OSB, Call 901-300-4878

# **Manifold Drill Template -**Ford 2V and 3V


SKU **213145** 25251

- Designed to Remove Broken Exhaust Manifold Studs
- For Ford Triton 2V and 3V Engines 4.6L, 5.4 L and 6.8 L V10
- · Drill Depth Gauge Marked on Each Adapter
- Interchangeable 2V and 3V Adapters
- Hi-Vis EVA Tray for Easy Storage and Organization
- · Includes: Template, 2V Adapter, 3V Adapter, 2 Stud Alignment Pins, 3/16" and 1/8" Double-Sided Drill Bits and Stud Extractor



# **Exhaust Pipe Stretcher Kit** SKU **080137**

369<sup>99</sup> LIS17350



• Use with Impact Wrench to Quickly Stretch Pipes



# **Manifold Drill Template for GM EcoTec3 5.3 L and 6.2 L**

SKU **1125865** LIS71650

- Removes Broken Exhaust Manifold Bolts without Damaging the Cylinder Head
- Tapered Bolts Allow You to Move from Hole to Hole without Moving Base Plate
- Screw Extractor Removes Broken Bolts
- Includes Bushing Drill Guide When Extractor Cannot Be Used









**OEM** TOOLS





Cam phaser knock on 4.6/5.4 L 3V engines is common in older models and can lead to bigger problems if not fixed. There are millions of trucks on the road with this problem, but until now, there have been few good options to permanently help fix the knock. This kit helps to eliminate any knocking noise heard from the front valve cover/timing cover related to the phasers. These all-in-one kits correct the cam phaser knock on ONE engine.

Stop Saying "No" to Business and Be **Confident Your Customers Will Be Satisfied!** 



This Kit is the Only True. Long Term Repair for Ford Cam Phaser Noise on the Market

# **Cam Phaser Noise Repair Kits Include:**

- Wedge Tool for Easier Installation
- · Programmer with OBD-II Cable
- 2 OEM Quality Phaser Bolts
- 2 Lock Outs

**Ford Cam Phaser Noise Repair Kit** 

SKU OSB LMEF1503V

• Fits Ford OEM Cam Phaser

Ford, Livernois and logos featured or referred to on this page are the property of their respective trademark holders I For OSB, Call 901-300-4878

# **Fan Clutch Tools**

# **Fan Clutch Wrench Set**

SKU **1103596** 37141

REG. \$99.99

• Works on Many of the Ford, Mazda, Dodge, Lincoln, Mercury and Jeep Makes and Models with the Original Fan Clutch Assembly

• Includes Wrench Sizes: 40 mm, 48 mm, 54 mm, 68 mm, 72 mm, 76 mm and 83 mm



Offer Good Through September 30, 2025

# **Universal Fan Wrench Set**

SKU **080554** LIS43600



- . Hooked Wrench Design Holds Nuts and Bolts, Allowing the Technician to Easily Tighten/Loosen the Other Bolts
- · Double-Sided Spanner Style Holding Wrench Will Hold Pressed-On Pulleys on Many GM, Jeep and **Dodge Vehicles**



# **Pneumatic Fan Clutch Wrench Set**

SKU **291409** LIS43300

· Quickly Removes and Installs Fan Clutch When Repairing the Water Pump or Fan Clutch

 Includes Wrench Sizes: 32 mm. 36 mm. 40 mm; 7/8", 1-7/8" and 2"



# **Fan Clutch Service Set for Mercedes-Benz and BMW**

SKU **512958** 27224

- Removes Lock Nuts on Thermo Viscous Fans Found on Mercedes-Benz, BMW and Many Ford Models
- Special Open-Ended Spanner to Allow Removal and Replacement of the Radiator Fan Hub
- The 3-in-1 Design Allows Servicing of 3 Separate Areas of Repair, Eliminating the Need for 3 Different Tools
- Hub Securing Bar Used for Securing Water Pump Hub from Rotating During R&R of Fan Clutch Nut
- Applicable: Mercedes M103, 104, 111, 119, 120 OM 602, 603, 605, 606; the 10 mm is Used for Adjusting A/C Belt Tension and R&R of Idler Pulley on Models 420, 560 with V-819 (1986 and Newer)
- Applicable: Mercedes M103 (6 CYL, M104 (6 CYL 4 VLV), M119 (8 CYL 4 VLV) M120 (12 CYL 4 VLV)



# **Pulley and Fan Clutch Holders**

# **Fan Clutch Holding Tool**

SKU **209526** 27171

- For Fan Clutch Repair and Service
- . Holds Water Pump Pulley while Servicing Fan Clutch Adjustable Jaws
- Fits Most Water Pump Pulley Bolt Patterns, Including Pressed-On Pulleys
- · Jaws Will Lock in Place, Securing
- Water Pump Bolts Longer Handle Provides Leverage for Extra Torque

# **OEM** TOOLS

# **Universal Pulley and Fan Clutch Holder**

SKU **547013** 27281

- Fits Many Different Fan Clutches, Cam and Crank Pullevs with Slots or Holes
- Adjustable Diameter: 1-1/2" to 8-5/8"
- Pin Sizes: 6-10 mm, 8-11 mm, 10-12 mm and 11-16 mm



# **Stretch Belt Tools**

# **Stretch Belt Installation Tool**

SKU **227301** 24363

- Works on Both Large and Small Pulleys Clamping Jaw Allows User to Position
- Serpentine Belt without the Belt Slipping Out of the Tool



SKU **255866** LIS59370

- Unique Magnetic Faces Hold the Tool in Place on the Pulley
- Compact. One Piece Tool Can Be Used on the Front or Back Side of the Pulley



AZG0325

**OEM** TOOLS

# **CHASSIS & SUSPENSION**

# **Ball Joint Service Kits**

### **XL C-Frame Ball Joint Press Set**

SKU **1142924** 25105

14999

• Ideal for Pressing Out Larger Ball Joints on Pick-Up Trucks: Toyota Tacoma and Tundra, Chevrolet 2500-3500 and Tahoe, Dodge Ram 2500-3500 and Ford F350-F550

• Extended C-Frame Allows Use of Multiple Larger Adapters That Standard C-Frame Presses Won't Fit C-Frame Constructed

with Heavy Duty Forged Steel for Strength and Durability • For Use with OEMTOOLS®

**Ball Joint Press Kits** and Adapter



**Pressure** 

Screws

# 74 Piece Master Ball Joint Press Kit SKU **1207895**

37388

· Adapters for Almost Every Car, Van, SUV and Light Duty Truck

• Comprehensive Kit with 70+ Adapters and C-Frame

. Tough Heavy Duty C-Frame is Built to Last

2 Heavy Duty Molded Cases are Designed for Storage and Mobility

**Easy to Read** Manual for **Finding** Adapters Quickly and Easily

**OEM** TOOLS





# **Joint Separator**

25219

With Purchase of: 37388

Offer Good Through September 30, 2025

# 21 Piece Master Ball Joint Press Set

SKU **1142406** 25104

- Removes and Replaces Press-Fit Upper and Lower Ball Joints on 2-Wheel Drive (2WD) and 4-Wheel Drive (4WD) Vehicles
- Includes Adapters with Specialized Cut-Outs to Maneuver Around Obstructions

• Includes Adapters Needed for Removing Upper and Lower Ball Joints on GM,

Ford and Chrysler 2WD and 4WD Light-Duty Trucks, Vans and SUVs


· Heavy Duty Forged Steel Alloy C-Frame for the Toughest Jobs — Ideal for Seized Joints



# **Master Ball Joint Installer/ Remover Adapter Set**

SKU **1103612** 37310

REG. \$99.99



Works on Press-Fit Upper and Lower Ball Joints

 For Use with **OEMTOOLS® Ball Joint** Press Kits and Adapter Sets



Offer Good Through September 30, 2025

# **Ball/U-Joint Press with 4WD Adapter Set**

SKU **1103607** 37089

- · Remove and Replace Ball Joints on Many Vehicles
- · C-Clamp Frame Press Also Removes and Replaces U-Joints
- Includes Adapters to Service 1/2 to 3/4 Ton 4 Wheel Drive Vehicles Equipped with Dana 44 Series Front Axle



# **Ball Joint Tools**

# **Ball Joint Separator**

SKU **1340232 2999** 37308

- Used for Separating the Ball Joint from the Spindle Support Arm on Domestic and Import FWD Vehicles
- · Adjustable for Different Size Ball Joints
- Max. Opening Range: 1-1/8" to 2-1/8"



# **Low Profile Ball Joint Separator** SKU **1245676 1099**

25112

- . Designed for Tight Access Where Many Ball Joint Separators Won't Fit
- For 2005+ Ford. Lincoln and Mercury Applications
- Impact Rated



# **Polaris ATV Ball Joint Tool**

SKU **1142310** 24683

**49** 99 REG. \$79.99

 For Removal and Installation of Upper and Lower Ball Joints on

Sportsman XP, RZR and Ranger ATVs



Offer Good Through September 30, 2025



**Hydraulic Ball Joint Separator** 

SKU 177718 25219 **REG. \$129.99** 

- to 8 Tons Jaw Capacity:



# **Ball Joint Separator** SKU **1207880**

26553

- · Separate Ball Joints from Spindle Support Arm
- · Adjustable for Different Size Ball Joints
- Max. Opening Range: 1-1/8" to 2-1/8"
- Fork Opening Measures 7/8"
- Steel Construction with Black Oxide Pins
- . Comes in a Sturdy Blow Mold Case



24215

**REG. \$29.99** 

 Used on Chrysler/Dodge Cars, Light Trucks and Vans

3/4" Drive Ball Joint Impact Socket 1-59/64" SKU **662809** 

24238

**REG. \$29.99** 

 Used on Chrysler/Dodge Mid-Size Cars, Light Trucks and Vans



Offers Good Through September 30, 2025

asr

# CHASSIS & SUSPENSION

**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.com



**Model 7600 Strut Spring** Compressor

Branick

SKU **547959** BRA7600

 Handles the Toughest **Applications** 

 Min./Max. Spring Diameters: 3.5"/11.5" · No Adapters Required

**Cart for BRA7600** 

SKU **547960** BRA00-0137

**Bench Mount** for BRA7600

SKU **547962** BRA05-0125 **Mechanical Strut** Compressor SKU OSB QSPMSC-1000 **Call for Price** · Designed to Handle Any Size Spring and Strut Assembly Adjustable Extra Strong Clamps for a Perfect Grip Top Mounted Tool Tray Standard Wall Mount · Safety Guard Included Optional Floor Mount and Third Hand Support Kits

For OSB, Call 901-300-4878

**OEM TOOLS** 

**OEM** TOOLS

**Adapters Required** Floor Mounting Hardware Not Included

No Special

# **Coil Spring Compressor** SKU 1103643

37035 REG. \$69.99

• Use to Safely Compress the Coil Spring on Most Cars and Light Trucks

Can Also Be Used When Installing Coil Spring Spacers



Offer Good While Supplies Last Through September 30, 2025

# **Coil Spring Compressor Set**

SKU **1103614** 37200

**OEM** TOOLS

- · Forged Construction for Strength and Durability
- Removes and Installs Coil Springs Quickly and Safely
- · Compresses Coil Springs on Most Passenger Cars and Pickup Trucks



# **Strut Spring Compressor**

SKU **1207884** 37036 REG. \$54.99

• Used to Compress Strut Springs During Cartridge Replacement

• Safety Latches Lock Spring in Place During Compression Hooks are Forged and Center Screw is Hardened for Longer Life

• Thread Length: 9'

 Can Be Used with Varying **Coil Diameters** Up to 5/8'



Offer Good While Supplies Last Through September 30, 2025

# Suspension

**OEM** TOOLS **GM Upper Control** 

**Arm Knock Out Tool** SKU **420336** 24210

· Services Chevrolet and GMC 1/2, 3/4 and 1 Ton, 2 and 4 Wheel Drive Trucks (1989 to 2001) and All Wheel Drive Chevrolet

Astro and GMC Safari Vans (1990 to 2002)



# **Shock Socket**

**OEM** TOOLS

# **Volvo Shock Retaining Nut Strut Removal Socket Tool**

SKU **300125** 24365

• Remove and Install Top Shock Retaining Nut on Volvo Models

 Applications Include: Volvo C70 (1999-2004), Volvo S40 (2000-2004), Volvo S60 (2001-2004), Volvo S70 Non-Turbo (1999-2000), Volvo S70 Turbo (1999-2000), Volvo S70 AWD Turbo (1999-2000), Volvo S80 (1999-2004), Volvo S80 V8 (2007-2008), Volvo S80 Turbo (1999-2006), Volvo V40 (2000-2004), Volvo V70 (1999-2007). Volvo XC90 (2003-2010)

# Front End Service Kit

# **5 Piece Front End Service Kit**

SKU **1267952** 

26554 • Large and Small Pitman Arm Puller

- for Ball Joint Application
- Two Ball Joint Separators
- . Three Tie Rod Pullers



# Torsion Bar Tool

OEM TOOLS

# **GM, Ford, Chrysler Torsion Bar Tool**

SKU **1103600** 37278

- · Safely Loads and Unloads 5-Lug, 6-Lug and 8-Lug GM, Dodge and Ford Torsion Bar Suspensions for Key Replacement
- Extended Long Reach "C-Clamp" for Use with 2011 and Higher GM Heavy Duty Trucks
- Includes Ford/Dodge Adapter



AZG0325

# **CHASSIS & SUSPENSION**

# **Hub Bearing**

**Brake Drum and Rotor Puller** SKU **1125878** 

25106

- Use on Most FWD and AWD (Some RWD) Vehicles.
- Use with Impact Wrench to Remove Hubs, Drums and **Brake Rotors**
- Includes 3 Hub Adapters for Use with Most Common Hub Sizes and Types
- Jaw Spread Up to 14" with 5" Reach
- Durable Forged Frame Rated to 7 Tons of Pulling Force for the Toughest Jobs
- Drum and Rotor Pulling Arms Feature with Raised Stops for Use with Ratchet Straps (Not Included)
- · Easily Adjust the Arms and Set Puller in Place for Tough Pulling Jobs in Tight Spaces





# **Master Wheel Hub and Bearing Remover and Installer Set**

SKU **1103635 200**99 37342

- · For Removal and Installation of Front Wheel Hub on Most Vehicles
- · Self Centering Design is Incredibly Durable and Easy to Use
- Works on Front, Rear and All-Wheel Drive Vehicles
- . Heavy Duty Thrust Bearing Reduces Effort and Extends the Life of the Pressure Screw
- · Includes: Adapter Shoes, Pusher Washers, Receiver Sleeves, Nut-Bolt and **Heavy Duty Bearing**



**OEM** TOOLS

# **Wheel Hub Removal Tool**

SKU **1245618 114 99** 

25749 • Ideal For Removing a Frozen Hub

- CHATTOOLS 25749 Assembly without Damaging the Axle • For Use on Many Axle Bolted Hubs Including Five, Six and Eight Lug Hubs
- Constructed from High-Quality, Impact-Resistant and Corrosion-Resistant Steel
- 2-5/8" Center to Center Hole Pattern
- 3/4" Steel Backing Plate and Reinforced Striking Plate for Long Life

# **Front Wheel Drive Hub Puller**

SKU OSB 27037

- . Fits Most Domestic and Import Vehicles
- Yoke and Bolt are Threaded 5/8" x 18
- Heat-Treated Pressure Screw for Toughness

For OSB. Call 901-300-4878

**OEM** TOOLS

Lisle





Slide Hammer Not Included

# **Tie Rod Tools**

# **Master Inner Tie Rod Tool Set**

SKU **344979** 27178

- · Works on Both Small Cars and SUVs
- Tube Handle Has an Inner Diameter of 2.125" to Service Small Cars, Pickups and Large SUVs
- . Includes 12 Crowfoot Style Adapters, Sizes: 29 mm, 1-3/16", 1-1/4", 32.5 mm, 1-5/16", 33.6 mm,





**OEM** TOOLS

# Tie Rod **End Remover**

**OEM** TOOLS

SKU **209525** 27175

- Comes with Pressure Screw Tip Swivels for Damage Free Results
- Will Not Damage Tie Rod End Dust Boot
- · Rust Resistant Finish



# **Inner Tie Rod Tool Kit**

SKU **217377 54 99** 27185

· Removes and Installs Tie

- Rod End on Rack and Pinion Steering
  • Includes: 3/16", 5/16" and
- 7/16" Adapters



### **Inner Tie Rod Tool** SKU **291414** LIS45750

• 6 Sizes: 1-3/16", 1-1/4", 1-5/16", 1-7/16", 1-1/2 and 33.6 mm



# Pitman Arm Puller

**Pitman Arm Puller for Light Trucks** 

SKU OSB 27170

For OSB.

Call 901-300-4878

- Services Cars and Light Trucks 3/4 Ton
- · Features Forged Adjustable Jaws and Two Clamp Bolts That Lock Jaws Together
- Pressure Screw Has Ball Head **Designed for Striking**



# **Pickle Forks**

**Stepped Pickle Fork Set** SKU **291410** 

- LIS41400 • 6 Tools in One
- Includes: 11/16" 15/16", 1-1/8" Forks



# **5 Piece Tie Rod** and Ball Joint Set

SKU 1103626 37201

- Used to Remove Tie **Rods and Ball Joints**
- Includes: 11" x 1-1/8" 11-3/4" x 1-5/8", 11-5/8" x 1-7/16" 16" x 11/16" and 16" x 15/16"

**Offer Good Through** September 30, 2025





Prices subject to change without notice. Prices do not include applicable taxes, vehicles, tires, rims, installation or optional equipment as shown. Please do not return purchases to the store. For information regarding warranty, repair, or any questions or concerns, call 901-300-4878.

**OEM TOOLS** 

**OEM** TOOLS

# CHASSIS & SUSPENSIO

**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.com

# **CV Axle Nut Sockets**

39 mm 12 Pt. Axle **Nut Socket** for Toyota SKU **452638** 

LIS39650

 Applications: 2008-2010 Toyota Land Cruiser, 2008-2010 Toyota Sequoia, 2007-2010 Toyota Tundra and 2008 Lexus LX 570

# **Axle Nut Socket Sets**

• Includes Sizes: 29, 30, 32, 34, 35, 36, 38 and 39 mm

**OEM** TOOLS

6 Pt. SKU 1103577 37320

12 Pt. SKU 1103460 37321



See AZTOOL1.com for Full Line of CV Axle Nut Sockets

# **Bushing Tool Set**

# **Manual Bushing Installation and Removal Tool Set**

SKU **298214** 27212

- · Comprehensive Kit for Fast and Effective Removal/Installation of Wheel Bearings/Suspension **Bushings and Seals**
- · Allows the Technician to Service a Wide Range of Bushings without Removing Components from the Vehicle
- · Comes with 20 Sleeves for Hundreds of Combinations
- External Sleeve Diameter: 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80 and 82 mm



# **Axle Tools**

# **CV Axle Puller Adapter**

SKU OSB 27058

Threads

• Works with 0EMT00LS 37033, 37191, 27085, 27033 and Other Slide Hammer Pullers with 5/8" x 18

For OSB, Call 901-300-4878

# **CV Axle Popper Set**

SKU **1189082** 37305

- . Includes: Axle Shim Tool and Fork/Wedge Tool
- Length: 13-3/4"
- Used to Remove Axles from the Transmission, Ball Joints in the Suspension System and Tie Rods
- Fork Design Allows Mechanic to Exert Force Evenly on Both Sides of the Axle



**5 Lb. Slide Hammer** 

SKU **1103572** 

- Use to Pull Bushings, Seals, Sleeves, Bearings, Flange-Type Rear Axles, Front-Wheel Drive Hubs, Dents and Pressed-In Bolts with Two or Three Jaw Puller Options
- · Slide Rod is 3/4" x 16 Standard Threads



# 4WD **Spindle Puller**

SKU **143436** 27104

- Use with OEMTOOLS Slide Hammer 27033
- Fits Most Spindles 1-1/2". 1-5/8" and 2" on 4 Wheel **Drive Vehicles**
- · Heat-Treated for Strength
- Will Fit on 2 Puller Size Shafts 1/2" x 20 Threads and 5/8" x 18 Threads



# **Rear Axle Puller Set**

SKU **094801** 27202

• Use for Flange-Type Rear Axle and Bearing Removal on Most Late Model Passenger Cars and Light Trucks

 Slide Rod and Adapters are 5/8" x 18 Standard Threads





# Axle Spindle Threading Set SKU 1103645

37233 • Use to Clean or Repair Axle

Threads Set Comes with a Special Twist Shape That Provides

**Easier and Quicker Work**  Sizes Included: M20 x 1.25, M20 x 1.50, M22 x 1.00, M22 x 1.50, M24 x 1.50, M24 x 2.00, 13/16" x 20 UNEF, 3/4" x 20 UNEF and 27 mm Extension Bar

Offer Good While Supplies Last Through September 30, 2025





# **Seal Tools**

# **Transmission/Transaxle Plugs** SKU **298196**

24490

- Includes 5 Plugs to Seal Both Transmissions and Transaxles on Most Import and **Domestic Vehicles**
- · Stepped Design for Retention and Positive Sealing
- Includes Side Gear Centering Pin for Ford Transaxles



#### **Bearing Race and Seal Master Driver Set** SKU **1103639 34** REG. \$49.99 37119

• Installs Most Standard Wheel Bearings and Races

Includes Driver Sizes: 1.565", 1.750", 1.965", 2.325", 2.470"
 2.555", 2.830", 2.995", 3.180" and Handle





Offer Good While Supplies Last Through September 30, 2025

# **Seal Puller**

SKU OSB 25014

- 2 Tops Fit All Seal Sizes
- · Pops the Seal Out Every Time
- No Pounding or Hammering
- Protects Bearings and Races



For OSB, Call 901-300-4878

**OEM** TOOLS

# CHASSIS & SUSPENSION

# **Power Steering Bleeders**

# **Vacuum Pump Tester. Power Steering and Brake Bleeder Set**

SKU **1103570 499** 37070

• Includes: Vacuum Pump Reservoir Jar with Transfer Lid, Storage Lid. Brake Bleeding Adapter Package, Steering Pump Adapters and Tubing



# **Power Steering Bleeder Set**

SKU **434716 29**99 27311

#### **Reduce Comebacks**

- Eliminate Trapped Air in Power Steering and Brake Systems Following Repairs or Fluid Changes
- Includes: 2 EPDM Tapered Rubber Adapters to Fit Most Power Steering Pumps and Reservoirs, Reservoir Bottle to Protect Hand Vacuum Pumps and 3 Sizes of Brake Bleeder Adapters
- Works with a Hand Vacuum Pump



# **Drive Line Tool**

1/2" Drive **OEM TOOLS** (12 mm)**Ford Drive Line Impact Socket** 

SKU **420319** 24212

. Applications Include Many Ford Drive Line Bolts

• 12 mm, 12 Pt.



# **Power Steering Pullers**

# **Power Steering Pulley Remover/ Installer - Ford, GM, Chrysler** SKU **1103578 34** 99

37031

- . Includes 2 Screws for Use on Most Ford, Chrysler, GM and VW Power Steering Pulleys
- Pulls Pullevs on GM Belt Driven Vacuum Pumps and Pressed-On Water Pump Pulleys of **GM V6 Engines**



# **Steering Wheel Puller** SKU **1103540**

- · Designed for All Major Makes and Models
- Sizes Included: 1/4" x 28, 8 mm x 1.25, 5/16" x 18, 5/16" x 24, and 3/8" x 16



# **U-Joint Tools**

### **OEM** TOOLS

### **U-Joint Pullers**

- · Easily Removes Seized U-Joint Cups on Most Passenger Vehicles and Light Duty Trucks
- . Does Not Damage the Driveshaft, Yokes, Joints or Bearing Cups

# **Automotive**

SKU **949561** 24539

• Bearing Cup Outside Diameter: 1" to 1.25"

# Intermediate

SKU **949565** 24548

 Bearing Cup Outside Diameter: 1.25" to 1.7"

# **Heavy Duty** SKU **041474**

24538

. Bearing Cup Outside



SKU **949571** 24549

- For the Installation of Bearing Cups on Light-Duty and Medium-Duty U-Joints
- Efficiently Install 2 Bearing Cups in One Process
- · Contact Points **Feature Magnets** to Retain Bearing **Cups During** Operation



# **Spindle Nuts**

# **GM Axle Hub Nut Socket**

- 4-Wheel (4WD) Drive Cheyenne, Silverado, Escalade, Sierra and Avalanche Trucks with 10.5" or 11.5" Ring Gear
- Damage the Bearing or Result in Shorter Service Life



# **Ford Rear Axle Nut Wrench**

SKU **1392337** 27353

• Services 2003-Newer Ford F-250, F-350 and F-450 Super Duty

Trucks with 10-1/2" Rear Axle · Same as Ford Part Number

1/2" Drive Socket

• Fits Adjusting Nuts Found

on Ford F150 Trucks

(1995 to 1996)

and Full Sized

Broncos with

Locking Hubs

Automatic

**Bearing Locknut** 

SKU **231203** 

25243

- 205-448 • Use with a 1/2" Drive
- Ratchet or Breaker Bar



# **4WD Ford - Dodge Spindle Socket.**

• 1/2" Sa. Drive

4WD Ford

SKU **603346** 

25965

Spindle Socket,

66.5 mm x 80 mm

• Fits Ford F-Series 1/2-Ton Truck and

Full-Size Bronco with Manual Hubs;

1-Ton Trucks with Manual Hubs;

Jimmy; 1969-89 Dodge 1/2-Ton

International 1/2-Ton Truck

Truck with Manual Hubs; 1969-72

1995-Newer Ford F-Series 3/4-Ton and

1959-85 Ford F-Series 1/2- and 3/4-Ton

Trucks and Full-Size Bronco; 1960-90

GM 1/2-Ton Truck and Full-Size Blazer/

25966

76 mm x 80 mm SKU **603347** 



**OEM TOOLS** 

# **Toyota 8 Pin Front Hub Locknut Socket**

SKU **298205** 25962

- Allows for Easy Removal and Installation of Front Hub Lock Nut without Damage to the Nut
- Applications: Toyota 4Runner 2WD (2007 to 2014), Toyota Sequoia (2008 to 2014), Toyota Tundra (2007 to 2014)
- 3/4" Drive



SKU **298219 2999** 25967

- · Applications: GMT900 Silverado, Sierra HDCS, 2-Wheel (2WD) and
- Has 9 Pins to Fit GM Style Retaining Nuts
- Unapproved Methods Can

# **Dodge Hub Locknut Socket** SKU **344964** 25968

- Fits Dodge 1/2-Ton Pickup Trucks (1994-Newer) with Dana 44 Front Axle and Dana 60 Axle with a Vacuum Disconnect
- Designed to Accommodate the 1-11/16" (43 mm) Wheel Bearing Retaining Nut Which is Recessed into the Hub



# **Toyota 4 Pin Hub Locknut Socket**

SKU **298224** 25969

- · Services High Torque Locknuts on Toyota 4WD Vehicles Having Free Wheel (Lock Out) Hubs
- Tacoma (1995-Newer); T100 and 4Runner (1996-Newer)
- Improved Design with Solid Pins for Increased Durability



# **HIGH-POWERED, RECHARGEABLE WORK LIGHTS**

**OEM** TOOLS

# **Portable Dual Mode LED Work Lights with Multi-Position Mounting**


• Dual Mode Features a Flood LED Work Light and a Directional Flashlight • 180° Magnetic Adjustable Base

• USB-C Rechargeable

### **200 Max. Lumens**

SKU **1525563** 32132

- · Heavy-Duty Belt Clip
- . Charging Time: 2.5 Hours






# **400 Max. Lumens**

SKU **1525555** 32124

- 360° Rotating Hanging Hook





# 600 Max. Lumens

SKU **1525559** 32126

- 360° Rotating Hanging Hook
- Charging Time: 3.5 Hours





Adjustable Base

**AUTO ON/OFF** 

# **2 Pack Button LED Lights**

SKU **1525557 29 99** 32129

- Magnetic Base for Hands-Free Use
- Charging Time: 0.5 Hours
- Includes: Two LED Lights with Two Charging Ports, USB-C and Micro USB, and 1 Charging Cable






# Mini Rechargeable LED Light

SKU **1525564** 32137

 Dual Mounting Options; Heavy-Duty Clip and

**Dual Magnets**  Charging Time: 2.5 Hours





# **LED Light with Auto Sensor**

12hrs

SKU **1525569** 32122

9hrs WORK LIGHT

**200** 

LUMENS Work Light

- · Auto Sensor Automatically Turns Light Off When Sensor is Covered
- Dual Mounting Options; Heavy-Duty Clip and Dual Magnets

600

3hrs

• Charging Time: 3.5 Hours





# OEM TOOLS

# **Rechargeable Multi-Head All-in-One Work Light Kit**

SKU **765525** 24648

REG. \$189.99 • Quick-Attachment Coupler Allows for

Easy Accessory Transition Between 3

Interchangeable Heads

Comes with USB Charging Cord, AC Adapter, 180° Swivel Hook and (1) 18650 Rechargeable Battery



**Work Lamp Attachment for 24648 Work Light Set** 

SKU **884377** 24648E



# **Magnetic Rechargeable LED Work Light**

SKU **819644** 25982

REG. \$79.99



- 3.7V 2200 mAh Li-ion Battery • Runtime: 3 Hrs. (Work Light), 9 Hrs. (Torch Light)
- Powerful Magnets on the Back and Swivel Base
- Includes: USB Cable for Recharging











# E36 Cree Rechargeable Flashlight Kit

SKU **568461** EXPE36-E02

- Beam Distance: 300 Meters
- Impact Resistant Up to 1.5 Meters
- IPX-6 Water Resistant
- Includes: (1) 18650 Battery and Charger





AZG0325

# LIGHTING



# **Underhood Lights**

# **2,000 Lumen LED Corded/Cordless**

SKU **1414959** ATD80357

**199**99

- 40" Light Bar Provides 2000 Lumens of Bright Light
- Hooks Extend 55" to 83" to Fit New SUVs and Light Trucks
- 25' Removable Cord Remains Flexible in Cold Weather
- 2 Modes: High-2000 Lumens/Low-1000 Lumens
- 5200 mAh Li-ion Battery Provides Up to 2 Hours (High), Up to 4 Hours (Low) Runtime



Red

SKU **291358** 

STL66120

# **Cord Reel**

\*TD

# 50' Retractable Extension **Cord Reel**

SKU **1105991** 

LEGFZ8140503 · Circuit Breaker with Reset

- **Button Prevents Breaker** Trip or Blown Fuses Oil-Resistant 14/3 AWG
- SJTOW Cord Lighted Triple Tap Outlet



# **Streamlights**

# **Stinger LED with AC/DC**

SKU **291368** STL75732

• 425 Lumens

LIGHTBARS + PODS

- Runtime: 10 Hours
- Beam Distance: 322 Meters
- Four Lighting Modes: High, Medium, Low and Strobe



# **Stylus Pro with White LED**



- Runtime: 7.5 Hours
- Waterproof Construction with an Unbreakable Polycarbonate Lens Pocket Clip

SKU **291362** STL66122

STREMILIGHT

**Black** 

SKU **291408** STL66118

Silver SKU **291359** STL66121



# **Pen Lights**

# **Cree LED Pen Light**

- 3 Modes: Low (50 Lumens), High (150 Lumens) and Strobe • 80 Meter Beam Distance
- Anodized Aluminum Body is Impact and Water Resistant
- Battery Runtime: 6 Hours (Low), 3 Hours (High)
- Comes with 2 AAA Batteries and Tactical Clip

# Red

SKU **592188** 32838

**Black** SKU **592184** 32835

**Blue** 

SKU **592185** 32836

**Silver** 

32839

Green

32837

ELEVATORS.

# **GreatLite**





 $^1\mbox{Circana/U.S.}$  Retail Tracking Service, March 2, 2024  $^2\mbox{See}$  packaging for details  $^3\mbox{Compared to SYLVANIA BASIC}$ 

each

SKU **592183** 

SKU **592186** 



# SYLVANIA

**#1 AFTERMARKET AUTOMOTIVE** LIGHTING BRAND IN THE USA









### LIFETIME LIMITED WARRANTY<sup>2</sup>

Superior optical engineering Durable design

Water resistant (IP67 or IP69K)

# **XTRAVISION FARTHEST**



DOWNROAD<sup>3</sup>

Performance,



SYLVANIA LED

**5 YEAR LIMITED** WARRANTY<sup>2</sup>

Longevity + Style PART NUMBERS:

9003 | 9005 | 9006 | 9007 | 9012 | H1 | H7 | H8 | H9 |

Powersport headlight or fog light use only

SILVERSTAR ULTRA



**FARTHEST** DOWNROAD + WHITER LIGHT<sup>3</sup>



MORE CLARITY

# **SILVERSTAR**



DOWNROAD + WHITER LIGHT<sup>3</sup> CID

**FARTHER** 



EXPERIENCE



### **NEW!** SYLVANIA LED **SEALED BEAM LAMPS**

5 Year Limited Warranty<sup>2</sup> Direct replacement Engineered with OEM grade OSRAM LEDs

Available Part Numbers: H6024 | H6054





THE DIFFERENCE OF

# **Battery Testers**

**OEM** TOOLS

# **Professional Series Battery Tester**

SKU **750009** 24508

· Large Tester Uses Gravity with the Number of Floating Discs to Show State of Battery Charge

Specific Gravity Levels are Printed on the Tough, See-Through Plastic Body

• Large 16-1/4" Disc-Type Tester is Accurate Down to -40°F

#### **OEM** TOOLS Digital **Battery Analyzer** SKU **819073** 24359

· Shows Available Power in CCA Starter and Charging System Testing

 Easy-to-Read Backlit LCD Screen · Voltage Range:



STORE STOCKED



#### **OEM** TOOLS 100 Amp **Battery Load Tester**

SKU **203583 39**99 24338

- · Conveniently Tests Batteries in Just 10 Seconds
- Battery Load Test: 100A (12V), 50A (6V) Designed to Work on

Both 6V and 12V Batteries

- Up to 1,000 CCA Determines State of Charge, Cranking and Charging Volts
- Convenient Handle for Transport



TOPDON®

# 500 Amp Carbon OFM TOOLS **Pile Load Tester**

SKU 1168827 24336

- Variable Load Capability to 500 Amps
- Tests Batteries to 1,000 CCA
- Test Alternators, Regulators and Starters
- Large, Easy-to-Read Gauges
- Heavy Duty Clamps



### MIDTRONICS Advancing **Battery Conductance Tester**

SKU **291330** 

MIDPBT100

- . Tests Both the Starter and the Charging System
- Tests 12V Automotive Batteries from 200 to 850 CCAs
- Durable Design for the Workshop or in the Field



### **BT MobilePro S** TOPDON® **Jump Start/Power Bank/BSC System Analyzer**

SKU **1485041 TPDBTMPROS** 

- Turns Your Diagnostic Scan Tool into a Battery Tester
- Compatible to Phoenix Line of Diagnostic Scanners
- Battery, Cranking and Charging Tests
- Tablet Compatibility
- . Test Voltage: 12V
- Test Range: 100~2000CCA
- · Battery Type: Regular Flooded, AGM, FFB and GFI
- Test Standards: CCA, BCI, CA, MCA, JIS, DIN and More



# **BT600 Battery Tester with Printer**

SKU **1339732** TPDBT600

- 3.5" Color Screen
- . Built-In Thermal Printer
- Performs Complete Battery, Cranking and Charging Tests
- · Large, Reinforced, Smoke-Free and Spark-Free Copper Clamps
- Quick and Accurate **Test Results**



# **Replacement Clamps**

SKU **1544657** TPDBT600RC

**Thermal Printer** 

Paper for BT600, BT300P SKU **1442591 TPDBTPAPER** 

#### **BIASSOCIATED 12V Digital Battery Electrical System Tester with Printer**

SKU **343373** ASC12-1015

- Tests Both Batteries Up to 1,700 CCA and Alternators
- · Tests Starters and Charging Systems

  Backlit Digital Display
- 9 Languages
- Includes: Deluxe Case and Extra Print Paper



# **12/24V Digital Battery Electrical System Tester** with Printer

SKU **1491305** ASC12-2415

• Tests Both Batteries Up to 2,000 CCA and Alternators

# **Battery Service Tools**

# **Side Terminal Battery Wrench**

• For Use with Side Terminal Batteries Found on Many GM and Other Domestic Vehicles



SKU **466513** 25287

• Length: 5-1/2"



# 10 mm and 5/16"

SKU **965838** 25282

• Length: 12"



- · Automatic Shut-Off to Prevent Overfilling
- · Fills Battery to Proper Level without Spilling



# **Battery Terminal Puller** SKU **466489**

25121

 Use to Remove Battery Terminal Clamp without Damaging the Battery Post

Puller Will Also Work on Corroded Spring-Type Clamps



#### **Battery Nut Pliers Battery Carrier**

SKU **943134** 25123

. Easily Tighten and Loosen Nuts • Offset Handles



SKU **002284** 25316 . Designed to Grab. Lift and

- Carry Top Post and Side **Terminal Batteries** · Grips Battery Widths from 5" to 7" with
- Rubber Pads Plastic Hand **Grip Provides** a Firm Hold



# **6 Piece Battery Service Kit**

SKU **1168822** 

• Includes: Battery Terminal Puller, 4-Way Post Cleaner, Battery Nut Pliers, Extended 5/16" and 10 mm Battery Terminal Wrench, 5/16" Side Terminal Battery Wrench and a Side Terminal

Brush Organized in a Heavy Duty, Roll-Up Storage Sleeve





**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.com

# **Jump Starters**

# TOPDON

ALLSTART

# **Battery Tester and Jump Start** SKU **1368635**

TPDV2200PLUS · Jump Start Capacity:

- 8L Gas, 6L Diesel
- 2200A Peak Current for Jumps • Use the App to Perform **Detailed Battery Tests**
- 300 Lumen LED Light with Solid, SOS and Strobe Functions
- · Output Ports: Type-C: USB1. USB2. DC



# **JumpSurge 3000 Amp Portable Jump Starter**

SKU OSB TPDJS3000

# Sturdy Outer Housing Resistant to Water, Dust and Wear

- 45 Jumps on a Single Charge
- USB Quick Charge 3.0 Port
- · Heavy Duty Smart Clamps



# TOPDON<sup>®</sup>

# **Kwikstart® 12 Volt Portable Power** and Jump Start

SKU **850637** ASC6256

- Peak Amp Output: 1700 Amps
- 360 CCA of Boost Assist
- (2) 12V DC Accessory Outlets to Power and/or Recharge DC Electronics
- 32" Heavy Duty Cables and USB Port



**BASSOCIATED** 

# 30,000 mAh Lithium Jump Starter for V10 and Diesel

SKU **1268417 249**99 **CAL590** 

### **Improved Design**

- Vehicle Jump Starter and Backup Charger for Portable Electronics
- 800 Cranking Amps and 1800 Peak Amps
- 30,000 mAh High Capacity Li-ion Battery
- · Fast Charging with Low Self-Discharge Cycle
- Includes: Intelli-Clamps for Jumpstarting with Built-In Safety and Diagnostic Features



# **Premium 1700 Peak Amp 12 Volt Jump Starter**

SKU **OSB** SOLJNC770R

- Heavy Duty Clamps with 68" Cables
- 1700 Peak Amps; 425 Cranking Amps . Dual USB Outlets to Charge
- Mobile Devices
- Master ON/OFF Switch

# 1700 Peak Amp **12 Volt Jump Starter**

SKU OSB SOLJNC660

- Heavy Duty Clamps with 46" #2 AWG Welding Cables.
- 1700 Peak Amps; 425 Cranking Amps
- Heavy Duty Clamps with 46" Cables

# S#LAR.

3400 Amp 12/24 Volt **Jump Starter** SKU OSB

SOLJNC1224 • Voltmeter Provides Charge Status of Onboard Battery

- Clore PROFORMER Battery Technology
- 3400 Peak Amps and 850 Cranking Amps - 12V
- 1700 Peak Amps and 425 Cranking Amps - 24V



S#LAR.

# 2-in-1 2200 Peak Amp Jump Starter and Tire Inflator

SKU 1485043 TPDV2200AIR

- · Battery Capacity: 12000mah
- Delivers a Powerful 2200A Peak Current with Up to 25 Starts Per Charge
- Capable of Jump-Starting Vehicles with Engines Up to 8.0 Liters for Gasoline or 6.0 Liters for Diesel
- Functions as a PD45W Fast-Charging Power Bank
- 400-Lumen LED Flashlight
- Tire Inflator Fills in Under 3 Minutes

# 1'OPDON®



# 2-in-1 4500 Peak Amp Jump Starter and Battery/System Tester

SKU **1485040** TPDV4500PLUS

- Up to 45 Jump Starts on a Single Charge
- Test and Monitor Battery with App
- Peak Amps: 4500
- 500 Lumen Flashlight
- Outputs: Bidirectional TYPE-C, USB1, USB2
- IP65-Rated Casing
- Includes: D45W Charger Adapter. DC Adapter. DC Adapter and PD100W Cable

# TOPDON®



### To Confirm Price, Availability and Ordering Instructions on OSB, Call 901-300-4878

# **Wheeled Chargers**

**Battery Charger 12V** SKU OSB

S0L4735 • EZ View Control Panel

- 200 Amp Engine
- Starting Assistance • 40 Amp Fast Charge Rate . 5 Amp Setting for ATVs, Boats,
- **Battery Charger with**

**Engine Start 12/24V** SKU **OSB** S0L4745

• 40 Amp 12V, 20 Amp 24V Charge Rate



S#LAR.

S0L4735

# **ASSOCIATED**

# 6/12V. 40A Standard Duty Wheel Charger

SKU **344795** ASCUS20

- 40 Amp Charger with 90 Minute Timer
- 40 Amp Continuous Rating at 6/12 Volts
- 200 Amp Cranking Assist and 330 Amps Boost
- Fan Cooling Prevents Overheating
- UL Listed
- Two Year Manufacturer's Warranty







**OEM TOOLS** 20 Ft. 4 Gauge **Booster Cables** 

with Storage Bag 24335





# **Associated Battery Chargers**

# **ASSOCIATED**

















	-						
	Commercial	Heavy Duty Fleet	Heavy Duty	Inte	llamatic® Charger	and Reflash Power	Supply
	Duty Charger SKU 221248 ASC6002B	Charger/Analyzer SKU 1414394 ASC6021AGM	Charger SKU 662763 ASC6012AGM	SKU <b>344790 ASCESS6008</b> (Not Pictured)	SKU <b>343379</b> <b>ASCESS6008MSK</b>	SKU <b>343370</b> <b>ASCESS6007B</b>	SKU <b>662745</b> <b>ASCIBC6008MSK</b>
Charger Type	Wheel	Wheel	Wheel	Wheel	Wheel	Wheel	Wheel
UL of CSA Continuous Amperage Charging Rate	100/80A	70/65/30A	70/60A	60A	60A	40A	60A
Re-Flash Power Supply Output Amperage	N/A	N/A	N/A	70A @ 13.9V	70A @ 13.9V	45A @ 13.9V	70A @ 13.9V
Crank Assist Amperage	400	205A	250	270	270	130	270
Operating Charging Voltage	6/12/18/24V	6/12/24V	6/12V	12V	12V	12V	12V
Battery Types	SLA	SLA, AGM, EFB	SLA, AGM, EFB	SLA, AGM, Gel-Cell, EFB	SLA, AGM, Gel-Cell, EFB	SLA, AGM, Gel-Cell, EFB	SLA, AGM, EFB, Li-ion, Gel-Cell
Smart Charger	N	N	N	Y	Y	Y	Y
Adjustable Charging Voltage	N	N	N	N	N	N	Y
Adjustable Re-Flash Power Supply Voltage	N	N	N	Y	Y	Y	Y
Memory Saver Mode	N	N	N	N	Y	N	Υ
DC Cable Length and Gauge	8' 4AWG	6.5' 4AWG	6.5' 6AWG	6.5' 6AWG	6.5' 6AWG	6.5' 6AWG	6.5' 6AWG
Warranty*	2 Year B2B 5 Year Limited	2 Year B2B 5 Year Limited	2 Year B2B 5 Year Limited	2 Year B2B 3 Year Limited	2 Year B2B 3 Year Limited	2 Year B2B 3 Year Limited	2 Year B2B 3 Year Limited
Price	1,22499	<b>874</b> <sup>99</sup>	679°9	979°9	1,114 <sup>99</sup>	<b>784</b> <sup>99</sup>	1,379 <sup>99</sup>

<sup>\*</sup>Two years bumper to bumper (B2B) manufacturer's warranty with five years transformer/rectifier for heavy duty battery chargers (6001A, 6002B, 6006, 6009 and 6012) and three years transformer/rectifier warranty for INTELLAMATIC wheeled smart chargers.

# **Power Supply**

### **ASSOCIATED**

# 12V - 90A Reflash **Power Supply and Charger**

SKU OSB ASCESS6100

- Adjustable Power Supply from 12.6V to 14.9V at up to 90 Amps
- · Safe for All Batteries Including AGM, EFB, Li-ion and Gel
- OEM Vehicle Manufacture Approved
- 8.4 Ft. DC Leads

For OSB, Call 901-300-4878



# **Smart Battery Charger/Power Supply**

SKU **1414398** TPDT90000

- ECU Programming Power Supply
- 9 Step Smart Charging with Thermal Compensation
- Charges 12V and 24V AGM, WET, GEL, MF, CAL and EFB Batteries
- Protects Against Reverse Polarities, Reverse Charges, Short Circuits, Overheating and Over-Voltages
- Current Range: 5-90 and 5-45A
- Voltage Range: 11-15.8V and 22-31.5V
- Cables: AWG18-70"



# **120A Power Supply** and Battery Charger

SKU **1485033** TPDT1200005

- Intelligent Current (5-120A) and Voltage (11-16.8V) Output Adjustment
- Major Charging Modes and
   Step Smart Charging
   Compatible with Lead-Acid Batteries
- and Lithium Batteries
- . Clamp Cable Length: 16 Ft.



TOPDON®

**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.com

# **Booster Cables**

# **20 Ft. 4 Gauge Booster Cables with Storage Bag** SKU **1168815** REG. \$59.99

24335

• Extra Long 20 Foot Flexible Cables **Expands Your Reach** 

- Tangle Free Design Ensures Quick and Easy Connections
- Insulated Clamps Fit Top and Side Post Batteries
- Oil, Gas and Acid Resistant All Copper Wire
- Includes: Storage Bag

Offer Good Through September 30, 2025



**BASSOCIATED** 

### 20 Ft. Extra Flexible Cables



# **Smart Charger**

# TOPDON


# **30A Smart Charger** and Power Supply

SKU **1442582** TPDT30000

- Suitable for Multiple Battery Types, Including AGM, LI, WET, GEL, MF CAL and EFB
- 9-Step Smart Charging, Checks for Sulphation and Acid Stratification, Repairs Batteries, Prevents **Battery Damage**
- . Works as a Stable Power Supply for 12V and 24V
- Current Range: 12V-30A, 24V-15A, 6V-15A, 12V-10A
- Clamp Cable Length and Gauge: 7.2', AWG10



# **One Charger Does It All**



# **Bench Chargers**

# 6/12V, 1A Maintainer SKU **765478** ASC9003A

- LED Lights Indicating **Charging Status**
- Includes 2 Sets of Charging Leads
- OEM Vehicle Manufacture Approved • Safe for AGM, Gel Cell,
- **SLA Batteries**
- · Reverse Polarity Protected
- Overcharge Protection
- 1 Year Warranty



**ASC3100A** . Digital Display Shows Charging Safe for AGM, **Batteries** 



SKU **85063**4

6/12V, 15/2A Smart **Bench Top Charger** 

Warranty



# **AUTEL** MAXIBAS

# **BATTERY & ELECTRICAL ANALYSIS**

# MaxiBAS® BT609

SKU #1125832 | Part #BT609

- · Adaptive Conductance Technology: Produces a More Accurate Exam of the Battery's Status
- · All System Scan, Read and Clear Codes
- · Complete Service Menu 20+ Functions

# MaxiBAS® BT608

MaxiBAS® BT506

SKU #1105501 | Part #BT608

Adaptive Conductance Technology: Detects Battery Capacity Reducing Misdiagnosis

· Use with Smartphone or other Smart Device

· Support In-vehicle and Out-of-Vehicle Testing

· Test 6- and 12-volt Batteries: 100 - 2000 CCA

• Test 12- and 24- Cranking/Charging Systems

· Test Flooded, AGM, AGM Spiral, EFB & GEL Batteries

- Auto Battery Reset / Print Test Reports Via Built-in Thermal Printer
- · AutoSCAN/VINScan for Quick Vehicle **Identification & Battery Specifications**

SKU #1125835 | Part #BT506

of Passenger Vehicle Batteries



# **OBDII EXTENSION CABLE**

SKU #1443473 | Part #VCIEXTCAB

- Compatible with all OBDII-compliant VCIs It keeps VCI in sight
- and is easy to retrieve and not forget after use



MaxiEV® ALT100L

SKU #1442217 | Part #ALT100L · Tests high voltage battery enclosures and

high voltage thermodynamics systems such as coolant and A/C for leaks

High-sensitive pressure sensing significantly improves test accuracy and stability

Dual Pressure Display: Real-time display of

current pressure and leakage fluctuations

SKU #1149588 | Part #BTAK

MaxiBAS® BTAK

- · Battery Tester Accessory Kit
- · Digital Multimeter and Current Clamp Kit
- Measures Voltage, Current and Resistance



# MaxiEV®CDT100

ADVANCED **EV DIAGNOSTICS** 

SKU #1443474 | Part #CDT100

- · Wide-voltage design, suitable for discharge, charge, and activation testing of modules with different voltage levels
- Set constant current and power, Charge and Discharge modes for varied applications
- · Displays single-cell maximum/minimum voltage and other data onscreen in graphs, columns, and report forms

SKU #1442216 | Part #ITS100

- · Tests high voltage wiring and components
- Test resistance measurement before loading into the vehicle
- Helps identify issues like damage, deterioration, or contamination of the insulation


# MaxiBAS® BTMS SKU #1149587 | Part #BTMS

- · Battery Tester Memory Saver
- Preserves Vehicle Codes and Electronic Presets When Replacing Battery
- Enables Vehicle Computer to Be Powered and Maintain Data When Connected to

# **CALL FOR PRICE**



AZG0325



# **AIR COMPRESSORS**

















Description and Part Number	3.5 HP 60 Gallon 230V Air Compressor, Single Phase SKU OSB ABA3-2160V1	5 HP 60 Gallon 230V Air Compressor, Single Phase SKU OSB ABA5-2160V4	5 HP 80 Gallon 230V Air Compressor, Single Phase SKU OSB ABA5-2180V4NS	5 HP 80 Gallon 230V Air Compressor SKU OSB ABAC5-2180V - Single Phase ABAC5-2380V - 3 Phase	7.5 HP 80 Gallon 230V Air Compressor SKU OSB ABAC7-2180V2 - Single Phase ABAC7-2380V2 - 3 Phase	13 HP 30 Gallon Honda Powered Air Compressor SKU OSB ABA13-30GH	10 HP 120 Gallon 230V Air Compressor, 3 Phase SKU OSB ABAC10-23120V
CARB Compliant	N/A	N/A	N/A	N/A	N/A	Yes	N/A
CFM at 100 psi	<b>12.3 CFM</b> (1 Technician)	15.4 CFM (1-2 Technicians)	15.4 CFM (1-3 Technicians)	<b>18 CFM</b> (2-3 Technicians)	<b>27 CFM</b> (2-4 Technicians)	23 CFM (1-3 Technicians)	35 CFM (3-6 Technicians)
Max. Pressure	135 psi	175 psi	175 psi	175 psi	175 psi	175 psi	175 psi
Heavy Duty, Low-RPM Cast Iron Pump	Cast Iron Cylinders	Cast Iron Cylinders	Cast Iron Cylinders	Yes	Yes	Cast Iron Cylinders	Yes
Magnetic Starter Mounted and Wired	Not Required	Not Required	Not Required	Yes	Yes	Recoil and Electric Start	Yes
High Flow Belt Guard	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Price	1,199 <sup>99</sup>	1,619 <sup>99</sup>	1,999 <sup>99</sup>	2,849°°	<i>3,649</i> <sup>99</sup>	3,349 <sup>99</sup>	<b>4,299</b> <sup>99</sup>

# **Premium Models**

### 7.5 HP 80 Gallon 230V

SKU **OSB ABAC7-2180V2FF** 

- Vertical 80 Gallon Tank
- Horsepower: 7.5 HPPower Supply (V/Ph):
- 230V/1 • CFM @ Max. psi: 24
- Max. psi: 176





SKU **OSB ABAC10-23120VFF 5 2 4 0 99** 

- Vertical 120 Gallon Tank
- Horsepower: 10 HP
- Power Supply (V/Ph): 230V/3
- CFM @ Max. psi: 32
- Max. psi: 176





# BEFORE PLACING YOUR AIR COMPRESSOR ORDER:

Need help picking the right size air compressor? Start by checking your voltage and phase. If you're upgrading, keep in mind—your wiring may need an upgrade, too. See page 2 for delivery information.

Questions? Call 901-300-4878.

Premium Models Include: Low Oil Level Shut Off, Auto Tank Drain and Belt Guard Aftercooler



Customer Responsible For Offloading, Liftgate Service Available.

For OSB, Call 901-300-4878

Free Delivery in 48 Continental United States
 Specifications Subject to Change without Notice or Liability
 Equipment Lead Times and Shipping May Vary
 Customers Responsible for Offloading Equipment Upon Arrival
 Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

# **Rotary Screw Compressors**

- High Performance with Low Energy Consumption
   Low Noise and Vibration Levels
   Fully Integrated Aluminum Block

**Rotary Screw Compressors are an Ideal Solution for Applications Where** There is Continuous Demand for Dependable Compressed Air



# 10 HP 131 Gallon 150 psi Screw **Compressor with Dryer**

SKU OSB

ABAAS-10503TMD

- 208V-230V-460V/3PH
- 34.1 CFM

# 15 HP 131 Gallon 150 psi Screw **Compressor with Drver**

SKU OSB ABAAS-15503TMD

11,549<sup>99</sup>

- 208V-230V-460V/3PH
- 46.4 CFM



7.5 HP 131 Gallon 150 psi **Screw Compressor** 

SKU OSB ABAAS-75501TM **6.849**99

- 230V/1PH
- 27.1 CFM



ABAAS-10503TMD

# **BelAire**

# 5 HP 60 Gallon 230V Air **Compressor, Single Phase**

SKU **OSB** IMC4916V

- 15.4 CFM @ 100 psi
- 165 psi Max. Pressure
- · Cast Iron Cylinders
- 2 Stage Pump
- No Start-Up Kit Required
- High Flow Belt Guard
- Warranty: 2 Year Factory



### 18cl Aire 5 HP 80 Gallon 230V Air Compressor. **Single Phase**

SKU **OSB** IMC418V

# **2,849**99

- 18 CFM @ 100 psi
- 175 psi Max. Pressure
- · Solid Cast Iron 2 Stage Pump
- Magnetic Starter Included
- Fully Enclosed Belt Guard
- Warranty: 2 Year Factory

# Champion<sup>®</sup>

- 100% Cast Iron Pump with Alloy Steel Reed Valves
- · Warranty: 1 Year Unit Parts and Labor, 2 Years Pump Parts and Labor

# 5 HP 80 Gallon RV Series VRV5-8 SKU OSB CHCRV215AS01

- 230V/1ph
- 17.0 CFM @ 175 psi
- 3600 RPM Motor, No Starter Needed

# 5 HP 80 Gallon RV Series VRV5-8 with Starter

SKU OSB **CHCRV215AS07** 

- 230V/1ph
- 16.5CFM @ 175 psi
- 1800 RPM Motor with Magnetic Starter

# **CHAMPION**

CHAMPION

CHCRV215AS07

# **Refrigerated Dryers**

- Removes Condensate and Vapor So Dry Compressed Air is Produced in a Continuous, Cost-Efficient Way
- 115 VAC

**Cool 15 CFM** SKU OSB ABACOOL15

Cool 25 CFM SKU OSB ABACOOL25

Cool 35 CFM

ABACOOL35 **1,269**99

ABACOOL15



# Mi-T-M

# **30 Gallon Air Compressor/Generator**

SKU **OSB** MTMAG2SM1430ME

- CFM @ 175 psi 15.7
- Max. AC Output: 4000 Watts
- Continuous with Compressor On Load 2300 Watts
- Continuous with Compressor Off Load 3500 Watts
- Receptacles 2 NEMA 5-20R, 1 NEMA L6-20R
- Displacement/Engine 420cc Mi-T-M OHV
- Compressor Two Stage, Cast Iron Pump





Customer Responsible For Offloading, Liftgate Service Available.

For OSB, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

# **AIR TOOLS**

# 1/2" Impact Wrenches

# Heavy Duty 1/2" **Composite Stubby Impact Wrench**

SKU **087596** 24418

- Torque: 900 Ft/Lb.
- Includes (7) 1/2" Short Impact Sockets Sizes: 13 mm to 19 mm
- · Custom Cut EVA Foam Storage Tray
- CFM: 4.0

WARRANTY: 1 Year









#### 1/2" (**IR**) Ingersoll Rand **Impact Wrench** SKU **970487**

IRT231HA • Torque: 590 Ft/Lb.

- Pressure-Fed Lubrication and System • In-Handle
- **Exhaust Directs** Away from User
- Industry Standard for 3 Decades · Sound Pressure:

94 to 105 dBA WARRANTY: 1 Year 1/2" Super **Duty Air Impact Wrench with Extended Anvil** 

SKU **604744** IRT231HA2

- Max. Torque: 590 Ft/Lb.
- In-Handle Exhaust and Directs Air Away from User

Pressure-Fed **Lubrication System** WARRANTY: 1 Year

(IR) Ingersoll Rand

(IR) Ingersoll Rand 1/2" Air **Impact Wrench Classic** 

SKU **495316** IRT231C

- Original Twin Hammer Impact • Torque:
- 600 Ft/Lb. • Pressure-Fed Lubrication
- Adjustable Power Regulator

• 1/2" Square Drive

(IR) Ingersoll Rand 1/2" Quiet **Impact Wrench** 

SKU **738489** IRT2135QXPA

- Torque: 780 Ft/Lb.
- · Light, Quiet and Powerful Impact
- Twin Hammer Mechanism
- . Weighs Only 4 Lb.

WARRANTY: 1 Year

1/2" Compact

**Impact Wrench** 



**AIR** TAT

*AIRT*CAT

WARRANTY: 1 Year

# 1/2" Titanium **Air Impact** Wrench

SKU **695134** 

- IRT2235TIMAX **519**99
- Torque: 1,350 Ft/Lb. • Reverse Torque:
- 930 Ft/Lb. Twin Hammer Impact

Mechanism · Lightweight



1/2" Titanium (IR) Ingersoll Rand Air Impact **Wrench with Extended Anvil** SKU **738490** IRT2235TIMAX2 **499**99

- Torque: 1,350 Ft/Lb.
- Max. Reverse Torque: 930 Lb.
- 8,500 Free Speed RPM
- Titanium



**AIR** TAT

1/2" Nitrocat AIRTAT **Composite Twin Clutch Impact Wrench** SKU OSB

**384** 99 ACA1250K

- Provides 950 Ft/Lb. Max. Torque and 1,300 Ft/Lb. of Loosening Torque
- Hard Hitting Smooth Twin Clutch Mechanism
- The Twin Clutch is Better Suited for Heavy Duty



**AIR** TAT

WARRANTY: 2 Years For OSB, Call 901-300-4878

1/2" Composite

**Impact Wrench** SKU OSB ACA1000TH

- Provides 800 Ft/Lb. Max. Torque and 1,000 Ft/Lb. of Loosening Torque
- Patented Quiet Tuned Exhaust (86 dBA)
- Air Cons.: (CFM) 8
- Weight: 4.5 Lb.





WARRANTY: 2 Years

For OSB, Call 901-300-4878

ACA1057-TH **199**99 SKU OSB • Provides 500 Ft/Lb. Max. Torque and

- 700 Ft/Lb. of Loosening Torque
- Low Weight Aluminum Alloy Housing
- Weight: 2.80 Lb.
- Length: 3.85"
- Air Inlet: NPT 1/4"



**WARRANTY: 2 Years** For OSB, Call 901-300-4878

# 1/2" Composite **Impact Wrench**

SKU **OSB** ACA1150

- Provides 900 Ft/Lb. Max. Torque and 1,295 Ft/Lb. of Loosening Torque • Durable Composite
- Housing
- Weight: 4.5 Lb. • Length: 7.5"
- Free Speed: 9,000 RPM



For OSB, Call



(IR) Ingersoll Rand

ACA1431 • Provides 800 Ft/Lb. Max. Torque and 1,000 Ft/Lb. of Loosening Torque

- Cross Bolt Forward/ Reverse and Power Management Control
- Weight: 5.7 Lb.

1/2" Impact

Wrench

SKU OSB

- Length: 7.2"
- Free Speed: 9,000 RPM



WARRANTY: 2 Years

For OSB, Call 901-300-4878

# 1/2" Vibrotherm **Drive Composite** Impact Wrench

SKU OSB ACA1178-VXL **354**99

 Provides 950 Ft/Lb, Max. Torque and 1,300 Ft/Lb. of Loosening Torque

- Weight: 4.5 Lb.
- · Free Speed: 7.500 RPM
- Air Inlet: NPT 1/4"

**WARRANTY: 3 Years** 



For OSB, Call 901-300-4878

## AIR TOOLS

**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.com



### 3/4" Impact Wrench

## 3/4" Composite Impact Wrench

ACA1778-VXL 65**9**99



 Provides 1.450 Ft/Lb. Max. Torque and 1.700 Ft/Lb. of Loosening Torque

 The Latest Patented Aircat Muffler System Provides the Aircat's Unmatched Low Noise Levels

• Weight: 7.7 Lb.

• Length: 7.7

• Free Speed: 5,400 RPM

For OSB. Call 901-300-4878





SKU 477102



Spaces . Max. Torque (Reverse): 1,350 Ft/Lb.

• Air Consumption CFM: 8.5

 Compact and Lightweight (Only 7.4 Lb.)





(IR) Ingersoll Rand

**Air Ratchets** 

**WARRANTY: 2 Years** 



## 3/8" Air Ratchet

SKU **970485** IRTIR107XPA

• Max. Torque: 54 Ft/Lb.

Advanced Head Design



## 1/4" Super Duty Air Impact Ratchet

SKU **850508** 24415

#### **Impact Mechanism Adds Power and Prevents Kickback**

- Max. Torque: 50 Ft/Lb.
- Free Speed: 700 RPM • CFM: 3.1 @ 90 psi
- Length: 6.5"
- Sealed Head Ratchet Housing Prolongs Tool Life

(IR) Ingersoll Rand

**OEM** TOOLS

- Compact and Lightweight
- Most Power-to-Weight Ratio
- Rear Air Exhaust: 360° Adjustable

**WARRANTY: 1 Year** 



WARRANTY: 3 Years

Composite

SKU **850055** 24416

- Max. Torque: 50 Ft/Lb.
- Free Speed: 700 RPM
- CFM: 3.1 @ 90 psi
- Length: 6.5"
- · Sealed Head Ratchet
- Housing Prolongs Tool Life · Compact and Lightweight
- Most Power-to-Weight Ratio
- · Rear Air Exhaust

**PAstro** 

(IR) Ingersoll Rand





WARRANTY: 1 Year

**OEM** TOOLS

## **Air Hammers**

## **Standard Duty Air Hammer**

SKU **1392327 IRT117** 

• 2.000 Blows per Minute

· Heat-Treated Piston and an Alloyed Steel Barrel



WARRANTY: 1 Year

## **1210 Super Duty Air Hammer**

SKU **478945 164 99** IRT1210



· Built-In Power Regulator and **Trigger Control** 

 Easy to Control with an Throttle



**WARRANTY: 1 Year** 

**OEM TOOLS** 

### **Cut-Off Tools**

#### **Air Reciprocating Saw** SKU **970481**

IRTIR429

- Designed for Cutting Intricate Shapes
- Cuts Flat and Curved Surfaces

Comes with 6 High Speed Steel Cutting Blades and 2 Hex Wrenches

WARRANTY: 1 Year

## 3" Air **Cut-Off Tool**

SKU **466590 REG. \$64.99** 25760

• Air Inlet Thread Size: 1/4" NPT

• Free Speed: 22,000 RPM

 Recommended Air Pressure: 90 psi



WARRANTY: 1 Year

Offer Good Through September 30, 2025

### **Inflators**

## **Digital Tire Inflator**

SKU **802198** 24412

- Easy-to-Read Backlit LCD Display
- 4 Units of Measure (psi, Bar, KPa, kgf)
- Measuring Range: 0 to 175 psi (0 - 12 Bar)

• Accuracy: +/-1.2 psi Up to 58 psi +/-2.3 Between 58 psi and 145 psi Inclusive, +/-3.6 psi Greater Than 145 psi . High Air Flow Saves the Technician Time



#### **Dial Tire Inflator**

SKU **301772 REG. \$99.99** 24380

 Clear and Easy-to-Read 80 mm 180 psi Gauge • 3-In-1 Function: Inflate, **Deflate and Measure** 

Tire Pressure Increased Accuracy to Improve Tire Performance and **Prevent TPMS** Comebacks



#### 3.5" Digital Tire **Inflator with Hose**

SKU **1268419** 

AST3018 • 21" Stainless Braided Hose Dual AAA Battery

Powered Design Backlit LCD

 Includes **Batteries** 



#### **Dual Head Chuck Tire Inflator Gauge**

SKU **094652** 25864

- 6" Chrome Plated Dual-Head Chuck with Full 360° Swivel Action
- 15" Air Hose with 1/4" Female NPT and 3/8" 24 Thread Air Intake
- Inflates within 10 to 120 Lb. Pressure Range
- Magnifying Bubble Lens, Allows Full
- View of the Pressure Scale · Gauge in 2 Lb.



AZG0325

## AIR TOOLS

#### **OEM** TOOLS **Air Sanders** 2" Surface **Prep Air** Sander SKU **094650** 25778 · Includes Quick Change "Twist Lock" Mandrel • Free Speed: 20,000 RPM · Average Air Consumption: 3.2 CFM Air Inlet Thread Size: 1/4" NPT

**Heavy Duty Reciprocating Air Saw** SKU **802225** 

24409

**REG. \$169.99** 

• Recommended Air Pressure: 90 psi Air Consumption: 1.7 CFM

Strokes per Minute: 9,000 SPM

Air Inlet Thread Size: 1/4" NPT
 Lightweight: 1.50 Lb. (0.70 kg)
 Length: 10.6" (270 mm)
 Exhaust: Front

(IR) Ingersoll Rand

 Enhanced Blade Guard Design and **Trigger Safety Lock** 

 Includes: Reciprocating Air Saw, 2 Hex Key Wrenches, 2 Saw Blades and 2 Blade Guards

Offer Good Through September 30, 2025



6" Dual **Action Sander** SKU **970475** IRTIR311A

 Dual Action Pad Motion Reduces Swirl · Built-In Silencer



(IR) Ingersoll Rand

**OEM** TOOLS

WARRANTY: 1 Year

## **Straight Line Sander**

SKU **970479** IRTIR315

WARRANTY: 1 Year

- Twin Piston Design for Smooth Operation
- 3.000 Strokes per Minute
- Quick-Action Paper Clamps



WARRANTY: 1 Year

#### **Heavy Duty Mini Surface Prep Kit** SKU **087620 79** REG. \$174.99

24417

• 2" and 3" Heavy Duty Mini SAVE Air Surface Prep Sander

• (1) 2" Backer Pad (1) 3" Backer Pad

- (2) 2" and (2) 3" Medium Grit Surface Prep Discs
- (2) 2" and (2) 3" Coarse Surface Prep Discs
  • (2) 2" and (2) 3" Sander Discs

Blow Mold Case

**WARRANTY: 1 Year** 



Offer Good Through September 30, 2025

#### 1/4" Die Grinders

**Mini Air Die Grinder** 

SKU **751631** SAVE 24404

#### **REG. \$54.99**


- Air Consumption: 2.4 CFM
- Free Speed: 25,000 RPM
- Recommended Air Pressure: 90 psi

**WARRANTY: 1 Year** 

WARRANTY: 1 Year Offer Good Through September 30, 2025

## 1/4" Air Die Grinder SKU **802212**

REG. \$64.99



- Free Speed: 22,000 RPM
  Recommended Air Pressure: 90 psi
- Exhaust: Rear 360°

Composite Body with Built-In Silencing to Reduce Noise Level

• Air Consumption: 2.5 CFM

Extended

SKU **802216** 

24408

**Air Die Grinder** 

Free Speed: 23,000 RPM
Recommended Air Pressure: 90 psi

(Color May Vary)

REG. \$129.99

**WARRANTY: 1 Year** Offer Good Through September 30, 2025

## **Mini Air Die Grinder**

SKU **802211** 24405

REG. \$64.99



 Recommended Air Pressure: 90 psi

**WARRANTY: 1 Year** 

**Offer Good Through** September 30, 2025

## **Mini Angle Air Die Grinder**

SKU **802214** 24407

- Air Consumption: 2.8 CFM
- Free Speed: 18,000 RPM
- · Recommended Air Pressure: 90 psi
- Built-in Silencing to Reduce Noise Level



**WARRANTY: 1 Year** 

#### 1/4" Mini Angle Die Grinder and **Surface Prep Kit**

SKU **94648** 25777

- Air Consumption: 4 CFM
- Free Speed: 20,000 RPM
- · Grinding and Cleaning All-in-One Kit
- · Comes in a Heavy Duty Plastic Tray

**WARRANTY: 1 Year** 



## 1" Impact Wrench

#### 1" Impact Wrench with Extended Anvil

SKU **970474** IRTIR285B6

- Reverse Torque: 1,770 Ft/Lb.
- 6" Anvil for Better Truck Wheel Nut Accessibility
- High-Efficiency Motor



Air Drill

#### 3/8" Capacity Keyless **Composite Pistol Grip Drill**

SKU OSB ACA4338

- · Air Consumption: (CFM) 6
- 1,800 RPM
- Reversible and Variable Speed
- Length: 7"

WARRANTY: 2 Years

For OSB, Call 901-300-4878



Prices subject to change without notice. Prices do not include applicable taxes, vehicles, tires, rims, installation or optional equipment as shown. Please do not return purchases to the store. For information regarding warranty, repair, or any questions or concerns, call 901-300-4878.

(IR) Ingersoll Rand

**OEM TOOLS** 

## R TOOL ACCESSORIES

**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.com

#### **Impact Sockets and Extensions**

### 1/2" Drive Impact **Extension Set**

SKU **1340235** SUN2500



• Set Includes: 1/2" Dr. 3", 5", 10" and 15" Impact Extensions



#### 33 mm 1" Drive Budd **Style Wheel Socket**

SKU **466569 34** 99 25528

• 1" Drive 33 mm Budd Wheel Socket for Mack. Midliner. Volvo. White and Other Import Trucks with Dual Rear Wheels





#### 1-1/2" Hex x 13/16" **Square Deep 1" Drive Budd Style Wheel Socket**

SKU **466570** 25529

• For Budd Wheel 1-1/2" Hex with 13/16" Inside Square





3/8" Impact • 6 Pt. High Quality Impact Sockets

• SAE: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1" • Metric: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19 mm

**Posi-Grip No Slip™ Design Provides Superior Gripping Power for Maximum Torque Chrome Moly Steel Construction for Strength and Durability** 

12 Piece **Shallow (SAE)** SKU **391191** 

25589 **3**4 99

Sockets

12 Piece **Shallow (Metric)** 

SKU **391190** 25587

**3/1**99



12 Piece Deep (SAE) SKU **442193** 25590

**REG. \$64.99** 

12 Piece

SKU 464314

25588

**Deep (Metric)** 



Offers Good Through September 30, 2025

1/2" Impact **Sockets** 

• 6 Pt. High Quality Impact Sockets

• SAE: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1" • Metric: 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19 mm

11 Piece **Shallow (SAE)** SKU **391195** 

25593

**10 Piece Shallow (Metric)** 

SKU **391192** 25591



11 Piece Deep (SAE) SKU **391196** 

25594

**REG. \$64.99** 

10 Piece **Deep (Metric)** SKU **391194** 

OEM TOOLS

**OEM** TOOLS

25592

**REG. \$54.99** 



Offers Good Through September 30, 2025

#### **Impact Adapters**

### **5 Piece Adapter and Universal Joint Set (3/8" and 1/2")**

SKU **965864** 24226

**REG. \$49.99** 

MORE

- Chrome Moly Steel Construction • Includes: 3/8" Drive Universal
- Joint, 3/8" Drive (F) x 1/2" (M) Adapter, 1/2" Drive Universal Joint, 1/2" Drive (F) x 3/8" (M) Adapter and 1/2" Drive (F) x 3/4"(M) Adapter

Offer Good Through September 30, 2025



OEM TOOLS

**Air Blow Gun** 

#### **5 Piece Interchangeable Tip Air Blow Gun**

SKU **338823** 24439

• Includes 4 Interchangeable Tips: 100 mm (4"), 140 mm (5.5"), 320 mm (12.5") and a Turbo Wide Angle Nozzle

· Quick Change Coupling Makes it Easy to Change Tips

- Wide Angle Nozzle for High Volume
- Variable Trigger to Control Volume and Tip Pressure
- 1/4" NPT Air Inlet

## **High Flow Couplers**

### **High Flow Coupler** 70% and Plug Kits

FLOW\* • Ideal for HVLP Spray Guns and High Torque Impact Wrenches

• Delivers the Highest Air Volume with the Lowest Pressure Drop

## 14 Piece 1/4" Body, 1/4" NPT

SKU **757091** 26134



### 7 Piece 1/4" Body. 1/4" NPT

SKU **757040** 26132



7 Piece 1/4" Body. 3/8" NPT SKU **757046** 

26133

**OEM TOOLS** 



AZG0325

\*When Paired Together, OEMTOOLS High Flow Couplers and Plugs Deliver Up to 70% More Flow than Conventional Couplers

## **AIR TOOL ACCESSORIES**

#### **Surface Prep**

2" Twist-to-Lock Surface **Prep Discs (50 Pack)** with Cookie Jar

#### Coarse

SKU **1146029** SHA13088

#### Medium

SKU **1146030** SHA13089



# SHARK

SAVE

#### **Assorted** SKU **1168677**

SHA13087

**REG. 84.99** 

• Includes: Coarse, Medium and Fine

Offer Good Through September 30, 2025

## **Surface Prep Discs (25 Pack)**

• Twist-Lock Style

2" Coarse SKU 1330684 22517

2" Medium SKU 1335806 22516

(0.79 each)

(0.79 each)



#### **OEM** TOOLS

3" Medium

SKU **1335787** 22519

22518 (0.99 each) (0.99 each)



#### **Twist-Lock Disc Holders**

SKU 1368617 SHA13012

• 2" Holder (Single)

SKU **094916** 

SHA333T2

• 3" Holder (2 Pack)

SKU **094911** 

SHA323T2

**79**99

• 2" Holder

(2 Pack)

SHA323TB

SKU **094912** 

• 2" and 3" Holder Set



SKU **298097** SHA16206

• Long-Life Silicon Carbide for Paint and Coating Removal



### 2" Twist-Lock Mini Flap Discs **Assorted Grits (6 Pack)**

3" Coarse

SKU **1335795** 

SKU 306275 SHA13056

· Outlasts Mini Grinding Discs by 3 Times

. Includes: 2 Each of 40, 60 and 80 Grit





#### 3" Green 50G Finger Discs (10 Pack)

SKU **1362011** SHA13361

- Long Life Discs with Type "R" Style Backing
- Improved Surface Contact Over Wire Brushes
- · Great for Rust, Surface Contamination and Oxide Removal from Metals

**Ideal for Hard-to-Reach Surfaces and Lasts Longer** than Most Abrasive Discs



#### Twist-to-Lock **Green Zirconia** Mini Grindina **Discs**

Green Zirconia						
SKU	Part #	Size	Grit	Qty	Price	
306282	SHA12613	2"	36	25	44.99	
305896	SHA12614	2"	50	25	44.99	
204022	SHA12615	2"	80	25	44.99	
306323	SHA12617	3"	36	25	54.99	
305827	SHA12618	3"	50	25	54.99	
204009	SHA12619	3"	80	25	54.99	





SHARK



#### **Cut-Off Accessories**

### **Mandrel Set for Cut-Off Tools** (2 Pack)

SKU **094907** SHA32



#### 10 Piece Cut-Off **Wheel Set with Mandrel**

SKU **1400046** 26528

· Capable of Cutting Fiberglass, Plastic, Iron, Steel and Other Ferrous Metals

 Quantity: (10) 3" x 1/16" Cut-Off Wheels with 3/8" Arbor, 46 Grit

• Max. RPM: 20,400



**OEM** TOOLS

### 3" Aluminum Cutting Wheels (10 Pack)

SKU **306331** SHA13178PK2

 Silicon Carbide Grain • Includes: (10) 3" x 1/16"

 Works on 3" Die Grinders



# SHARK

**Reinforced Cut-Off** Wheels (25 Pack) SKU **306273** 

SHA25E5PK5

• For Use with Pneumatic **Cut-Off Tools** 

3" x 1/16" x 3/8"

• Max. RPM: 25,000

Includes: 25 Discs



## <u> Air Piping</u>

#### **MaxLine Compressed Air Piping System 3/4" Master Kit**

SKU **360593 RAPM7500** 

**Aluminum Core: Holds Any Bent Shape!** 

- Heavier Duty Components for Longer Air Runs in Larger Buildings
- 3 Air Outlets, (1) 3/4" NPT Straight Fitting, 2 Tees. 20 Clips and 100' of 3/4" HDPE Tubing



1/2" Tubing **Master Kit** SKU **360485** 

RAP90500

3/4" MaxLine **Outlet Kit** SKU OSB RAPM7510

• 3/4" Outlet Kit for MaxLine Compressed Air System

For OSB. Call 901-300-4878



-RAPIDATR

#### See More RapidAir® Products on AutoZonePro.com

## **AIR TOOL ACCESSORIES**

**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.com

### Regulators/Filters/Drains

#### **5 Stage Desiccant** Filter/Drver

SKU **543076** ARRC7612XL

- Includes: Gauge, Shut-Off Valve and (1) 1/2 Gallon of Desiccant

Replacement Desiccant Silica Gel, 1 Quart	OSB	ARR34189	24.99				
NAME	SKU	PART #	PRICE				
• Lowers the Dew Point to -30°F							

### **Regulator with** Gauge (1/4")

SKU **543086** ARRR262G

- Adjustment Range is 5 to 125 psig
- Rated for 25 SCFM



#### **Filter Regulator** Lubricator (1/2")

SKU **543075 259 99** 

- . Cleans, Dries and Lubricates Air Supply • Operating Pressure Range: 5 to 125 psi
- 40 Micron Element
- 142 CFM

**Extend the Life of Your Air Tools!** 



OEM TOOLS

ELB \$41453

#### 1/2" Electronic Drain SKU **543065**

ARR5804

· Automatically Drains Compressor Tanks, Receiver Tanks or Filters • 110 Volt

• 6' Power Cord



## Filter/Regulator (1/2")

SKU **543071** ARRB754G

- . Operating Pressure Range 5 to 125 psi
- 40 Micron Element · 3 Position Non-Rising
- Adjustment Knob



LINCOLN

### Air Regulator with Gauge (1/2")

SAVE

LINCOLN

SKU **543091** ARRR354G

- · Adjustment Range is 5 to 125 psig
- Rated for 100 SCFM



**OEM** TOOLS

NAME	SKU	PART #	PRICE
Regulator with Gauge (3/8")	543088	ARRR353G	74.99

#### **Hoses and Hose Reels**

#### **50' Nitrile Rubber**

- Lays Flat Under Pressure for Easy Maneuverability and Safety LIN72N3850
- Meets PFAS-Free Regulations
- · Resists Abrasions and Kinks
- UV Protective Material
- Excellent Resistance to Grease, Oil and Weather

#### **50' Premium Hybrid**

- Lightweight Design for Ease of Use and Enhanced Portability
- Kink Resistant with All-Weather Flexibility (-40° to 150°F)

## 3/8"

SKU **1491310** 

• 1/4" NPT Brass Fittings

#### 1/2" SKU **1491309**

LIN72N1250

• 1/2" NPT Brass Fittings



3/8" SKU 1491308

LIN72H3850

• 1/4" NPT Brass Fittings

**OEM** TOOLS

SKU **1491307** LIN72H1250

• 1/2" NPT Brass Fittings

#### 100' Wall **Mount Air Hose Reel**

SKU **291343** 25970

#### **REG. \$59.99**

- Comes with 18" Leader Hose
- Mounts Solid or with Swivel Action
- Solid Steel Frame
- Some Assembly Required

Offer Good Through September 30, 2025

## 3/8" x 50" **Air Hose Reel** SKU **900815**

25979

• Smooth Automatic Retracting Spring Coil





#### 3/8" x 50' Hybrid Polymer **Air Hose with Reel**

SKU **347224** 24424

REG. \$199.99

• Heavy Duty Polymer Hose Material Redefines Flexibility - Stays Flexible **Under All Weather Conditions** (-40° to 150°F)

- Holds No Memory Kink Resistant **Under Pressure**
- 300 psi Working Pressure
- Bend Restriction for Reducing Wear and Tear and Extending Life of Hose
- Solid Brass MNPT Ends

Offer Good Through September 30, 2025



#### **Value Series Air Hose Reel**

- · Retractable Delivery Hose
- Durable Heavy Gauge Steel Construction
- · Slotted Mounting Base for Easy Installation

3/8" x 50' SKU **972284** LIN83753

1/2" x 50<sup>1</sup> SKU **972285** LIN83754 **314**99



#### 3/8" x 50" Retractable **Air Hose Reel**

SKU **OSB** LEGL8250FZ

• Extreme All-Weather Flexibility, Even in Subzero Temperatures (-40° to 140°F)

· Won't Kink Under Pressure



For OSB, Call 901-300-4878

## **Air Chuck**

#### **Dual Foot Air Chuck with Comfort Grip Handle** SKU **802201**

24413

- Comfortable Screwdriver Style Handle
- 30° Reverse Angle Chuck Can Be Used on Outside Tires
- Tilt Lock Feature Locks onto the Valve


## **Air Chuck with Comfort Grip Handle**

SKU **802200** 24414

• Durable, OEMTOOLS Screwdriver Style

Handle for Comfort and a Positive Grip · Sealed-Ball Air Chuck is Extended 1" from Handle to Allow Access to **Tight Areas** 





## POWER TOOLS

### **Professional OEMTOOLS®**

20V Max\* Li-ion

#### Heavy Duty 1/2" Impact Wrench SKU **818594** 24481

- Speed: 0 to 2,200 RPM and 0 to 2,900 IPM
- Nut Busting Torque: 300 Ft/Lb.
- Tightening Torque: 260 Ft/Lb.
- Weight: 8 Lb.
- Battery Light Indicators
- Charge Time: 2 Hrs.
- Includes: 4.0Ah Li-ion Rechargeable Battery with Charging Station and Sturdy Blow Mold Storage Case



20V Max\* Li-ion

## 1/2" Brushless Impact Wrench

SKU **592251** 24486

- Variable Speed: 0 to 2,600 RPM and 0 to 3.000 IPM
- Nut Busting Torque: 300 Ft/Lb.
- Tightening Torque: 260 Ft/Lb.
- . Charge Time: 2 Hrs.
- Weight: 9.28 Lb.
- Includes: Rechargeable 4.0Ah Li-ion Battery, Charging Station and Sturdy Blow Mold Storage Case



#### 20V Max\* Li-ion

### 1/2" Brushless Hammer Drill

SKU **593469** 24485

- Variable Speed: 0-600 RPM and 0-2000 RPM
- Max. Torque: 310 In/Lb.
- Electric Brake
- Clutch: 21 + 1 Torque Setting
- Charge Time: 1 Hour
- Includes: Rechargeable 2.0Ah Li-ion Battery, Charging Station and Sturdy Blow Mold Storage Case

20V Max\* Li-ion

#### **Cordless Angle Grinder** SKU **598786**

24492

- Speed: 0 to 10.000 RPM
- Max. Disc Diameter: 4-1/2"
- . Spindle Thread: 5/8"
- · Spindle Lock: Yes
- . Charge Time: 2 Hrs.
- Includes: Grinding Disc, Assist Handle, Rechargeable 4.0Ah Li-ion Rechargeable **Battery and Charging Station**



#### 20V Max\* Li-ion

## **Reciprocating Saw**

24491 • Variable Speed: 0 to 3,000 RPM

- Overall Length: 14-1/4"
- · Charge Time: 1 Hour
- Includes: High-Quality, Multi-Purpose Bi-Metal Reciprocating Saw Blade, Rechargeable 2.0Ah Li-ion Battery and Charging Station



#### All Professional OEMTOOLS 20V Power Tools Work with: **Battery Charger Replacement Batteries**

SKU **824778** 27333B

· Replacement Part for OEMTOOLS Heavy Duty 1/2" 2VSR Cordless 20V Li-ion Drill

2.0Ah SKU **824777** 27333A

4.0Ah SKU **824772** 27314AM

\*With respect to 20V Max, Maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 18V.

OFM TOOLS

#### Corded OEMTOOLS®

#### **Oscillating Tool**

SKU **592331** 24495

- Includes: 3-1/2" Semi-Circle Wood Saw Blade, 2" Rigid Scraper, 1-1/4" Wood Plunge Blade, Standard Sanding Pad and (3) 60/80/120 Grit Sandpapers and 6 Ft. Power Cord
- Variable Speed: 11,000 to 20,000 OPM
- Power: 2.3 Amps
- Overall Length: 14-1/2"
- Power Cord Length: 6 Ft.



#### 7" Variable Speed Polisher SKU **592258**

24496 No-Load Speed: 1000 to 3000 RPM

- Power: 11 Amps
- Spindle Thread: 5/8"
- Spindle Lock: Yes
- Power Cord Length: 6 Ft.
- Includes: Sanding Paper, Sanding Pad, Terry Bonnet, Wool Bonnet and Foam Piece



**OEM** TOOLS

## **6" Bench Grinder with Lamp**

SKU **412598** 80058

- Solid, Heavy Duty Construction for Shaping and Sharpening Hardened Steel
- 6" Wheels with Tool Rests
- Tool Rests Adjust to 45° or 90° Position
- Includes: Coarse and Fine 6" Grinder Wheels. Goose Neck Lamp, Adjustable Eye **Guards and Spark Breakers**



## **Bench Grinding Wheel** 6" X 3/4" 46 Grit

SKU **112398** SHA2017

· Economical, Long Lasting Ahrasive Wheels



## 14" Chop Saw

SKU 1228718 24723

• Ideal for Cutting Wood, Metal, Steel and Pipe

• 15 Amp Motor for Powerful Cutting Action

 Spindle Lock Makes Wheel Changes Quick and Easy

Accepts Standard 14" Cutoff Discs

. Includes: Cutting Blade and 6 Ft. Power Cord




## **POWER TOOLS**

**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.com

#### **OEMTOOLS®**

20V Max\* Li-ion 3/8" Cordless Drill

SKU **052383** 24660



- No-Load Variable 2 Speed Gear Box: 0 to 350 RPM and 0 to 1,150 RPM
- Max. Torque: 220 In/Lb.
- Max. Drilling Capacity: 5/16" (Metal) and 3/4" (Wood)
- Keyless, Auto Spindle Lock Chuck Size: 3/8"
- Clutch: 16 + 1 Torque Clutch Setting
- Electric Brake
- · Forward and Reverse Switch
- Battery Charge and Capacity Indicator Lights
- Charge Time: 4 to 6 Hrs.
- Includes: 1.5Ah Li-ion Rechargeable Battery and Battery Charger







· Variable Speed:

- 0 to 2,400 RPM and 0 to 3,000 IPM
- Max. Torque: 200 Ft/Lb. (Forward) and 240 Ft/Lb. (Reverse)
- Battery: 1.5Ah Li-ion
- Electric Brake
- · Battery Charge and Capacity Indicator Lights
- . Charge Time: 3 to 5 Hrs.
- Includes: 1.5Ah Li-ion Rechargeable Battery and Diagnostic Fast Battery Charger

STORE STOCKED



20V Max\* Li-ion 1/2" Cordless **Impact Wrench** 

SKU **052380** 24670

- Anvil: 1/2" Square Drive
- Speed: 0 to 2,200 RPM; 0 to 2,700 IPM
- . Nut Busting Torque: 300 Ft/Lb.
- Max. Tightening Torque: 240 Ft/Lb.
- · Battery: 2.0Ah Li-ion
- · Weight: 6.5 Lb.
- . Charge Time: 5 to 7 Hrs.
- Includes:

STORE STOCKED

2.0Ah Li-ion Rechargeable Battery, Li-ion Battery Charger



**OEM** TOOLS

20v MAX

STORE STOCKED

Individual **Batteries and** Charger Available

20V Max\* Li-ion

**Battery 1.5 Amps** SKU **029415** 24660A

• Charges in 4 to 6 Hrs.



20V Max\* Li-ion

**Battery 2.0 Amps** SKU **1392334** 24670-36

. Charges in 4 to 6 Hrs.



20V Max\* Li-ion

**Battery Charger** SKU **029418** 24660B

#### 4-1/2" Compact Angle Grinder

SKU **052382** 24663

- Motor: 6 Amp
- Voltage: 120V, 60 Hz
- Speed: 10,500 RPM
- Interchangeable Handle for Left or Right Hand Use
- Heavy Duty, Cast Aluminum Gear Head for Strength and Durability
- 6 Ft. Power Cord
- Includes: Grinding Wheel, Spanner Wrench and Disc Guard



Heavy Duty 1/2" **Impact Wrench** SKU **052388** 

24666

- Input Power: 8.5 Amp
- Voltage: 120V, 60 Hz
- 1/2" Square Drive with Hog Ring Retainer
- No-Load Speed: 0 to 2.200 RPM and 0 to 3.000 IPM
- Replaceable Carbon Brushes
- 8 Ft. Power Cord

STORE STOCKED



STORE STOCKED

#### **Rotary Tool with 35 Piece Accessory Kit**

SKU **052384 27***99* 24664

- Input Power: 1.2 Amp Voltage: 120V, 60 Hz
- No-Load Speed: 10.000 to 35.000 RPM
- Collet Capacity: 1/8" to 3/32"
- Spindle Lock for Easy Bit and Accessory Change
- 6 Ft. Power Cord
- Includes: Grinding Stones, Wheels, Brush, Sanding Bands and Disc, plus Grinding, Cloth and Cut-Off Wheels





Flexible Shaft Rotary Tool Extension

SKU **003483** 24657

· Easily Attaches to Many Popular Rotary Tools



#### STORE STOCKED

12V Max\*\* Li-ion

#### **Power Ratchet** SKU **1069064** 24685


- Max. Torque: 35 Ft./Lb.
- Max. Manual Torque: 96 Ft./Lb.
- No-Load Speed: 230 RPM
- Ergonomic Grip with Low-Profile Head for Work in Tight Spaces
- Features Integrated Worklight for Hard-to-See Spots
- Includes: 2Ah Li-ion Removable Battery and Charger







SKU **052387** 24665



- Voltage: 120V, 60 Hz · Temperature Settings:
- 482°F/842°F · Trigger:
- 3 Position Rocker
- Hanging Loop for Storage
- 6 Ft. Power Cord







\*\*With respect to 12V Max, Maximum initial battery voltage (measured without a workload) is 12 volts. Nominal voltage is 10.8V.

## **POWER TOOLS**

STEEL

**OEM** TOOLS

#### **Power Tool Accessories**

**OEM** TOOLS 33 Piece **Impact Rated Driving S2 Bit Set** 

SKU **750443** 25960

- . Designed to Withstand High Torque Applications
- Reduces Wear, Stripping and Cam-Out
- Includes: Magnetic Impact Rated Bit



6 Piece Bi-Metal **OEM** TOOLS **Hole Saw Set** 

SKU **547011** 24378 FREG. \$39.99



- Includes: Sizes: 7/8", 1", 1-1/8", 1-1/4" and 1-1/2" (22 mm, 25 mm, 29 mm, 32 mm and 38 mm)
- Slotted Saw Allows for Easier Plug Removal
- Durable Enamel Finish Protects Against Corrosion
- Bi-Metal Construction for Increased Wear Resistance



Offer Good Through September 30, 2025

#### **OEM** TOOLS **Multi-Purpose Drill Powered Pump**


SKU **526513** 24503

· Works with a Corded or Cordless Drill to Transfer the Following Liquids: Fresh Water, Sea Water, Organic Solvents, Motor Oil, Heating Oil, Insecticides and Liquid Fertilizers



#### **Bench Grinder, Vise and Drill Press Stand**

SKU **943120** 24643



- Top/Plate Dimensions: 13.8"(L) x 9.8"(W) x 0.2"(H)
- Overall Dimensions: 13.8"(L) x 9.8"(W) x 37.4"(H)

**Multiple Mounting Configurations Fit** Many Bench Grinders, Pipe Benders, Vises and Drill Presses



**OEM TOOLS** 

4-1/2" x 1/16" x 7/8" **Cut Off Wheel** Pack of 6

SKU **1485031** 

- 26510PK • 4-1/2" Wheel
- Diameter • 1/16" Wheel Thickness
- 7/8" Arbor Diameter
- Will Evenly Cut Through Fiberglass, Plastic and Steel
- Arbor Diameter Fits Most Drills


**3 Piece Spiral Step Drill Set** 

SKU **99189** 24372

- Titanium Two-Flute Spiral for Longer Life, Faster Drilling and Less Vibration

  • Split Point Generates Less Heat
- Bit Two: 6 Sizes from 3/16" to 1/2"
  Bit Two: 6 Sizes from 3/16" to 1/2"
- Bit Three: 9 Sizes from 1/4" to 3/4"
- 28 Hole Sizes in 3 Bits
- Enlarge Existing Holes
- 1/4" Hex Shank To Prevent Slipping in Chuck Applicable Materials: Stainless Steel, Copper, Brass, Aluminum, Plastic and Laminates (Material Thickness of 0.125")

4.5" Depressed Center **OEM** TOOLS **Grinding Wheels** 





- Arbor: 7/8"
- Diameter: 4.5 by 1/4
- · Hubless, 24 Grit
- Pack Contains 3 Wheels



## Mechanics Set

SKU **533204 | 24974** 

**999**99 REG. \$2,355.51

## **Includes 156 of the Most Common Tools in Tool Cart**

 SAE and Metric, 1/4", 3/8" and 1/2" Drive Tools, Combination Wrench Sets, Pliers and Screwdrivers. Plus Battery Service Tools, Oil Change Tools and More









Go to AZTOOLS1.com for 24974 Contents List

Offer Good While Supplies Last Through September 30, 2025

Cart Style and Color May Vary

## **Technicians Set**

SKU **533203 | 24975** 

**2,649**99 REG. \$3,203.22

### **Includes 312 of the Most Common Tools in Tool Cart**

• SAE and Metric, 1/4", 3/8" and 1/2" Drive Tools, Combination Wrench Sets, Pliers and Screwdrivers. Plus Battery Service Tools, Oil Change, Wheel Service and More









Go to AZTOOLS1.com for 24975 Contents List

Offer Good While Supplies Last Through September 30, 2025

Cart Style and Color May Vary


TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.con

#### **Floor Jacks**

### **3 Ton Low Profile Jack**

SKU **OSB** 29005





• 3-1/8" Minimum Height is Ideal for Sports Cars, Lowered Vehicles, and Lifting Vehicles with

Flat Tires • 4.3" Saddle with Jack Support Pad and Foam Handle Cover to Prevent

**Damaging Vehicle**  Overload and Bypass Safety Valves Prevent Use Beyond Rated Capacity and Over-Extension

Weight: 73.7 Lb.

For OSB, Call 901-300-4878

31/8" LOW PROFILE





**Ideal for Sports Cars,** Lowered Vehicles, and Lifting Vehicles with Flat Tires



2 Ton Off-Road Jack

SKU **1525571** 29004

• Full Length Skid Plate Provides Stability in Soft or Unstable Materials Such as Sand or Gravel

• Heavy Duty Oversized Wheels are Ideal for Navigating on Rough or Uneven Surfaces

• High Lift Adapter Extension for Additional Lift Height Up to 24-3/16" Provides Access to Lifting Points for Off Road Vehicles

· Dual Piston Hydraulic System for

Quicker, More Efficient Lifting

• Min. Height without Extension: 6-1/8", with Extension Stage: 11-1/4"

• Max. Height without Extension: 17-15/16", with Extension Stage: 24-3/16'

• Weight: 59.5 Lb.

**Secure Lock Detent for Safety and Comfort During Transportation and Operation** 



**24** 3/16" MAX 🕇 HEIGHT





**Hybrid Floor Jack** 

with Light Weight

SKU **1417557 299**99

Prevent Damage to Vehicle





31/2"\_ ĽÓŴ 🕇

**PROFILE** 

**PADDED** 

**HANDLE** 

LOW -

PROFILE

Heavy Duty Oversized Wheels

2-1/2 Ton Aluminum/Steel

· Aluminum and Steel Frame Construction

Provides the Benefit of Strength Along

• Padded Jack Handle and Saddle Pad to

for Portability

Locking Adjustable Height Extender

#### **4 Ton Hydraulic Service Jack**

SKU **1525558** 29003

- . Dual Piston Hydraulic System for Quicker More Efficient Lifting
- Nylon Casters Protect Sealed Floor Surfaces and Dealer Showrooms
- Meets ASME PASE-2019 Standards
- 4.3" Saddle Provides Generous Lifting Area and Secure Grip
- Min. Height: 4-3/8"
- . Max. Height: 20-1/4"





**PADDED** 

HANDLE

33/4" LOW

PROFILE



**Service Jack** 



**3 Ton Long/Low Signature** 

- · Extra Long and Low Profile is Great for Low Clearance Vehicles, Pickups and SUVs
- Padded Jack Handle and Saddle Pad to Prevent Vehicle Damage
- Dual Pump Design for Quicker Lifting
- Nylon Casters to Protect Sealed Floor Surfaces and Dealer Showrooms
- Min. Height: 3-3/8"
- . Max. Height: 24-1/4" · Lenath:
- 31-3/81







31/8" LOW





24869

• Length: 25-1/2" • Weight: 58.2 Lb.



#### 3-1/2 Ton Low Profile **Floor Jack**

SKU **757109** 24837



- · Max. Height: 20-1/2"
- · Length: 27-1/8" · Weight:

85.8 Lb.



#### 2-1/2 Ton Low Profile **Floor Jack**

SKU 1089029 24791



- . Min. Height: 3-1/8" • Max. Height:
- 19-3/4" · Length: 26-1/4
- Weight: 69.5 Lb.



#### 2 Ton Extra Long, Extra **Low Profile Floor Jack** SKU **757041**

24838 • Min. Height: 2-3/4"

• Max. Height: 24-1/4" • Length: 31-7/8"

Weight: 97.5 Lb.



AZG0325

All OEMTOOLS® Jacks on this page include overload and bypass safety valves and meet ASME PASE 2014 Safety Standards.

#### **Wheel Dollies**

#### **Mechanical Vehicle Position Dollies**

- Easily Lift and Move Vehicles Up to 6,000 Lb.
- 1,500 Lb. Capacity Each

**Set of 2 Dollies** SKU 1089031 24793



### **Set of 4 Dollies** with Storage Cradle

SKU **1414391** 69000

REG. \$809.97

When You Buy the Set



**OEM** TOOLS

#### **Hydraulic Vehicle Position Dollies**

- Easily Lift and Move Vehicles Up to 6,000 Lb.
- 1,500 Lb. Capacity Each

**Set of 2 Dollies** SKU **298098** 24855TW0



## **Set of 4 Dollies with Storage Cradle**

SKU **696485** 68986

REG. \$909.97





#### 1500 Lb. Wheel Dollies Set

SKU **814384** 24858

- . Great for Moving Cars, Trucks, Trailers and Lawn Tractors
- 4 Swivel Nylon Casters Give Mobility in All Directions, Roll Smoothly and are Safe for Epoxy Floors
- HD Steel Plate Construction for a Long Life
- 2 Casters on Each Dolly Have Locking Mechanisms





#### **Vehicle Position Dolly Cradle**

SKU **544800** 24856

• Neatly Secure and Store Up to 4 Vehicle Car Dolly Jacks





**Ranger** 

### **Air Hydraulic Jacks**

#### **20 Ton Air Hydraulic Bottle Jack**

SKU **544795** 24850

**OEM** TOOLS

- · Can Be Operated with Air or Manually
- Height: 10.25" to 20.1"
- Extension Screw Adjustment: 3.15"
- Meets or Exceeds ASME PASE-2019 Standards





SKU **544796** 24851

• Compact, Low Profile Design Easily and Safely Fits Between Wheels of Tandem Axle Vehicles

- Ram Travel: 4-15/16
- Extension Screw Adjustment: 4"
- Min. Height: 8-3/4"
- Max. Height: 17-11/16"

**Hydraulic Jacks Built for** Performance and **Ease of Use** 



**Jack Stands** 

## **3 Ton Jack Stands (Pair)**

SKU **757122** 24852 REG. \$99.99

- Min. Height: 11" • Max. Height: 16-1/2"
- Meets or Exceeds ASME PASE-2019 Standards



**OEM** TOOLS

#### **6-Ton Heavy Duty Jack Stands**

SKU **OSB** Call For Price RANRJS6T

- Min. Height: 15-1/2"
- Max. Height: 24-1/2" • 12,000 Lb. Capacity
- 9 to 10-1/2" Base



For OSB, Call 901-300-4878

#### **22 Ton Heavy Duty Axle Stands (Pair)**

SKU **757098** 24854

- Min. Height: 12-1/4"
- Max. Height: 19-3/4"
- Adjustable Pin Design
- Features Handle for Transport and Positioning
- Large V-Shaped Saddles Center Lift Points for Secure Placement
- Meets or Exceeds ASME PASE-2019 Standards

**Offer Good While Supplies** Last Through September 30, 2025



**OEM** TOOLS

**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.com















901-300-4878









23-3/4" (W) x 4-3/4" (H)

### **Engine Stands**

#### 1,250 Lb. Engine Stand SKU **462493** 24829

- Easy to Move and Rotate
- Heavy Gauge Square Steel Tube Frame
  Extra Wide 4 Wheel Base Provides Added Stability
- 360° Rotation
- Lock Pin Locks Engine into Position



#### Heavy Duty 1,000 Lb. **Engine Stand**

SKU **757115 229**<sup>99</sup> 24839

- Adjustable Mounting Arms to Fit Most **Engine Configurations**
- Locking Head Plate with 360° Engine Rotation
- Tubular Steel Construction
- Base: 32-1/2" (L) x 30-3/4" (W)
  Height: 37-3/8"
- Weight: 41.9 Lb.



#### 1,100 Lb. Rotating Engine Stand SKU 1125862 /= 24798

- Adjustable Mounting Arms to Fit Most **Engine Configurations**
- Locking Head Plate with 360° Engine Rotation Heavy Duty Worm Gear for Effortless Rotation
- Tubular Steel Construction
- Folding Legs for Easy Storage
- Base:

41-1/4" (L) x 27-1/8" (W)

· Weight: 102.5 Lb.



**Ranger** 

#### 1 Ton Folding **Engine Stand**

SKU **544804** REG. \$389.99 24834

• Folds Upright to Conserve Valuable Floor Space

 Sturdy, Wide-Base Design to Prevent Tipping **Under Load** 



**OEM** TOOLS



Offer Good Through September 30, 2025

#### **Shop Cranes**

### 6,000 Lb. Heavy Duty Engine Crane

SKU 1267948 Call For Price AFF3584

- Reinforced Leg Assemblies for Added Strength and Durability

  4 Different Boom Settings:
- 3, 2, 1.5 and 1 Ton • Rear of Crane: 61.5" Tall
- x 33" Wide • Distance Between Front of Legs:
- Retracted 23", Extended 28.5"

   Built-In Safety Overload to Protect the Unit from Being Used Beyond its Rated Capacity



#### 2 Ton Folding **Shop Crane** SKU OSB

RANRSC2TF

- **Call For Price** Heavy Duty Hydraulic Folding Engine Hoist with 2 Ton Capacity Ram is Perfect for Shops That Have Limited Space but Still Need the Pure Lifting Convenience of a Crane
- Front Casters Include a Safety Brake to Prevent Movement

For OSB, Call 901-300-4878



**OEM** TOOLS

#### 2 Ton Folding **Shop Crane** SKU **544801**

24830

**624**99

- Foldable Design Makes for Convenient, Easy Storage
- 6 Solid Steel Caster Wheels Add Mobility
- Fully Adjústable 4 Position Boom



**OEM TOOLS** 

#### **Lift Accessories**

**OEM TOOLS** 

### **Universal Engine Lift Plate** 1,000 Lb. Capacity

SKU **662861 94 99** 

- Corrosion Resistant, Gold Iridite Zinc Plating
- Tough, All Steel Construction
- Fits Most Style 6 and 8 Cylinder Engines with 2 or 4 Barrel Intake Manifolds
- Mounting Hardware Not Included



## Floor Jack Crossbeam

SKU **544803** 

**99** REG. \$174.99

- Compatible with Most Floor Jacks with a 1-1/8" Diameter Saddle Stud
- Saddles Adjust from 23" to 32" on Center
- Min. Width Capacity: 3,000 Lb.
- Max. Width Capacity: 4,000 Lb.



Offer Good Through September 30, 2025

#### **Bed Lifter**

SKU OSB STK35885



· Lifting Brackets Adjusts to Evenly Distribute Weight



For OSB. Call 901-300-4878

STECK

**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.con

### **Engine Support**

**3 Point Engine Support Bar** 

SKU **133617** 24951

- · Makes Removal of Transaxle Easy by Supporting Engine of Front Wheel Drive Vehicles
- Width Expands from 34-1/2" to 61"
- (2) 14" Adjustable Hook Screws
- (2) 38" Braided Steel Cables
- 700 Lb. Capacity

## 1,100 Lb. Engine Support

SKU **512946** 24950

- 2 Screw Adjusters for Precise Positioning Makes Job Easier, Faster and Safer
- Rubber Feet to Prevent Damage to Vehicle and Ensure Stability
- 1,100 Lb. Capacity



#### 3/4 Ton Engine Leveler SKU **544802**

24831 • 4 Point Mounting System Provides

- Maximum Control · 3 Chain Positions to Accommodate Different **Engine Configurations**
- Durable Steel Construction
- · Smooth Operating Worm Drive Shaft for Easy Level Adjustment
- Rated Capacity: 1,500 Lb.



**OEM TOOLS** 

**OEM** TOOLS

#### **Lift Table**

#### **OEM** TOOLS

## **660 Lb. Double-Scissor Lifting Table Cart**

SKU 1525568 24789

- Reduces Operator Strain When Moving Heavy or Bulky Items
- Double Scissor Mechanism Raises the Table from 13.8" to 50.6"
- Large 32" x 20" Platform Fits a Wide Range of Items
  • Foot Pedal Pump Allows
- Hands-Free Operation
- Hand Operated Release Lever for Easy, Controlled Descent
- 5" Heavy Duty Casters with Bearings for Easy Rolling Over Rough Floors

## **High Reach Stands**

- Provides Added Support During Installation/Removal of Automotive Components
- Compact Design for Use in Limited Workspaces
- Durable Heavy Gauge Steel Construction

## 1,500 Lb. **High Reach Jack Stand** SKU **757043** 24848

## 169<sup>99</sup>

- Min. Height: 55"
- Max. Height: 78" Meets or Exceeds ASME PASE-2019 Standards

#### 1,500 Lb. High **Reach Jack** Stand with **Foot Pedal** SKU **757078** 24847

## **199**99

- · Foot Pedal Pump Saves Time Adjusting Load
- Min. Height: 55"
- Max. Height: 78"
- Meets or Exceeds ASME PASE-2019 Standards



## **199**99

- · Adjustment Pin Securely Supports Load in 5 Positions
- Min. Height: 49"
- Max. Height: 80
- Meets or Exceeds ASME PASE-2019 Standards



## **Powertrain Lifts**

#### **EV Lift Table**

SKU OSB CHLBT3300

- 3,300 Lb. Lift Capacity
- Scissor-Style Lifting
- . Hydraulic Cylinder and 115V Plug
- Pendant Controlled Operation
- Max. Reachable Height: 76.5"
  Complies with ASME PASE-2019
- 8" Clearance Under Base Plate for Battery Removal
- Extending, Adjusting and Tilting Top Plate for Larger Batteries



## 2,200 Lb. Lifting Table, **Air/Hydraulic with Adapters**

SKU OSB CEA-MS10KIT

- Designed for Removing/Replacing Battery Packs of Electric Vehicles as well as the Engine, Transmission, Drive Axle, Fuel Tank, Suspension and Sub-Frames of **Traditional Vehicles**
- Large Base Frame Ensures Better Stability and Reliability
- Max. Lift: 70-1/16"
- Min. Height: 22-7/16"
- Platform Length: 51-3/8" to 58-1/4"
- Platform Width: 33-1/8"



CUTTING EDGE

2.640 Lb. Lifting Table. Electric/ **Hvdraulic** with Adapters SKU OSB

**CEA-MS12MKIT** 

#### 2.500 Lb. **Powertrain Lift**

SKU **OSB Call For Price** AFF3182

• Air Assist Foot Pump with 9' Extension

- Provides Hands-Free Operation Safety Latches at 30%, 50% and 80% of Max. Height
- 8" Diameter Swivel Casters for Easy Maneuverability
- Rear Wheels Can Be Locked to Prevent Rolling
- Table Top Height from 33' to 77"




## 4,500 Lb. BendPak **EV** Battery and **Powertrain Lift Table**

SKU OSB BENEVS4500

### **Call For Price**


- Full-Rise Battery Powered Mobile Scissor Lift Table
- Remote Control Operation
- DC Electric Power System with **Onboard Charging**
- Full-Length Utility Travs



AZG0325

To Confirm Price, Availability and Ordering Instructions on OSB, Call 901-300-4878

# **Call For Special Pricing on Package Deals**



## **Call Us - 901-300-4878**



ولا ال

Customer Responsible For Offloading, Liftgate Service Available.

For OSB, Call 901-300-4878

### **Aligners**

#### **Geoliner® 770 AC400 Clamps and VIN Reader**

SKU OSB

**Call For Price** 

HOFEEWA752BV3

• Lightweight, 3-Camera System Folds to a Compact Size with a Low Center of Gravity, Taking Up Less Floor Space in the Shop and Easily Maneuverable When Needed

 Touchless AC400 Wheel Clamping System (Only the Tire is Contacted), Installed in Seconds with Single, Fast-Action Adjustment Knob

- · Automatic Height Tracking to Provide Optimum Placement of its Advanced XD Targets and Cameras for More Speed and More Accuracy on Every Alignment
- Diagnostic Alignment with "Compensate Warn Alert" Intervention Gets it Right the First Time Video Speed Cameras Constantly Monitor Alignments, Providing Information at Every Step
- . Unique Camera Beam Design Fits Through a
- Standard Doorway and Protects Cameras Next Generation UI Optimized for the High Volume User
- Highly Accurate and Reliable XD Camera Technology



#### WARRANTY:

1 Year Motor and Parts, 6 Months Labor,

3 Years Circuit Boards, Pods and Electronics



## HOFMANN



#### Geoliner® 609 **Alignment System**

SKU **OSB** HOFEEWA741TH3

- **Call For Price** Groundbreaking User Interface Provides Instant Access to Critical Tasks
- No Calibrations Required
- Designed for a Connected World
- Small Footprint
- · Includes: AC200 Clamps



#### WARRANTY:

- 1 Year Motor and Parts,
- 6 Months Labor, 3 Years Circuit Boards. Pods and Electronics

ALIGNER INCLUDES:

Manufacturer's Set-Up

#### **Geoliner® 660 Imaging Wheel Aligner Call For Price**

SKU OSB HOFEEWA712TH3

• Advanced XD Cameras and Sophisticated

Monitoring Algorithms Exclusive Dimensioning and Productivity Features

• Patented EZ-TOE - Turn the Front Wheels and Access Difficult Adjustment Points While Still Displaying Centered Toe Readings

• Features Easy-Rolling Casters, Storage for All Attachments and a Fully Enclosed Printer Compartment

• Includes AC200 Clamps, Brake Pedal Depressor, Color Ink-Jet Printer and Steering Wheel Holder



#### Touchless AC400 Wheel Clamping System (Only the Tire is Contacted), Installed in Seconds with a Single Fast-Action Adjustment Knob

SKU OSB

HOFA715TBV3

WARRANTY:

**ALIGNER INCLUDES:** 

1 Year Motor and Parts, 6 Months Labor, 3 Years Circuit Boards, Pods and Electronics

**Geoliner® 678 Wheel Alignment System with AC400 and VIN** 

**Call For Price** 

• Easy to Use Interface - 3 Levels of Intervention

("Compensate - Warn - Alert") with

Even the Most Complex Tasks


Structural Damage (Saving Time)

Corrective Actions Just One Click Away

Help Videos - View Detailed Videos of How

to Make Needed Adjustments to Complete

## Manufacturer's Set-Up



**ALIGNER INCLUDES:** Manufacturer's Set-Up

## Alignment Accessories

## **Steel Turn Plates**

SKU OSB QSP25-140

#### **Call for Price**

• Capacity: 4.500 Lb. per Plate

• Dimensions: 14" x 14" x 1.5"



## Stainless Steel **Turn Plates**

SKU OSB OSP25-129

**Call for Price** 



#### **Rear Slip Plate** Add-On Kit SKU OSB


**OSPDB-6000** 

### **Call for Price**

- (2) 59-1/2" x 20" Full Floating Rear Slip Plates
- Simple Installation On Most General Service Lifts
- Length Options: 173", 186" to 196" and 200" to 205"
- · Turn Plates Not Included



- · Holds Steering Wheel in Position for Alignment Adjustments
- · Depresses Brake Pedal for Various Brake Checks Including Brake Lamp Operation
- Simply Hand Squeeze the Actuator to Accomplish Fine Adjustments



**OEM** TOOLS



**Customer Responsible For Offloading, Liftgate Service Available.** 

For OSB, Call 901-300-4878

**Aligners** 

### **CWA 6500 Wheel Aligner**

SKU OSB

**Call For Price** 

#### AMM8006500

· Comes with Both Self-Centering Clamp and Exclusive Tire Gripping Adapters to Ensure Both Accurate Reading and **Fast Operation** 

 Multiple Compensation Modes to Make Getting Readings on Heavy Vehicles Easy without Having to Roll Vehicle Excessively Far

- . Two Wheel Alignment Mode for Setting Total Tow on Large Trucks. No Rear Targets Required
- Standard VIN Scanner for Time Savings and Ease of Vehicle Selection
- Mobile Cabinet Supports Using Aligner in Multiple Bays

ALIGNER INCLUDES: Manufacturer's Set-Up

and Training

WARRANTY:

1 Year Parts, 6 Months Labor, 30 Days Wheel Clamps

CMBDWA1100TROLL



**Portable 3D Wheel Alignment System** 

SKU OSB **Call For Price** ROTR1085

- Mobile Tablet Operation
- · Wi-Fi Ready

- Easy-to-Use Software
- Tower-Free System • On Rack Test Drive
- Program · Easy-to-Read
- Results Quick Locking
- Wheel Clamps Patented Targets





ALIGNER INCLUDES: Manufacturer's Set-Up WARRANTY: 3 Years Parts and 1 Year Labor

#### **CEMB Wheel Alignment Systems**

- User Friendly Software with Adjustment Graphics
- More Than 55,000 Vehicles In Database
- · Cloud Based Wi-Fi Networking
- 12" to 24.5" Clamping Range
- For Cars and Light Trucks

#### **Trolley Wheel Alignment System**

SKU OSB CMBDWA1100TROLL

#### **Call for price**

• Toughpad with 10" Touch Screen, Waterproof, Dustproof Rubberized Case

## **Complete Wheel Alignment System**

SKU OSB CMBDWA1100CWAS

#### **Call for price**

- Portable Wheel Stands with Integral Turn Plates on All Four Stands Align All Vehicles
- Stands Weight Limit: 10,000 Lb. or 2,500 Lb. per Stand
- Includes: Stands, Roller and Plates

## **Wheel Alianment System**

SKU OSB **CMBDWA1100** 

DWA

**Call for price** 

• Includes: Cabinet, Printer, Depressor, Holder and Software

## **ALIGNER INCLUDES:**

**Manufacturer's Set-Up and Training** 

**Customer Responsible For Offloading, Liftgate Service Available.** 

For OSB, Call 901-300-4878

WARRANTY: 2 Years Parts, 1 Year Labor





FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-

#### **Alignment Lifts**

### 12,000 Lb. Scissor Alignment Lift

SKU **1350795** HOFR709APKG **Call For Price** 

• Open Front Design Provides Easy Access to Alignment Service and Calibration Areas

- 24" Wide Runways Provide Easy Drive-On for Large Vehicles
- Dual Engaging Twin Interlocking Mechanical Safety Racks with Pneumatic Release
- 95 Second Lifting Time and 45 Second Lowering Time
- 70" Lifting Height



**INCLUDES:** Rolling Bridge Jacks, **Air Line Kit and Turn Plates** 

WARRANTY. 1 Year Parts and Labor



**CL** Challenger Lifts

HOFMANN'

## 14,000 Lb. 4 Post Alignment Lift

SKU OSB **Call For Price** FORCRA14

- Max. Rise: 80-3/4"
- · Max. Wheelbase: 182-1/2"
- 4 Wheel Alignment from 88" to 157"
- · Long Lasting, High Performance Cable and Sheave System



INCLUDES: Rear Slip Plates, (2) 7,000 Lb. Rolling Jacks, Radius Gauges and Internal Air Line

**Call For Price** 

WARRANTY. 1 Year Parts and Labor



15.000 Lb. 4 Post Open Front

Alignment Rack Package - Ext. Length **Call For Price** 

SKU **OSB** CHLAR4115XA0

• Max. Wheelbase: 210"

• Improved 4-Wheel Alignment Wheelbase with Longer Rear Slip Plates

- Removable Lock without Dropping the Column
- · Enclosed Column with No Outside Lubrication
- Improved Column and Cross Beam Design
- Increased Drive Through Clearance
- 26" Wide Runways
- 78" Rise Height

WARRANTY:

2 Year Parts, 1 Year Labor

INCLUDES: Air Line Kit, Slip Plates, Turn Plates and Two Rolling Jacks

### **4 Post Alignment Lift Combo**

SKU OSB BEN14LSXCOMB1

• 14,000 Lb. Capacity

 Overall Length: 241"

• Runway Width: 20"

## BendPak.

FORWARDLIFT



1 Year Parts and Labor INCLUDES: Air Line Kit, Slip Plates, Turn Plates and Two Rolling Jacks

14,000 Lb. Scissor Alignment **Lift Package** 

SKU OSB

#### AMM8KSC14KITP

- **Call For Price** Max. Service Wheelbase: 198"
- Max. 4 Wheel Alignment Wheelbase: 160"
- . Max. 2 Wheel Alignment Wheelbase: 178"
- Ceiling Height Required: 12'
- . Overall Length: 260"
- Overall Width: 91-1/2"
- Lifting Height: 74"



INCLUDES: 2 HD Rolling Jacks, 2 SS Turn Plates, 2 Roll Back Bars and 1 Airline Kit

WARRANTY: 1 Year Parts and 6 Months Labor



15,000 Lb. 4 Post Open Front Ext. **Alignment Lift Pkg** 

SKU OSB

WARRANTY:

#### AMM8K4P15XKITP

#### **Call For Price**

- Max. 4 Wheel Alignment Wheelbase: 164-1/2"
- . Max. 2 Wheel Alignment Wheelbase: 209'
- Ceiling Height Required: 12' Raised Height: 75"
- Overall Length: 287-1/2" • Overall Width:
- Front 143" to Rear 137-1/2"



INCLUDES: 2 HD Rolling Jacks, 2 SS Turn Plates, 2 Roll Back Bars and 1 Airline Kit

WARRANTY: 1 Year Parts and

AZG0325





**Customer Responsible For Offloading.** 

For OSB, Call 901-300-4878

## Call For Pricing (877)558-9337

#### **Four Post Lifts**

#### CK-14KACX-IWA

iDEAL Alignment Lift & Wheel Aligner Combo Bundle Kit

SKU: **1429041** 

- High Performance Commercial
- Alignment Lift
- Durable, High Quality Cable Lift System
- Extended Rise Height
- · 'Bolt-On' Runway Alignment Kit
- 18 Locking Height Positions 20" Wide Runways
- Slack Cable Safety Devices
- Self-Chocking Approach Ramps W/ Nylon Rollers
- Wide Scope High Resolution 3D Industrial **Grade Cameras**



### Two Post Lifts



Price Does Not Include Vehicle, Installation or Optiona

Equipment as Shown

#### **iDEAL - TP10KAC-DX** 10,000lbs CAPACITY

- SKU **942096** ALI Certified
- Bi-symmtric Arms
- Overall Height: 144"
- Overall Width: 145-1/2"
- Bi-Symmetric Lift Arms
- · Low Profile Swing Arm Design
- 3 Stage Front Arms
- Adjustable Height Swivel Pads
- Stackable Height Adapters



## **Lift Tables**

#### LT-PT2500AH-X 2,500lbs CAPACITY

SKU **1410263** 

- Provides Safe & Efficient Method to Remove & Install Heavy Powertrain
- · Innovative, High Quality Portable Scissor Lift Design
- Full Operation Air System Hand Controls





## Storage Lifts

#### FP8K-DX-XLT 8,000lbs CAPACITY

SKU **426415** 

- Extended Lift Height & Length
- Cable Driven Lifting System
- Single Point Manual Lock Release
- Slack Cable Safety
- Steel Approach Ramps

## Adjustable Locking Postitions

## **TUXED®**



#### TP11KC-DX 11,000lbs CAPACITY SKU **426140**

- · Direct "Pull" Cylinders
- Overall Height: 145" Overall Width: 145-1/2"
- 3 Stage Front Arms.
- Low Profile Arms
- Rubber Door Guards
- Spin Up Pads with stackable drop in Height Adapters



## **DEAL**

#### LT-PT3300DC-X 3,300lbs CAPACITY

SKU 1412412

- Provides Safe & Efficient Method To Remove & Install Heavy Powertrain Component
- Innovative, High Quality Portable Scissor Lift Design
- Full Electrical Operation
- 12vdc Battery Operation W/ Integrated 110v Battery Charger

**Scissor Lifts** 

#### **LR-10K-TLPAD** 10,000lbs CAPACITY

SKU **1404546** 

- Ideal For Express Tire & Wheel Service
- Surface Mount Install Configuration
- · Integrated Outer Frame & Ramps Provide Drive-On & Off Clearance For Wide Vehicles
- Latch Release Handles On Each Side Of Lift



#### **TP9KACX**

9,000lbs CAPACITY SKU 426138

- Asymmetric Arms
- Overall Height: 143"
- Overall Width: 138"
- · Spin Up Pads with stackable drop-in height adapters



## **Wheel Service**

### **TC-950**

Semi-Automatic TireChange sku **426755** 

- Max Wheel Diameter: 47"
- Rim Width: 3" 15"
- Rim Diameter: 15" 28"



## **WB-953**

HighPerformance Wheel Balancer SKU **426803** 

- Max Wheel Diameter: 39'
- Rim Width: 1.5" 20"
- Rim Diameter: 10" 24"
- Wheel Weight Capacity: 150 lbs



## SC-2K-UTV-X

iDEAL Single Column, UTV & Mower Storage / Service Lift SKU 1413367

- 2,000 lbs Capacity
- Multi-Purpose Single Columi Dual Platform Lift Design
- Ideal Storage Solution for Most Small to Mid-Sized ATVs, UTVs, Golf Carts, Riding

Lawnmowers & Zero Turns



Price Does Not Include Vehicle, Equipment as Shown

## **TP9KFX**

9,000lbs CAPACITY sku **426106** 

- Symmetric Arms
- Overall Height: 112"
- Overall Width: 134.5"
- · Spin Up Pads with Stackable drop-in height adapters



# DON'T FORGET THESE ACCESSORIES!



PWB-1600



sku **426447** 



**8G DRAIN** SKU **426733** 



## **Challenger Lifts**

#### 10.000 Lb. 2 Post Offset Arm Design Lift **Call For Price**

SKU **OSB** CHLVLE10

Versymmetric 3-Stage Offset Front Arms

- Lifts
- Versymmetric Rubber Door
- Guards · Color: Red or Blue



**Versymmetric®** Technology





10.000 Lb. 2-Post

**Versymmetric® Adjustable Lift** SKU **1544683 Call For Price** 


3-Stage Front, 3-Stage Rear Arms with Swept Arm Design

- 3 Adjustable Widths and 2 Adjustable Heights
- Can Be Set Up to Lift Most EVs

CHLCL10AV3

- Arm Reach: Front -Min. 20", Max. 42" Rear - Min. 37-5/8", Max. 60"
- . Height: 12' Minimum
- · Width: 14' Recommended

**Versymmetric®** Technology



**Available** in Red, Blue and Black



**INCLUDES:** Telescoping Footpads

WARRANTY: 2 Years Parts and 1 Year Labor

**CL** Challenger Lifts

## **Quality Lifts**

**@** quality lifts

## 10,000 Lb. 2 Post Lift

SKU OSB **Call For Price** CHLEQ10

- 3-Stage Front, 2-Stage Rear Arms
- · Lifts Symmetrically or Asymmetrically

or *Call 901-300-4878*.







**BEFORE PLACING YOUR** 

**AUTOMOTIVE LIFT ORDER:** 

Please verify minimum ceiling height.

concrete requirements and bay size.

See page 2 for delivery information

INCLUDES: (4) 3" Stack Adapters

WARRANTY: **6 Months Parts** and Labor

## 12.000 Lb. 2 Post Symmetric Lift

SKU **OSB Call For Price** 

CHLLE12-3S

· Heavy Duty 3-Stage Front and Rear Arms Single-Point Mechanical

- Lock Release Adjustable Column
- Height: 166" or 175" Padded Overhead
- Shut-Off System · Powder Coat Finish
- Standard Dual Integrated Rubber **Door Guards**
- Includes: (4) 3" Stack Extensions, | (2) 6" Stack Extensions and (2) Organizer Racks with Hardware

WARRANTY:

1 Year Parts and Labor

## 12.000 Lb. 2 Post Symmetric Lift

SKU OSB CHLCL12A

WARRANTY:

**Call For Price** 

• 3 Stage Front and Rear Arms Provide Extension and Retraction to Lift Everything from Small Sedans to Pickup Trucks



 Adjustable Width: 142"/148"/154"



WARRANTY: 2 Year Parts, 1 Year Labor



## 14.000 Lb. 4 Post Lift

SKU OSB CHL4P14EFX

## **Call For Price**• 20" Wide Runways

- 182.5" Wheelbase
- . Minimum Bay Size: 12' x 24'
- Rise Height: 78"

**Air Line Kit** 

SKU OSB CHL40230E



WARRANTY: 1 Year Parts and Labor **Rolling Jacks Sold Separately** 

One 7,500 Lb. **Rolling Jack** SKU OSB CHLRJ75

**Call For Price** 



Optional Equipment

## **UPGRADE YOUR QUALITY LIFT**

**Double Telescoping Foot Pads (4 Pack)** SKU OSB

CHLB2270PK4

- 10.000 Lb. Footpads
- Fits Quality 10,000 Lb. 2 Post Lifts
- . Single Pad Features Frame Engaging Ears

## (2) 6" Stack Adapters

CHL10313 **284** 99

• Upgrade for CHLEQ10 Lift



SKU OSB CHLB12162S-12

- Fits Challenger and Quality 12,000 Lb. Heavy Duty 2 Post Lifts
- Single Pad Features Frame Engaging Ears





**Customer Responsible For Offloading.** 

For OSB, Call 901-300-4878

#### **Coats Lifts**

#### 10,000 Lb. 2 Post Lift with 3 Stage 2n1 Arms

SKU OSB **Call For Price** AMM4TV21NSR1

• 90" Offset 3-Stage Front and Rear Arms for

- Asymmetric or Symmetric Vehicle Positioning . Includes Door Bumper Guards and
- Lifting Adapters
- Premium U.S. Made Power Unit

• Overall Height: 138" or 148"

WARRANTY: 1 Year Parts, 6 Months Labor



12,000 Lb. I12 2 Post Lift

• 4 Robust 3-Stage Arms with Reach Range

**Call For Price** 

SKU OSB

FORI12N300BL

Low Profile

Min. Ceiling Height: 167"

• 77-1/2" Rise

Height

**Configurations** of 11'-10",

12'-10" and

14'-10" are

Available at No

**Extra Charge** 

3-Stage Front

**INCLUDES:** 

and Rear Arms

4-3/4" Adapter

from 27-3/4" to 59"

5" Adapter Extenders

• Includes: 1-3/4", 3-1/2" and

#### 12,000 Lb. 2 Post Lift with **3 Stage Symmetric Straight Arms**

SKU **OSB Call For Price** AMM4T212SSR1

- Includes: Door Bumper Guards and Lifting Adapters
- Overall Width: 137-1/8"
- Overall Height: 154-7/8" or 158-7/8"
- · Color: Red

#### 12,000 Lb. 2 Post Lift with 3 Stage 2n1 Arms

SKU OSB **Call For Price** AMM4T212NSR1

WARRANTY: 1 Year Parts, 6 Months Labor



FORWARULIFT

Rolling Jacks

Sold Separately

#### **Forward Lifts**

SKU OSB

#### 10.000 Lb. I10 2 Post Lift

Call For Price

FORI10 · Smooth Lifting and Long Life with Forward's Direct **Pull Cylinders** Spot-Rite<sup>™</sup> 3-Stage

Front Arms

• Low Profile Oversized Pad with

**INCLUDES:** Truck Adapters

Spot-Rite<sup>™</sup> Arms Fold to Clear Drive Thru and Swing in Behind Front Tires for

Improved

Technician

Productivity with

Faster Rack

Times

• 76-1/4" Rise

3.5" and 5" Extensions

WARRANTY: 1 Year Parts and Labor

WARRANTY: Truck Adapters 1 Year Parts and Labor

## 14.000 Lb. CR14L 4 Post Lift

SKU OSB **Call For Price** FORCR14L

. Heavy Duty Hydraulic Cylinder Single Point Latch Release System

• 78-3/4" Rise

• 18 Lock Positions Accommodates 182-1/2"

Wheelbase Vehicles

 High Performance Cable and Sheave System

**Internal Air Line Kit** 

SKU OSB **Call For Price** ROTFC5760-14

WARRANTY: 1 Year Parts and Labor

#### **WORKS WITH**

One 7,000 Lb. **Rolling Jack** 

SKU OSB FORRRJ70G

**Call For Price** 

Optional Equipment

## Two 7,000 Lb. Rolling Jacks

SKU OSB FORRRJ70GB0G0 **Call For Price** 

OptionalEquipment

Offer Valid Only with Purchase of Forward 4 Post Lift

## **Rotary Lifts**

#### 10,000 Lb. 2-Post Asymmetric Lift with AV Arms - Blue

SKU OSB ROTSPOA10AVBL **Call For Price** 

- · Easy Spotting and Positioning
- Highest Capacity Low-Profile Lift Available
- Comes Standard with Adjustable Round, Truck and Stackable Adapter Extensions
- Overall Width: 11' 5-1/2"
- Overall Height: 11' 11-1/2"
- Arm Reach: Front: Min. 18-1/2" Max. 41". Rear: Min. 27-5/8" - Max. 58-1/4"

  • Max Rise: 81-1/2"
- Drive-Thru Clearance: 95-1/4"
- Min. Bay Size: 12' x 24'

**WARRANTY: 1 Year Parts and Labor** 



Shown with Additional Accessories

#### 14.000 Lb. 4 Post Lift SKU **OSB** Call For Price

ROTSM14L

- Filter/Regulator/Lubricator Included to Extend the Life of Lift and Tools
- Max. Wheel Base: 182"
- 78" Rise
- Long Lasting Cables and Sheaves

**Rolling Jacks Sold Separately** 

#### **Internal Air Line Kit**

SKU OSB ROTFC5760-14 **Call For Price** 

One 7,000 Lb. Rolling Jack SKU **OSB Call For Price** ROTRJ7100Y





**Customer Responsible For Offloading.** 

For OSB, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

WARRANTY:

1 Year Parts and Labor

## **AUTOMOTIVE LIFTS**

 I ow-Pro™ Swing Arms

10,000 Lb. 2 Post Lifts

BEN10AP

Bi-Metric<sup>™</sup> Reversible Triple

Telescoping Swing Arms

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-48

BendPak.

## **BendPak** Lifts

#### SKU **1360698** BEN10AP **Call for Price**

• 145" Height, 135" to 145" Width, 69" Rise

#### SKU OSB BEN10AP-168 **Call for Price**

- 168" Height, 135" to 145" Width, 69" Rise • 24" Bolt-On Extension for Increased
- Vehicle Height Clearance



 Expandable Top Beam Accommodates Wide or Narrow Drive-Thru Configurations

#### SKU OSB **BEN10APX**

#### **Call for Price**

• 157" Height, 135" to 145" Width, 75.5" Rise

#### SKU OSB **BEN10APX-181**

#### **Call for Price**

• 181" Height, 135" to 145" Width, 75.5" Rise

• 24" Bolt-On Extension for Increased Vehicle Height Clearance



**WARRANTY: 1 Year Parts and Labor** 

#### 12,000 Lb. 2-Post BiMetric Lift

SKU OSB **BEN12APX** 

#### **Call For Price**

- · Adaptable Design: Symmetric or Asymmetric
- Automatic Swing Arm Restraint System
- Includes: 4 Frame Cradle Pads, 4 Medium and 4 Tall Stacking Adapters

## 12,000 Lb. 2-Post **Short-Rise Floorplate Lift**

SKU OSB **BEN12AP-SRT** 

#### **Call For Price**

- Post Height: 93.5"
- Max. Lifting Height: 46"

**Great Choice for Low Ceiling Height Where You Do Not Need To Work Underneath the Vehicle** 

**INCLUDES:** 4 Frame Cradle Pads, 4 Medium and 4 Tall Stacking Adapters



WARRANTY: 1 Year Parts and Labor

## 16.000 Lb. 2-Post Lift

#### SKU OSB **Call For Price**

BEN16AP

a Wide Variety of Vehicle Chassis Dual Direct-Drive

Hydraulic Cylinders for Smoother Operation and Less Maintenance

Includes: 4 Frame Cradle Pads, 4 Medium and 4 Tall Stacking Adapters with Column-Mounted Racks



INCLUDES: 4 Frame Cradle Pads, 4 Medium and 4 Tall Stacking Adapters



WARRANTY: 1 Year Parts and Labor

#### 10,000 Lb. Low-Rise Lift

SKU **1275473 BENLR-10000** 

WARRANTY:

1 Year Parts and Labor

#### **Call For Price**

• Min. Height: 4.5"





#### 6,000 Lb. Low-Rise Pad Lift

SKU **210383 Call For Price** BENLR-60

• Min. Height: 3.5"

Max. Lifting Height: 23"

• Max. Lift Height + 1.5" Blocks: 24.5'

WARRANTY:

1 Year Parts and Labor

#### **Portable** SKU OSB **BENLR-60P**

**Call For Price** 

. Min. Height: 4" • Max. Lifting Height: 23"





**Customer Responsible For Offloading.** 

For OSB, Call 901-300-4878

## **BendPak® Lifts**

#### 14,000 Lb. 4 Post Lift

SKU OSB **BENHDS14** 

#### **Call For Price**

- Overall Width: 130"
- Overall Length: 241"
- Max. Rise: 70'
- Motor: 220 VAC/1 Ph



**Air Line Kit** 

SKU OSB BEN5174009

**Call For Price** 

**Rolling Jacks Sold Separately** 

**WARRANTY: 1 Year Parts and Labor** 

#### BendPak. 9.000 Lb. 4 Post Lift

SKU OSB BENHD-9

## • Overall Width:

- 110.25"
- Overall Length: 174"
- Column Height: 88" (2,235 mm)
- . Max. Lifting Height: 74-1/2" (1,892 mm)



**Air Line Kit** 

SKU OSB BEN5174009

**Call For Price** 

**Rolling Jacks Sold Separately** WARRANTY: 1 Year Parts and Labor

## **WORKS WITH**

One 7.000 Lb. Capacity **Rolling Bridge Jack** 

SKU **OSB Call For Price BENRJ7W** 



**WORKS WITH** 

Optional Equipment One 4.500 Lb. Capacity **Rolling Bridge Jack** 

SKU **1275497 Call For Price** BENRJ45W



Optional

#### **Atlas Equipment**

#### **Commercial Grade Overhead 2-Post Lift 15,000 lb. Capacity**

SKU **OSB** 

**Call For Price** 

## ATLXH-PV15PX-FPD

- Extra Tall and Extra Wide
- Adjustable Height: 165" (13' 9") or 177" (14' 9")
- Special Low Height: 150" (12' 6") (Requires Purchase of Extra Cables)
- Symmetric Arms



**Heavy Duty Truck Wheel Balancer** 

SKU OSB

ATLATWBT-210-FPD


**Call For Price** 

• Computer Controlled Heavy Duty Spin Balancer Plastic Quick Release Nut and

Heavy Duty Steel Wing Nut Included · Pneumatic Wheel Lift (External Air Supply

- Required Not Included)
- Automatic Start/Stop When Hood is Lowered/Raised
- Static and Dynamic Balancing Modes
- Includes: Cone Sets for Car and Light Truck Tires
- . Includes: Cone and Spacer Set for Truck, Bus, or Implement Tires

WARRANTY: 1 Year Parts



14.000 Lb. 4-Post Lift SKU **OSB** 

**Call For Price** 

## ATLAP-PVL14-FPD

- Lifting Height: 76-1/2"
- Clearance Under Runways: 69-1/2"
- Width of Columns (with Motor): 140-1/2"
- Length with Approach Ramp: 251-1/2"
- Runway Width: 20"
- Rolling Jacks Sold Separately





WARRANTY: 2 Years Parts



12,000 Lb. Heavy Duty 2-Post Lift SKU OSB **Call For Price** 

ATLXH-PV12PXFPD

Adjustable Height: 165" (13' 9") or 177" (14' 9")
Special Low Height 150" (12' 6") (Requires Purchase of Extra Cables)

- Symmetric Arms
- Automatic Arm Restraints



**WARRANTY: 2 Years Parts** 





**Customer Responsible For Offloading.** 

For OSB, Call 901-300-4878

## **AUTOMOTIVE LIFTS**

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-4878

#### **Mid-Rise Lifts**

#### **BendPak**

#### 6,000 Lb. Portable Mid-Rise Lift

SKU 210386 **BENMD-6XP** 

**Call For Price** 

- · Portable, Easy to Move from Bay to Bay
- Adjustable Arms



**INCLUDES: Truck Adapters** 

WARRANTY: 1 Year Parts and Labor

#### **CL** Challenger Lifts

#### 6,000 Lb. Mid-Rise Portable Lift

SKU OSB **Call For Price** CHLMR6

- 6 Safety Lock Positions
- Short and Tall Auxiliary Adapters Come Standard
- Sliding/Rotating Arm Design Reaches Pick-Up Points on a Wider Range of Vehicles
- Zerk Fittings on Pivot Points for Serviceability



WARRANTY: 1 Year Parts and Labor

#### **CL** Challenger Lifts

#### 10,000 Lb. Short Rise Lift

SKU OSB **Call For Price** CHLSRM10

- Min. Height: 4.25'
- . Max. Height 22"
- Includes: (4) 2 Position Adapter Blocks



WARRANTY: 1 Year Parts and Labor

#### **MaxJax Lift**

#### MaxJax M7K SKU 1360718 Call For Price

MJXM7K

- Min. Pad Height: 5.5"Height Overall: 89.5"
- Max. Lift Height: (Pad Only) 47.25' (With 3" Adapter) 50.5"

**Motorcycle Lift** 

SKU **662742** 

24859

- Clear Undercar Access
- Portability
- . Stow to Go in Less Than 15 Minutes

**WARRANTY: 1 Year Parts and Labor** 

**Air Hydraulic Motorcycle** 

Lift 1,000 Lb. Capacity

**Our Lift Compares to Top Brand** 

• 86.5" x 26.75" Platform Deck with 25.5" Long Removable Loading Ramp Built-In Casters and Adjustable Stabilizers • Durable 12 Gauge, Powder Coated

· Air/Hydraulic Lift System Allows Use

with Shop Air or as a Manual Lift

Motorcycle Lifts in Every Way

Diamond Plate Deck

• Tie Down Rings on Deck

for Added Stability

#### QuickJack™ Lifts **MAXJAX**

#### You get it all.

 Complete Package Includes: 2 Jack Frame Assemblies, (2) 150" Hydraulic Hoses, (2) 14" Aux. Hoses, 2 Quick-Mount Handles, (4) 1.5" x 3" x 4" Rubber Lifting Blocks, (4) 3" x 3" x 4" Rubber Lifting Blocks,

1 Mini Hydraulic Power Unit with Pendant Control



**QUICKJACK** 

#### 8,000 Lb. Portable Car Lift System Ext. SKU OSB **Call For Price** QJK8000TLX

Portable

- · Fast and Easy Setup
- Stackable Rubber Blocks
- ALI Certified
- · Automatic Safety Locks
- Increased Lifting Height
- Undercarriage Access
- One Handed Operation



#### **QuickJack™ SUV and Light Truck Adapters**

SKU **862288** RAN5150561

**Call For Price** 

- Fits BL-5000 and BL-7000 Series
- Set of 12 Pieces Includes: 4 Low Profile Round Polyurethane Contact Pads, 4 Sliding Receivers That Accommodate the Round Polyurethane Contact Pads and (4) 3" Stackable Adapters





Heavy Duty, Positive Shop,

Padded Wheel Vise

**Customer Responsible For Offloading.** 

Rear Dropout Panel (for Rear

Tire Maintenance Access)

For OSB, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

**OEM** TOOLS

# **AUTOMOTIVE LIFTS**

Lift Pads SHARK	Fits Models	Replaces	Challenger Lift	ls
Forward/Eagle/Gemini/ Worth/American Hexagon Shaped - 2 Bolt Style Lift Pads (Set of 4) SKU 1137807 SHA51663	I-DP9, DP09A2, DP09A, DP07A, DP97A, DP7A, Eagle and Other Texas Style 2 Post Lifts	0EM# 994105, 991234, 991222 and LP603	Electric Vehicle Footpad - Set of 4 SKU 1544676 CHLEVFPK  Designed Specifically to Work on Electric Vehicles Fits All 10K and 12K 2-Post and Inground Lifts Double-Screw-Up for Finer Adjustments Low Profile, Fits in Small Places Durable, Thin Pad	
Hexagon Shaped - 2 Bolt Style Lift Pads (Set of 4) SKU 1137812 119 99 SHA51661	20000, 21000, 26000, 27000, 28000, 30000, 31000, 33000, 36000, 37000, 39000	0EM# J0K01D, LP602	Truck Adapter Set for 10,000 Lb. and 12,000 Lb. 2 Post Lifts SKU OSB CHL10315  • Stack Adapter Extension Kit Includes: (4) 3" Stack Extensions, (2) 6" Stack Extensions and 2 Organizer Racks with Hardware	
Challenger Rubber Round Slip-On Lift Pad  SKU OSB 29 99 CHLB2208  For OSB, Call 901-300-4878	Challenger CL10, E10, Q10, VS10 and Ammco AC21NS	N/A	GM Wide Frame Footpads (Pair) SKU OSB CHLB2280PR  • Fits 2008 and Up Challenger Lifts CL10V3, E10, LE10, VLE10, SA10, CLFP9, E12, CL12 and EV1020 Models • Works on 2019 GMC Sierra and Chevrolet Silverado Trucks • Drop-In Design Makes Switching Simple and Quick • Telescoping Feature Provides Simple Access to Lift Points	
Quality Round Slip-On Lift Pads	VS10, Cl10, E10,	OEM#	For OSB, Call 901-300-4878	
SKU 1137816 54 99 SHA51673	TLT210, TLT210-AS, TLT211, TLT211-As, ACD210S and More	104130315, B2208	Rubber 2 Post Lift Pad/Slip Over (Set of 4) SKU 954179 BEN5700227  BendPa  Lift Pad Assembly/ 35 mm Pin (Set of 4) SKU 1053947 Call For Price BEN5215753 • Works with Any BendPak 2 Post Lift	ak.
Rotary Square Bolt Style Lift Pads (Set of 4) SKU 1137817 SHA51667 129 99	SP09, SP0A9, SP010, SP0A10, SP012, SI29, SL19, SL210	OEM# FJ6213, BH-7536-92P, BH7542-73 and LP609	<ul> <li>Heat and Cold Resistant</li> <li>Highly Resistant to Gouging</li> <li>Oil and Solvent Resistant</li> <li>Tear Resistant</li> <li>Tear Resistant</li> <li>To Diameter for Enhanced Stability</li> </ul>	
BendPak Square Slip-On Lift Pads (Set of 4) SKU 1137805 SHA51666 134 99	MX10AC, MXACX, X10CX, MX10C, XPR-9S, XPR-9S-LP, XPR-9DS, XPR-10S, XPR-10S-168, XPR-10AS, XPR-10AS-LP, XPR-12CL, XPR-15CL, XPR-12CL, XPR-15CL, XPR-12CL-192, XPR-15CL-192, XPR-18CL-192, XPR-18CL-192, RJ6, RJ6000, RJ4500	0EM# 5715-365 and LP608	Cradle Pads  • Tactile Rubber Pad Reduces Slippage and Protects the Finish  • Made for Heavy Duty Commercial-Grade Trucks  • Installs Easily to BendPak 2 Post Lift Arms  • Sturdy Steel Construction  Frame Cradle Pads 35 mm Pin (Set of 4)  SKU 954221 Call For Price  BEN5215754  Wide Frame Cradle Pa 60 mm (Set of 2)  SKU 979067  BEN5215848  Call For Price	ads

CALL FOR PRICE

Overall Height 157 in.

Overall Height

181 in.

# BendPak.


BendPak's Pro-Series offers the ultimate shop upgrade, featuring a 10AP Series lift, adapter package, and air-electic workstation. These units are built for professionals, designed to meet the needs of today's highvolume service centers.



For OSB. Call 901-300-4878











Max. Lifting

Height

88 in.



Column extension

adds 24" of











Now available from Ranger, Ranger Select provides the same commercial-grade wheel service equipment with included set up and training. Expert technicians ensure precise installation, calibration, and testing for optimal performance. With a focus on efficiency and durability, we minimize downtime and keep your equipment running at its best.

Call Today to Learn More.



## TIRE SERVICE

#### **Coats Combos** RC-45E and 885 Tire **Service Combo** SKU OSB **Call For Price** AMMCOMB05 • External Rim Clamping Range from 6" to 24" (Max. Tire Diameter 50"; Max. Rim Width 10.5") • Tire Changer Allows Inflation from 0 to 60 psi with a Built-In Pressure Limiter • RC-45E Drive System: 1 HP Electric Motor 885 Balancer - Automatic Distance and Diameter Entry Direct Tape-A-Weight® Placement Auto Start Hood • 110V AMM800885 AMM8560994901 **715** 885 CALL US FOR **PRICING ON INCLUDES:** COMBOS. **Setup and Training**

#### RC-55E and 1300 Series Tire Service Combo

SKU **OSB Call For Price AMMCOMB02** 

 RC-55E Features an External Clamping Range from 6" to 24" (Max. Tire Diameter 50"; Max. Rim Width 10-1/2")

RC-55E Drive System: 1 HP Electric Motor

 Tire Changer Allows Inflation from 0 to 60 psi with a Built-In Pressure Limiter

- 1300 Series Wheel Balancer is Powered by Direct Drive
- Static-On-Screen® Display Identifies Any Excess Residual Static Imbalance
- Wheel Balancer Automatically Enters 2-D Data for Wheel Diameter and Offset Measurement

AMM80013002D



**FIRST** 

CALL US FOR PRICING ON COMBOS,

**INCLUDES:** Setup and Training

WARRANTY: 3 Years Parts and 6 Months Labor

**DON'T FORGET THESE ACCESSORIES** 

WARRANTY: 3 Years Parts and 6 Months Labor

• Works with Coats Wheel Balancers Listed on This Page



**Adjustable Pin Plate Set** 

SKU **OSB I AMM85610104** 

**99**99

40 mm Light Truck Cone

41999

SKU **OSB | AMM8113277C** 

## Customize Your Own Combo, Call for Special Pricing 901-300-4878







Customer Responsible For Offloading, Liftgate Service Available.

For OSB, Call 901-300-4878

## TIRE SERVICE

#### **CEMB Combos**

#### **EZ10 and SM825EVOPA Swing Arm Tire Changer Combo**

SKU OSB CMBCOMB03

**Call For Price** 

- Tire Changer Clamping Range of 13" to 24" Max. Tire Diameter 44" and
- Max. Tire Width 15"
- Powerful and Adjustable Bead **Breaker Shovel**
- Dual Clamping Cylinders and Semi-Automatic Swing Arm • 3D Wheel Measurement
- with Sonar
- Automatic Approach and Auto Adaptive Mode to Save **Balancing Time**
- Electromagnetic Brake
- 3D Inner Data Entry Arm Eliminates Rim Width Caliper Use • Direct Measures Input Feature
- Eliminates Selection of Balancing Modes · Guided Weight Placement, ALU, Hidden Spoke Modes

**On-Site Training Included WARRANTY: 2 Years Parts and 1 Year Labor** 



**CALL US FOR PRICING** ON COMBOS, 901-300-4878

#### **ER72D and SM628BPS Tire Service Combo**

SKU OSB CMBCOMB04



- Includes ER72D Balancer and SM628BPS Tire Changer
- . Tire Changer: Clamps up to 16" Rims, Handles Tires up to 44" Diameter
- Ideal for 19.5" Tires Balancer: Inner Wheel LED Lighting, Laser Weight Spotter,

3D Data Arm Entry Guided Weight Placement and Quick-Clamp Wing Nut



**On-Site Training Included WARRANTY: 2 Years Parts and 1 Year Labor** 

# **PRICING ON** COMBOS,

**Ranger**:

### **Ranger Combos**

#### **R980XR and DST-2420 Tire Service Combo**

SKU OSB RANCOMB01

 Includes: R980XR NEXTGEN™ Swing-Arm 30" Tire Changer and the DST-2420 Dynamic Wheel Balancer

 R980XR External Rim Clamping Capacity: 9" to 28", Internal Clamping 10" to 30"

 3-Position RimGuard" Wheel Clamps

• DST-2420 Dynamic Wheel Balancer Dependably Ensures an Accurate Result within Hundredths of an Ounce



**User Setup Required WARRANTY: 1 Year Parts and Labor** 

## **R76ATR & LS45DS Tire Service Combo**

SKU OSB

**Call For Price** RANCOMB014

• Includes: R76ATR Tire Changer and LS45DS Wheel Balancer

 R76ATR Tilt-Tower Tire Changer • Handles External Rim Clamping from 9" to 28" • Equipped with a Durable Electric Turntable

with Reversible Direction LS45DS Sonar 3D Wheel Balancer

• Features Automatic 3D Data Entry for Faster, More Accurate Balancing

Supports Wheel Sizes from 12" to 24"

· Accommodates Tires Up to 31.5" in Diameter



**User Setup Required WARRANTY: 1 Year Parts and Labor** 





BEFORE PLACING YOUR **TIRE SERVICE ORDER:** 

Please verify minimum air pressure and CFM along with voltage and phase. See page 2 for delivery information or *Call 901-300-4878*.



**Customer Responsible For Offloading, Liftgate Service Available.** 

For OSB, Call 901-300-4878

### **Tire Changers**

## **Maxx 50 Tire Changer, 110V**

SKU 1350784 Call For Price AMM800MAXX50E

- Dual Nozzle, Hi-Flow Bead Sealing System for Quick, Easy Bead Sealing

  110V Electric Operation, Plug In Almost Anywhere
- 6" to 24" Steel Clamps Standard
- Nylon Duckhead Standard Expanded Capacity to 16" Wheel Width, and Up to 50" Total Diameter

Maxx 50 **Tire Changer, Air** 

SKU OSB AMM800MAXX50A **Maxx 70 Tire Changer, 110V** SKU OSB **Call For Price** 

AMM800MAXX70

- Dual Nozzle, Hi-Flow Bead Sealing System for Quick, Easy Bead Sealing
- 110V Electric Operation, Plug in Almost Anywhere
- Expanded Capacity to 16" Wheel Width and Up to 50" Total Diameter
- 6" to 24" Steel Clamps Standard

 Steel and Nylon Duckheads Standard

No-Index Tabletop

for High Efficiency

Maxx 70 **Tire Changer, Air** SKU OSB AMM800MAXX70A **Call For Price** 

Maxx 70 Tire Changer, 220V, 2 HP **Call For Price** 

**Maxx 80 Tire Changer, 110V** 

**COALS** 

SKU 1354781 Call For Price AMM800MAXX80

- Dual Nozzle, Hi-Flow Bead Sealing System for Quick, Easy Bead Sealing
- Dual Control, Hand or Foot Operated Bead Loosener System
- 110V Electric Operation, Plug in Almost Anywhere
- 6" to 24" Steel Clamps and Zinc Plated 6" to 24" Grip Max. 2.0 Clamps with Dual Soft Compound Inserts
- . Expanded Capacity to 16" Wheel Width and Up to 50" Total Diameter
- Steel and Nylon Duckheads Standard
- No-Index Tabletop for High Efficiency Use
- Includes Storage Cabinet



**FIRST** 

**Tire Changer, Air** SKU **1354782** AMM800MAXX80A **Call For Price** 

Maxx 80

Maxx 80 Tire Changer, 220V, 2 HP

SKU 1350785 Call For Price AMM800MX80220

**INCLUDES:** Setup and Training

AMM800MAXX70220

**WARRANTY: 3 Years Parts and 6 Months Labor** 

#### **Coats Wheel Balancers**

#### 1185 Wheel Balancer 110V

SKU 1350791 Call For Price AMM8001185

- Color LCD Video Display
- Max. Tire Diameter: 38'
- Bottom Dead Center Laser
- · Position Indexing
- · Small Chassis, 110V



**Call For Price** 

#### **1500A 3D Wheel Balancer**

SKU 339012 Call For Price

AMM80015003D

- Powered by Direct Drive
- Max. Tire Diameter: 44"
- Premium Quicknut
- 8 Piece Collet Kit
- Automatic 3-D Data Entry
- 220V, 1 Phase



## **1600A 3D Wheel Balancer**

SKU 82860 Call For Price AMM80016003D

- · Powered by Direct Drive
- Max. Tire Diameter: 44"
- Premium Quicknut
- · Behind-the-Spoke Balancing
- 8 Piece Collet Kit
- Automatic 3-D Data Entry
- Touch-Screen
- 220V, 1 Phase



**INCLUDES:** Setup and Training

**WARRANTY: 3 Year Parts and 6 Months Labor** 



**Customer Responsible For Offloading, Liftgate Service Available.** 

For OSB, Call 901-300-4878

## TIRE SERVICE

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300

#### **CEMB**

#### **Automatic Wheel Balancer** with Monitor

SKU OSB CMBER65

**Call for Price** 



- · Auto-Data Entry of Distance, Diameter and Width
- · Laser Pointer for Weight Placement
- 17" Monitor with Intuitive Software
- Auto-Approach Positions Wheel at Correction Point



**On-Site Training Included WARRANTY: 2 Years Parts and** 1 Year Labor

## CEMB NAME OF THE PROPERTY OF T

#### **3D Data Entry Wheel Balancer** SKU OSB **Call For Price**

CMBEZ15 • Electro-Magnetic Brake Holds

- Weight Position
- Quick-Clamp Wing Nut Auto Adaptive Enhancement with Static Residual **Force Minimization**
- 3D Inner Data Entry Arm Eliminates Rim Width Caliper Use
- · Guided Weight Placement, ALU, Hidden Spoke Mode



**On-Site Training Included** 

WARRANTY: 5 Years Motor, 2 Years Parts, and 1 Year Labor

#### Ranger

#### **DST-2420 Tire Balancer**

SKU OSB **Call For Price** RANDST2420

- Motor: 1.5 HP. 110V/220V. 50/60 Hz. 1Ph
- Balancing Modes: Dynamic/Static/3-Alloy
   Quick-Release Hub Nut for Dramatically

Reduced Set-Up Times Max. Tire



180 RPM Balance Increments: 0.25 or 0.01 Oz.



## **Swing-Arm Tire Changer**

SKU OSB **Call For Price** RANR980XR

- Motor: 3 HP/220V
- Drive System Type: Electric/Air
   Adjustable RimGuard™
- Wheel Clamps
- External Rim Clamping Capacity: 9" to 28 Internal Rim Clamping
- Capacity: 10" to 30'
   Max. Tire Diameter:
- 50" (1,270 mm) Bead Seating System: Turbo Blast/Bead Seating



#### **DST30P Direct Drive Wheel Balancer**

SKU OSB **RANDST-30P** 

**Call For Price** 

- Ergonomic Control Board and Easy-to-Read LED Display
- . Dynamic, Static and Performance Alloy Settings
- Automatic Rolling Wheel Parameter Setting Low RPM Balancing Speed

INCLUDES: 7438 Value

· Automatic Braking

· Quick-Release Hub Nut

- Wheel Width Capacity: 1.2" to 20"
- · Max. Wheel Diameter: 8" to 30"



**WARRANTY: 1 Year Parts and Labor** 

#### 40 mm Truck Cone Kit

SKU **OSB I RAN5150032** Call For Price

**User Set-Up Required** 

Works with Ranger Wheel **Balancers Listed on This Page** 



### **Hofmann**

## Monty® 3550EM Tire Changer with smartSpeed™

SKU OSB **Call For Price** HOFEEWH747B

 smartSpeed™ Technology Automatically Controls Turntable Speed and Torque to Minimize Tire and Wheel Damage

 Push-Button Controlled Mount/Demount Head Pneumatically Lowers and Locks into Position, Automatically Indexing Away from the Wheel to Prevent Contact and Damage

• Fast and Ergonomic Pneumatic Vertical Arm Automatically Re-Positions the Mounting Head to Minimize Wheel Damage

- High Capacity Tire Changer Allows for Broadest Tire and Wheel Assembly Coverage
- Clamping Range: Inside 12" to 28" Outside 12" to 26"
- Max. Tire Diameter: 47"
- Max. Tire Width: 17'

**INCLUDES: Setup and Training** 

**WARRANTY: 1 Year Parts and** 6 Months Labor



### **HOFMANN**°

#### Geodyna® 7600P with **Laser and Power Clamp**

SKU OSB HOFEEWB765AP

**Call For Price** 

- Power Clamp Clamps Wheel Accurately with Constant Force
  • Smart Sonar™ Delivers Automatic,
- Non-Contact Rim Width



**WARRANTY: 1 Year Parts and 6 Months Labor** 

#### **Manatec**

MANATEC USA

#### **DL-65 DSP C Wheel Balancer** SKU OSB **Call For Price**

MANDL65-DSPC

. Static and Dynamic Balancing

· Automatic Start with Wheel Guard Closure

- Unbalance Recalculation Self-Calibration
- 7 Modes of Alloy Wheel Functions
- Normal and Fine Measurement
- Motor Power: 0.35 HP
- Maximum Wheel Diameter: 39'



**User Setup Required WARRANTY: 1 Year Parts** 



**Customer Responsible For Offloading, Liftgate Service Available.** 

For OSB, Call 901-300-4878

## TIRE SERVICE

#### **TPMS Tools**

#### **VT37 TPMS Sensor Activation and Programming Tool**

SKU **1343925** ATEVT37-0000

- Search TPMS Sensor Replacement Part Numbers
- Test Keyfob Signal Strength/Battery Status
- Install and Service TPMS Retrofit Kits

Includes 2 Years Software Updates and 1 Year Warranty



## **VT67 TPMS and Tire Management Diagnostic Tablet**

ATESM67-8BLE **1,399**99

- · Secure Gateway (SGW) Ready for Stellantis Vehicles
- Save, Manage and Edit Customer Jobs and Reports on the Cloud
- Program and Clone 20+ Aftermarket Sensor Brands
- Export and Send Complete Customer Reports via Email
- TPMS Sensor and Service Kit Image Library for Easy Reference
- ID Match Functionality to Troubleshoot and Repair TPM Systems
- Tire Management: Tread Reading, Wheel Inspection, Tire Registration
- Built-In HD Camera for Accurate Vehicle and Wheel Inspection

Includes 8 Bluetooth Sensors

ALUE: \$479.92

ONE

ATEQ

Includes 1 Year Software Updates and 1 Year Warranty

## **VT47 TPMS Programming Tool**

SKU OSB ATESM47-12SC

- TPMS Sensor Part Number Look-Up (OE and Aftermarket)
- Change Placard Values When Swapping Tire Sizes
- Includes: 12 Dual Band Sensors with Both Metal and Rubber Valve Stems

Includes 12 Dual Band Sensors

ALUE: \$299.88

Includes 5 Years Software Updates and 1 Year Warranty





VT57 TPMS and Tire Management Tool SKU OSB

ATESM57-20SC

- · Updated User Interface
- Touch-Screen Capability
- Includes: 20 Sensors Dual Band Sensors with Both Rubber and Metal Valve Stems

Includes 20 Dual Band Sensors

VALUE: \$499.80

Includes 5 Years Software Updates and 1 Year Warranty



#### **Dual Band TPMS Sensor**

SKU OSB SIMSM-1SC

- Dual Band TPMS
- 98% Coverage Tested Aluminum and Rubber and Validated in USA Valve Included
  - Live Tech Support





## **Bluetooth Pre-Programmed Sensors**

SKU OSB SIMSM-BLE

- Tesla, OE Like
- Future Proof, OE Like · Plug and Play
- Black Valve • Live Tech Support

ONE>

**A**TEQ

For OSB, Call 901-300-4878

FUNCTIONALITY	VT37	TS47	TS57	VT67
Reads, Diagnoses and Activates 100% of OE and Aftermarket Sensors, Including 2022 Coverage	<b>✓</b>	V	V	<b>V</b>
VIN Barcode Scanner to Select Make, Model and Year			<b>V</b>	<b>V</b>
Wi-Fi and Real-Time Updates Powered by Live Sensor™		<b>V</b>	<b>V</b>	<b>V</b>
Programs Aftermarket Sensors (Including EZ-Sensor® and All Leading Brands)	<b>✓</b>	<b>V</b>	V	<b>V</b>
Secure Gateway (SGW) Ready for Stellantis Vehicles and Others				<b>V</b>
Provides Direct (OBD, Auto, Manual) and Indirect TPMS Relearn Procedures	<b>✓</b>	<b>✓</b>	V	<b>✓</b>
98.6% TPMS Reset Coverage, Including Bonus ECU Reset Coverage in <2 Min. (OBD Connectivity)		<b>✓</b>	V	<b>✓</b>
ECU Unlock for Toyota, Scion and Lexus Models (Closed Loop)		<b>✓</b>	V	<b>✓</b>
OE and Aftermarket TPMS Sensors and Service Kits Part Number Look-Up	<b>✓</b>	<b>✓</b>	V	<b>✓</b>
Save, Manage and Edit Customer Jobs and Reports on the Cloud				<b>✓</b>
Retrieves, Decodes and Clears TPMS DTCs		<b>~</b>	<b>✓</b>	<b>V</b>
Tire Management, DOT, Tread Reading and More		<b>v</b>	<b>v</b>	<u> </u>

#### **Wheel Stud Tools**

## **8 Piece Wheel Stud Alignment Guide Kit**

SKU **818715 34** 99 24233

- . Makes the Job Faster and Easier Allowing the Tech to Safely Position the Wheel Prior to Installing the Wheel Bolts
- Applications: Mercedes-Benz, BMW. Audi, VW, Porsche, Fiat and Dodge • Sizes Included:
- 12 mm x 1.5, 12 mm x 1.25, 14 mm x 1.25 and 14 mm x 1.75



#### **Wheel Stud Installers** SKU **339123**

24234

- · Works with Hubs, Rotors and Axles on Both Front and Rear Wheel Drive Vehicles
- · Prevents Damage to Lug Nut or New Stud
- Designed to Fit Studs Up to 14 mm or 9/16"

## Truck Wheel **Stud Installer**

SKU **339117** 24235

- · Designed to Work on Truck Wheel Studs Up to 22 mm (7/8") in Diameter
- Ùse with an Impact Wrench or Ratchet



## Wheel Stud Installer **Set for Cars and Trucks**

SKU **1544687** 24239

For OSB, Call

901-300-4878

• Set Includes 24234 and 24235



REG. \$29.98 **OVER** 

OEM TOOLS

When You Buy the Set

**CALL FOR PRICE** 

#### **CALL FOR PRICE**

#### 0002T @2MQTiveM **Cabinet Bundle with** Sensors and TS508WF SKU #1538301 Part #TS900CAB1

- Includes MaxiTPMS TS900K-8 tool with 8 1-Sensors
- · Includes Bulk Box of 20 Individually Bagged 1-Sensors with Rubber Press-in Valves
- Includes Bulk Box of 20 Individually Bagged 1-Sensors with Metal Press-in Valves
- Includes MaxiTPMS TS508WF
- Professional Metal 18"x26"x12" TPMS Cabinet with Lock

#### MaxiTPMS® TS508 WiFi Kits SKU #1328117 | Part #700180

- · Update software directly from tool-enabled Wi-Fi
- Ouick Mode & Advanced Mode Options
- · Read/Activate/Relearn All Known Sensors
- · Detect & Display TPMS System Faults
- · Display Vehicle-Specific Relearn Procedures: Perform OBDII Relearns
- Placard Value Reset on Supported Vehicles
- · 2 Programming Options: MX-Sensors Only
- · FREE Software for lifetime of tool
- 4 1-Sensors & Metal Valve Included

#### SKU #1413611 Part #700190

· 20 Rubber 1-Sensors Included









Part #700190 SHOWN

## AUTEL MAXITPMS

## MaxiTPMS® MX-Sensor BLE SKU #1366285 | Part #300100

- Pre-programmed Bluetooth Low Energy TPMS sensors for Tesla 3/Y/S/X models
- Tesla-ready: Just Fit and Go
- · Future-proof: programmable with Autel TPMS tools for the latest BLE-equipped vehicles

#### MaxiTPMS® 1-Sensor | SKU #31745 | Part #1SENSOR

- Combined Frequency: 315MHz & 433MHz
- Interchangeable Valve Stems (rubber included)
- · Program to Replace 99% of OE Sensors
- · Fast valve stem swap

#### MAXITPMS® 1-SENSORM SKU #1064478 | Part #1SENSORM

· Same as 1-Sensor with Aluminum stem



MaxiTPMS® 1-Sensor 20-Pack (R) SKU #370328 | Part #300010 • Bulk pack of 20 1-Sensors

with Rubber Valves

#### MaxiTPMS® 1-Sensor 20-Pack (M) SKU #1107286 | Part #300060 Bulk pack of 20 1-Sensors

315 433 1 SENSOR

with Aluminum Valves

#### MaxiTPMS® 1-Sensor 240 Pack SKU #1089240 | Part #300050

Bulk pack of 240 1-Sensors with Rubber Valves

#### MaxiTPMS® 1-Sensor 100 Pack

- SKU #1128315 | Part #300070 Bulk pack of 100

**OEM** TOOLS

1-Sensors with Rubber Valves

#### MaviTPMS® TS900 SKU 1337325 | Part #TS900

- Activate, Read, and Relearn ALL known TPMS sensors, including Tesla OE sensors
- Program universal Autel 1-Sensors to replace 99% TPMS sensors
- Compatible with BLE TPMS sensors and Autel BLE Sensor for Tesla vehicles
- Features Android 11 operating system and 64GB storage memory
- · All Systems Diagnostics with bi-directional controls, Active Tests & Special Functions



## MaxiSYS® MS906PRO-TS SKU #1207797 | Part #MS906PROTS • AutoVIN 2006+/AutoSCAN

- · 21 Service Functions
- · Wi-Fi Software Updates
- Eligible for ADAS Software Upgrade
- Advanced Coding & Adaptations

#### MaxiTPMS® ITS600PR01 SKU #1140847 | Part #ITS600PR01

- · Complete TPMS Service and Diagnostics Tablet
- 5.5 Inch Color Touchscreen/Android 9.0 OS
- · Activates, Reads and Relearns All Known Sensors
- · On-Tool DOT Tire Registration
- · 2 MX-Sensor Program Modes



#### MaxiTPMS® TBE200 SKU #1129878 | Part #TBE200

- Tire Tread and Brake Disc Wear Examiner
- · Laser-Enabled; No Need to Remove Tire
- 1.65" AMOLED Super Retina, Color Touchscreen Display Full Color Graphical Display Illustrates Wear
- · Displays Recommendations for Tire and Brake Disc Replacement, 4-wheel Alignment and Tire Rotation
- 4-megapixel, 4 cm Macro Camera and 8-megapixel Zoomable Camera to Document Tire Damage

#### **Inflators**

## **OEM** TOOLS **Digital Tire Inflator**

SKU **802198** 24412



- · 4 Units of Measure (psi, Bar, KPa, kgf)
- Measuring Range: 0 to 175 psi (0 - 12 Bar) • Accuracy: +/-1.2 psi Up to
- 58 psi, +/-2.3 Between 58 psi and 145 psi Inclusive. +/-3.6 psi Greater Than 145 psi
- . High Air Flow Saves the Technician Time








#### **Dial Tire Inflator**

SKU 301772 24380

**59** REG. \$99.99 SAVE

- Clear and Easy-to-Read 80 mm 180 psi Gauge
- 3-In-1 Function: Inflate, **Deflate and Measure** Tire Pressure
- Increased Accuracy to Improve Tire Performance and Prevent TPMS



## 3.5" Digital Tire 3 Astro **Inflator with Hose**

SKU 1268419 AST3018



- Dual AAA Battery Powered Design
- Backlit LCD Digital Read-Out





## Airstation

**Wall Mount Airstation** SKU OSB 94999

- **BRA155**
- Four 25' Hoses with Lock-On Chucks • Large Easy-to-Read Digital Display
- . High Flow Valve for Faster Operation
- Max. Inlet Pressure: 218 psi
- Max. Operating Pressure: 145 psi
- Accuracy: +/- 0.7 psi Increments: 1 psi



**OEM TOOLS** 

For OSB, Call 901-300-4878

## **Bead Seater**

Max. 120 psi

## **5 Gallon Bead Seater**

SKU **526505 REG. \$129.99** 24449

• Seats Beads on All Tires, from Small 4" Tires to 24-1/2" Truck Tires • Operates on Standard Shop Air;



## Air Chuck

#### **Dual Foot Air Chuck with Comfort Grip Handle**

SKU **802201** 24413

• Tilt Lock Feature Locks onto the Valve

### **Air Chuck with Comfort Grip Handle**

SKU **802200** 24414

• Sealed-Ball Air Chuck is Extended 1" from Handle to Allow Access to Tight Areas



AZG0325





## TIRE SERVICE

Mount/Demount Heads	Fits	Models	OE Part Number		Fits	Models	OE Part Number
Red Nylon Mount/Demount Head	Hunter	TC250, TC300, TC325, TC350, TC2000, TC3250, TC3500, TC3000 and TC3100 Series	221-615-2-13	Head without Hardware	Accuturn	3602, 3602HP, 4260, 4560MR, 4602, 5602 and 5602 HP	2002433, 14024784
SKU 1137811 44 99 SHA35034	Accuturn	(Requires Adapter) 220A, All Other Models Require 102765 Adapter	SM102529	SKU 1125892 SHA35033 44 99	Hofmann	1520, 1565, 1620, 1625EM, 3300, 3300EM, 1270, 2300, 3000 and 3000GP	4024784, ST0024335
	Ranger	R980X Rev A Models, R980XR/NXT, R30XLT, RX-850/950-B Models, R23/23ST, R26ST/26EX, R745 and R710 Models ONLY. Require RAN5150524 Adapter	5150523		John Bean	EHP System IVE, IV, III, IIE	2433, EAA 0247G20A
Nylon Mount/Demount Tapered Hole Head with Hardware	Conta	5030, 5040, 5045, 5050, 5060, 5065, 6050, 6060, 6065, 7050, 7055, 7060,	8183061		Snap On	All Models	2433, EAA 0247G20A
SKU 1137818 39 99 SHA38306	Coats	7065, 7660, 7665, 50X, 60X, 70X, 80X, GTS, RC45, RC55, Maxx50, 70 and 80	8183061		All Tool	All Models	2008402
	Baseline	BL200, BL300, BL400 and BL500	8183061	Nylon Mount/Demount Head with Round Hole Kit SKU 1137815 9999 SHA35030	Coats	Early 5060, Early 5060A, Early 5060E, Early 5060AX, Early 5060EX, 9010A, 9010E, 9024E, Some APX80, APX80A, APX80E, 201	83008402, 83008403
Low Profile Mount/ Demount Head SKU 1125869		Replacement for Coats 8184432. For use on Models				APX90, APX90A, APX90E, RC-1, RC1, RC-5A, RC5A, RC-15A, RC15A, RC-20AA, RC20AA	
SKU 1125869 64 99 SHA35038	Coats	RC100, RC150, RC200, 5030, 5035, 5040, 5045, 5050 Series, 5060 Series, 5065 Series, 6050, 6060, 6065, 7050, 7055, 7060, 7665, BL200, BL300,	8184432	90,11,90	CEMB	All Models	3008403, 2008402
		BL400 and BL500				12SE, 22SE, 1510, 1610, S410	
Nylon Mount/Demount Head with Hardware SKU 1442589 TMRTC14024784	Accuturn	3602, 3602HP, 4260, 4560MR, 4602, 5602 and 5602 HP	2002433	Nylon Mount/ Demount Head  SKU 1125877 3999 SHA35031	Hofmann	Not for use on Hofmann: 1550,1620 & 1625	8314813
	Hofmann	1520, 1565, 1620, 1625EM, 3300, 3300EM, 1270, 2300, 3000 and 3000GP	4024784	51IA35031	Hunter	Fits Many Hunter TCX series	RP11-8-11400327, RP11-8314813, 83008403
	John Bean	EHP System IVE, IV, III, IIE	24335				Ciuliana 0014010
	Snap On	All Models	24335		Giuliano, Corghi, SICE	Fits Giuliano, Corghi, and SICE Machines	Giuliano – 8314813 Corghi – 4-120129B SICE – 3008403

## **Bead Lifting Tool**

20" Bead Lifting Tool - 3 Pack

SKU **1142616 19**99

- For Use with Any Make of Tire Changer and Tire Combination
- Curved End to Prevent Tire Damage
- Can Be Used for Both the Removal and Mounting of Tires
- . Heat-Treated for High Strength and Durability

#### **Rim Protectors OEM TOOLS**

**12 Pack Plastic Insert Rim Protectors for Coats Stainless Steel Mount/Demount Head** 

SKU **1400044** TMRTI182963

• For Coats Stainless Steel Mount/ Demount Head Coats 8182961 (2 Pk.) RC1, 5, 10, 15, 20 8182963 (12 Pk.) Early 5060, 5030, 5040, 5050, 5060, 5065 5070, 6050, 6060, 6065, 7050, 7055, 7060 7065, 7655, 7660 and 7665



#### **Hybrid Duckhead** Tail - 2 Pack

SKU **1442586** AMM8560896102



- Designed to Float Across the Rim, Decreasing the Stretching of the Bead
- Compatible with Hybrid Duckhead® Mount/ Demount Tool (85608959)
- Compatible with All X-Series and RC Series That Have Hybrid Duckhead® Mount/Demount Tools







#### **Non-Marring Lug Nut Sockets**

#### 1/2" Drive 17 mm **Mercedes-Benz® Flower Lug Bolt Impact Socket**

SKU **081308** 24469

Lug Bolts

· Designed Specifically for 17 mm, Convex "Flower" Shaped Mercedes



## **3 Piece Extra Thin-Wall Wheel Nut Protector Impact Socket Set**

SKU **094646** 25583

**29**99

• Blue - 17 mm/11/16", Gold - 19 mm/3/4" Red - 21 mm/13/16"



#### **3 Piece Super Strength Wheel Nut Impact Socket Set**

SKU **347212** 24227

**39** REG. \$44.99

• Blue - 17 mm/11/16" Gold - 19 mm/3/4" Red - 21 mm/13/16



Offer Good While Supplies Last Through September 30, 2025

#### **OEM** TOOLS

#### 9 Piece Thin-Wall Wheel Protector **Impact Socket Set**

SKU **965856** 24224

• Sizes: 3/4", 7/8", 13/16", 15/16", 1", 1-1/16", 17 mm, 19 mm and 21 mm



#### 1/2" Drive Non-Marring Lug Nut **Socket Set**

SKU OSB 68945

- Services 17 mm, 19 mm, 21 mm and 22 mm Lug Nuts
- Non-Marring Sleeve Prevents Damage of Lug Nuts and Wheel Rims
- · CR-MO Steel Construction for Strength and Durability



For OSB, Call 901-300-4878

#### **Lug Nut Sockets**

#### **Master Lug Nut Kit** SKU 1190208 68919

. Includes: 2 Socket Sets for Removing, Locking, Damaged and Undamaged Lug Nuts on Most Vehicles

- · Ideal for Removal of Warped and Mangled Chrome-Cap Style Lug Nuts
- . Easily Removes Locking Lug Nuts on Most Aftermarket Wheels



#### **16 Piece Locking Lug Master Key Set**

SKU **626107** 24447

- Easily Removes Locking Lug Nuts on Most Aftermarket Wheels
- . Thin-Wall Sockets Prevent Damaging Wheels and Lugs
- Hex-Head Design Fits Most Lug Wrenches as well as 13/16" and 7/8" Sockets



When You Buy the Kit

**OEM** TOOLS

### 4 Piece Deep Thin-Wall SAE and Metric Impact Flip Socket Set

SKU **965857** 24223

• Includes: 3/4" to 13/16". 19 mm to 21 mm and 7/8" to 15/16" Sockets and 3" Extension



### 5 Piece 1/2" Drive Flip Socket Set

SKU **1125891** 25555

Half Metric Sizes for Removal of Warped and Mangled Chrome-Cap Style Lug Nuts

- Durable CR-MO Flip Socket Set
- Includes: 18.5 mm x 19.5 mm, 19 mm x 21 mm, 21 mm x 21.5 mm, 22 mm x 22.5 mm and 1/2" Drive Extension



## **Torque Limiting Sets**

#### **8 Piece Torque Limiting Extension and Thin Wall Socket Set**

SKU **347217** 24228

- 4 Extension Bars: 65Ft/Lb. (90Nm), 90 Ft/Lb. (120 Nm), 100 Ft/Lb. (135 Nm) and 110Ft/Lb. (150 Nm)
- 4 Deep Sockets: 17 mm, 19 mm, 21 mm, 22 mm



## **5 Piece 1/2" Drive Torque Limiting Extension Set**

SKU **965858** 24220

- · Quick, Simple and Accurate
- Helps Prevent Lug Stud/Nut Damage and Warped Rotors
- Includes 1/2" Drive Extensions: 65 Ft/Lb., 80 Ft/Lb., 100 Ft/Lb., 120 Ft/Lb. and 140 Ft/Lb.
- Made with Flexible Chromoly Steel that Stops Turning When the Required Torque is Reached
- . Comes in a Sturdy Blow Mold Case



#### **Torque Wrenches**

3/8" Drive (10-80 Ft/Lb.) SKU **177722** 

25694 REG. \$74.99

Offer Good While Supplies Last Through September 30, 2025

1/2" Drive 25-250 Ft/Lb.

SKU **177715** 25695



**OEM** TOOLS

SKU **012651** 25689



tentral TOOLS, Inc.

#### 1/2" Drive Undercar Torque Wrench

SKU OSB CEN97354A

- Unique One-Way Design Cannot Be Used as a Breaker Bar (thus Preventing Damage)
- . High Contrast Laser Markings for Easier Reading
- Rubber Over-Mold Lock Ring for Better Grip
- Head and Handle Covers for Increased Durability
- Range: 25 to 250 Ft/Lb. (43.4 to 348.4 Nm)
- Length: 23.3'



For OSB, Call 901-300-4878

AZG0325

# TIRE SERVICE


### **Wheel Weight Kits**

- Steel Weights are More Environmentally Friendly Compared to the Lead Weight Alternative
- Premium Powder Coated Finish Resists Chips and Scratches Which Helps Prevent Damage and Corrosion to Wheels

#### **Complete Wheel Weight Kit with Floor Rack** SKU 1392466

68953A

- Includes 78 Boxes of Coated Clip-On Wheel Weights
- ALFE, LHFE, MCFE, PFE, TFE, ENFE, FNFE and IWFE
- 25 Weights per Box
- All Metal Floor Rack



#### **ALFE** Steel

LHFE Steel

MCFE Steel

PFE Steel

TFE Steel

**ENFE** Steel

**FNFE** Steel

**IWFE** Steel

REG. \$1.609.21

When You Buy the Kit

#### **Wheel Weight Starter Kit with Floor Rack**

SKU **1339729** 

#### OEMREPLENKITA

- Includes: 18 Boxes of Coated Clip-On Wheel Weights
- ALFE, MCFE and PFE in the Most Popular Sizes
- 25 Weights per Box
- All Metal Floor Back

ALFE Steel MCFE Steel REG. \$631.81

When You Buy the Kit

#### Adhesive Wheel Weight Starter Kit with Stand

OEM TOOLS

SKU **1392467** 68955A

- Includes: 4 Boxes and 2 Rolls of Adhesive Wheel Weights
- 3 Boxes of Strips, .25 Oz, .50 Oz. and 1.00 Oz.
- 1 Box of .25 Oz. Strips, Black
- (2) 10 Lb. Rolls of .25 Oz. and .50 Oz.
- · Wheel Weight Dispenser Stand



## **Wheel Weights Only**

## **Complete Wheel** Weight Kit, Weights Only

SKU **1392468** 68954A

- . Includes 78 Boxes of Coated Clip-On Wheel Weights
- ALFE, LHFE, MCFE, PFE, TFE, ENFE, FNFE and IWFE in the Most Popular Sizes
- 25 Weights per Box



REG. \$1,209.22

**O**≢M TOOLS

When You Buy the Kit

#### **Wheel Weight Starter Kit, Weights Only** SKU **1392326**

68952

- Includes: 18 Boxes of Coated Clip-On Wheel Weights
- ALFE. MCFE and PFE in the Most Popular Sizes

· 25 Weights per Box

ALFE Steel MCFE Steel PFE Steel

REG. \$231.82

When You Buy the Kit

#### **Adhesive Wheel Weight Starter Kit**

SKU **1525567** 68956

- Includes: 4 Boxes and 2 Rolls of Adhesive Wheel Weights
- 3 Boxes of Strips, .25 Oz, .50 Oz. and 1.00 Oz.
- 1 Box of .25 Oz. Strips, Black
- (2) 10 Lb. Rolls of .25 Oz. and .50 Oz.



REG. \$361.94

When You Buy the Kit

**OEM** TOOLS

## **CALL YOUR COMMERCIAL SALES MANAGER TO ORDER YOUR WHEEL WEIGHTS TODAY**

REG. \$511.93

When You Buy the Kit

## Wheel Weight Tools

#### **Adhesive Wheel Weight Removal/Cutting Tool**

SKU **1362016 2099** 25096

- All-In-One Wheel Weight Tool for Removal Installation and Cutting with Precision
- Hammer End with Non-Marring Head Prevents Damage
- Sharp Cutting Edge to Trim Adhesive Wheel Weights
- Jaws Feature a Protected Surface for Non-Marring Removal of Adhesive Wheel Weights
- Anti-Slip Rubber Coated Handle



#### **4 Piece Plastic Scraper Set** SKU **900802**

25513

- · Will Not Scratch Paint · Great for Wheel
- Weight Removal



## **Adhesive Weights** Part# Size Type 19304 23200\* .25 Oz. 40 Strips





## **Wheel Weight Racks**

#### **Adhesive Wheel Weight Dispenser Stand**

SKU **1363723** 23209

- · Easy Assembly
- · Can Be Secured to Workshop Floors
- Holds 2 Rolls
- All Metal Construction

Mounting Hardware and Wheel Weights Not Included

#### **OEM** TOOLS

#### **Metal Wheel Weight Floor Rack**

SKU 1328027 PLM486-31280

## **399**99

- All Metal Construction
- 8 Shelves
- Includes Dividers



## **Clip-On Wheel Weights**

· Easy to Apply and Remain Firmly in Place Once Installed

**OEM** TOOLS

- · Steel Weights are More Environmentally Friendly to the Lead Weight Alternative
- · Polymer Coated for the Best Appearance and Exceptional Corrosion Resistance
- 1 Box of 25 Each

OF	$M^{-1}$	TO	OL	S

STORE STOR	KED*		Compared
SKU	Part #	Profile	Price
1359082	23246	10 gm. IWFE	<i>3.99</i>
1359087	23248	15 gm. IWFE	<i>5.99</i>
1359077	23271	20 gm. IWFE	7.99
1359098	23273	25 gm. IWFE	9.99
1359089	23277	30 gm. IWFE	11.99
1359075	23283	35 gm. IWFE	13.99
1359040	23290	40 gm. IWFE	14.99
1359084	23294	45 gm. IWFE	16.99
1359043	23297	50 gm. IWFE	<i>18.99</i>
1417848	23301	55 gm. IWFE	<i>20.99</i>
1414943	23310	60 gm IWFE	22.99
382841	23217*	0.25 Oz. MCFE	9.99
382842	23219*	0.50 Oz. MCFE	10.99
382843	23220*	0.75 Oz. MCFE	11.99
382844	23221*	1.00 Oz. MCFE	13.99
382845	23227*	1.25 Oz. MCFE	17.99
382846	23230*	1.50 Oz. MCFE	17.99
1359096	23244	1.75 Oz. MCFE	20.99
1359053	23253	2.00 Oz. MCFE	21.99
1359056	23257	2.25 Oz. MCFE	<i>23.99</i>
1359052	23260	2.50 Oz. MCFE	<i>26.99</i>
1359095	23262	2.75 Oz. MCFE	<i>28.99</i>
1359036	23263	3.00 Oz. MCFE	31.99
382853	23218*	0.25 Oz. PFE	6.99
382919	23223*	0.50 Oz. PFE	<i>8.99</i>
382920	23224*	0.75 Oz. PFE	<i>8.99</i>
382921	23225*	1.00 Oz. PFE	10.99
382922	23226*	1.25 Oz. PFE	12.99
382923	23228*	1.50 Oz. PFE	14.99
382924	23229*	1.75 Oz. PFE	15.99
382925	23232*	2.00 Oz. PFE	16.99

SKU	Part #	Profile	Price			
1359093	23235	2.25 Oz. PFE	23.99			
1359086	23236	2.50 Oz. PFE	<i>26.99</i>			
1359058	23237	2.75 Oz. PFE	28.99			
1359069	23259	3.00 Oz. PFE	31.99			
1359038	23239	10 gm. FNFE	3.99			
1359073	23242	15 gm. FNFE	5.99			
1359092	23265	20 gm. FNFE	7.99			
1359068	23267	25 gm. FNFE	9.99			
1359071	23269	30 gm. FNFE	11.99			
1359063	23270	35 gm. FNFE	13.99			
1359083	23272	40 gm. FNFE	14.99			
1359057	23274	45 gm. FNFE	16.99			
1359094	23275	50 gm. FNFE	18.99			
1359070	23276	55 gm. FNFE	20.99			
1417552	23309	60 gm FNFE	22.99			
383021	23222*	0.25 Oz. ALFE	9.99			
383022	23231*	0.50 Oz. ALFE	10.99			
383023	23233*	0.75 Oz. ALFE	14.99			
383029	23234*	1.00 Oz. ALFE	15.99			
1359044	23243	1.25 Oz. ALFE	18.99			
1359078	23247	1.50 Oz. ALFE	19.99			
1359076	23249	1.75 Oz. ALFE	20.99			
1359037	23250	2.00 Oz. ALFE	21.99			
1359048	23252	2.25 Oz. ALFE	23.99			
1359074	23287	2.50 Oz. ALFE	26.99			
1359047	23289	2.75 Oz. ALFE	28.99			
1417555	23302	3.0 Oz. ALFE	31.99			
1359054	23238	0.25 Oz. TFE	9.99			
1359064	23241	0.50 Oz. TFE	10.99			
1359091	23255	0.75 Oz. TFE	12.99			
1359049	23256	1.00 Oz. TFE	14.99			
Wheel Weight Profile						

SKU	Part #	Profile	Price
1359039	23258	1.25 Oz. TFE	18.99
1359088	23261	1.50 Oz. TFE	19.99
1359080	23264	1.75 Oz. TFE	20.99
1359059	23266	2.00 Oz. TFE	21.99
1359060	23268	2.25 Oz. TFE	23.99
1359079	23284	2.50 Oz. TFE	26.99
1359066	23286	2.75 Oz. TFE	28.99
1359062	23288	3.00 Oz. TFE	31.99
1359097	23251	10 gm. ENFE	3.99
1359067	23254	15 gm. ENFE	5.99
1359081	23278	20 gm. ENFE	7.99
1359051	23279	25 gm. ENFE	9.99
1359045	23280	30 gm. ENFE	11.99
1359090	23282	35 gm. ENFE	13.99
1359061	23293	40 gm. ENFE	14.99
1359050	23296	45 gm. ENFE	16.99
1414944	23299	50 gm ENFE	18.99
1414942	23300	55 gm ENFE	20.99
1414945	23308	60 gm ENFE	22.99
1359055	23240	0.25 Oz. LHFE	9.99
1359085	23245	0.50 Oz. LHFE	10.99
1359042	23281	0.75 Oz. LHFE	12.99
1359072	23285	1.00 Oz. LHFE	14.99
1359065	23291	1.25 Oz. LHFE	18.99
1359041	23292	1.50 Oz. LHFE	19.99
1359046	23295	1.75 Oz. LHFE	20.99
1414947	23298	2.00 Oz. LHFE	21.99
1414946	23303	2.25 Oz. LHFE	23.99
1417553	23304	2.50 Oz. LHFE	26.99
1417556	23305	2.75 Oz. LHFE	28.99
1417554	23306	3.00 Oz. LHFE	31.99

**MCFE** Steel















# TIRE SERVICE

#### **Tire Service Tools**

**OEM** TOOLS

**2 Piece Tire Valve Core Tool Set** 

SKU **1209377** 22589

- Designed for Removal and Installation of Schrader Style Valve Cores
- Includes: 2" and 5" Tools
- Extra-Long 5" Tool for Hard-to-Reach Applications
- Tough Impact and Solvent-Resistant Acetate Handle



**OEM** TOOLS

**Spare Tire Removal Set** 

SKU **749919** 24219

- 32" Reach Allows Access to Spare Tires Stored on the Undercarriage of Pickups, Vans and SUVs
- Includes: 6 Zinc-Plated Steel Attachments That Fit a Range of Vehicle Types, Hand Crank and Heavy Duty Nylon Pouch
- No Additional **Tools Needed**



**Ouick Change Wheel Stud Cleaner Kit** 

SKU **666299** CAL16

- Kit Includes: 1/2" Drive Adapter and 6 Brushes
- Brush Sizes: 7/16" (12 mm), 1/2" (13 mm), 9/16" (14 mm), 5/8" (16 mm), 7/8" (22 mm) and 1-1/8" (28 mm)



**5025 Tire Spreader** SKU **757051** 

BRA00-0161

- · Self-Locking Spread Arms
- 4 Horizontal and 2 Vertical Adjustments
- · Handles Any Passenger Tire, Including Low Profiles
- · Quick Pin Adjustment with Lanvard



Cal-Van

Tire Taxi™ SKU OSB DOWJDITT1





- · Designed to Transport Car, Light Truck and SUV Tires and Wheels
- Transport 5 Tire and Wheel Assemblies or 8 Tires
- Max. Load: 265 Lb.
- . Built-In Locking Caster



For OSB. Call 901-300-4878

**Tire Tube Test Tank** 

SKU **291382** LIS19822

• Tank Features Reinforcement Ribs for Extra Support Will Handle Passenger Tire Sizes to Wide Oval and



## **Tire Repair**

#### **Puncture Repair Set**

SKU OSB XTS14-662

- Includes Puncture Repair Procedures Guide and 20" x 32" Shop Poster
- Enough Supplies to Provide More Than 70 **Complete Repairs**

For OSB, Call 901-300-4878



## **Tire Repair Cabinet Assortment**

SKU OSB XTS14-603

- Deluxe Wall-Mount Cabinet · Loaded to Complete Over 110 Industry Standard Puncture Repairs
- All the Tools Plus XLIGHT Air Powered Vacuum Carbide Cutters and More

For OSB, Call 901-300-4878





#### 11" Cotton Tire Swab (6 Pack)

SKU **666324** XTS14-378PK

- · Professional Quality Tire Repair Tool
- Use to Spread Mount/Demount Lube on Bead of Tire



## **Mounting/Demounting Compound (2 Pack)**

SKU OSB XTS14-708EPK

- Very Slippery
- No Mixing or Water Required
- Dries Tacky
- Rust Inhibitors
- Works Great with Low Pro, Run Flat and Alloy Wheel Applications



## **Xtra Slick Tire Bead Lube (2 Pack)**

SKU **1281603** XTS14-753PMPK

- Ready-to-Use Mounting and Demounting Compounds to Prevent Damage to Tire Bead
- Pre-Mixed





#### 8 Oz. Vulcanizing Cement (3 Pack)

SKU **666342** XTS14-008PK

- Fast Drving
- Can Be Used with **Heat Vulcanization**









#### **57 Piece Tire Repair Kit**

SKU **213119** 26686

• Includes: T-Handle Plug Insert Tool, T-Handle Reaming Tool, Replacement Insert Needle, Long Nose Pliers, Hex Keys, 30 Repair Plugs. Utility Knife, Lubricant, Valve Cores, Valve Caps, Valve Stems and a Valve Core Tool





## Refill Plugs for Any OEMTOOLS® Tire Repair Kit Property Tools® **Repair Plug Refill Sets**

For Use with 26680, 26682, 26683 and 26686









26684

100 Pack SKU **477176** 



FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-4878

#### **Brake Lathe Kit**

# EPRO-CUT

#### **Combination Bench Lathe Kit**

SKU **OSB Call For Price PCTB-17K** 

• Features Adapters and Accessories for All Passenger Vehicles and Light Trucks

 Resurfaces Brake Drums and Discs to Exceed 0EM Specs for Surface Finish in 1 Pass

Suitch from Promote Patents

Output

Description

Output

Description

De

Switch from Drums to Rotors in Seconds

 Includes: Dust Collection System and Side Work Table

> On-Site Installation and Training Included





WARRANTY: 1 Year Parts and Labor

**Quick Chuck Kit** PCT50-4250K

With Purchase of PCTB-17K

Offer Good While Supplies Last Through September 30, 2025

#### Lathe Kit with Trolley



#### **On Car Brake Lathe for Car and Light Truck**

SKU **OSB** PCTX15-6ADP **Call For Price** 

Performance Plus Cutting Head
PFM 2.0 Electronics
Patented One Touch Lateral Run

• Plug In, Variable Speed 48v DC Motor

Out (LRO) Compensation
• Cross Platform Compatible Computer and Wiring Harness

• 6 LED On-Board Work Light

4 Wheel, 4 Axis, Adjustable Trolley

On-Site Installation and Training Included

WARRANTY: 2 Year Parts and Labor

Performance Plus Cutting Tips SKU OSB PCT50-778 119 99

• Includes: 6 Tips with Screws

TEST DRIVE BEFORE YOU PURCHASE!

901-300-4878

# Ranger®

# RL-8500 Combination Brake Lathe with Bench and Standard Tooling

VALUE: \$1.749.99

SKU **OSB Call For Price RANRL8500** 

- Complete Kit Includes Lathe, Standard Adapters and Bench
- Provides a Faster, More Accurate and Easier Resurfacing Capability Than Any Other Brake Lathe in Its Class
- Infinitely Variable Speed Controller Able to Turn Rotors and Drums
- Quick-Change Adapter-Plus System with Built-In Springs
   Eliminates the Need for Conventional Bell Clamps and Cones
- Independent DC Servo Motors Control the
- Cross-Feed and Spindle-Feed Drives
- One-Cut Micro Finish
- 150 or 200 RPM Spindle

#### RL-8500XLT HD Combination Brake Lathe with Bench and Standard Tooling

SKU **OSB Call For Price RANRL8500XLT** 

WARRANTY: 1 Year Parts and Labor

Leasing Terms Available,

Ask Your AutoZone® Commercial Sales Manager.



Shown with Optional Equipment, Accessories Not Included.

# **Ranger**:

#### **Truck Adapter Package**

SKU **OSB Call For Price RAN5150161** 

- Super-Duty Truck Tooling Package Consists of an Upgraded 1-7/8" Arbor and a Wide Variety of Adapters
- 32 Piece Set Allows Expanded Coverage to Handle Any Vehicle Up to 1 Ton Trucks
- Fits RL-8500 and RL-8500XLT





Customer Responsible For Offloading, Liftgate Service Available.

For OSB, Call 901-300-4878

AZG0325

#### **Brake Service Tools**

#### **2 Piece Steel Line Stopper Set**

SKU 1331483 199 35057

- Seals Steel Lines Found on Fuel, Brake, AC, Power Steering, Transmission Cooling Lines and Banjo Lines
- Prevents Leaks and Contamination
- For Use with All Automotive Fluids
- Fits 3/8", 1/2", 5/16" and Banjo Lines



**8 Piece Brake Tool Set** SKU **900827** REG. \$64.99 27194

• Includes: Spring Compressor, Brake Spring Installer, Spring Removal Tool, Brake Retaining Spring Tool, Brake Spring Pliers, 2 Brake Adjustment Spoons and Mini Adjustment Spoon



Offer Good While Supplies Last Through September 30, 2025

#### **Brake Cylinder Retainer Remover**

SKU **265111** 25268

- Expands and Holds Special Retainer So the Brake Cylinder May Be Removed
- Releases the Spring Clip Retainer That Attaches the Rear Brake Cylinder to Backing Plate



- SKU **312538** 24518 Prevents Kinking or Premature
- Failure of Brake Hose Keeps Calipers Up and Out of the Way When Servicing Suspension Components, Brakes, etc.
- Hi-Vis Green Powder Coat So You Won't Misplace Them or Leave Them Attached to the Vehicle



25266 • Color Coded Brake Gauge Identifies

- Thickness Levels for Brake Lining Inspection • Includes Sizes: Red: 2, 3 mm,
- Yellow: 4, 5, 6 mm, Green: 8, 10, 12 mm Red Indicates Must Be Serviced: Yellow
- Indicates Should Be Serviced; Green Indicates Good



OEM TOOLS

**©**≡M TOOLS

OEM TOOLS

**Brake Caliper Brush** 

SKU **250125 1999** 25435

• Slim Design for Cleaning Brake Calipers and Other Brake Hardware





25179

- · Lightweight for Easy Handling
- . Makes Left, Right and Offset Bends Up to 90°
- Degrees Marked for Accuracy
- Use with 1/4", 5/16" and 3/8" (4, 6 and 8 mm) Diameter of Mild Steel and Soft Tube Material



### 1/2" Drive Impact Driver Set

SKU **1142387** 22561

- · Easily Break Free Rusted, Corroded and Frozen Screws
- Includes: Impact Driver. Bit Adapter, 8 Impact Bits and Sturdy Blow Mold Case



#### **Rotor/Drum Caliper Kit**

SKU 186504 CEN3K301

- · Attaches to Any Caliper on the Lower Jaws
- Outward Facing Anvils to Inspect Drums
- Inward Pointing Anvils to Measure Rotors 8" to 13"
- Range 0 to 6" Digital Caliber Included



Central TOOLS, Inc.

# **Electronic Digital Rotor Gage**

SKU **1330687 CEN3M431** 

- Easy to See Digital Readout
- Long Arms for All Rotors
- Interchangeable Flat and Pointed Anvils



Central TOOLS, Inc

### **Disc Brake Rotor Micrometer**

SKU 607071 25367

- .001" Accuracy, .0005" Reading
- Large LCD Display with SAE or Metric Reading
- Manual Power Off/On
- Range: 5.5"/140 mm
- Easy Glide Action
- Hardened Measurement
- Surface

# Carbide Lathe Inserts













SKU	Part Number	Quantity	Application	Description	OEM Part No.	Price
262385	SHA0626	6 Pack	Ammco	Use on Ammco Models 1000, 1001, 3000, 4000, 4100, 7000, 7700	90614-6	29.99
262386	SHA06210	10 Pack	Ammco	Use on Ammco Models 1000, 1001, 3000, 4000, 4100, 7000, 7700	90614-10	34.99
262389	SHA06810	10 Pack	Accu-turn/ Bosch	Use on Accu-Turn, Bosch On-The-Car Brake Lathe Models 8700, 8750 and 8800	433796, 878051, 080-80000-68	54.99
262388	SHA1046	6 Pack	Ammco	Postive Rake Cutting Bits for Ammco Models 3850, 4000, 7000 and 7500 as well as Twin Cutter and 9381 Facing Set	906918-6	49.99
543384	SHA069-10	10 Pack	Pro-Cut	Pro-Cut Style Bit for Use on Model 610 On-The-Car Lathes for Ford. RJ West PFM 9.2, FM900, PFM 9.2DRO Warthog and 9.2DRO	50-742	64.99
262382	SHA40710	10 Pack	FMC	Use on FMC, John Bean, Barrett, Snap-On 67BSD, 67DLX, 67GSA, 69DLX, 701ECF, 601PF, 400, 500, 600, 700 Disc/ Drum Lathes	90488, W139, D139	54.99
262409	SHA80210	10 Pack	Kwik Way	Use On All Kwik-Way and Snap-On SDL, DL, 850 Disc Lathes, Rotunda, Snap-On On-The-Car YA180, YA 281 Bench Lathes	109-1092-23, 109-1092-45, BTK10A	79.99
300786	SHA408-10	10 Pack	FMC/Ranger/ Accu-turn	Ranger RL8500 and RL8500XLT Disc and Drum Cutting Lathes. FMC/Barrett Models 400, 500, 600 and 700 Lathes	45016	84.99
262383	SHA06010	10 Pack	Accu-turn	Use on Models: 7700, 8920, 8922, 8944, 8989, 8990, 8991, 8993, 8995 and 8997 Brake Lathes. 3 Cutting Edges	433796	59.99
1142331	SHA065-10	10 Pack	Hunter	Use on Rotor Models: BL500, 501 and 505 Hunter Lathes	221-639-3	89.99

### **Silencer Bands**

**Large Solid Rotor** Silencer Band (9")

SKU **262396** SHA94



Small Solid Rotor Silencer Band (6")

SKU **262393** SHA96

SHA70B

**Silencer Clamp** SKU **388821** 



Ammco Style Disc Silencer **Band with Steel Weights** 

SKU **262392** SHA69

SKU **262390** 



SHA80B **Ammco Style Large Disc** 

**Band with Steel Weights** SKU **262397 SHA930** 



#### See AutoZonePro.com for More Applications

**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.com

#### **Brake Bleeding Tools**

**OEM** TOOLS

**Vacuum Pump Tester, Power Steering** and Brake Bleeder Kit

SKU **1103570** 37070

• Includes: Vacuum Pump Reservoir Jar with Transfer Lid, Storage Lid, Brake Bleeding Adapter Package, Steering Pump Adapters and Tubing Pump with Vacuum Gauge and Accessories



1 Liter Pneumatic Vacuum Brake Bleeder with Refill Bottle

SKU **1282750** 22505

- Convenient Single-Person Operation
- Effective for Use on Disc/Drum Brakes and Clutches Auto-Refill Kit to
- Simplify the Master Cylinder Refill Uses a Standard

Offer Good Through September 30, 2025

OEM TOOLS



OEM TOOLS

**Universal Fluid Dispensing Bottle** 

SKU **568477 499** 24443

• Refill the Master Cylinder During Vacuum or Manual Hydraulic Brake or Clutch Bleeding and Flushing

 Mounts Securely to Master Cylinder and Clamps

Capacity: 50 Oz.



**VALUE: \$9.99** 

OEM TOOLS

**Brake Bleeder Wrench** (8 mm and 10 mm) 25317

With Purchase of: 24443

Offer Good While Supplies Last Through September 30, 2025

#### **2 Liter Pneumatic Vacuum Brake Bleeder with Refill Bottle**

REG. \$99.99

Offer Good While Supplies Last Through September 30, 2025

SKU **1361989** 22506

• For Use on Brakes and **Hydraulic Clutches** 

 Convenient Single-Person Operation

 Uses Standard Workshop Air Supply

• Includes: Auto-Refill Kit to Simplify the Master Cylinder Refill and Adapters to Fit Most US and Domestic Vehicles

Standard and ABS Brake Systems

**DIY Reverse Brake** and Clutch Bleeder

SKU **459112** PH02104-B

- · Easily Bleeds ABS
- Removes Trapped Air
- · Attachments to Fit All Vehicles



#### **Master Cylinder Adapter Cap Update Kit**

SKU **1544667 Call For Price** MITMVA6855

- Includes Adapter Caps: (2) Honda Specific Caps, (1) Tesla Specific Cap, (1) Nissan / Infinity Hybrid Specific Cap, (2) Ford Caps, (1) Ford / Tesla Specific Cap, and 3 Down Tubes for Caps
- EV/Hybrid
- Update Cap Kit Combined with MVA6850 Covers Most Hybrid and Electric Vehicle Brake Pressure Bleeding Applications
- Expands Our Cap Offerings for **Brake Bleeding**
- · Can Be Used with All MityVac Manual and Pneumatic Pressure Pumps

For OSB, Call 901-300-4878



**Mituvac**:

**Mityvac**\*

**1.3 Quart Vacuum Brake Bleeder** 

SKU **459166 MITMV6870** 

#### **Call For Price**

- 1.3 Quart Reservoir
- · Applications: Brake Bleeding, Hydraulic Clutch Bleeding
- Universal Bleed Screw Adapter Fits Most Common Sizes
- · Includes Two Replacement Bleed Screw Adapters

# ituvac<u>\*</u>



**Mityvac**\*

### **Silverline Elite Test Kit**

SKU 988888 Call For Price MITMV8500

- Provides Either Vacuum or Pressure with Equal Precision and Convenience
- Performs Engine Performance Diagnostics, Brake Bleeding, Fluid Transfer, Evacuation, Sampling and More
- Includes Components Needed to Perform Hundreds of Diagnostic and Mechanical Tests





**Mityvac**\*

#### **Brake Bleeding Kit** SKU 604208 Call For Price

- MITMV6830 Compressed
- Air Operation 1.9 Quart Capacity
- Swivel Air Inlet with Quick Disconnect



#### **Pressure Brake Bleeding System**

SKU 383099 Call For Price MITMV6840

- Large 1.2 Gallon Capacity Dispenser
- Includes 7 Master Cylinder Adapters That Connect to Most U.S., Asian and European Cars and Light Trucks
- Pressure Gauge Indicates Dispensing Pressure
- Utilizes Push-to-Connect, Quick-Change Adapters



#### 2.5 L Pressure Brake Bleed Kit

SKU 1361996 Call For Price MITMV7840

- Utilizes Shop-Air to Produce Pressure for Dispensing and Vacuum for Extracting Pressure Control System Safely Maintains Output Pressure Between 20 and 25 psi
- Includes 7 Master Cylinder Adapters That Connect to Most Domestic and Import Cars and Light Trucks
- Conveniently Located On/Off and Flow Control Valve



#### **5 Piece Brake Bleeder Wrench Set**

SKU 1442597 Call For Price VIMBB500

- Includes: 7 mm to 11 mm
- True Size Hex Openings for Tight Fit
- · Satin Chrome Plated High Alloy Steel
- Angles are Designed to Access Bleeder Screws without Removing the Wheel





#### **Disc Brake Tools**

#### **18 Piece Disc Brake Caliper Set**

SKU **94798** 27113

- Includes Caliper Adapters from 1-3/16" to 2-1/2" - Some Specifically to Service Nissan, Saab and Honda Models
- . Includes Right and Left Hand Caliper Rotation Tools
- · Left Hand Thread is Useful When Working on 2004-2007 Ford Freestyle, 500, 2008 Taurus and Taurus X Models
- Rust Resistant Finish



**OEM** TOOLS



#### **37 Piece Disc Brake Service Kit**

SKU **1125858** 25107

• Includes: Disc Brake Caliper Tool Set, Pad Spreader, Brake Caliper Brush, 8 Brake Caliper Hangers, 3 Bleeder Wrenches and One-Man Brake Bleeder Kit







OEM TOOLS



#### **Pneumatic Brake Caliper Tool Set**

SKU **1053954 24999** MSC43050

- Durable Non-Impact Single Piston ShaftO-Ring Protected Shaft to Maintain Proper Pressure
- Magnetic Base to Secure Press Adapters
- 15 Piece Press Adapter Set





# **Dual Piston Press**

SKU **900811** 25741

· Designed to Press-In Single and **Dual Piston Brake Calipers** 

· Universal Application on Cars, Light and Heavy Trucks

 Rugged Design for Longer Tool Life



OEM TOOLS

#### **Dual Speedy Pad Spreader**

SKU **291420** LIS25750

· Compresses Dual Brake Pistons Simultaneously

 Makes Dual Piston Pad Replacement a Simple Job



lisle



LIS24300 · Compresses Disc

Brake Pistons in Seconds

· Makes Brake Pad Replacement Fasier



LANG

# **Quick Quad Pad Spreader**

SKU **080553** LIS29100

• A Quick Way to Spread Brake Pads and Compress Disc Brake Pistons for Pad Replacement on Single, Double and Quad Piston Calipers

 Simultaneously Compress All 4 Pistons on **Quad Piston Applications** 

· Can Be Used While Caliper is on the Vehicle or Hanging Free



#### **Brake Caliper Press (Standard Size)**

SKU **954224 LNG279** 

- Size Range is 1.7" to 3"
- Works on Various Single, Dual and Quad Piston Calipers
- 360° Ratchet Swing Allows Access at Any Angle

# **Brake Caliper Press (Small Size)**

SKU **1400043 LNG277** 

• Size Range is 1" to 2.25"



#### **Brake Caliper Piston Rewind Tool** SKU **1368620**

35058

- Includes a Standard Two-Pin Adapter Compatible with Any Piston Adapter
- Includes a Fully Adjustable 3/8" Drive 2 and 3 Pin Adapter Tool That Fits Most Vehicles
- Powerful Internal Spring to Apply Stable Pressure to the Caliper Piston



# **Brake Hub Resurfacing Tool**

SKU **013590** 24686

- · Quickly Remove Rust on Lug Studs and Rotors on the Hub Assembly
- . Use with Drill for a Quick and Easy Job
- Fits All Passenger Cars, Light Trucks and SUVs
- Includes 4 Pads







#### 2 and 3 Pin Brake Rewind Tool

24693

SKU **13592 9099** 


- . 2 Fully Adjustable to Fit Thousands of Vehicles
- . No Need for Multiple Tools
- 3/8" Drive Adapters





2 Pin Side

**OEM** TOOLS



**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.com

#### **Sprayers**

#### **Red Powder Coated Aluminum Sprayer**

SKU **186463** MSMB8000PL

- 16 Oz. Capacity
- Not for Use with Chlorinated Solvents
- Pressurize Up to 200 psi

#### **Complete Repair Kit for B8000PL**

SKU **186467 29**99 MSMBK50



#### **Red Powder Coated Steel Sprayer**

SKU **186459** MSMA1000R

- 32 Oz. Capacity
- Not for Use with Water-Based Products
- Pressurize Up to 200 psi

BRM



#### **Repair Kit** SKU 186465 MSMK10

#### **Used for MSMA1000R**

- Includes All Parts That Can Be Replaced
- All Chemical Resistant Seals

**Brake Fluid Tester - DOT 3, DOT 4, DOT 5.1** 

REG. \$44.99

• Easily, Quickly and Precisely Checks the Water Content of 8 Types of Polyglycol-Based Brake Fluids (DOT 3,

DOT 4, DOT 5.1, ACDelco DOT 3, Pennzoil, Prestone





OEM TOOLS

OEM TOOLS

OEM TOOLS

#### **Filler Cap Assembly** SKU **186466** MSMP156

- For Model "A" Sprayers
- Hand Removable

# **Hones and Stones**

#### **Rotor Flex-Hone®**

• Lowers Harmonic Vibrations

Ideal for New and Resurfaced Rotors and Flywheels

SKU **341310** BRMRMFH240Z25

Medium SKU **341298** 

Coarse SKU **341314** BRMRMFH120Z25 BRMRMFH60Z25



#### **Adjustable Disc Brake or Small Engine Hone** SKU **531707**

25030

• Includes 3 Medium (220) Grit 3/4" Stones



#### **Brake Fluid Testers**

#### **Brake Strip + 100 Ct. Coolant Strip Double Ended with Customer Cards**

SKU 1089037 PH03006-PLUS

- Double Ended Test Strips for Brake Fluid and Coolant
- Use on DOT 3 or 4 Brake Fluid
- Compatible with All Coolant Colors
- Includes: 100 Double Ended Strips and 100 Rating Scale Cards



Offer Good While Supplies Last Through September 30, 2025

Motorcraft and Toyota DOT 3)

Proper Contact with Fluid

# **Double Ended Brake Fluid + Coolant Test Strips, 100 Ct.**

SKU **666577** PH03001-PLUS



#### **BrakeStrip Brake Fluid Copper Test Kit**

SKU **289905** PH03006

- Everything Needed to Test Brake Fluid
- . Know within 60 Seconds if it's Time for a Change
- Includes: 1 Tube of 100 Test Strips and 100 Color Pop Rating Cards





MOTORVA®



# **Electronic Brake Fluid Tester**

SKU **191687** 25267

SKU **850067** 

25269

**Built-In LED Light to Ensure Tips are in** 

- Checks Moisture Content in Any Brake Fluid
- Multi-Colored LED Panel for Easy Recognition
- · Automatic Shut-Off
- . Calibrated for DOT 4 Fluid
- 1 AAA Battery Included



### Fluid Exchanger

#### **Premium Brake Fluid Exchange System**

SKU 1407509 MVC500-8100

#### **Call For Price**

- · Includes Brake Adapter Kit
- Pressure and Vacuum Assist
- Portable Operates on 12 Volt DC
- Complete Brake System Exchange in 10 Minutes
- Adjustable Pressure Regulator Controls Operating Pressure
- Performs Brake Flush Using Pressure and Vacuum Simultaneously



### **Brake Service Tool**

**Heavy Duty Hub Drum and Rotor Puller Kit** 

SKU **1125878** 25106

159<sup>99</sup>

#### Use with Impact Wrench to Remove Hubs, **Drums and Brake Rotors** Includes 3 Hub Adapters for Use with Most

- Common Hub Sizes and Types

   Jaw Spread Up to 12-3/4" with 5" Reach
- Durable Forged Frame Rated to 7 Tons of Pulling Force for the Toughest Jobs . Drum and Rotor Pulling Arms Feature with
- Raised Stops for Use with Ratchet Straps (Not Included)
- Easily Adjust the Arms and Set Puller in Place for Tough Pulling Jobs in Tight Spaces
- Includes: Sturdy Blow Mold Case





- 24" Deep Drawers
- 100/200 Lb. Drawer Capacity
- Non-Slip PVC Drawer Liners
- UV Protected Finish
- Constructed with
   16 G Steel Frame
- Lift Latch Drawer Pulls








72" 16 Drawer Rolling Cabinet with Stainless Steel Top – Green

SKU **1267935 HOM72RSPRCSG** 

*3,099<sup>99</sup>* 

• 72"(W) × 24"(D) × 40"(H)



54" 10 Drawer Rolling Cabinet with Stainless Steel Top – Blue

SKU **1343816 HOM54RSCABSBL 2,399**<sup>99</sup>

• 54.5"(W) x 24"(D) x 40.375"(H)





72" 3 Drawer Hutch – Black SKU OSB HOM72RSPHUTBK  $1,899^{99}$ 

• 71.5"(W) x 23.5"(D) x 24.375"(H)

**72" 16 Drawer Roller Cabinet – Black**SKU OSB
HOM72RSPRCBBK

• 72"(W) x 24"(D) x 39.25"(H)



**54" Top Hutch – Blue**SKU **1343820 HOM54RSPHUTBL** 

1,379<sup>99</sup>

• 54"(W) x 23.5"(D) x 24.375"(H)

**54" 10 Drawer Rolling Cabinet – Blue**SKU **1442581 HOM54RSPCABBL** 

**2,149**99

• 54.5"(W) x 24"(D) x 40.375"(H)



**72" 12 Drawer Top Chest – Blue**Sku **OSB** 

HOM72RSPCHSTOBL

1,999999

• 72"(W) x 23.5"(D) x 21.375"(H)

**72" 16 Drawer Roller Cabinet – Blue**SKU **OSB**HOM72RSPRCBBL

2,899<sup>99</sup>

•  $72"(W) \times 24"(D) \times 39.25"(H)$ 



54" 8 Drawer Top Chest – Black

SKU **OSB HOM54RSCHSTBK** 

1,499<sup>99</sup>

• 54"(W) x 23.5"(D) x 21.375"(H)

54" 10 Drawer Rolling Cabinet – Black

SKU **OSB HOM54RSPCABBK** 

**2,149<sup>99</sup>**• 54.5"(W) x 24"(D) x 40.375"(H)





Customer Responsible For Offloading, Liftgate Service Available.

For OSB, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary
• Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-487



- 24" Deep Drawers
- 100/200 Lb. Drawer Capacity
- Non-Slip PVC Drawer Liners
- UV Protected Finish
- · Constructed with 16 G Steel Frame
- Lift Latch Drawer Pulls





Hamak

44" 8 Drawer Power Service Cart - Gray

**2,099**99 SKU **1282738** HOMRSPR044G

• Top Till Includes Full-Extension Gas Struts and a Lockable Security Compartment with an Additional Power Strip to Store and Charge Phones, Laptops and Other Devices

• Equipped with High Security Locking System to Keep Valuables Safe and Secure

• 40.5"(W) x 23.9"(D) x 40.2"(H)

**Features 4 Electric Outlets and 2 USB** Ports to Efficiently Charge, Store and **Organize Power Tools** in One Place





54" 7 Drawer Rolling Workstation - Blue

SKU OSB HOM54RWSBL

Durable Stainless Steel Work Surface

• Four (4) 5×2" Casters with a Weight Capacity of 520 Lb. Each: 2 Swivel Locking and 2 Fixed

• 57.5"(W) × 29"(D) × 41"(H)

**Features 4 Electric Outlets and 2 USB** Ports to Efficiently Charge, Store and Organize Power Tools in One Place





35" 4 Drawer Slide Top **Cart - Blue** 

SKU 1343821 HOM35STCBL

• 35"(W) x 20.625"(D) x 42"(H)



**34" Professional 3 Drawer Service Cart - Black** 

SKU **1267944** HOM34PSCBK

• 34.5"(W) x 16.75"(D) x 39.38"(H)



32" Professional 1 Drawer Service Cart - Blue

SKU 1343817 HOM32PSCBL

• 31.5"(W) x 17.5"(D) x 35.625"(H)



**Professional Plastic Service Cart** НОМРРО6032031 **249**99

- Four 4"× 1" Swivel Casters
- Load Capacity Up to 300 Lb.
- Tray-to-Tray Distance of 16.1" for Maximum Storage

41" Top Hutch - Orange SKU OSB HOM41RSPHUTO

• 40.75"(W) x 23.5"(D) x 24.375"(H)

41" 9 Drawer Rolling Cabinet - Orange SKU OSB HOM41RSPRCO

1,57999

• 41"(W) x 24"(D) x 39"(H)



35" 7 Drawer **Flip-Top Service Cart - White** SKU **1343819** 

HOM35FTSCWH

• 31"(W) x 22.5"(D) x 38.875"(H)



35" Professional 4 Drawer Flip Top Service Cart - Red SKU **1343822** 

HOM35PSCR • 35"(W) x 20.5"(D) x 39.375"(H)





**Customer Responsible For Offloading, Liftgate Service Available.** 

For OSB, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

### 28" 7 Drawer - Molded Worktop

SKU **477172** 24566

REG. \$699.99

- Dimensions: 28.3"(W) x 18.9"(D) x 40.5"(H)
- Storage Space: 9,505 Cubic Inches
- Fully Sealed Plastic Work Surface is Solvent Resistant
- Integrated Pegboard Provides Additional Storage and Organization





**Full Extension** 100 Lb. **Ball Bearing Drawer Slides** 



Pegboard to **Easily Access** Tools and Supplies



**Sturdy Side** Handles and 4 Bumpers on Cart Edges

#### 36" 8 Drawer

SKU **477134** 24565

REG. \$999.99

- Dimensions: 35.8"(W) x 18.9"(D) x 39.3"(H)
- Storage Space: 12,594 Cubic Inches

 Stainless Steel Work Top is Corrosion Resistant and Easy to Clean







**OEM** TOOLS

**Full Extension** 100 Lb. **Ball Bearing Drawer Slides** 



Quick Lock System



Sturdy Side **Handles** and 4 Bumpers on Cart Edges

#### 57" 22 Drawer **Professional Combo**

SKU **662893** 24738

 Total Loading Capacity:

2.697 Lb.

- · Casters Rated to 880 Lb. Each
- · Overall Dimensions: 57"(W) x 24"(D) x 66.5"(H)
- · Storage Space: 41,466 Cubic Inches
- · Drawer Space: 13,404 Sq. Inches





Offers Good While Supplies Last Through September 30, 2025

Full Extension 100 Lb. **Ball Bearing Drawer Slides** 



Easy-Opening Lid with **Gas Struts** 



Extra Deep **Drawers** Perfect for **Power Tools** 

Part #	Description	Dimensions	Storage Space	Price
24737	57" 10 Drawer Professional Chest	57"(W) x 24"(D) x 26"(H)	18,938 Cu. In.	\$1,799.99
24736	57" 12 Drawer Professional Cabinet	57"(W) x 24"(D) x 40.5"(H)	22,528 Cu. In.	\$2,199.99
	Regular Price			\$3,999.98
24738	COMBO PRICE			\$2,999.99
	SAVINGS			\$999.99

#### 57" 10 Drawer **Professional Chest**

SKU **666333** 24737

1,79999



57" 12 Drawer **Professional Cabinet** 

SKU **666300** 24736

2,199°9



#### 36" Slide Top 3 Drawer **Tool Cart - Green**

SKU **666298** 24731

- · Constructed with a 19 Gauge Steel Shell and 21 Gauge Steel Drawers
- Full Length Anodized Aluminum Drawer Pull
- Shallow Drawer Dimensions: 30"(W) x 18"(D) x 2.9"(H)
- Deep Drawer Dimensions: 30"(W) x 18"(D) x 6.1"(H)
- Overall Dimensions: 36"(W) x 21"(D) x 46"(H)

**Access Your Most Used Tools with an OEMTOOLS Slide Top Tool Cart** 





**USB** and Electrical Outlets



**Full Extension** 100 Lb. Ball Bearing **Drawer Slides** 



**Tubular Lock** for Secure Storage



**Heavy Duty** Casters 5" x 2"



**Customer Responsible For Offloading, Liftgate Service Available.** 

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-48

#### 72" Stainless Steel 11 Drawer **Cabinet and Upper Cabinet**

SKU **1168659 0EM24615** 

1.599<sup>99</sup>

#### Features:

- Dimensions: 72"(W) x 18"(D) x 71.5"(H)
- Upper Cabinet is 12"(H) x 18"(D)
- Drawer Liners Included





18" Tall Pegboard

**Full Extension** 100 Lb. Capacity Slides





**PVC Coated** MDF Top

**Heavy Duty Casters** 

#### **OEM** TOOLS



#### Tear Down Tray



#### **Adjustable Mobile Work Table** 200 Lb. Capacity

SKU 1485038 Call For Price VIK52200

- Adjustable Trav
- Heavy Duty 2" Rubber Composite Swivel Casters
- Multiple Storage Slots, Trays and Insert Grooves Keeps Tools and Parts Organized and Within Reach

• 1" Drawer with Roller Bearing Slides Offer Additional Storage Capacity







Tools Not Included

#### **Steel Workbenches**

- Black Powder Coat Finish
- . Engineered for Quick Assembly
- Built-In Leg Levelers

#### 59" Steel Workbench

SKU 1392321 HOMGW00550150

. Weight Capacity: 880 Lb.



#### 59" Steel Workbench with 2 Drawers

SKU **1392318** HOMGW00550170

• High Security Tubular Lock System


- Ball-Bearing Drawer Slides
- . Weight Capacity: 1100 Lb.



#### 79" Steel Workbench with 3 Drawers and **Wood Top**

SKU 1392314

HOMGS00579030



79" Steel Workbench with 3 Drawers

SKU **1392331** HOMGW00550160

- High Security Tubular Lock System
- . Ball-Bearing Drawer Slides
- . Weight Capacity: 1100 Lb.



#### Field Boxes

#### **XL Field Box**

- 4 Locking Options for Security
- Compression Fit Lid with Rubber Gasket for Water and Dust Resistance
- · Manufactured with Impact, Abrasion and Crack Resistant Copolymer Plastics
- Food Safe and Resistant to Most Acids and Solvents • External Dimensions: 14" (L) x 9" (W) x 9-1/4" (H)
- Internal Dimensions: 12-5/8"(L) x 6-5/8"(W) x 8"(H)

#### 2 Pack Nested Field Box Set

- Includes: XL Field Box and Standard Field Box
- · Standard Size Box:

External Dimensions: 11-1/2" (L) x 5" (W) x 7-1/4" (H) Internal Dimensions: 9-3/8" (L) x 4" (W) x 6" (H)

**Olive Green** 

SKU 1544681

Frost

12722

SKU **989242** 12713

12706

Grav SKU **1544664** 12755

SKU **1544659** 

**Black** 

#### SHEFFIELD





#### **XL Field Box with Lift Out Storage Tray**

• Lift-Out Tray with 8 Compartments

**Olive Green** SKU **989216** 12712

**34**99

**Black** SKU 1392328 12701 **34**99

SKU **1392312** 12721

White

**34**99

### **XL Field Box**

Olive Green

SKU **989218** 12710

**Black** 

SKU **1392313 7799** 12700





**Customer Responsible For Offloading, Liftgate Service Available.** 

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

# **TOOL ORGANIZATIO**

#### **2 Post Socket Trays**

#### **6 Piece Socket Tray Sets**

• Metric Socket Range: 4 mm to 15 mm (1/4" Drive), 6 mm to 20 mm (3/8" Drive), 10 mm to 27 mm (1/2" Drive)

• SAE Socket Range: 1/8" to 5/8" (1/4" Drive), 1/4" to 1" (3/8" Drive), 3/8" to 1-1/4" (1/2" Drive)
Includes: 6 Trays - 1/4", 3/8" and 1/2" Drive

in Both Metric and SAE



Tools Not Included



**Black and Green** SKU **949573** 

22233

**REG. \$39.99** 



**Black and Orange** SKU **1142583** 

22418

**REG. \$39.99** 

Offer Good While Supplies Last Through September 30, 2025



**Grav and Red** SKU **477209** 22413

**REG. \$39.99** 

#### 3 Piece **Socket Trays**

• Includes: 3 Trays - 1/4", 3/8" and 1/2" Drive



**Black** SKU **749937** 22211

OEM TOOLS



Tools Not Included

#### **Magnetic Socket Tray Sets**

#### 3 Piece Magnetic **Socket Tray Set Metric or SAE**

 Includes: 3 Trays - 1/4", 3/8" and 1/2" Drive in Metric or SAE

# **Blue (Metric)**

SKU 1149155 22486





**Black (Metric)** SKU 1149156 22487







**OEM** TOOLS



Offer Good Through September 30, 2025

#### Red (SAE) SKU 1149183 22484

REG. \$74.99





#### 6 Piece Magnetic Socket Tray Set - Metric and SAE

• Includes: 6 Trays - 1/4", 3/8" and 1/2" Drive in Both Metric and SAE

Black and Green SKU **1331490** 

22488



**REG. \$99.99** 





**REG. \$99.99** 











Offer Good While Supplies Last Through September 30, 2025

**Black** and Red SKU **1485048** 22460



**REG. \$99.99** 

Blue

SAE • 1/4" Tray Holds 2 Sets of Sockets 1/8" to 5/8"

3/8" Tray Holds 2 Sets of Sockets 3/8" to 7/8"

**OEM** TOOLS

22461

and Red SKU 1331485 22489

**REG. \$99.99** 

METRIC • 1/4" Tray Holds 2 Sets of Sockets 4 mm to 14 mm

• 3/8" Tray Holds 2 Sets of Sockets 6 mm to 20 mm

• 1/2" Tray Holds 1 Set of Sockets 10 mm to 27 mm

**OEM** TOOLS

# 4 1

**/** 99

**Tools Not Included** 


**OEM TOOLS** 

# • 1/2" Tray Holds 1 Set of Sockets 3/8" to 1-1/4"

**Pro Socket Organizer** 

**Magnetic Socket Trav** SKU **082922** 

22389 • Store Up to 36 Total Sockets -1/4", 3/8" and 1/2" Drive



#### **Magnetic Socket Organizers**

#### **Portable Magnetic Socket Organizers**

Holds Up to 28 Sockets

· Powerful Magnets Hold Sockets Securely and Attach Organizer to Any Magnetic Surface

• Low-Profile Design Fits Most Toolbox Drawers

3/8" Drive SKU **1442590** 

23117

1/2" Drive SKU 1414403 23118



Tools Not Included

#### **Tool Holder**

**Magnetic Tool Holder** 

# SKU **749848**

22212

• 18" Rail with 16 Sliding Clips

 Multipurpose Clips Hold a Variety of Tools · Great for Screwdrivers, Ratchets, Wrenches,

Pliers and Other Small Tools • Powerful Magnet for Secure Hold

 Foam Shield to Protect Paint Finishes





# **TOOL ORGANIZATION**

**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.con

### **Flexi-Trays**

#### **3 Piece Set** SKU **943130**

22417 . Trays Included:

- 10-1/2" x 5-1/4" 10-1/2" x 8-1/2" 21" x 11-1/2"
- Withstands Motor Oil and Non-Corrosive Fluids
- · Anti-Static, Silicone Material Protects Work Surfaces from Damage and Scratching



#### **Organizers**

#### 16 Piece **Pliers Holder**

SKU **765589** 22215

1499

- 16 Extra-Wide Spaces for Pliers with Rubber Grips
- Vinyl Coating for Lasting Dependability
- Dimensions: 14.0" (L) x 5.2" (W) x 2.5" (H)





Tools Not Included

#### **OEM** TOOLS **Drawer Organizer Tray**

SKU **749932** 22213

- Rolled Bottom Edges Allow Easy Removal of Small Parts
- Low-Profile Fits in Shallow Toolbox Drawers
- 10-Compartment Tray
- Stackable Design
- · Dimensions: 16" (L) x 11" (W) x 1.5"(H)



**OEM** TOOLS

**OEM** TOOLS

**OEM** TOOLS

#### **Magnetic Trays**

# **4 Piece Magnetic Foldable Tray**

SKU **1207890** 26052

- Collapsible Tray Expands from 3/4" to 2" Deep
- . Holds Up to 2 Lb.
- Multiple Color Set Keeps You Organized
- Dimensions: 4-1/2" x 4-1/2"



**OEM** TOOLS



**OEM** TOOLS

Tools Not Included


#### **Magnetic Bit Holders**

**4 Piece Magnetic Hex Bit Travs** SKU **1284964** 

24142

· Each Tray Holds 36 Hex Bits

. Coated Magnetic Trays Adhere to Most Metal Surfaces



#### Magnetic **Trays**

- · Trays Stick to Most Metal Surfaces
- Ideal for Holding Small Parts and Tools
- Heavy Duty Stainless Steel

# 5" x 9"

SKU **965834** 25117C

 2 Powerful Magnets with Protective Rubber Coating to Resist Scratching



### 10" x 11"

SKU **965835** 25119

• 4 Powerful Magnets with Protective **Rubber Coating** to Resist Scratching



Tools Not Included

#### Paper Towel Holder

**Magnetic Paper Towel Holder** 

SKU **280376** 24952

· Adjusts to Fit Different Size Rolls

 3 Rubber-Faced Magnets Won't Scratch Metal Surfaces



Towel Roll Not Included

# **Wrench Organizers**

#### **4 Piece Magnetic Wrench Rails** Holds 40 Wrenches

- Includes: 4 Rails
- Rail Dimensions: 16.6" (L) x 1.9" (H)

#### Green SKU **749850**

22217

**Black** SKU **765514** 22219



#### 2 Piece Wrench Organizing Rails - Black SKU **213161**

22218 · Holds 35 Wrenches

 Slotted Design Will Fit a Variety of Wrench Types and Sizes

• Rail Dimensions: 23.4" (L) x 1.0" (H) Adhesive Backs for

# **Quick Attachment**

# **Magnetic Wrench Organizer**

SKU **662782** 22177

. Organize Up to 12 Wrenches

 Strong Magnets Will Hold Organizer Upright at Full Capacity

- Non-Marring Foam Backing
- Durable Coated Steel Construction



#### **Pro Magnetic Wrench Organizer (Black)** SKU **213098**

22176



Upright at Full Capacity • Non-Marring Foam Backing

Durable Coated Steel Construction



#### Magnetic **Wrench Holder** and Organizer

• Holds 10 SAE or Metric Wrenches

. Magnetic Base Attaches to Your Tool Box, Tool Chest, Cart or Metallic Peg Board

• Dimensions: 9-1/4" (L) x 1-1/4" (W) x 2" (D)

Green SKU 1331491 22512

**Black** SKU 1331501

**14** 99

22513 1499



#### **Scan Tools**

#### **TEXA Diagnostic Kits**

- World Class US-Based Support, with the Most Complete Vehicle Coverage
- Lifetime Repair or Replacement Equipment Warranty with Current Software Subscription

**▼** Mastercool:

Continual Updates on All Makes and Models with Current Software Subscription

# Axone Light Truck Diagnostic Kit SKU OSB TEXAXLTHDTRK 4,999999

- Advanced Diagnostics and OE-Level Coverage for Heavy-Duty Truck, Trailer, and Light Commercial Vehicles
- Includes: AXONE NEMO LIGHT, Suitable for a Large Range Of Environments and the TXT Multihub



# Axone Plus Truck Diagnostic Kit sku OSB TEXAXPLHDTRK 7,499 99

- Advanced Diagnostics and OE-Level Coverage for Heavy-Duty Truck, Trailer, and Light Commercial Vehicles
- Includes: AXONE NEMO PLUS, Suitable for a Large Range Of Environments and the TXT Multihub



- Fast, Powerful Hardware for Maximum Shop Efficiency
- Wiring Diagrams, Repair Procedures, Dashboards, Advanced Resets, Activations and More



#### Axone Plus Master Fleet Package for Truck/ OHW/Car

SKU **OSB** TEXAXPLMFP 11,999999

- Provides Advanced Diagnostics and OE-Level Coverage for Diverse Fleets Including Car, Truck, Agriculture and Construction Equipment
- Includes: AXONE NEMO PLUS, Suitable for a Large Range Of Environments, the TXT Multihub and the Off-Highway Essential Cable Case



For OSB, Call 901-300-4878

#### **Smoke Leak Detector**

#### **Dual Evap Smoke Machine\***

SKU OSB MSC43065

**1,849**99

- For Evap, Turbo/Intake and Heavy Duty Truck Testing\*
- For Evap and High Pressure Diagnostic Testing
- Multiple Options for Smoke Injection Include Built-In Internal Compressor, Shop Air and Inert Gases
- Accessories Include: Smoke Hose, Block Off Caps, Exhaust Cone, Schrader

Valve Remover/ Installer, Evap Service Port Adapter Hose, Smoke Illuminating Flashlight, Smoke Producing Fluid and Bladder



\* Heavy Duty Truck Testing Requires MSC43062 Adapter Kit, Not Included (Sold Separately)

#### **Cooling System**



### **Heavy Duty Cooling Kit**

SKU **954231 MSC43306** 

- For Use with Freightliner, International, Kenworth, Peterbilt, Mack, Volvo, GMC and Sterling Cooling Systems
- Uses Shop Air to Pressure Check and Vacuum Refill
- 4 Quick-Disconnect Vacuum Attachments Provide Quick Refilling of the Cooling System and Eradicates Airlocks
- Includes: Heavy Duty Vehicle Adapters, Pressure Test Regulator, Vacuum Refill Attachment with Tubing in a Plastic Case



#### **Recovery Machine**



#### Fully-Automatic Heavy Duty R134a Refrigerant Management System

SKU **1407805** *Call For Price* **CPSMXHD** 

 For Commercial and Heavy Duty Applications
 6 CFM Dual-Stage

Vacuum Pump
• Large 12.67 CC
Twin-Piston Oilless

Compressor

Comes Standard
with a 50 Lb. Tank;
Upgradeable to
90 Lb.

 Wi-Fi and Bluetooth Enabled



#### **Specialty Tools**

# NAVISTAR® MAXXFORCE® Fuel Line Disconnect Tool Set - 4 Piece SAVE

SKU **004112 25031** 

**74 99** REG. \$49.99

- For Series 11 and 13 Engines
- Sized to Depress Fuel Release Tabs for Efficient Fuel Line Removal
- 1 Straight and (1) 90° Tool for 11.8 mm Fuel lines;
   1 Straight and (1) 90° Tool



# **Heavy Duty U-Joint Puller**SKU **041474 134 99 134**

- Easily Removes Seized U-Joint Cups on Most Class 7 and 8 Trucks
- Safely Disassemble Drivelines without Hammering or Heating Components
- Does Not Damage the Driveshaft, Yokes,
   Isiate as Bearing Cure
- Joints or Bearing Cups
   Bearing Cup Outside
  Diameter: 1.5" to 2.2"



#### Automatic Slack Adjuster Release Tool and Wrench

SKU **1207889 25252** 

• 5/16" Double Square Ratchet Has an Angled Head to Give

 Extra Clearance for Hands
 Side-Mounted Forward/ Reverse Lever for Easy Operation

 Speeds Up Installation on Meritor® Heavy Duty Truck Brake Slack Adjusters to Simplify Brake Service

# Brake Anchor Pin Press SKU 1361998 4 5 0 99

SKU **1361998 15**9

 For Removal of Brake Anchor Pins and Bushings on 16-1/2" S-Cam Trailer and Tractor Q Brake Systems

- No Need to Remove the Hub or Dust Shield
- Rigid C-Frame with 10 Ton Capacity
- Manufactured from High Grade Steel for Strength and Durability
- Manual, No Hydraulics Required





# **HEAVY DUTY**

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300

#### **Heavy Duty Wheel and Tire Service**

#### **Heavy Duty Truck Wheel Changer** SKU OŠB

ROTR501PLUS

**Call For Price** 

- Dismount and Mount a Truck Tire in 30 Seconds
- . Super Fast Truck Tire Changer
- Adjustable Arm Position
- Max. Tire Diameter: 52"
- Quick Loading

**INCLUDES: Set Up and Training** 

**WARRANTY: 3 Years Parts and Labor** 



#### **Heavy Duty Wheel Balancer**

SKU OŠB **ROTR540** 

**Call For Price** 

- . Designed to Fit Commercial Truck, Light Truck and Passenger Vehicles
- Balance Compact Cars to HD Trucks
- Auto Stop on Top for Weight Position
- Auto Entry of Distance and Diameter
- Integrated Wheel Lift Up to 441 Lb.
- Max. Rim Diameter: 30"
- Max. Tire Diameter: 51"

**INCLUDES: Set Up and Training** 

**WARRANTY: 3 Years Parts and Labor** 



#### **Coats® CHD-6330 Heavy Duty Tire Changer**

AMM8006330

SKU OSB **Call For Price** 

- · Motor: 2 HP
- Max. Tire Diameter: 63"
- Rim Diameter: 13" to 27"
- · 4-Jaw Chuck Allows for Fast and Easy Clamping of Virtually All Rim Styles
- Features Portable Control Station
- · Solid, Single Piece Frame for Added Capacity and Dependability



**INCLUDES:** Manufacturer's Set Up

**WARRANTY: 1 Year Parts and 6 Months Labor** 

#### Coats® 6450-3D Heavy Duty Balancer

SKU OSB AMM64503DKT1P

**Call For Price** 

#### Kit Includes Wheel Lift Plus Lug and Hub Centered Budd Style Adapters

- Dual Calibration Software Stores and Runs Two Independent Sets of Calibrations
- Powerful 1.5 HP Direct Drive Motor Shaves 20 Seconds Off of a Typical 22.5" Spin
- Designed for High Volume Balancing, the Perfect Machine for Delivery Vehicles and Tractor Trailers
- Max. Tire Diameter: 52"
- Max. Tire Weight: 500 Lb.



**INCLUDES:** Manufacturer's Set Up

**WARRANTY: 1 Year Parts and 6 Months Labor** 

# C206 Portable Hand Spin Wheel Balancer

SKU OSB **CMBC206** 

**Call For Price** 

- Dual Voltage Power Supply 12VDC 110VAC
- Easy Hand Spin System Requires Minimum Effort for Spinning
- Manual Lifting System Can Easily Handle Wheel Up to 550 Lb. (250 Kg) . Split Program and Optimization Program Wheels for Easy Portability
- . Battery Pack for Use When
- Power is Not Available
- Balancer Works on a 13" Car Wheel Up to a Super Single Balancer Works on a 13" Car
- Wheel up to a Super Single





**WARRANTY: 2 Year Parts** and 1 Year Labor

### **Heavy Duty Truck and Bus Tire Changer**

SKU OŠB CMBCM27T

**Call For Price** 



- · Built-In Wheel Lift
- . Operation Controls from a Moveable Control Unit on a Pedestal
- Bi-Directional Rotation
- · Adjustable Bead Loosening Roller with Force of Over 4,100 Lb. (1860 Kg)
- Heavy Duty 220V, 1Ph Phase Motor and High Torque Gear Box
- Free Shipping Fully Assembled
- · Plug and Play with On-Site Training



**WARRANTY: 2 Year Parts** and 1 Year Labor



**Customer Responsible For Offloading, Liftgate Service Available.** 

For OSB, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available. Ask Your AutoZone® Commercial Sales Manager.







( CEMB

#### **Heavy Duty Lifts**

#### 56,000 Lb. Mobile Lift System/Set of 4

SKU OSB

**Call For Price** 

CHLCLHM-140-4

- 110 Volt Charging System
- Completely Wireless System
- Adjustable Wheel Carriage Adapts from 5" to 24.5"
- Integrated Touch-Screen Control Console at Each Column Allows Operation from Any Unit
- 14,000 Lb. Capacity per Column

Includes: Batteries, Fluids and Factory Training

**WARRANTY: 1 Year Parts and Labor** 



#### 27,000 Lb. Heavy Duty Truck Lift

SKU **OSB Call For Price** BENHDS27

- . Runways Include Rail-Kit for Optional Accessories
- · Runways Adjust for Different Tread Widths
- Electric/Hydraulic Power System
- Fully Enclosed Lifting Cables, Safety Locks and Sheaves
- · Pneumatic Push-Button Safety Release
- Length: 24-3/4

**WARRANTY: 1 Year Parts and Labor** 

37385

2-3/4" 6R

**Locknut Sockets** 





**Customer Responsible For Offloading** 

**CL** Challenger Lifts

For OSB, Call 901-300-4878

#### **Lifting Equipment**

6.000 Lb. Heavy Duty **Engine Crane** 

SKU 1267948 AFF3584

#### **Call For Price**

- 4 Different Boom Settings: 3, 2, 1.5 and 1 Ton
- Rear of Crane: 61.5" Tall and 33" Wide
- Distance Between Front of Legs: Retracted 23" Extended 28.5"

**AFF3180A** 

4,400 Lb. Transmission Jack

• Heavy Duty with a Rated Capacity of Over 2 Tons

SKU 954183 Call For Price

 Rugged Industrial Grade 4" Casters Fully Adjustable Saddle

• Extra-Long 32" Handle

Safety Chain Included

Convenient Side Tray

• 8.5" Low Height

to Store Small

Tools and Parts



#### 35 Ton Air Hydraulic **Axle Jack**

SKU 954200 Call For Price AFF536

- Unique Motor Design Advances Ram to Load Faster
- · Air Assisted Lowering and Dual Return Springs Provide Controlled and Easy Descent
- · Safety Overload System Prevents Jack from Being Used Beyond its Rated Capacity

10 Ton Air/Hydraulic Service Jack

**Call For Price** 

• Large, Rugged 4-1/2" Front Wheels and

• Can Be Operated Manually When Shop Air

 Corrosion Resistant Aluminum and Nylon Composite Air Motor

2-3/4" Rear Casters

• Foot-Operated Pump for Quick Lifting Efficiency

OEM TOOLS

Automatic Overload Safety Valves

is Not Available

. Chassis Length: 61" • Low Height: 7

• Width: 18"

SKU OSB

AFF3135



### **5 Piece Budd Wheel Socket Set** SKU **1207878 129**99

Includes: 55 mm 6PT, 2-3/8" 6R, 2-3/8"

6PT, 2-1/2" 6R, 2-1/2" 6PT, 2-9/16" 6R and

· Comes with Standard Hex (6PT) and Rounded

(6R) Hex Sockets to Fit Many Applications

• For Use with 1/2" Square Drive Ratchet,

7 Piece Wheel Bearing Locknut Set

37384

Breaker Bar or Torque Wrench

- 35 mm, 38 mm, 41 mm and 1-1/2" Sockets Feature a Dual Socket Design with a Hex to Remove the Lug Nut and an Internal Square Drive to Remove the Inside Wheel
- 38 mm, 41 mm and 1-1/2" Sockets Each Have a 13/16" Internal Square
- 35 mm Socket Has a 11/16" Internal Square • For Use with 1" Drive Ratchet, Breaker Bar,
- Torque Wrench and Impact Wrench



**OEM** TOOLS

### **Truck Axle Wheel Bearing Sockets**

- 3/4" Square Drive
- Constructed with High-Grade Steel for Strength

4", 6 Pt.

SKU **466541** 

25482

4-1/8", 6 Pt. SKU **265085** 

2-9/16". 8 Pt. SKU **466534** 25473

4-3/8", 8 Pt. SKU **466543** 

25485

REG. \$59.99

OEM TOOLS

Offer Good Through September 30, 2025

# **Heavy Duty Stands**

#### **22 Ton Heavy Duty Axle Stands (Pair)** SKU **757098**

24854

**REG. \$279.99** 

SAVE

- Min. Height: 12-1/4"
- Max. Height: 19-3/4"
- Adjustable Pin Design Features Handle for Transport and Positioning
- Large Shaped Saddles Center Lift Points for Secure Placement



**Offer Good While Supplies Last** Through September 30, 2025

# **Heavy Duty Truck Oil Filter Wrenches**

#### **Small**

SKU **344322 2199** 25231

• Range: 4-1/8" to 4-5/8" (104 to 118 mm)

Medium

SKU **344323 34** 99

• Range: 4-5/8" to 5-1/4" (118 to 134 mm)

#### Large

25483

SKU **344324 34 99** 25233

• Range: 5-1/4" to 5-3/4"

(134 to 142 mm)



• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available. Ask Your AutoZone® Commercial Sales Manager.

**OEM** TOOLS

Part Court C

SAVE

# SHOP EQUIPMENT

**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.com

### **Shop Presses**

#### **20 Ton Super Duty Air/Manual Shop Press**

SKU **1544673** 29000

- Fully Welded Construction And Powder-Coated Steel Frame for Unmatched Durability
- Movable Cylinder and 10 Height Adjustments with 4.3" Increments for Operator Versatility
- Glycerin-Filled Pressure Gauge Ensures Precise Pressure Readings **Every Time**
- Air/Hydraulic Pump Supports Both Manual and Pneumatic Operation (110-120 psi)
- Includes Anti-Slip Steel Blocks and Meets ASME PASE-2019 Standards



**30 Ton Super Duty Air/Manual Shop Press** 


SKU **1525570** 29001

- Fully Welded Construction for Exceptional Strength and Durability
- Movable Cylinder for Added Flexibility In Working Position
- Glycerin Filled Pressure Gauge for Accurate Pressure Readings
- Polycarbonate Protective **Guard Shield for Maximum** Safety Against Shrapnel and Debris
- · Air/Hydraulic Pump Supports Both Manual and Pneumatic Operation (110 to 120 psi)
- Includes Anti-Slip Steel Blocks and Meets ASME PASE-2019 Standards

**Polycarbonate Protective Guard Shield** for Maximum Safety and Debris

#### **20 Ton Air Hydraulic Shop Press**

SKU **662928 799** REG. \$899.99



- Air/Hydraulic Pump Provides Added Versatility
- Double Speed Pump Greatly Reduces Set-Up and Press Time
- Movable Press Head for Flexibility of Working Positions
- Liquid Filled Pressure Gauge for **Accurate Pressure Readings**
- Durable Powder Coated Steel Frame
- Includes Press Blocks





Removable Press Cap with 25 mm Hole **Dual Scale Gauge** 

Offer Good Through September 30, 2025



SKU **666327** REG. \$599.99 25088



- Double Speed Pump **Greatly Reduces** Set-Up and Press Time
- Movable Press **Head for Added** Flexibility in
  Working Position
- Liquid Filled Pressure Gauge

Offer Good Through September 30, 2025



#### **20 Ton Shop Press**

SKU **300134 999** 24810

- Stronger Compared to Similar Lighter Weight Shop Presses on the Market
- Includes Press Plates
- · Remove and Install Bearings. Gears, U-Joints, Bushings, **Ball Joints and Pulleys**
- · Multi-Position Bed for Work Height Adjustment
- Max. Height: 31.5'
- Max. Width: 21.75"



1-3/4



Manually Adjustable

**Super Heavy Duty** 



**OEM** TOOLS

**8 Piece Press Accessory Kit** SKU **1525566** 29002

- Includes: 2 Press Plates, 5 Punches and a Bearing Shield
- Sizes 1/2", 3/4", 1", 1-1/2" and 2"
- Capacity: Up to 50 Tons



### **30 Ton X Style Press Plates**

SKU **1544680** 24808

- For Use on All Presses Up to 30-Ton Capacity
- "X" Type Design for Use in Many Different Pressing Operations
- 1.2" Steel Thickness to Comply with ASME PASE Requirements




#### **Bearing Separators**

#### **5 Ton Bar-Type Puller/Bearing Separator Set**

SKU **347218** 

 Separator Tools are Used with Bar Puller and Legs for a Wide Variety of Pulling Jobs

· Set Includes: 2" and 3" Bearing Splitters, 4 Sets of Hex Push-Puller Legs and a Bar-Type Puller Head with a 9/16' Forcing Screw



### **Bearing Splitter** 1/4" to 15/16"

SKU **514005** 27231

- · Maximum Spread: 15/16"
- . Minimum Spread: 1/4"
- Thread of Tapped Holes in Adapter: 5/16" to 18"

Distance Between Adjusting Screws: 1-11/16"



SKU **514006** 27232

**Bearing Splitter** 1/8" to 2"

SKU **516522 1** 99 27084

# **Press Support**

#### **Universal Press Support** SKU **804487** 24809

**199** REG. \$314.99



**OEM** TOOLS

SAVE

Will Make Your Shop Press Safe and Easy to Use


• Supports in 3 Points to Ensure Safe Support without Any Wobbling Numerous Holes on Main Block and

Swivel Element for Easy Set-Up Swivel Element and

Removable/Height Adjustable Anvil Bolts Allow Adjustment to Individual Requirements

7-3/4" (W) x 9-3/4" (L) x 1-1/2" (H)

Offer Good While Supplies Last Through September 30, 2025



#### **Aqueous Parts Washers**

- Works with Safe Water-Based Cleaning Solutions Only (Not for Use with Solvents) • Includes a Drain Shelf
  - 325 GPH Pump
- Powder-Coated 20 Gauge Steel for **Durability and Rust Resistance**

#### **Steel Parts Washers**

3.5 Gallon **Bench Top** SKU **300128** 24800

**99** REG. \$144.99

• Dimensions: 18" (L) x 13-1/2" (W) x 9" (H)



**20 Gallon Mobile** SKU **750449** 24805

**329** REG. \$399.99

- 4" Casters for Maneuverability
- Drain Tray with 2.9 Gallon Collection Reservoir
- Dimensions:



**20 Gallon** SKU **300117** 24801

**299** REG. \$399.99

- Small Parts Tray
- Dimensions: 31" (L) x 21" (W) x 34.5" (H)



**40 Gallon** SKU **300118** 24803

- 479 REG. \$599.99 Small Parts Tray
- Dimensions: 44.75" (L) x 20.5" (W) x 35" (H)



**Pneumatic Heated Parts** 

**OEM TOOLS** 

**Washer Cabinet** 

• Uses Compressed Air to Spray Heated Cleaner for Maximum Cleaning Effectiveness

SKU 1330681

24677

- Fully Enclosed Chamber Keeps Cleaning Solution and Debris Contained

  Thermostat Controlled Heating Element
- Heats Cleaning Solution Up to 140°F (60°C)
- Fluorescent Lighting Inside Cabinet Illuminates Work Area
- Built-In Vent Fan Improves Visibility Inside Chamber While Cleaning
- Built-In Air Pressure Regulator and Gauge

 Adjustable Leveling Pads for Added Stability on Uneven

Floors • Holds Up to 3.5 Gallons of Cleaning Solution



**4 Gallon Mobile Parts Washer** SKU **546660** 

SAVE

179 REG. \$249.99 24804 Lid Has Positive Seal and Latches for Mobility

• 4 GPM Pump

Dimensions: 26" (L) x 18" (W) x 9.5" (H)

Offer Good Through September 30, 2025



**Portable Bucket-Top Parts Washer** 

SKU **003759 59**99 24816

Offers Good While Supplies Last Through September 30, 2025

- · Fits Most Standard 5 Gallon Buckets
- Includes: Submersible Pump. 40" Hose and Flow-Through Brush
- Pumping Rate: 1 GPM



### **Biological Parts Washers**

**Ocean Sunset 3.0 Pack** SKU **OSB** 

SRIPAF0000623

3,34999

- 26 Gal. Tank Capacity
- Environmentally Friendly and Solvent Free
- . Soak Sink for Cleaning of Heavy Soiled Parts
- Multi-Stage Heater
- Sealed Lid
- Includes: (5) 5 Gallon Containers of Bluesolution and 4 Tablets



BRM

**Gravity X2 Mobile Pack** SKU OSB

SRIPAF0000717

**2,199**99

- 10 Gal. Tank Capacity
- Heating Speed of 15 Minutes
- Regulated to 100°F
- Easy to Move Around Environmentally Friendly
- and Solvent Free Simple Controls
- Easy Maintenance
- Air or Electric

LINCOLN

• Includes: (2) 5 Gallon Containers of Bluesolution and 4 Tablets

Oc. Com

For OSB, Call 901-300-4878

#### BlueTablets SRBT

SKU **1485037** SRIOFOMBT1100

- Simple Small Tablets
- Convenient
- · Qty: 4 Tablets

#### **BlueLiquid SRBLPE+ Agouos Solution**

SKU **1485035** SRIPFOL2P-100



- Designed for Industrial Cleaning
- Concentrated Cleaning Solution for Biological Parts Cleaning
- Water Based
- · ECO friendly



**OEM** TOOLS

#### **Washer Accessories**

**Straight Handle Flow Thru Parts Washer Brush** 

SKU **1368637 BRMPWA** 

- Made with Synthetic Filaments to Resist Solvent Cleaners
- . Works with Most Popular Recirculating Parts Washers
- For Use in Either Petroleum-Based or Water **Rased Solutions**

### **Parts Washer Brush without Tube**

SKU **1368624** BRMPWANT



SKU 222507 Call For Price LIN5983

- 1/4" NPT (F) Inlet
- . Max. Operating Pressure: 150 psi
- Can Be Used with Solvents or Detergent Solutions



### **Abrasive Blasting**

# **Bench Top Abrasive Blast Cabinet**

SKU **300119** 24815

- 274 <sup>99</sup> REG. \$369.99 • Easily Remove Paint, Rust and Oxidation
- Fits on the End of Any Bench or Cabinet
- Overall Height: 19.3"
- Exterior Width: 19.3"
- Work Area: 3.18 Cubic Ft.

Removes Surface Rust

Paint and Body Applications

• Includes: 10 Replaceable Window Underlays



SKU **010136** SHA13077

Medium



**Offer Good While** 

Supplies Last Through September 30, 2025



**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.com

#### **Floor Scrubbers**

#### **Battery Powered** 14" Floor Scrubber

SKU OSB IPCCT15

- Height-Adjustable Handle
- Removable Recovery Tank
- 1.5 Hour Run Time
- Includes: Lithium Battery. Charger and Brush

WARRANTY: 10 Years Tank 3 Years Parts 3 Years Battery



#### **Battery Powered 20" Floor Scrubber** SKU **OSB Call For Price**

IPCCT50

- 13 Gallon Tank Capacity
- 2.5 Hour Run Time

WARRANTY:

10 Years Tank 3 Years Parts, 1 Year Battery

• For Up to 10 Bay Shop • Includes: Self-Leveling Brush Head and Cast Aluminum Squeegee Assembly, 2 AGM Maintenance Free Batteries and Charger



### Cleaner/ **Degreaser**

1 Quart Bottle (6 Pack)

SKU OSB IPCT80451

• High Performance Concentrated Formula Quickly Cuts through Grease, Oil and **Tough Carbon Soils** 



∰ IPC

# **Spray Wash Cabinets**

- · Heavy Duty Steel Construction
- Removable Parts Tree
- · Brass Nozzles
- Heavy Duty Rubber Casters
- Stainless Oil Skimmer
- · Removable Tank Screen

Each Cabinet Includes: 20 Lb. Aluma-Klean Soap Bucket

\$149.99







# Ranger.

#### Aluma-Klean **Soap Bucket** 20 Lb.

SKU **751966** RAN5155096 **Call For Price** 

#### 50 Lb.

SKU **1442593** RAN5155100 **Call For Price** 

1		
	Altm	a Klean
	20	

SKU	Part #	Product	Tank Capacity	<b>Load Capacity</b>	Price
1105323	RANRS500DS	Stainless Steel	50 Gallon	500 Lb. Load	
1089035	RANRS750DS	Stainless Steel Truck	53 Gallon	1,000 Lb. Load	
OSB	RANRS500D	Professional	50 Gallon	500 Lb. Load	Call For Price
OSB	RANRS750D	Truck	53 Gallon	1,000 Lb. Load	



Customer Responsible for Offloading, Liftgate Service Available. For OSB, Call 901-300-4878

**OEM TOOLS** 

#### **Solvent-Free Cleaning Solution**

WATER WORKS

#### **Heavy Duty** Degreaser **Concentrate** (5 Gallons)

SKU **227558** WWSHD-5G

• Quickly Removes Grease, Oil, Carbon and Grime While Safe for the Technician



**Designed to Effectively Replace Hazardous Solvent in Water-Based Parts Washers** 

**K4**Ken-Tool<sup>\*</sup>

### **Vises**

### **OEM** TOOLS 4-1/2" Light Duty Bench

SKU **751645 4999** 24216

**Vise with Swivel Base** 

- Replaceable Steel Jaws
- Permanent Pipe Jaws

- Full 360° Swivel Base • Jaw Width: 4-1/2" • Jaw Opening: 4-1/2" • Throat Depth: 1.75"

#### **6" Heavy Duty Bench Vise with Swivel Base**

SKU **751654** 24218

- · Replaceable Steel Jaws
- Permanent Pipe Jaws
- Full 360° Swivel Base
- Jaw Width: 6"
- Jaw Opening: 6"
- Throat Depth: 2.6"




#### 6-1/2" Professional **Workshop Vise**

SKU **394648** KTL64065

# **3<u>99</u>99**

- Jaw Width: 6-1/2"
- Jaw Opening: 9" Replaceable. Reversible Jaws





#### **Pipe Bender**

#### **BB-2 Pipe Bender with** 302 Die Package

SKU **15341** Call For Price BENBB2

- Knee Control and Depth-of-Bend Degree Plate for Manual Bending Operations
- Includes: BB-2 Tooling Package, Quick Release Bending and Finishing Dies, High-Speed Clampless Swager and Internal Expander

#### **1302 Automatic** with 302 Die Package

SKU 15346 BEN1302BAS302

**Call For Price** 



Large 3" Die Package – Optional SKU **95070 Call For Price** BEN300-1

. Optional Die Package Extends the Bending Capabilities of Your BendPak Pipe Bender



#### **Drill Press**

#### 15" 16 Speed Floor Drill **Press**

SKU **082857** 24992

# <u> 199</u>99

- Drilling Depth: 3-5/16"
- 16 Speed Spindle: 240 to 3,200 RPM
- · Dimensions: 15" x 25-1/3" x 63-1/3" • Distance from Spindle
- to Table: 27" · Distance from Spindle to Base: 47"



SYMTECH

To Confirm Price, Availability and Ordering Instructions on OSB, Call 901-300-4878

#### **Shop Vacuums OEM** TOOLS **Air Blow and Suction Gun** SKU **1168663** 26038 REG. \$74.99 One-Touch Button That Changes the Gun from Blow to Suction Standard Shop Vacuum Power for Quick and Easy Clean Up Lightweight Gun High Filtration Collection Bag Rugged and Durable Metal Construction and Easy-to-Use Trigger • 1/4" PT/NPT Inlet and 90 psi **Offer Good While Supplies Last** Through September 30, 2025

#### **BigVac** 8 Gallon Wet/Dry **Stainless Steel Vacuum**

SKU **750618** BIG55035

• 120V • 5.5 HP Peak Motor

· Includes: 5ft Hose, 3 Extension Hoses. 1 HEPA Filter. 1 Sponge Filter,

Floor Brush, Sofa Brush, Crevice Tool and 1 Paper **Dust Bag** 



### **Headlight Aimers**

#### **Headlight** Aiming **System**

SKU **237653 SYMHBA5** 

- · Certified in Maryland and Virginia
- Laser Floor Slope Measurement, Accurate, Precise and Easy to Achieve
- Photosensor Positioning



#### **Pressure Washers**

#### **Electric Pressure Washer**

SKU OSB MTMCW3004SME1

- Pump Accepts Incoming Water Up to 165°F
- PSI: 3000 GPM 3.9
- Includes Quick Connect Nozzles - $0^{\circ}$ ,  $15^{\circ}$ ,  $25^{\circ}$  and  $40^{\circ}$ , 50, 50' x 3/8" High Pressure Hose. Insulated Trigger

Gun and Adjustable Pressure Insulated Dual Lance and 35' Power Cord • 8.0 HP, 230V

**WARRANTY: 1 Year Electric Motor** and 7 Year General Pump



SKU OSB MTMCAW20040ME1



- 2000 psi, 3.9 GPM
- 6.0 HP, 230V
- Includes: Quick Connect Nozzles - 0°. 15°, 25° and 40°. 50' x 3/8" Hose and 36" Adjustable Pressure Dual Lance

**WARRANTY: 1 Year Electric Motor and** 7 Year General Pump





#### Headlight **Aiming System** SKU OSB

SYMCVA3

- Approved for Regulated Inspection Programs in the United States except Virginia and Canada
- Laser Floor Slope Measurement: Accurate, Precise, and Easy to Achieve
- Floor Slope Adjustment Easily Attained by Rotation of **Eccentric Wheel**



TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

#### **Hot Water Pressure Washers**

#### **HSE 1400 psi Hot Water Pressure Washer**

SKU OSB MTMHSE14000M11

- · Diesel or Kerosene Fired Burner
- 1400 psi, 2.0 GPM
- 1.5 HP, 120V
- Includes: 50' x 3/8" Wire Braided Hose, Adjustable Pressure Insulated Dual Lance with 15° Fixed and Detergent Nozzle



#### **HSE 1500 psi Hot Water Pressure Washer**

SKU OSB MTMHSE15020MM

- Diesel or Kerosene Fired Burner
- Fuel Consumption: 1.2gph
- 1500 psi, 2.0 GPM
- Temperature Rise: 150°F (66°C) Max. Outlet Temperature: 200°F (93°C)
- Includes: Quick Connect Nozzles 0°, 15°, 25° and 40°, 50' x 3/8" Wire Braided Hose and Adjustable Pressure Insulated Dual Lance



WARRANTY-1 Year Electric Motor, 3 Years Coil and 7 Years Mi-T-M Pump

#### **Dual Fuel Powered** Generator

<u>CHAMPION</u>

#### **5500-Watt Dual Fuel Portable Generator**

SKU OSB CHM201505

- Dual Fuel: Runs on Gasoline or Propane. Providing Up to 11 Hours of Run Time on Gasoline or 6.5 Hours on Propane
- . Monitors Voltage, Frequency and Run-Time Hours



WARRANTY: 3 Years Limited

**CARB Compliant** 

To Confirm Price, Availability and Ordering Instructions on OSB, Call 901-300-4878

# SHOP OWNERS, WE LOAN SPECIALTY TOOLS FOR SPECIAL JOBS!



# AUTOZONE® LOAN-A-TOOL® PROGRAM

# **Over 90 Specialty Tools for Loan or Sale**

We offer the most complete selection of tools for a variety of jobs, from steering and suspension, air conditioning, engine repair and more.

The best part is Loan-A-Tool® products are free to use! Leave a deposit at the store when you pick up the tool. When you're through just bring it back within 90 days, and we'll refund the deposit, or keep the tool.



Ford Triton Spark Plug Porcelain Extractor Master Set



A/C Flush Kit



Fuel Injector Puller Kit – VW/Audi

See your Commercial Sales Manager for a complete list of loaner tools.

# WELDING & CUTTING

#### **Multi-Process**

#### 200A Multi MIG Synergic, TIG & Stick Welder (115-230VAC)

SKU OSB HSAHSW-6420

- Welds MIG, DG TIG & Stick up to 3/8" Mild Steel
- 115V or 230V
- Inverter Rated 200A @ 35% DC
- 16 Program LCD Synergic Input
- Includes: Welder, MIG Gun, TIG Torch, Stick Cable, Earth Clamp Cable, Foot Pedal, 115V Adapter, Gas Regulator, Wire and TIG Kit
- · Aluminum Spool Gun Ready (Not included)



#### 3-in-1

#### **Easy Weld 140 MP**

SKU **0SB 549 99** FRN271

- 3-in-1 Machine (Stick/MIG/TIG, TIG Torch not Included)
- Input: 120V | Output Voltage: 12-23V | Output Current Range: 43-110A
- Duty Cyle: Stick 30% @ 80A, MIG 30% @ 90A and TIG 30% @ 110A
- Includes: 10' MIG Gun, 8' Electrode Holder, 8' Ground Clamp. 20A-15A Adaptor and One Additional .030 in Contact Tip
- No Gas Required



#### 190 MP MIG Stick TIG Welder

FRN323

SKU **OSB 1,499 99 FRN323** 

- 4-in-1 Multi-Process Machine (MIG/Stick/Flux-Core/DC TIG, TIG Torch Not Included)
- Amperage Range (MIG): 120V: 30A-120A | 240V: 30A-200A
- Amperage Range (Stick): 120V: 10A-80A | 240V: 10A-190A
- Amperage Range (TIG): 120V: 10A-85A | 240V: 10A-190A • Includes: 6' Power Cable, 8' Stick Electrode Holder, 8' Ground Cable and Clamp, 120V-240V Adapter Cord,
- 6' Gas Hose, 10' M IG Gun, Gas Regulator, Spare .030" and

To Confirm Price, Availability and Ordering Instructions on OSB, Call 901-300-4878



#### **MIG Welder**

MIG and Flux-Core Welder (130 Amp)

SKU OSB HSAHSW-6213

• Features Wire Speed and Power Settings by Material/Wire Thickness

 Rated Duty Cycle: 20% @ 130 Amps • Includes: Inverter, Power Supply,

Torch, Earth Clamp, Gas Regulator, Spool of .030" FluxCore Wire and Spool of .030" MIG Wire



**Plasma Cutter** 

# Flex 30™ Plasma and Stick/Tig Welder

SKU **OSB** FRN320

H&S

1,249<sup>99</sup>

- Cut and Weld Up to 3/8" Thick Material with One Small, Powerful Machine
- Amperage Range (TIG): 120V: 10A-85A | 240V: 10A-160A
- Amperage Range (Stick): 120V: 10A-80A | 240V: 10A-160A Amperage Range (Plasma): 120V: 10A-20A | 240V: 10A-30A
- Includes: Forney Flex 30<sup>™</sup> Plasma ST Machine, Additional
- Set of Consumables, 6' Power Cable, 8' Stick Electrode Holder, 8' Ground Cable and Clamp, 15' Plasma Torch and 120V-240V Adapter Cord (TIG Torch Not Included)



#### **Consumables**

#### **E71T-GS Flux-Core Welding** Wire 0.030" 2 Lb.

SKU **1544675 26** 99 FRN42300

- Tensile Strength: 79,000 psi
- · Weight: 2 Lb.
- · Recommended Polarity: DCEN Straight
- . No Shielding Gas Required



### **ER70S-6 MIG** Welding Wire 0.030" 10 Lb.

SKU **1544677** FRN42286

- Tensile Strength: 70,000 psi
- Weight: 10 Lb.
- Recommended Polarity: DCEP Reverse Polarity
- Required Shielding Gas: Argon/C02



### **Acetylene Torch**

**Medium Duty Torch Kit** 

SKU OSB **299**<sup>99</sup> FRN1705

• Cuts Up to 150 mm (5.91") and Welds Up to 9 mm (0.35") with Proper Tips

 Includes: 250-Series Regulators, 100-Series Torch Handle, 1350-Series Cutting Attachment, 0-3-101 Cutting Tip, W-1-0 Welding Tip, 1/4" (6.35 mm) X 12.5' (3.81 m) Twin Welding Hose with Fittings, #5 Goggles, Round Single Flint Striker, 13-Piece Tip Cleaner and Plastic Carry Case



#### 

<del>Tor</del>ney

#### **Portable Welding Cart** SKU **1544669 FRN332**

- Steel Construction
- Dimensions: 11-1/2" (W) x 27-1/2" (H)
- Weight Capacity: 90 Lb. (40.8 Kg)
- Sleek Black Finish for a Professional Look



#### E71T-GS Flux-Core Welding Wire 0.035" 2 Lb.

SKU **1544668** FRN42302

- Tensile Strength: 79,000 psi
- Weight: 2 Lb.
- Recommended Polarity: DCEN Straight
- . No Shielding Gas Required

OEM TOOLS

# WELDING & CUTTING

**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.com

#### Welding Helmets **Formey**



#### Valor Auto-Darkening **Welding Helmet**

SKU **1544661** FRN55861

- 5.97 Sq. In. (3.62" x 1.65") Viewing Area
- 2 Optical Arc Sensors
- 1/1/1/2 Optical Clarity Rating
- UV/IR Coating to Reduce Scratching and Discoloration of the Lens

. DIN 9 to 13 Variable Shade Selection • 1/25,000 Per Second Switching

Speed



#### **OEM** TOOLS Auto Darkening **Welding Helmet**

SKU **362974** 24357

- TIG Rated Variable Shade 9 to 13
- Viewing Area: 3.54" x 1.37"
- Battery Powered with Solar Assist
- Includes: Replacement Cover Lenses



#### **Auto Darkening** OEM TOOLS **Welding Helmet** with Grinding Function

SKU **347233** 24358

REG. \$109.99 • TIG Rated Variable Shade

SAVE

- 9-13 Variable Sensitivity and
- **Delay Controls** • 2 Independent Arc Sensors
- Grinding Function
- Lens Darkening is 1/25,000
- Battery Powered with Solar Assist
- Includes: Replacement Cover Lenses



#### **JACKSON Premium Welding Helmet - Gray Matter** SKU 1400038 Call For Price JAS47102

- 6.24 Sq. Inch Viewing Area
- Auto Darkening Filter Meets 1/1/1/1 Optical Clarity Standard, the Highest in the Industry
- · Powered By Solar Technology and (1) CR2032 Lithium Battery



#### **Soldering**

#### **Mechanics Butane Mini Torch**

SKU **804655** 24353

- · Adjustable Flame Lights Upside Down
- Auto Ignition, Refillable
- Safety Lock When Not in Use Butane Not Included



### **Mechanics Butane Torch**

SKU **802236** 24354

SAVE

REG. \$34.99

 Heavy Duty Piezo Ignition with Strong Flame Butane Not Included

Offer Good Through September 30, 2025

#### **Professional 3-in-1 Butane Micro Torch Kit** SKU **420339**

24356

**REG. \$54.99** • 3-in-1 Design Can Be Used as a Soldering Iron, Torch or Hot Air Blower without Iron Tip

 Micro Torch Kit Includes: Torch. Metal Tip Wicking Cup with Sponge, Heat-Shrink Deflector, Chisel Point Tip, Anvil Solder Tip, Needle Tip and Hot Air/Soldering Tip and Base

• Ideal for Use with Electrical Repair, Tin and Plastic Melting, Heat-Shrinkable Tubing, Auto Repair, Hobby Repair and Jewelry Repair

Power Range: 30W to 125W



**Butane Not Included** 

<del>Tor</del>ney

Offer Good While Supplies Last Through September 30, 2025

#### **Professional** 3-in-1 Butane Soldering **Iron Kit** SKU **420338** 24355

• Includes: Soldering Iron, Metal Tip Wicking Cup with Sponge, Solder Wire, Protective Tip Cap, Heat-Shrink Deflector, Chisel Point Tip, Anvil Solder Tip, Needle Tip and Hot Air/Soldering Tip

· Cable Free



#### **Professional Soldering Gun Kit**

SKU **1362003** 24773

**REG. \$69.99** 

 Includes: Heavy Duty SAVE 230/150-Watt Soldering Gun, General Purpose Soldering Tip, Plastic Cutting Tip and 0.5 Oz. (14 g) Rosin Core Solder

 Reaches Max. Temperature of 937°F at Low Power

- Reaches Max. Temperature of 1400°F at High Power
- 120V, 150/230W, 60 Hz



<del>Tor</del>ney

# **Welding Accessories**

#### Welder's Combo Pack SKU **459159** SHA14526

Includes: Heavy Duty Welding Gloves, Quilted Welder's Skull Cap and Oxy-Acetylene Lighter



#### **Multi-Purpose Welding Gloves**

SKU **1544656** FRN53415

- · Size: Men's Large
- · Ultra-Soft Premium Goatskin Leather
- . Back of the Hand is Lined for Extra Defense from Heat, Palm is Unlined for Dexterity and Finger Control




#### **Welder Start-Up Kit** SKU **1544655**

**FRN377** 

. Bandit Flip Front Welding Helmet with Fully Adjustable Ratcheting Headgear Leather Welding Gloves

Anti-Shock Handle Carbon Steel Scratch Brush





AZG0325

# PAINT & BODY

#### **Dent Repair**

### **Adjustable Bumper Stand**

SKU OSB ATD6572

- Holds Any Plastic Bumper Cover without Touching the Painted Surface
- Cover Can Be Rotated 90° to Ensure Proper Paint Coverage
- 5 Locking Positions
- Protective Rubber Boots Keep Critical Areas Free of Overspray
- 4 Industrial Grade Casters with 2 Locking for Zero Movement

For OSB, Call 901-300-4878



#### **Body Repair**

#### **Fast Action Body Repair Kit**

- Includes: Hydraulic Pump, Hydraulic Ram, 4 Extension Rods, a Rubber Ball Foot and a Duckbill Hydraulic Spreader
- Features a Faster Double-Action Hydraulic Pump
- Includes: Blow Mold Case

# 4 Ton

SKU **301327** 24820

REG. \$299.99



Offer Good Through September 30, 2025

10 Ton

24821



# **3 Piece Body Seam**

SKU **265129** 25337

- Includes: Straight, 30° Offset and 90° Angle
- Tough Chrome
- · GoThru® Shafts
- · Shock Dampening Grip



#### **OEM** TOOLS

# **Splitter Set**

- Seam Splitters
- Vanadium Steel
- Provides Comfort



Cal-yan

**OEM TOOLS** 

#### 18" Professional Windshield Knife

SKU **480782** CAL53100

Windshield Tool

**Dent Puller** 

SKU **265148** 

25922

**Slide Hammer Dent Puller Set** 

• Comes in a Blow Mold Case

• 12 Lb. Hammer, Slide Hammer Shaft, Slide Hammer Handle, Slide Hammer

and Chain, Sheet Metal Screw and Holder, Nose Piece with Screw

Adapter, Deep Hook, Short Hook, Door Edge Tool, Claw, Straight Driver, Hook

· Constructed of Heavy Duty Steel and Aluminum with a Padded Ergonomic Handle



#### **Door Tools**

SKU **447154** 

25930

**Door Spring Tool** SKU **447118** 

25336

**Panel and Trim Clip Pliers** 

• Designed to Remove Panel Clips

. Ergonomic Comfort Grip Handles for

2-Step Tip Minimizes Risk of Clip Damage

. Quickly and Easily Remove or Install Door Hinge Springs

. Designed for GM Cars and Light Trucks



**OEM** TOOLS

#### **Hood Props**

#### **Telescopic Hood Support**

SKU **4203**37 24211

- · Simple Turn Locks and Unlocks the Support in Place
- Rubber End Caps Protect Vehicle's Finish
- 21" When Closed and Almost 48" When **Fully Extended**
- Compact and Easy to Store, Easy to Use



#### **OEM TOOLS** Universal **Lift Support**

Clamp SKU **19**1671

25307

Lift Supports in the Extended Position to Allow Access to the **Engine Compartment or** 



# Luggage Area

### **Trim Tools**

#### **Air Bag Release Tool for GM**

SKU **191678** 25310

1199 • Fits Most GM Cars, Minivans and Light Trucks • Tips are Tapered to Make Removal Easier



#### **Trim Fastener and Molding Remover Set**

SKU **900801** 25314

- Includes: 5 Tools for Easy Removal of Fasteners, Molding, Wheel Hubs and More
- For Use on Internal and External Vehicle Molding and Trim Fasteners

# **3 Piece Light Duty Smoothing/Prying Kit**


25084

SKU **004111 099** 

- Prv Dashboard Parts and Vents without Damaging Interior
- Clean Crevices and Joints in Small Electronics
- Disassemble Key Fobs and Other Remotes
- Evenly Smooth Epoxy and Adhesives



· Securely Holds Weak



### **5 Piece Door Panel** and Trim Remover Set

Reduced User Fatigue

SKU **989263** 25312

REG. \$64.99

Constructed with a Durable Chrome Plated Alloy Steel

- Comprised of 3 Door Panels and 2 Trim Tools
- Textured, Comfortable Grips with Thumb Stop and Hanging Hole

Offer Good Through September 30, 2025

#### **6 Piece Door Panel** and Trim Removal Set SKU **003868**

25301 • Includes: V-Notch Clip Remover, U-Notch Clip Remover, 2 Door Panel Removal Tools, C-Type Clip



#### **Door Hinge Adjuster** SKU **447144**

25946

- Adjusts Door Hinge Position on Most Vehicles
- 2-Head Adapter Works with Large and Small Latches
- · Excellent Grip for Ease of Use
- Provides Leverage to Get the Job Done

# IAND TOOLS

**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.con

#### **Combo Wrench Sets**

RingStop® Reversible **Ratcheting Wrench Set** 

8 Piece Set (SAE)

SKU **803139** 

23989 0099

SAE Sizes: 5/16"

3/8", 7/16", 1/2", 9/16", 5/8"

11/16" and 3/4"

REG. \$154.99

- Patented RingStop® Design Makes One-Hand Use Easy
- Posi-Grip No-Slip<sup>®</sup> Design
- Jaw is 15° Offset

BONUS+SAVINGS

• Made with Chrome Vanadium Steel





Go Thru Ratcheting Head







8 Piece Go Thru Socket Set (SAE) 22979

With Purchase of 23989

Offers Good While Supplies Last Through September 30, 2025

15" Width x 10" Depth

# **BONUS** VALUE: \$34.99

**12 Piece Go Thru Socket Set** (Metric) 22978

With Purchase of 23988

**Combo Wrench Sets** 

14 Piece (SAE)

SKU **802222** 119 PREG. \$219.99 23993

• 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8" 11/16", 3/4", 7/8", 15/16", 1", 1-1/16"

16 Piece (Metric)

SKU **802224** 23994

16, 17, 18, 19, 21 and 22 mm

**OEM** TOOLS

REG. \$189.99

6, 7, 8, 9, 10, 11, 12, 13, 14, 15,

Offer Good Through September 30, 2025



22063

• 1/4" x 5/16", 3/8" x 7/16", 1/2" x 9/16", 5/8" x 11/16", 3/4" x 7/8"



**OEM** TOOLS

#### 6 Piece (Metric)

SKU **749930** 22064

SAVE

REG. \$129.99

• 9 mm x 11 mm, 10 mm x 12 mm, 13 mm x 14 mm, 15 mm x 17 mm, 16 mm x 18 mm, 19 mm x 21 mm

Offer Good Through September 30, 2025



10" Width x 7.8" Depth

#### 10 Piece Combination Wrench Set (Metric)

SKU **127920** 22995 **REG. \$69.99** 

Includes: 10 to 19 mm

 Posi-Grip No-Slip® Design Provides Off-Corner Loading for Greater Torque with More Socket-to-Fastener Contact

 Marked on All 4 Sides for Easy Identification



Offer Good Through September 30, 2025

# **JUMBO WRENCHES**

Jumbo wrenches are made of high quality drop forged steel and are precision machined to prevent fastener damage.

**Individual Jumbo Wrenches Available on AZTOOL1.COM** 





SKU	Part #	Metric or SAE	Size	Price
338830	22100	SAE	1-1/16", 1-1/8", 1-1/4", 1-5/16",1-3/8" and 1-7/16"	134.99
338833	22101	SAE	1-1/2", 1-5/8", 1-3/4", 1-7/8" and 2"	194.99
338852	22120	Metric	21 mm, 22 mm, 24 mm, 25 mm, 27 mm, 29 mm, 30 mm and 32 mm	119.99
338858	22121	Metric	33 mm, 34 mm, 35 mm, 36 mm, 40 mm, 42 mm, 46 mm, 50 mm	224.99

Box End Offset 15° for Work in **Tight Spaces** 

Continuous Curve Design Reduces Spreading, Slippage and Fastener Damage

SKU	Part #	SAE Size	Price
338859	22102	1-1/16"	14.99
338864	22103	1-1/8"	19.99
338866	22104	1-1/4"	19.99
338868	22105	1-5/16"	19.99
338877	22106	1-3/8"	19.99
338890	22107	1-7/16"	19.99
338896	22108	1-1/2"	19.99
338898	22109	1-5/8"	24.99
338903	22110	1-3/4"	39.99
338935	22111	1-7/8"	44.99



#### **Jumbo Angle Wrench Set**

**6 Piece Jumbo Angle Head Wrench Set** SKU OSB

• Sizes: 1-3/8", 1-1/2", 1-5/8", 1-3/4", 1-7/8" and 2"



22113

Includes Roll-Up Storage Bag

For OSB. Call 901-300-4878

### **Ratcheting Combination Wrenches**

16 Piece 12 Pt. Ratcheting **Combination Wrench Set (Metric)** 

SKU **213125 189** 99 KDT9416

- Includes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 and 24 mm
- Ratcheting Box End Requires Only 5° to Move Fasteners
- 12 Point Design Providing More Positions to Engage the Fastener



**GEARWRENCH** 

### **Wrench Extender**

Wrench Extender OFM TOOLS SKU **1368628** 22656

- Safely Provides Extra Leverage to Loosen Rusted Bolts. Jammed Fasteners or Over-Tightened Nuts
- · Great for Use on Those Hard to Reach Fasteners



#### **Screwdrivers**

#### 19 Piece Screwdriver Set

SKU **1142325** 73775





- Phillips: #0 x 1.5", #0 x 2.5", #1 x 3", #2 x 1.5" (Stubby), #2 x 4", #2 x 8", #3 x 6", #4 x 8"
- Offset: 3/16" x #1, 1/4" x #2
- Magnetic Tips Hold Fasteners in Place
- Square Shafts Can Be Used with Wrench for More Torque
- Hexagon Shaped Handles Prevent Roll Off
- Color Coded Fluting Defines Driver Type



# **8 Piece Mechanics Screwdriver Set**

SKU **802208** 23999



- Securely in a Cabinet or Tool Box Features a Hard Chrome<sup>™</sup> Finish, an Easy-to-Clean Smooth Satin Finish That Won't Show Prints and
- · Custom Cut of the Tool is a Hi-Vis Green Making it
- 5/16" x 6" and 3/8" x 8"



#### **Ratcheting Screwdriver**

#### **Pivot-Grip Ratcheting Screwdriver**

SKU **004103 91** 99 22557



- Pivoting Handle Provides Ergonomic Gripping Positions

  • Forward and Reverse Ratcheting
- . Magnetic Bit Shaft for a Secure Fit
- Overall Length: 10"
- Internal Bit Cartridge for Convenient Storage
- Includes: 6 Bits: Phillips (#1, #2), Slotted (4 mm, 6 mm) and Robinson (#1, #2)





**OEM** TOOLS

OEM TOOLS

### **Long Reach Screwdrivers**

• High Performance Hex Shaped Shaft for More Torque and Less Flex

Precision Machined and Sand Blasted Tips That Reduce Cam-Out

• Durable Ergonomic Handles are Made of Hardened Resin

5/16" x 20" Slotted Screwdriver SKU **1142473** 22555

#2 x 20"

**Phillips Screwdriver** SKU **1142485** 22574





**Extra Long Blades for Hard to Reach and Recessed Fasteners in Tight Spaces** 

### • EVA Tray with Custom Cut Contrast Soft Foam and Sizes Marked for Easy Identification, Designed to Fit

- Keeps Rust Away
- Visible if a Tool is Missing

   Slotted: 1/4" x 1-1/2", 3/16" x 3", 1/4" x 4",

Offer Good Through September 30, 2025

# **20 Piece Screwdriver Set**

SKU **1142343** 92080

- · Chrome Vanadium Steel Shaft for Strength and Durability
- · Precision Ground Sandblasted Tip
- Highest Quality Acetate Handle
- Slotted: 3/32" x 2", 1/8" x 2", 3/16" x 4", 1/4" x 1-1/2", 1/4" x 4", 1/4" x 6" Phillips: #00 x 1-1/2", #0 x 2", #1 x 3", #2 x 4", #2 x 6", #2 x 1-1/2"
- Star: T15, T20

**5 Piece Star Screwdriver Set** 

SKU **1142630** 

73721

- Square: #2
- (1) Offset Screwdriver
- · 4 Piece Hook and Pick Set

**Star Screwdrivers** 



M TOOLS



### **Hex Key Sets**


#### **27 Piece Star and Hex Key Set** (Metric and SAE)

SKU **1209375** 24299



- Extra Long Arm for Accessing Hard-to-Reach Spots
- Each Tool is Color Coded and Marked with Sizes for Easy Identification
- SAE and Metric Hex Keys Have Ball-End Design for Reaching at Angles Up to 25°





- 25° Entry Angle for Better Work Near Obstructions
- Long Arms Provide for Increased Torque and Extra Reach

35 Piece SAE, Metric and Star

24249

SKU **1168819** 



**26 Piece SAE and Metric** SKU **1168833** 

24248



#### Star (T10 x 4", T15 x 4", T20 x 4", T25 x 5", T30 x 6")

- Magnetic Tips Hold Fasteners in Place
- · Hexagon Shaped Handles Prevent Roll Off



# **Gasket Scraper Set**

# **3 Piece Gasket Scraper Set**

SKU **1069069** 26501

• Includes: 3/4", 1" and 1-1/2" Gasket Scrapers



#### 9 Piece Magnetic Long Arm Hex Key Set Long - SAE SKU **978109** 24261

 Includes: SAE Sizes: 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16" and 3/8" Color Coded Red - SAE Magnetic Tips Hold Fasteners in Place and Prevents Them from Slipping







**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.com

#### **Mechanics Set**

#### 64 Piece 1/4" Drive Metric Set

SKU **020788** 23997

REG. \$139.99

- Shallow Sockets, 6 Pt: 4 to 15 mm
- Deep Sockets, 6 Pt: 4 to 15 mm
- Drive Wobble Straight Extension
- Bit Extension Bars: 6" and 10"
- Ratchet Screwdriver
- Universal Joint
- Ratchet • 28 Bits

Offer Good Through September 30, 2025



20" Width x 8" Depth

**OEM** TOOLS

#### Ratchet and Socket Set OEM TOOLS

**OEM** TOOLS

**OEM** TOOLS

#### 26 Piece 1/2" Drive Ratchet and Socket Set

23995

Offer Good While

Supplies Last Through

September 30, 2025

REG. \$144.99 • Includes: (21) 6 Pt. Metric and SAE Sockets,

(1) 1/2" Dr. Extension Bar 3 (1) 1/2" Dr. Extension Bar L6, (1) 1/2" Swivel U-Joint, and

HARD CHROME™FINI\$H

(1) 1/2" Dr. Regular Ratchet



**Universal Joints** 

#### 1/4" Drive

SKU **081225** 

22520

1/2" Drive

SKU **081227** 22522

3/8" Drive SKU **081226** 

(Style May Vary)

**OEM** TOOLS

#### Socket Adapters

### **3 Piece Low-Profile Adapter Set**

SKU **818570** 22535

• CR-V Steel for Strength Get into Tighter Spaces



· Includes: 1/4" F x 3/8" M,

3/8" F x 1/2" M, and 1/2" F x 3/4" M

#### **Adapters**

 Hard Chrome<sup>™</sup> Finish is Easy to Clean and Will Keep Away Rust



SKU	Part #	Drive	Price
81228	22530	1/2" F x 3/4" M	14.99
81229	22531	1/2" F x 3/8" M	10.99
81230	22532	3/8" F x 1/2" M	7.99
81232	22533	3/8" F x 1/4" M	6.99
81233	22534	1/4" F x 3/8" M	7.99

#### **Socket Sets**

Posi-Grip No-Slip®

22521

- . Off Corner Loading for Greater Torque
- Knurling Position for Best Finger Gripping
- . Chamfered Ends Allow the Socket to Easily Slip Over the Bolt Head
- . Deep Marking for Easy Identification





#### 1/4" Drive Socket Sets

#### 10 Piece (SAE)

SKU **127786** 22952

• 3/16" to 9/16"

12 Piece (Metric)

SKU **127836** 22950

• 5 mm to 15 mm

# 10 Piece Deep (SAE) 12 Piece Deep (Metric)

SKU **1414402** 22953A

SKU **127772** 22951

• 3/16" to 9/16"

• 5 to 15 mm





#### SKU **850056** 23985 • Includes: 3/16" to 9/16"

10 Piece 1/4" Deep (SAE)

12 Piece 1/4" Deep (Metric)

SKU **850510 34** 99 23986

• Includes:

5 mm to 15 mm



10" Width x 4" Depth

#### 3/8" Drive Socket Sets

#### 11 Piece (SAE)

SKU **127798** 

22956 • 1/4" to 7/8'

SKU **127794** 22954

• 8 mm to 19 mm

#### 12 Piece (Metric)

• 1/4" to 7/8"

# 11 Piece Deep (SAE) 12 Piece Deep (Metric)

SKU **127803** 22957

SKU **127797** 22955

• 8 mm to 19 mm





# 1/2" Drive Socket Sets

#### 11 Piece (SAE) SKU **127812**

22960

• 1/2" to 1-1/8"

10 Piece (Metric)

22958

• 10 mm to 19 mm

SKU **127846** 22961

• 1/2" to 1-1/8"

# 11 Piece Deep (SAE) 10 Piece Deep (Metric)

SKU **127809** 22959

• 10 mm to 19 mm



#### 12 Piece 3/8" Deep Socket Set (Metric)

23981

• Includes: 8 mm to 19 mm



SAVE

**REG. \$59.99** 

SAVE

SKU **127807** 

Offer Good Through



#### 24 Piece 3/8" Drive Socket Set (Metric) SKU **127868**

10" Width x 7" Depth

22963 REG. \$69.99 • Includes: 8-19 mm (Deep) and 8-19 mm (Shallow)

22 Piece 3/8" Drive Socket Set (SAE) SKU **127869** 

22962 **REG. \$64.99** • Includes: 1/4" to 7/8" (Deep); 1/4" to 7/8" (Shallow)



September 30, 2025

AZG0325

#### **Ratchets**

- 36 Teeth with 10° Arc Motion for Precision and Strength
- Reversing Lever Allows a Forward and Reverse in One-Hand Action
- . Sealed to Keep Dirt and Debris Out of Head
- Compact Head Designed to Get into Tight Spaces



### HARD CHROME™FINISH O=MTOOLS

SKU	Part #	Type	Drive	Length	Price
081298	22900	Standard	1/4"	4-1/4"	19.99
177728	22911	Standard	3/8"	8"	29.99
177768	22920	Standard	1/2"	10"	39.99
177702	22910	Stubby	3/8"	4"	29.99
081301	22901	Flexible	1/4"	6"	29.99
177730	22912	Flexible	3/8"	11-1/2"	39.99
177769	22921	Flexible	1/2"	17-1/2"	<i>59.99</i>

#### **Extensions**

**OEM** TOOLS

- · Chamfered Ends for Positive **Engagement with Drive Tools**
- Knurled Shank for Easy Fingertip Turning
- Milled Ends Provide a Solid Connection

SKU	Part #	Drive	Length	Price
081213	22481	1/4"	4"	<i>5.99</i>
081215	22482	1/4"	6"	<b>7.99</b>
081218	22483	1/4"	11"	4.99
081219	22490	3/8"	1-3/4"	9.99
081220	22491	3/8"	4"	10.99
306326	22492	3/8"	6"	<i>8.99</i>
306287	22494	3/8"	10"	11.99
081212	22480	1/2"	2"	<i>3.99</i>
081221	22500	1/2"	3"	4.99
081223	22501	1/2"	6"	11.99
081224	22502	1/2"	10"	14.99

#### **Flex Head Breaker Bars**

- · Special Alloy Steel, Heat-Treated to Provide Durability
- 180° Flex Head Provides Leverage at Desired Angle for Hard-to-Reach Applications

SKU	Part #	Drive	Length	Price
081302	22913	3/8"	11-9/16"	24.99
081303	22922	1/2"	18"	<i>34.99</i>
750437	22923	1/2"	24"	39.99



#### **Impact Driver**

#### 1/2" Drive Impact Driver Set

SKU **1142387** 

- 22561
- Easily Break Free Rusted, Corroded and Frozen Screws • Includes: Impact Driver, Bit Adapter, 8 Impact Bits
- and Sturdy Blow Mold Case



#### **Spiral Drive Set**

#### **5 Piece Spiral Drive Bit Set**

SKU **80223**4 22975

· Sizes: MTS0, MTS1, MTS2, MTS3 and MTS4 • 3/8" Drive

Mid-2000 and Later Model Range Including Bolts That Secure the Bell Housing to the Transmission on GM 4L60 Transmissions

**OEM** TOOLS

**OEM** TOOLS



#### **Triple Square Bit Sets**

- Use on European Vehicles Like BMW, Mercedes, VW, Audi and Porsche
- Heat-Treated Alloy Steel Bits to Reduce Premature Wear
- Reinforced Chrome Vanadium Steel Sockets to Increase Turning Power
- Fully Refined Hard Chrome Plated Finish and Zinc Phosphate Bits Treatment to Prevent Rust and Corrosion

**20** 99 • Services New Fasteners Found on Many

GM, Chrysler, BMW and Fiat Vehicles of the

• Meets and Exceeds ANSI Standards

#### **OEM** TOOLS

#### **10 Piece Extra Long XZN Triple Square Spline Bit Socket Set**

SKU **1368626** 23519

REG. \$49.99

- Sizes Included: M4, M5, M6, M8, M9, M10, M12, (Tamper-Proof) M14, M16, M18
- Socket Length: 3.93









**10 Piece Magnetic Long Triple** 

**Square Bit Socket Set** 

Socket Length: 3.93"

SKU **1313567** 

23907




#### **9 Piece Triple Square Bit Set**

SKU **191052 29**99 25953



• 1/4" Drive: M4, M5 and M6 (Length: 37 mm)



(Length: 48 mm) 1/2" Drive Tamper-Proof: M14, M16 and M18 (Length: 55 mm)







Offer Good Through September 30, 2025

# **10 Piece Magnetic Triple Square**

**Bit Socket Set** SKU **1368615** 

- 23906
- . Powerful Magnetic Bits to Prevent the Loss of Nuts, Bolts and Fasteners
- · Comes Enclosed in Blow Mold Case for Easy Identification and Storage
- Sizes Included: (1/4" Drive) M4, M5, M6; (3/8" Drive) M8, M9, M10, M12, M14; (1/2" Drive) M16, M18



# **10 Piece Triple Square Bit Socket Set**

SKU **1368630** 22711

REG. \$29.99

- Sizes Included: M4, M5, M6, M8, M9, M10, M12, (Tamper-Proof) M14, M16, M18
- Comes Enclosed in Blow Mold Case for Easy Identification and Storage







AZG0325

- . Constructed for Professionals with Superior Materials for Increased Torque and Hardness
- Heat-Treated S2 Steel Bits to Reduce Premature Wear
- Reinforced Chrome Vanadium Steel Sockets for Durability and Improved Finish
- Fully Refined Hard Chrome Plated Finish and Zinc Phosphate Bits Treated to Prevent Rust and Corrosion



#### **Hex Sets**

# **12 Piece Magnetic (SAE)**

SKU **1282759** 23900 **REG. \$39.99** 

- 1/4" Drive: 1/16", 5/64", 3/32", 7/64" and 1/8"
- 3/8" Drive: 9/64", 5/32", 3/16", 7/32", 1/4", 5/16"

#### **12 Piece Magnetic (Metric)**

SKU **1282804** 23901

REG. \$39.99

- 1/4" Drive: 2 mm, 2.5 mm, 3 mm, 4 mm, 5 mm and 5.5 mm
- 3/8" Drive 6 mm, 7 mm, 8 mm, 9 mm, 10 mm and 12 mm

#### **12 Piece Magnetic Long (SAE)**

SKU **1282807** 23902

**REG. \$49.99** 

- 1/4" Drive: 1/16", 5/64", 3/32", 7/64", 1/8" 3/8" Drive: 9/64", 5/32", 3/16", 7/32", 1/4", 5/16" and 3/8"


#### **12 Piece Magnetic Long (Metric)**

SKU **1282737** 23903

**REG. \$49.99** 

- 1/4" Drive: 2 mm, 2.5 mm, 3 mm, 4 mm and 5 mm
- 3/8" Drive: 5.5 mm, 6 mm, 7 mm, 8 mm, 9 mm, 10 mm and 12 mm

Offers Good While Supplies Last Through September 30, 2025



**26 Piece Master Hex Bit Set** 

SKU **802219** 23990

**REG. \$69.99** 

• Includes: 1/4" Drive Sizes: 1/8" to 7/32" and 2.5 to 5 mm. 3/8" Drive Sizes: 1/4" to 11/32 and 6 to 9 mm, 1/2" Drive Sizes: 3/8" to 5/8" and 10 to 19 mm



**S2** 

STEEL

STEEL



#### **12 Piece Long (SAE)**

SKU **1282747** 23563

• 1/4" Drive: 1/16", 5/64" 3/32", 7/64" and 1/8"

• 3/8" Drive: 9/64", 5/32", 3/16", 7/32", 1/4", 5/16" and 3/8'



**REG. \$49.99** 

# **12 Piece Long (Metric)**

SKU **1282757** 23538

• 1/4" Drive: 2 mm, 2.5 mm, 3 mm, 4 mm and 5 mm

• 3/8" Drive: 5.5 mm, 6 mm, 7 mm. 8 mm. 9 mm. 10 mm and 12 mm



**REG. \$44.99** 



Offers Good Through September 30, 2025

**STEEL** 



#### **32 Piece Hex Bit Socket Set** (SAE and Metric)

SKU **1282740** 22989

#### SAE

- 1/4" Drive: 1/8", 5/32", 3/16", 7/32" and 1/4"
- 3/8" Drive: 9/32", 5/16", 3/8", 7/16" and 1/2"
- 1/2" Drive: 9/16", 5/8", 11/16" and 3/4"

#### Metric

- 1/4" Drive: 2, 2.5, 3, 4, 5, 5.5 and 6 mm
- 3/8" Drive: 7, 8, 9, 10 and 12 mm
- 1/2" Drive: 14, 15, 17 and 19 mm



# Offer Good While Supplies Last Through September 30, 2025

1/2" Drive Hex Bit Set (Metric)

SKU OSB 25417



 Use on Transmission and Differential Drain Plugs

For OSB, Call 901-300-4878



7 Piece Hex Bit Set (SAE)

SKU **127904** 22982

and 3/4"







**Socket Set (7 Piece)** 





• Includes: 13, 14, 15, 17, 19, 21 and 22 mm

1/2" Drive Metric Hex Bit



#### 9 Piece Hex Bit Set (Metric) SKU **127903**

22983




- Includes: 1/4" Drive 2, 2.5, 3, 4 mm and 3/8" Drive 5. 6. 7. 8. 10 mm
- . Knurling Position is Optimized for Best Finger **Gripping Position**



#### 1/2" Drive SAE Hex Bit **Socket Set (6 Piece)**

SKU 1168826 22999





• Tempered Chrome Vanadium Steel with a Plated Finish for Long Life



### 12 Piece Hex Bit Set (SAE) SKU **127905**

22984




AZG0325



**S2** 

STEEL



 Knurling Position is Optimized for Best Finger Gripping Position





#### **Multi-Drive Sets**

#### 35 Piece Multi-Drive Star Socket Set

SKU **802217** 23991

• 1/4" Drive Star: T10, T15, T20, T25, T27 and T30


- 1/4" Drive Tamper-Proof Star: T7, T8, T9, T10, T15, T20, T25 and T30
- 1/4" Drive Female Star: E4. E5. E6. E7 and E8
- 3/8" Drive Tamper-Proof Star: T40, T45, T50 and T55
- 3/8" Drive Star: T40, T45, T47, T50 and T55
- 3/8" Drive Female Star: E10, E12, E14 and E16
- 1/2" Drive Star: T60 and T70
- 1/2" Drive Female Star: E18



10-3/4" Width x 5-3/4" Depth

#### **44 Piece Multi-Drive Star** and Bit Socket Set

SKU **802206** 



- 1/4" Bit Holder
- 1/4" Hex Drive Tamper-Proof Star Bits: T7, T8, T9, T10, T15, T20, T25, T27, T30
- 1/4" Hex Drive Star: T10, T15, T20, T25, T27 and T30
- 3/8" Drive Star: T40, T45, T47, T50, T55 and T60
- 3/8" Drive Metric Hex: 2, 2.5, 3, 4, 5, 6, 7, 8 and 10 mm 3/8" Drive SAE Hex: 1/8", 5/32", 3/16", 7/32",
- 1/4", 5/16" and 3/8"
- 3/8" Drive Phillips: #1, #2 and #3
- 3/8" Drive Slotted: 3/16", 1/4" and 5/16"



#### **Star Sets**

# **13 Piece Tamper-Proof**

SKU **1282735 20**99 22710

• 1/4" Drive: T8, T10, T15, T20, T25, T27 and T30

STEEL

- 3/8" Drive: T40, T45, T47, T50 and T55
- 1/2" Drive: T60

#### **13 Piece Star Bit Socket Set**

SKU **1282806** 

• 1/4" Drive: T8, T10, T15, T20, T25, T27 and T30

- 3/8" Drive: T40, T45, T47, T50 and T55
- 1/2" Drive: T60



#### 35 Piece Master Star Bit Set

SKU **466622** 25951

- 1/4" Drive Star: T8 to T30
- 1/4" Drive Tamper-Proof Star: T7, T8, T9, T10, T15, T20, T25 and T30
- 1/4" Drive Female Star: E4, E5, E6, E7 and E8
  3/8" Drive Star: T40, T45, T47, T50 and T55
- 3/8" Drive Tamper-Proof Star: T40, T45, T50 and T55
- 3/8" Drive Female Star: E10, E12, E14 and E16
- 1/2" Drive Star: T60



# 11 Piece Tamper-Proof Star Set

SKU **127872 9099** 22972

- Includes: (1/4" Drive) T8, T10, T15, T20, T25, (3/8" Drive) T27, T30, T40, T45, T47, T50
- . Knurling Position is Optimized for Best Finger Gripping Position
- Black Oxide Finish Indicates Star Drivers



#### **12 Piece Tamper-Proof Star Set**

SKU **127870 29 99** 22971



- · Knurling Position is Optimized for Best Finger Gripping Position -- Go Ahead and Put On Serious Torque, it Won't Slip
- Black Oxide Finish Indicates Star Drivers
- Chamfered Ends Allow the Socket to Easily Slip Over the Bolt Head
- Makes Fastener Engagement Quick and Smooth



# **13 Piece Magnetic**

23904

SKU **1267957** 

• 1/4" Drive: T8, T10, T15, T20, T25, T27 and T30

• 3/8" Drive: T40, T45, T47, T50, T55 and T60



#### **13 Piece Magnetic Long** SKU OSB **REG. \$49.99** 23905

• 1/4" Drive: T8, T10, T15, T20, T25

T27 and T30 • 3/8" Drive: T40, T45, T47, T50, T55 and T60



For OSB, Call 901-300-4878

Offers Good While Supplies Last Through September 30, 2025

# STEEL

#### 13 Piece **Extra Long** SKU **1282758** 23680



**OEM TOOLS** 

**OEM TOOLS** 

• 1/4" Drive: T8, T10, T15, T20, T25, T27 and T30

• 3/8" Drive: T40, T45, T47, T50, T55 and T60









### 13 Piece

SKU **447157** 24293

• 1/4" Drive: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45, T47 and T50



#### 13 Piece Tamper-Proof

**Stubby Star Drive Sets** 


SKU **447156** 24294

• 1/4" Drive: T7H, T8H, T9H, T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H, T47H and T50H









24.99

24.99

# HAND TOOLS

#### **Pro Series Pliers Sets**

#### **OEM** TOOLS

#### **3 Piece Groove Joint Pliers Set**

SKU **662761** 22648

- Sizes: 8", 10" and 12"
- · Gripping Capacity: 8" (1.25") 10" (1.80") 12" (2.25")



#### **3 Piece Mechanics Pliers Set**

SKU **662748** 22647

· Pliers and Sizes: 7" Diagonal Pliers 8" Linesman Pliers 10" Speed-Fit Pliers



#### **Locking Pliers**

- For Clamping and Gripping in Tight Spaces
- Constructed with Heat-Treated Allov Steel
- Precision-Machined Jaws Feature Hardened Teeth to Provide a Sure Grip from Any Angle
- . Instant Locking and Release Mechanism for Improved Control
- Nickel Chrome Plated to Resist Rust

# 7 Piece Locking Pliers Set

SKU **012622** 23987

• Sizes: 4", 5", 7", 10" Curved Jaw and 4", 6", 9" Long Nose



15" Width x 10" Depth



Chain

C-Clamp

**OEM** TOOLS

Curved Jaw							23987
Jaw		22635	SKU	Part #	Туре	Size	Price
Long			081256	22635		4"	9.99
Nose —		22637	081257	22636	Curved Jaw	5"	14.99
~			081261	22638		7"	14.99
Chain		22642	081263	22640		10"	19.99
		22042	081260	22637	Long Noos	6-1/2"	9.99
C-Clamp	DES.		081262	22639	Long Nose	9"	14.99

22641

081267

081265

### **Diagonal Pliers**

### **OEM** TOOLS

#### 6-1/2" High Leverage **Diagonal Pliers**

SKU **081240** 22614

TECKERDY

· High Leverage Design for Gripping, Bending and Cutting Tasks



#### **Extended Reach Pliers**

### 11" Long Reach Long Nose Pliers

Constructed with Durable Heat-Treated Allov Steel

· Precision-Machined Jaws Provide Improved Grip · TecReady Grip Handles Reduce User Fatique

Nickel Chrome Plated to Resist Rust

#### Straight

SKU **081249** 22621

45°

SKU **081250** 22622

**Duck Bill** SKU **213108** 

(Color May Vary)

#### 11" Hose Gripper Pliers Set (3 Piece)

SKU **94811** L311L

22642

22641

- Sizes: 5/16", 1/2" and 3/4" Constructed with Durable Drop Forged Steel
- Specialized Jaw will Securely Grip Cooling System, Fuel and Vacuum Lines without Damaging the Hose
- Heavy Duty Double-Dipped Synthetic Grip Handles to Minimize Slippage and Reduce User Fatique
- Chrome Plated to Resist Rugt



**OEM** TOOLS

19"

11"

**OEM** TOOLS

#### **Mechanic's Pliers**

- · Precision-Machined Jaws Provide Improved Grip
- TecReady Grip Handles Reduce User Fatique

22644

· Nickel Chrome Plated to Resist Rust

### OEM TOOLS

TECKERDY

# Diagonal **Pliers**

· High Leverage Design for Gripping, Bending and Cutting Tasks

# **Groove Joint Pliers** · Adjustable Jaw Provides

**Gripping Power for Turning** Irregularly Shaped Objects, **Nuts and Bolts** 

#### Linesman **Pliers**

 Designed for Gripping Twisting, Bending and **Cutting Wire and Cable** 

# **Long Nose Pliers with Side Cutter**

 For Powerful Gripping and Cutting in Hard-to-Reach Spaces

SKU	Part #	Type	Size	Price
081241	22615	Diagonal	7-1/2"	9.99
081245	22617		6"	16.99
081246	22618	Groove Joint	8"	18.99
081247	22619		10"	19.99
081248	22620		12"	21.99
081252	22624		16"	34.99
081243	22616	Linesman	8"	19.99
081237	22612	Long Nose	6"	9.99
081239	22613	Pliers with Side Cutter	8"	9.99

# **X-Type Pliers**

### 2 Piece 13" Long **Nose Pliers Set**

SKU **213127** 22632

. Includes: 45° and Straight **Extended Reach Pliers** 

REG. \$39.98 When You Buy the Set

# 13" Long Nose Pliers

· Serrated Jaws for Precision Gripping

**Straight** SKU **213135** 

22633

45° SKU **213117** 22634

# AND TOOL

#### **Punch Set**

#### **OEM** TOOLS

**OEM** TOOLS

#### **16 Piece Punch** and Chisel Set

SKU **914624** 25515

• Includes: 5 Taper Punches, 5 Pin Punches, 2 Center Punches, 3 Cold Chisels and 1 Chisel Gauge



#### **Dead Blow Hammers**

#### 3 Piece Dead **Blow Hammer Set**

SKU **900804 29**99 25517

- Soft Rubber Handles for Non-Slip Grip
- Steel Shot Filled for More Force
- Non-Spark Material Used



#### **Pry Bars**

# **3 Piece Light Duty Smoothing/Prying Kit**

SKU **004111** 25084

- Pry Dashboard Parts and Vents without Damaging Interior
- · Clean Crevices and Joints in Small Electronics
- . Disassemble Key Fobs and Other Remotes





#### 3 Piece **Prv Bar Set**

SKU **626114 4999** 

- Lengths Included: 12", 18" and 24"
- 3 Sided Handle for Secure Grip and Comfort



#### 36" Prv Bar

SKU **695126** 24435

**REG. \$49.99** 

 Unique Ergonomically Designed 3-Sided Handle for Secure Grip and Comfort

- Handles Made with Hardened Resin That is Solvent Resistant and Easy-to-Clean
- Forged and Hardened 5/8 In. Square Stock for Incredible Strength

#### Adiustable Wrenches

**OEM** TOOLS

- Made with Special Alloy Steel, Heat-Treated
- Deep Marking for Easy Identification
- Nickel Chrome Plated Steel Won't Rust • Flat Profile is Comfortable in Hands



SKU	Part #	Size	Price		
081268	22650	4"	9.99		
081269	22651	6"	11.99		
081271	22652	8"	13.99		
081273	22653	10"	14.99		
081274	22654	12"	19.99		
081297	22655	15"	34.99		

#### **Pipe Wrench**



- Precision Milled Moveable Jaws
- · Perfectly Balanced



SKU	Part #	Material	Size	Price
965845	APW14	Aluminum	14"	24.99
965848	APW18		18"	34.99
972768	APW24		24"	49.99
965847	APW36		36"	99.99

### **Pick-Up Tool**

**OEM TOOLS** 

**OEM TOOLS** 

#### **Heavy Duty Telescopic Magnetic Pick-Up Tool** SKU **231205**

25466

- Lifts Up to 3 Lb.



SHEFFIELD

OFM TOOLS

#### **Cutting and Scraping Tools**

#### **Folding Lock Back® Utility Knife** with Blade Dispenser

SKU **1022296** 25537

- Includes: Blade Dispenser with 50 Blades
- Extra-Wide Handle for Increased Comfort and Leverage




**OEM** TOOLS

#### **Premium Folding Lock Back® Utility Knife with Sheath**

SKU **1142419 24** 99 12818

10" Utility Scissors



- Patented Quick-Change Mechanism
- Accepts All Standard Utility Blades
- Includes: 1 Blade and Leather Sheath with Pocket Clip

#### **4 Piece Plastic Scraper Set**

SKU **900802** 25513



- · Works Like a Chisel
- Will Not Scratch Paint . Will Not Cause Sparks
- Can Be Used for Wheel Weight Removal



#### SKU **1142911** 25085

- Super Hard Diamond-Like Carbon (DLC) Coating
- Stainless Steel Construction for Strength and Durability
- Bolt Lock Keeps Blades Secure
- Full Length Metal Frame Extends Through Handle for Added Strength



#### **Scraper Kit** SKU **1282744**

69004 . Includes: 2 Packs of Razor Blades (200) and 1 Razor Blade Scraper

· Perfect for Removing Paint and Decals




#### **Moab Auto Emergency Folding Pocket Knife** SKU **1142700**

12870

• 3-5/16" Partially Serrated Stainless Steel Blade, 4-1/2" Folded


- One-Handed Opening Mechanism
- Liner Lock
- Pocket Clip • 4.5 Oz.
- · Glass Breaker Belt Cutter
- Lifetime Warrantv





**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.cor







#### **OEM** TOOLS

#### **Reversible Wire Twister Pliers**

Includes: 10 Meter x 0.5 mm Wire

- Heavy Duty Construction with Automatic Spring Return
- · Reversible Action for Left and Right Twists
- · Locking Jaws for Superior Wire Twisting
- Forged High Carbon Diamond Grooved Jaws to Cut and Grip Stainless Wire



#### **Hack Saw**

#### **Professional Hack Saw** SKU **1142352** 74007

SAVE **REG. \$24.99** 

• Includes (1) 12" 24 TPI Bi-Material Blade

High Tension Blade Prevents Twisting to Ensure Straight, Fast Cut

Ergonomic Comfort Grip on Front Frame and Handle Provides Two-Handed Control

**GreatNeck Tension Control** 

**Offer Good Through** September 30, 2025

#### Provides Easy **Adjustment When Changing Blades**

**GreatNeck** 

#### **Bolt Cutters**

#### **Bolt Cutters**

- Forged S2 Steel Construction for Cutting Power
- . Hardened Cutting Edge for Long Life
- Ergonomic Comfort Grip Handles
- Limited Lifetime Warranty

**18" Bolt Cutters** 

SKU OSB **BC18** 

**OEM** TOOLS

For OSB, Call 901-300-4878 **24**<sup>11</sup> SKU **025213 BC24** 

30"

SKU **965828** BC30

36<sup>11</sup>

SKU **965827 BC36** 

AZG0325

BC36

#### **Specialty Wrenches**

#### **Adjustable Gland Nut Wrench**

- · For Hydraulic Cylinders with Gland Nuts
- · Reversible Design

22661

SKU **1207900** 27398

- Range: 1" to 3.75"
- Drive: 1/2"
- Pin Size: 7/32" and 1/4"
- SKU **1340231** 27397

Offer Good Through

September 30, 2025

- Range: 2" to 6"
- Pin Size: 1/4" and 5/16"
- Drive: 3/4"

#### **Nut Drivers**

#### **7 Piece Professional Nut Driver Set**

- · Chrome Vanadium Steel for Strength and Durability
- . Highest Quality Acetate Handle Stands Up to Abuse
- · Color Coded for Easy Identification

#### Metric

SKU **949001** ND71

• Sizes: 6, 7, 8, 9, 10, 11 and 12 mm

### SAE

SKU **949002 ND72** 

• Sizes: 3/16", 1/4", 5/16", 11/32", 3/8", 7/16" and 1/2"



# THREAD REPAIR

#### **Ford Triton Repair Kits**

#### **Ford Triton 2 Valve Cylinder Repair Set**

SKU **1268421** CAL38900

- Quality Foolproof Repair System That is Cost-Effective and Fast
- · High-Quality Oversized Steel Alloy Insert Will Repair Other Inserts That Fail
- Application: 1996 to 2003 Ford 4.6L, 5.4L and 6.8L Engines



#### **Ford 2 Valve Insert**

SKU **1268420** CAL389-100

• Designed to Aid in Repairing 1996-2003 Two Valve Ford Modular Cylinder Heads

al-Van

High Quality Oversized Steel Alloy Insert Will Repair Other Inserts That Fail





Cal-Van

# Ford Triton Plug-Saver® Kit

SKU **094873** Call for price FIX98140T

- . Designed to Specifically Repair the Spark Plug Ports in 4.6, 5.4 and 6.8 Ford Triton Engines
- · Repairs Worn, Damaged Threads
- Includes: Self Cutting Tap, Tool and 8 Inserts in a Sturdy Case



**Ford Triton 3 Valve Set** 

SKU **343388** CAL39300

. Application: 2004 to

2008 Ford 4.6 and

5.4 3 Valve Engines

That are M16 x 1.5

with Spark Plugs

· Includes 8 Inserts

M16 x 1.5

SKU **396658** 

CAL393-100

**3 Valve Insert** 

#### FIX-A-THRED **Broken Spark Plug Remover Ford Triton 3 Valve**

• Note: this is NOT the Replacement Insert for the Triton 2 Valve Kit

SKU **489173** LIS65600

• Includes a Unique Porcelain Pusher Tool and a Tapered Left-Hand Thread Remover for Removing the Broken Spark Plug without Leaving the Porcelain in the Engine Cylinder



**OEM** TOOLS

Cal-Van

lisle

#### **Ford Triton Spark Plug and Electrode Repair Set**

SKU **1268418** CAL39500

• Extracts the Broken Porcelain or Seized Sleeves from Broken Spark Plugs in 2003 to Current Ford Triton Engines



#### **Inserts (Pack of 8)**

SKU 110263 Call for price FIX98149P

#### **Oxygen Sensor Thread Repair**

#### **Oxygen Sensor Thread Repair Kit** SKU 010134 Call for price FIX38189-1

- No Need to Replace Exhaust Manifold
- Pilot Nose Tap Provided

### **Wheel Stud Cleaner**

# **Quick Change Wheel Stud Cleaner Kit**

SKU **666299** CAL16

**69**99

- Includes: 1/2" Drive Adapter and 6 Brushes
- Brush Sizes: 7/16" (12 mm), 1/2" (13 mm), 9/16" (14 mm), 5/8" (16 mm), 7/8" (22 mm) and 1-1/8" (28 mm)



#### **Head Bolt Thread Repair**

#### **Metric Head Bolt Thread Repair Kit** SKU **010131** *Call for price* FIX35119S

- Extended Reach for Deep Threads
- Longer Length (33 x 1.5 mm) Inserts for Maximum Thread Engagement
- · Applications: Cadillac, Honda, Toyota and Other Imports That Use M11 x 1.5 Head Bolts

#### FIX-A-THRED









### Spark Plug Thread Repair

#### Spark Plug Thread Repair Kit -Metric M14 - 1.25


SKU **557108** 25643

- . Includes: High-Grade Tap, (3) Inserts and a Job-Specific Installation/Tang Break-Off Tool
- · Returns Threads to Original Size
- Creates a Permanent and Wear-Resistant Thread


# **OEM** TOOLS

#### **Tapered Seat Spark Plug Thread Repair Kit -**Metric M14 - 1.25

SKU OSB 25647



- Positive Mechanical Locking Feature Keeps Insert in Place
- Piloted Reamer Eliminates Need to Drill Out Threads and Ensures Correct Alignment
- Can Be Used to Repair Both Taper Seat and Gasket-Type Spark Plug Assemblies
- Includes: 2-Step Piloted Reamer Tap, 3 Inserts and Swaging Tool





For OSB, Call 901-300-4878



**OEM** TOOLS

SAVE

# 'HREAD REPAIR

**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.com

#### **Spiral Bolt Extractor Sets**

- . Made of High-Quality Chrome Molybdenum Steel for Durability
- Grips and Removes a Wide Range of Stubborn Fasteners
- 3/8" Drive

#### **5 Piece Spiral Type Deep Extractor Set on Aluminum Rail**

SKU OSB 22993

• Sizes: 3/8" (10 mm), 7/16" (11 mm), 1/2" (13 mm), 9/16" (14 mm) and 5/8" (16 mm)



For OSB, Call 901-300-4878

Bites into Rusted. **Rounded and Painted Over Nuts and Bolts** 

# **5 Piece Spiral Type**

**Extractor Set** on Aluminum Rail SKU **081304 2**/199 22985

• Sizes: 5/16" (8 mm), 10 mm, 13 mm, 11/16" and 3/4" (19 mm)



#### **OEM TOOLS**

**Specialized Spiral Design** for a Secure Universal Grip on Nuts and Bolts

#### **10 Piece Spiral Type Bolt Extractor Set** on Aluminum Rail

SKU **081788** 22988

**999** REG. \$69.99

• Sizes: 5/16" (8 mm), 3/8", 10 mm, 7/16" (11 mm), 13 mm, 11/16", 1/2" (13 mm), 9/16" (14 mm), 3/4" (19 mm) and 5/8" (16 mm)



Offer Good Through September 30, 2025

#### **Nut Busting Bolt Extractors**

#### 9 Piece (SAE) Nut **Busting Bolt Extractor Socket Set**

SKU **751720** 22968

**REG. \$39.99** 

- . High Visibility Markings for Fast, Easy Socket Selection
- Chrome-Molybdenum Steel Construction for Maximum Durability
- 3/8" Drive

SAVE

• Includes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" and 3/4"



Offer Good Through September 30, 2025

#### **Drain Plug Repair**

#### **Drain Plug Repair Kit** SKU **818569** CAL38400

- Designed to Repair Aluminum Oil Pans with Damaged Drain Plug Threads, Size M12 x 1.75 Commonly Found in GM, Ford and Mazda Vehicles
- · Includes: Drill, Counter Bore, Tap, Driver, Guide and (5) 12 mm Inserts
- Allows Use of OEM Plug Instead of an Oversize Replacement

# Cal-Van



#### **Axle Spindle Thread Repair**

#### **Axle Spindle Threading Set** SKU **1103645** REG. \$84.99

• Used to Clean or Repair Axle Threads

• Set Comes with a Special Twist Shape That Provides Easier and Quicker Work

 Sizes Included: M20 x 1.25, M20 x 1.50, M22 x 1.00. M22 x 1.50, M24 x 1.50, M24 x 2.00, 13/16" x 20 UNEF 3/4" x 20 UNEF and 27 mm Extension Bar

Offer Good While Supplies Last Through September 30, 2025

#### **OEM** TOOLS



### **Oil Pan Rethreading Kit**

SKU **751709** LIS58850

. Oil Pan Plug Rethreading Kit Works on Steel or Aluminum Pans 1/2", 12 mm

and 14 mm Threads



#### **Tap Sockets**

# **8 Piece Tap Socket Set**

SKU **1544666** 24750

- Designed to Fit All Standard Taps Up to 1/2"
- Compatible with 1/8" NPT Taps and Metric Taps Up to 12 mm
- · Perfect for Use in Tight Spaces Where a T-Handle Cannot Fit

For OSB, Call 901-300-4878

SAVE

#### **Screw Extractor Bit Sets**

#### **6 Piece Spiral Flute Screw Extractor Set**

SKU **099277** 24374

- Extractors: Ex-1, Ex-2, Ex-3, Ex-4, Fx-5 and Fx-6
- · Comes in a Vinyl Pouch



#### **10 Piece Spiral Extractor** and Drill Bit Combo Pack SKU **099229** 24373

- Extractors: Ex-1, Ex-2, Ex-3, Ex-4 and Ex-5
- Left Hand 135° Split Point Cobalt
- Drill Bit Sizes: 5/64", 7/64", 5/32", 1/4" and 19/64"
- · Pilot Point Starts on Contact and Eliminates Bit Walking

· Comes in a Vinyl



#### **10 Piece Multi-Spline Screw Extractor Set**

SKU **099281** 24375

lisle

- Sizes 1/8" to 13/32" (1/32" Increments)
- Can Be Used with Hand Sockets and Wrenches
- · Aggressive Left Hand Spiral Design Provides Extra Gripping Power
- Designed to Prevent Extractor from Entering too Deeply and **Expanding Screw**
- · Comes in a Foam-Lined Metal Case

aaaaaaaa

#### 35 Piece Master Screw **Extractor/Drill Bit Set**

SKU **099258** 24377

REG. \$149.99

- Spiral and Multi-Spline Extractors for Removing the Toughest Bolts and Screws from 3/32" to 15/16"
- 135° Split Point Left Hand Cobalt Drill Bits
- Comes in a Foam-Lined Metal Case



Offer Good Through September 30, 2025

#### **OEM** TOOLS

**OEM** TOOLS

#### 4 Piece Damaged **Screw Extractor Set** SKU **081310 0**99

25158

• Used to Quickly Remove Stripped, Broken and Painted Over Screws

· Will Work with Phillips, Flathead, Hex and Other Common Screws



AZG0325

#### **Service Center Consumables**



#### Start-Up Kit (Dispenser and Product)

SKU **262544 SNGMFKP994376** 

# *679*99

1 Sign

• Kit Includes: 250 Seat Covers 250 Paper Floor Mats 500 Plastic Floor Mats 500 Parts Bags 100 Tire Bags 1 Metal Floor Rack



#### **Plastic Write On Key Tag** (1,000 Count)

. Self Locking Plastic Kev Tags Help Secure Keys

SKU **262547 SNGMFBP993323** 

#### Yellow


SKU **1125859** SNGFBP993324

#### Blue

SKU 1125872 **SNGFBP993398** 

#### Red

SKU 1125868 SNGFBP993399



# JohnDow Industries

**Paper Floor Mat** (500/Box) SKU 1544671

DOWPFM-500

- Durable Paper
- Measures 16" x 22"



#### **Disposable Seat Cover**

- 2-Layer Construction Keeps Cover in Place
- Refill for Start-Up Kit

### **Premium** (250/Roll)

SKU **262537** SNGMFGP994314

# **119**99

• .7 Mil Thick with the Dimensions of 32" x 56" Dispensing Box

#### **Value** (500/Roll) ŠKU **186487**

**SNGMFGP994315 1.30**99

• .5 Mil Thick with the Dimensions of 32" x 52"



#### **Steering Wheel** Cover (500/Box)

SKU **186485 SNGMFBP994333** 

 Double-Band Design Ensures a Snug Fit and Easy Installation



#### Vehicle Not Included

#### **Plastic Floor Mats** (500/Box)

ŠKU **186488** SNGMFGP994302

- Roll Size: 16.5" x 21'
- · Comes in Durable Self-Dispensing Box



*SLIP* GRIP

#### **Work Ticket Holder (25/Box)**

- Durable Brass Grommet Increases Strength
- · Accommodates Most Pre-Printed and **Computer Generated Forms**

#### Clear

SKU **698887** SNGFBP993302

• 10.5" x 14.5" Clear Front and Back

#### Clear/Black SKU 1142449 SNGFBP993303

• 11" x 13" Clear Front and Black Back



For OSB. Call 901-300-4878

#### Parts Bag 11" x 17" (500/Case)

SKU **262541** SNGMFGP994330

• High Strength Protection Impervious to Most Shop

Chemicals

Price Does Not Include Parts Shown



### **Adhesive Floor Mats** (175/Roll)

SKU **262546 SNGMFBP993349** 

· Self Adhesive, 3 mil Protective Film Keeps Carpet

Protected



# **Oil Change Printer and Labels**

#### **Thermal Oil Change Sticker Printer Kit**

SKU OSB SNGFKGX00106



. Kit Includes: Printer, Keyboard. Power Cord/Adapter, 1 Ink Ribbon and 2 Rolls of 500 Generic Static Cling Labels



# **Static Cling Refill Kit**

SKU **291380 SNGMFKG016501** 

- 2 Rolls of Labels
- 1 Replacement Ribbon
- Fits Thermal Oil and Static Cling Printers

**Red Oil Can Service Reminder Labels** SKU **1405960** SNGFB-P993345

· Replacement Roll of 500 Labels



SNGFB-P993394

· Replacement Roll of 500 Labels



SLIP GRIP



#### **Hand Cleaner**

#### **Starter Kit** with Dispenser

SKU **972773** 24292



- Dispenser and 4,000 mL of Cherry Fragrance Cleaner
- · All Natural, Concentrated, Solvent Free Cleansing Formula
- Unique Skin Conditioning System Leaves Hands Feeling Smoother, While Fibril Scrubbers Deep Clean Even the **Toughest Dirt**
- 100% Biodegradable





OEM TOOLS

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Creepers

24904

**Workshop Seat and Step Stool** SKU 1189077

REG. \$114.99

• Combination Step Stool and Creeper Seat That Allows Additional Maneuverability

 Thick Padding Covered with Durable Vinyl **Provides Comfort** While Working

 Includes a Tool Tray for Organization and Convenience

 4 Swivel Casters Made for All Terrain • Weight Capacity:

300 Lb. • 18"(L) x 16"(W) x 7"(H)

Offer Good Through September 30, 2025

#### **OEM** TOOLS Sidekick **Creeper Seat**

SKU **1168662** 24987

REG. \$164.99

**OEM** TOOLS

• Large Open Tray to Carry a Wide Range of Items with Additional Holster Caddies on the Side for Rapid Access to Most Used Items

 Slide Out Under Seat Drawer Can Be Used to Store and Organize Tools



Offer Good Through September 30, 2025

#### **OEM** TOOLS **Heavy Duty Rolling Workbench** and Creeper Seat

SKU **1142423** 24986

• Molded Seat and Frame Provide **Durable Support** 

· Removable Clip-In Trays for Storage and Easy Transport of Parts and Tools

 Trays Feature Screwdriver Storage Holes for Easy Organization

Weight Capacity: 300 Lb.



#### **Cushioned** Cushioned **Creeper Seat** with Tool Tray

SKU **757019** 24948

• Tool Tray Dimensions: 11-1/2" x 12-1/2"

· Cushioned Seat

• 4 Swivel, Oil-Resistant Wheels

Weight Capacity: 330 Lb.



TRAXION engineered products

#### **Mechanics Creepers** with Headrest

- Made with HDPE Plastic and Molded for Comfort to Ensure a Quick and Accurate Job
- Easy to Handle, Lift and Store
- 6 Swivel Casters Able to Maneuver All Terrain Casters are 3" in Diameter
- **Product Longevity** . Weight Capacity: 350 Lb.

for Additional Durability and

SKU **1189063** 24909

**54** REG. \$79.99

 Light Weight 13.2 Lb. • 40"(L) x 19"(W)

SKU **1189084** 24977

REG. \$69.99

• Light Weight 9 Lb.

• 36"(L) x 18"(W)

**OEM** TOOLS



Offers Good Through September 30, 2025

**OEM** TOOLS **Workshop Creeper Seat** with 2 Drawers - Blue

SKU **542531** 24996

· Padded Seat for Maximum Comfort

• 2 Sliding Drawers

· Can Holder for 3 Cans

• Smooth Rolling Wheels

. Weight Capacity: 280 Lb.

**ProGear** Race Seat, **Green/Black** 

SKU OSB TRX2-705

• Tray Spins for Easy Access to Tools and Parts

· Adjustable Seat Height:

13-1/2" to 17-1/2"

• Five Spoke Frame is OSHA Compliant



For OSB, Call 901-300-4878

# **Professional 41" 6 Wheel Creeper**

SKU 125749 24970

- 3D Streamline Design for Shoulder Clearance
- . 6 Heavy Duty TPU Casters · Low Ground Clearance Allows for
- Greater Mobility 4 Tool Storage Trays
- Weight Capacity: 300 Lb.





# **Topside Creepers**

#### **Topside Creeper**

SKU OSB TRX3-100

• Height Adjusts from 48" to 64" . Weight Capacity: 400 Lb.

#### **NXT Topside Creeper** SKU OSB

TRX3-200 • Height Adjusts from 48" to 64"

 I-Base Design for More Flexible Positioning Around the Vehicle

 Weight Capacity: 400 Lb.

For OSB, Call 901-300-4878







#### **Work Stand**

#### **Pro Step Adjustable Work Stand**

SKU **222856** STK20350

• 500 Lb. Capacity

• Height Adjustable from 6-1/2" to 22-1/2'

• 32" x 16"



STECK

Prices subject to change without notice. Prices do not include applicable taxes, vehicles, tires, rims, installation or optional equipment as shown. Please do not return purchases to the store. For information regarding warranty, repair, or any questions or concerns, call 901-300-4878.

TRX3-200

#### **Workshop Stools**

#### **Adjustable Hydraulic Shop Stool**

SKU **751712** 24912



# **149** REG. \$164.99

- Vinvl Padded Swivel Seat for Comfort
- Chrome Footrest
- Powder Coated Legs







360° Rotating Seat

Offer Good Through September 30, 2025

#### **Double Ring Adjustable Stool** with Backrest

SKU OSB 25700

- 360° Swivel Seat
- · Durable Vinyl Seat and Back Rest Cushion
- · Matte Black Finish
- Adjustable Height
- . Weight Capacity: 300 Lb.





**OEM** TOOLS

Adjustable Height



Vinyl Padded, 360° Swivel Seat

#### **Swivel Stool** with Double Ring

SKU **OSB 599** 25701

- Thick 5" Foam Cushion360° Swivel Seat
- Durable Vinyl Seat
- Matte Black Powder-Coated Frame



rs Added Stability and



**OEM** TOOLS

**Double Ring** Design



Vinyl Padded, 360° Swivel Seat

For OSB. Call 901-300-4878

#### **Fender Covers**

#### **Fender Cover**

SKU **965832** 24900

• Heavy Gauge Vinyl Wipes Clean

300 Lb. Weight Capacity

• 27" x 34"



# Soft Fleece Fender Cover

SKU **751711** 24899



Magnets for Securing the Cover in Place Magnets are

Removable to Wash the Cover • Large 42" x 24" Size for Cars. Trucks

and SUVs



#### **Magnetic Nut Cups**

#### **Multicolor Magnetic Nut Cup Assortment** (4 Pack)

SKU **1282743** 68939

• Holds Bolts, Nuts and Parts to Speed Up Work and Eliminate

Misplacing Parts Coated Magnet Sticks to All Ferrous Metal Work Surfaces

• Includes: 1 Green Cup, 1 Red Cup 1 Orange Cup, 1 Blue Cup



Strong Magnets Attach the Cups Securely to Most Flat Metal Surfaces











# A SMARTER & SAFER SOLUTION

The CRC SmartWasher® is a manual parts washer that replaces traditional solvent or aqueous alternatives.

- Bioremediation Technology
- Powerful Cleaning Performance - No Hazardous Waste Generation
- Lower Operating Cost

**Product** 

OzzyJuice® SW-7

OzzyMat® FL-4

Part # SmartWasher SW-723 Kit\* 14743

14721

14124

**Price** \$2699.00 \$211.99

our YouTube channel here

**►** YouTube

\$31.99



# crcindustries.com/smartwasher

\*1 SW-23 SmartWasher® Unit, 3 5-Gallon jugs of OzzyJuice® SW-7 Parts/Brake Cleaning Solution, and 1 FL-4 OzzyMat® Multi-Layer Fluid Activation Mat

**TO ORDER, contact your Commercial** Sales Manager or go to AutoZonePro.com

MACHINERY

MACHINERY.

MACHINERY.

#### **Hardware and Service Parts**

96 Piece Mini Fuse Kit SKU **271169** 68148

• Includes: Mini Fuses 3A to 30A





### **96 Piece ATO Fuse Assortment**

SKU **271172 19**99 68149

• Includes: ATO Fuses 3A to 30A





#### 24 Piece Maxi **Fuse Assortment**

SKU **271152 4 99** 68146

· Includes: Maxi Fuses 20A to 100A





#### **200 Piece Spring Assortment**

SKU **271195** 68140

 Includes: 20 Popular Sizes from 7/32" x 11/16" to 5/16" x 1-1/4"





# MACHINERY.

#### **Universal O-Ring Set 407 Piece** 419 Piece (Metric) (SAE)

SKU **546661** 68168

Inside Diameters

from 1/8" to 2"

ŠKU **546659** 68167

• Inside Diameters from 3 mm to 50 mm



**Dynamic** 

MACHINERY.

#### 270 Piece A/C O-Ring Kit SKU **271196** 68141

 Contains 270 O-Rings in a Variety of SAE Sizes

· Great O-Ring Set for Most Automotive and Refrigerant Applications



#### 110 Piece Copper **Washer Assortment**

SKU **271176** 68117

• Includes: **Popular** Sizes M6 to M16



#### 115 Piece Master Brake Line **Fitting Assortment Kit**

SKU **082943** DOWDY-BLF-5

- 23 Brake Line Fitting Variations
- Tube Nuts, Union, Brake Line Adapters





#### **555 Piece Stainless Cotter Pin Assortment**

SKU **271183** 68121

• Includes: 6 Popular Sizes from 1/16" x 1' to 5/32" x 2-1/2"



#### **500 Piece Aluminum Rivet Assortment**

SKU **271150** 68109 Includes: 1/8

and 3/16" Rivets 1/4", 5/16" and 3/8" Long



MACHINERY.

#### **80 Piece Vacuum Cap Assortment**

SKU **271197** 68129

· Includes Sizes: 3/16" to 3/8"



#### **34 Piece Hose Clamp Assortment**

SKU **271201** 68137

 Includes Sizes: 5/8" to 1-1/4"



#### **88 Piece Drain Plug and Gasket Assortment Kit**

SKU **617724** DOWDY-DPA-6



· Most Popular 12 mm and 14 mm Drain Plugs



#### **240 Piece Master Drain Plug Gasket Assortment Kit**

SKU **606762** DOWDY-DGK-240

• 24 Drain Plug **Gasket Variations** 

· Aluminum, Copper, Crush, Fold-Over, Nylon, Rubber/Metal



**Dynamic** 



#### **120 Piece Oil Drain Plug Gasket Assortment**

SKU 1400041 SURDPG120



• 120 Total

 Includes 24 Variations, 5 Each: Copper, Metal Crush, Nylon, Fiber and Ruber/Metal



#### **76 Piece Oil Drain Plug Assortment**

SKU **662839** SURDP454

- Includes: 76 Pieces with Corresponding Gaskets, 17 Direct Fit SKUs
- Includes: Labeled Case for Quick Identification and Organization
- Covers Most Domestic and Import Cars and Light Duty Trucks







#### **60 Piece Wheel Lug Nut**

• 12 Lug Nut Variations

#### **Assortment A** SKU **082947** DOWDY-WN-12 **3**199

· Standard, Dome, Acorn Thread



#### **Assortment B** SKU **082948** DOWDY-WN-12B

 Dome Acorn, Bulge Flat-Capped, **External Thread** 





AZG0325

# SAFETY & GLOVES

#### **First Aid Kits**

Safeguard Employees and Jobsites Through Injury Preparation with Multi-Functional First Aid Kits

#### **First Aid Kits**

- Wall Mountable Organized Durable Plastic Case
- · Contains Essentials for Light Injuries and Wounds
- Meets ANSI/ISEA Z308.1-2021. Class A. Type I. II. III. or IV First Aid Kit

#### **25-Person First Aid Kit**

SKU **1442584** SAS6025-025

#### **100-Person First Aid Kit**

SKU **765585** SAS6099-100



SAS6025-25



SAS6099-100

#### Safety Supplies

SAS **Hi Vis Knit Beanie - Orange** 

SKU **687972** SAS692-1711

- One Size Fits All
- Comfortable and Warm
- 100% Knit Polyester
- ANSI/ISFA
- 107 Compliant
- Reflective Knit Stripe



**Hot Sleeve** SKU **291321** 

LIS18700

• Protects Arms from Burns While Working Around the Engine

 Made of Durable, Heat-Resistant Kevlar

 Double Wall Construction for Added Heat Protection



lisle

### **Face Shield Clear**

SKU **972271** SAS5140

- Impact-Resistant
- Polycarbonate Shield Curved Lens Design
- Ratcheting Headpiece
- Meets ANSI Z87.1-2015



#### Ear Plugs

SAS6100

**Foam Ear Plugs** SKU **526953** 

• Noise Reduction

- Rating: 31 200 Individually
- **Packaged Pairs**
- Pre-Shaped Foam Earplugs



SAS

#### Safety Glasses

#### **LED Safety Glasses**

SKU **555987** 26039

- · High-Impact Resistant Lens Protects Eyes
- · Flexible, Lightweight and Padded Frames
- Meets ANSI Z87.1
- Includes: (8) LR41 Batteries



SKU **592265** 26017PK3

### **NSX Turbo Safety Glasses**

- High-Impact Polycarbonate Lens
- Safety Eyewear That Also Provides 99.9% UV Protection



Clear SKU **301767** 

· Scratch-Resistant Coating

• Lightweight Wrap-Around Lens

ANSI/ISEA Z87.1-2015 Compliant

· Single Lens Design

SAS5330PK Box of 12



SAS5332PK

**JACKSON** 

ŚAŚ

• Box of 12

# STORE STOCKED

# **Advantage X300 Series Safety Glasses - Amber (12 Pack)**

SKU **1149164** JASS70711PK

REG. \$34.99

- Lightweight, Comfortable and Affordable
- Lens Features an Anti-Scratch Hard Coating Made Using Virgin, Unitary Polycarbonate Lenses



**OEM** TOOLS



- 99.9% UV Protection
- Ideal for Construction, Shop and General Eye Protection Applications

Offer Good Through September 30, 2025



### **Multifocal Safety Reading Glasses**

- Eye Protection and Multifocal Reading Glasses
- High Impact, Anti-Scratch Lenses Protect Your Eyes
- · Fully Adjustable Temples for Comfort and Fit • ANSI/ISEA Z87.1-2015 Compliant



+1.5 SKU **752076** 26023 26024

+2.0SKU **752077**  +2.5 SKU **752078** 26025



SKU **213144** 

- 24516
- Yellow Lens Protective Glasses
- UV Leak Detection Dyes
- Includes: 2 AAA Batteries





#### +3.0 SKU **752086** 26026

#### **Detection Light OEM** TOOLS

### **UV Leak Detection Light and Glasses**



Enhance Visibility of Leaks Can Be Used with All Types of



# **Evewash Stations**

**Smoke** 

SKU **462983** 

SAS5331PK

• Box of 12

# **Emergency 9 Gallon Eyewash Station Wall Mount Gravity Fed**

SKU **912344** SAS5134-00

- Compliance ANSI Z358.1-2014
- Portable Unit Measures 20.15" x 16.5" x 9.5"
- Includes: Mounting Bracket, Inspection Tag, Tamper Resistant Tie and Preservative

#### **Eyewash Concentrate Solution**

SKU **1142715** SAS5136-01

For Use with 9 Gallon Eyewash Station #SAS5134-00

#### **Bottle Eyewash Station**

SKU **094904** SAS5132

SAS5130

- Includes: (2) 16 Oz. Eye Irrigate Solution Bottles
- Does Not Meet ANSI Z358.1

#### 16 Oz. Eyewash Irrigate Refill SKU **977588**

• For Use with Eyewash Station SAS5132








#### **Raven Patriot Gloves**





- · Textured Fingertips Latex-Free





STORE STOCKED ////

**Large SKU 1445914 | 66483** 

XL SKU 1445911 | 66484








Compression Fit Technology



**Environmentally Responsible** 



### **Buy More, Save More**



119<sup>99</sup> 24.00 per box

Medium 1525554 | SAS66482-5PK Large 1525556 | SAS66483-5PK XL 1525565 | SAS66484-5PK

> 2XL SKU 1525560 | SAS66485-5PK

**229** 99 23.00 per box 10 Boxes of 100 Each

Medium 1522380 | SAS66482CS Large 1525553 | SAS66483CS XL 1525561 | SAS66484CS 2XL SKU 1525562 | SAS66485CS

#### **Raven Gloves**

- 7 mil Powder-Free Exam Grade Nitrile
- Ambidextrous Textured Grip
- Latex-Free



Find In Store, Riaht Now

Medium SKU 435079 | 66517

XL SKU 244617 | 66519

Large SKU 244622 | 66518



# **Buy More, Save More**



Medium SKU 547964 | SAS66517-2PK

**Large** SKU **547965 | SAS66518-2PK** 

**XL** SKU **547966 | SAS66519-2PK** 

2XL SKU 547963 | SAS66520-2PK

5 Boxes of 100 Each

**Medium** SKU **1189346 | SAS66517-5PK** 

**Large** SKU **1189328 | SAS66518-5PK** XL SKU 1189339 | SAS66519-5PK

2XL SKU 1442587 I SAS66520-5PK

10 Boxes of 100 Each **769** 17.00 per box

**Medium** SKU 1190191 | SAS66517CS

**Large SKU 265052 | SAS66518CS** 

XL SKU 265053 | SAS66519CS

2XL SKU 1330682 I SAS66520CS

### **Astro-Grip Gloves**

RAVEN

00000

# *ASTRO-GRIP*

- 7 mil Powder-Free Exam Grade Nitrile
- Embossed Cube Grip
- Latex-Free



Find In Store, Right Now

STORE STOCKED / / //

Medium SKU 823166 | 66472 **Large SKU 823167 | 66473** 

XL SKU 823168 | 66474





2 Boxes of 100 Each  $47^{99}_{24.00 \text{ per box}}$ 

Medium SKU 1330679 | SAS66472-2PK

2XL SKU 1331496 | SAS66475-2PK

5 Boxes of 100 Each 114 99 per box

**Buy More, Save More** 

Medium SKU 1330686 | SAS66472-5PK

**Large SKU 1331480 | SAS66473-5PK** 

2XL SKU 1331487 | SAS66475-5PK

10 Boxes of 100 Each **219** 99 22.00 per box

Medium SKU 1330697 | SAS66472CS

Large SKU 1331497 | SAS66473CS

**XL** SKU **1331489 | SAS66474CS** 

AZG0325

2XL SKU 1331494 | SAS66475CS







2025 JUL-SEPT

Hablamos Español Call 901-300-4878

# **GREAT FINANCING PROGRAMS\***

**UNISOURCE** 800-404-6792

**NEWLANE** 267-768-3228

**PEAC** 856-505-4450

# **1** LEASING COMPANIES

- · Leases are handled by four companies
- · Customer must:
  - Select equipment
  - Complete credit application
  - Receive approval from leasing company
- Once the transaction is approved and documents are signed by customer:
  - Customer invoice is funded by leasing company
  - Equipment order is placed







# 2 30-60-90

- AutoZone® credit account in existence for 6 months
- Satisfactory payment history with AutoZone®
- Updated account application with agreement section completed and signed
- No NSF checks within 6 months
- . No credit holds within 6 months
- Established credit worthiness
- Minimum down payment = 35%
- Minimum 52 wks. sales = \$15 K
- Minimum equipment cost = \$1 K (sales tax included)

# **3** EXTENDED TERMS

- AutoZone® credit account in existence for 1 year
- Satisfactory payment history with AutoZone®
- Updated account application with agreement section completed and signed
- No NSF checks within 6 months
- · Established credit worthiness
- Minimum down payment = 35%
- Minimum 52 wks. sales = \$25 K
- Minimum equipment cost by term:
  - 6 months \$3 K
  - 9 months \$6 K
  - 12 months \$8 K or greater (financial statement may be required)
- \* Financing is provided by third parties who are not affiliates of AutoZone. All of the advertised loan programs, rates, terms and conditions are subject to change at any time without notice. An extra charge may be imposed at the end of the lease depending on the residual value of the leased goods. Free overnight shipping available to continental U.S. for qualifying VDP orders of 70 lb. or less. Free overnight shipping excludes: liftgate fees, residential delivery, non-network carriers, and certain freight intensive items that are shipped FOB.

©2025 GreatNeckTools, Inc. Certain content provided by and is the property of AutoZone Parts, Inc. All rights reserved. AutoZone & Design, Loan A Tool, Duralast, Duralast Gold, Duralast Proven Tough and Duralast ProPower are registered marks of AutoZone IP LLC or one of its affiliates. All other marks are the property of their respective holders. iPhone® and iPad® are registered trademarks of Apple Inc., Android® is a trademark of Google Inc., STP® is a registered trademark of the Energizer Auto, Inc., and Bluetooth® is a trademark of Bluetooth® SIG, Inc. Items requiring freight shipping cannot be delivered outside of the continental United States. For shipping cost to Alaska or Hawaii, please contact Commercial Sales Manager. Ad prices cannot be combined with any other offer. Offers may vary by market. Offers valid while quantities last. Items may not be available at all locations at all times. We reserve the right to limit quantities and to correct pricing errors. Some new items might not be available at the time of print deadline. Prices valid only during sales catalog effective dates. All photographic, clerical, typographical and printing errors are subject to correction. Images shown may not be actual product but represent products or sets which include product. We reserve the right to substitute a like item or an item of greater value on any promotional offer in this publication. Store stock items may be purchased at any local AutoZone store or through your AutoZone Commercial Sales Manager. Bonus items are fulfilled while supplies last and may ship separately. Bonus items may be replaced with like items of the same or greater value.

AZG0325 | SKU 1391459 \$2.99