Tool & Equipment QUARTERLY



2025 OCT-DEC

Call 901-300-4878





energylogic

Stop paying to have your waste oil hauled off!
Save and burn it for FREE heat this winter.



See Page 17 for New Low Prices on Our Complete List of Waste Oil Heaters



See Page 86 for More Savings

*Combo savings based on the price of items if purchased separately.

DEDICATED TO HELPING YOUR BUSINESS RUN BETTER



Scan This QR Code to Link to the Digital **AutoZone Tool & Equipment Catalog on** AutoZonePro.com



The AutoZone® Tool and Equipment Team is here to ensure our customers are always satisfied. As our customer, you can expect fast, personalized and professional service. Our customer service associates have over 200 years of combined experience in the tool and equipment industry.

Call AutoZone® Tool & Equipment at 901-300-4878 for Questions Concerning:

- Equipment Selection
- Product Delivery
 - · Service After the Sale
- Technical Support
- Ordering Capital Equipment
- Product Availability

Call Your AutoZone® Commercial Sales Manager or Go to AutoZonePro.com

- To Place Orders for Parts, Tools and Equipment
- For Questions Related to Parts and Vehicle Accessories
- For Commercial Credit, Lease or Financing Information

Businesses can take advantage of IRS S-179 tax credits on equipment purchases. Contact your CPA for details.

FREE OVERNIGHT SHIPPING -



Free overnight shipping available to continental U.S. for qualifying orders of 70 lb. or less. Free overnight shipping excludes: liftgate fees, residential delivery, non-network carriers, and certain freight intensive items that are shipped FOB.

IMPORTANT INFORMATION ABOUT RECEIVING YOUR FREIGHT ORDER

The freight company will call 24 hours prior to delivery. It is important to take or return their calls to schedule delivery. Most items are shipped freight prepaid. Limited access, residential, carrier surcharges, redelivery and storage fees are not included.

OFFLOADING? Do you need:





- · Items shipped via flatbed and most lifts will require a forklift.
- · Palletized items including most capital equipment and tool storage require a liftgate or forklift.
- Drivers will not allow you to break down pallets and offload by hand.
- Inside delivery is not available. Product will be dropped as close as safely possible. Make sure your location is accessible to the truck and driver.
- DO NOT SIGN until you have inspected the freight and confirmed carton/ pallet count.
- Refuse shipment and/or notate any discrepancies or possible hidden damage on the bill of lading.
- DO NOT ACCEPT OR SIGN FOR DAMAGED ITEMS. Accepting and signing for a damaged or short shipment without notation releases the carrier and distributor from any claim or responsibility.
- Contact us at 901-300-4878 immediately with any questions or problems with delivery.
- For hidden minor or cosmetic damage, we may at our discretion, choose to send replacement parts.

ASK BEFORE YOU RETURN

Many of the Tool and Equipment products are covered by the manufacturer's warranty and will be serviced and repaired in the field.

Note: Most manufacturers require you to register your products with them before receiving support or service. IF YOU HAVE QUESTIONS ABOUT WARRANTY OR RETURNS CALL 901-300-4878.

AUTOZONE® STORE MANAGERS AND COMMERCIAL SALES MANAGERS

Call Your Tool & Equipment Team at 901-300-4878 for Questions Regarding:

Product Ordering and Availability
 Assisting Customers with Price Quotes
 Service After the Sale
 Help with Outside Buy/EPO Orders

To place orders or for pricing contact your AutoZone® Commercial Sales Manager. For product information, availability and product support, *call 901-300-4878*.

	TOOLS AND EQUIPM	IENT IN THIS ISSUE:	
Air Compressors .70-71 Air Conditioning .59-69, 120 Air Hoses & Reels .77 Air Tools & Accessories .72-77 Alignment .86-90 Automotive Lifts .90-97, 122 Battery Service .13-16 Brake Lathes .109 Brake Service .109-113 Chassis & Suspension .55-58 Cooling System .39-41, 120 Creepers & Seats .143-144 Diagnostics .21-28, 120 Disconnect Tools .42	Engine Stands & Cranes .84-85 Evaporative Coolers .19-20 Exhaust Tubing Bender .126 Fans .19-20 Fluid Handling .30-33 Generators .71, 127 Gloves .128, 147 Grease Guns .29 Hand Tools .5-8, 131-139 Hardware Kits .47, 64, 69, 145 Heating & Cooling .17-20 Heavy Duty .97, 120-122 Inflators .73 Jacks & Hydraulics .9, 81-85, 122	Lighting & Flashlights	Smoke Leak Detectors 23, 120 Specialty Tools 42-48, 120, 122 Surface Prep 74, 76 Technician Sets 33, 80 Thread Repair 140-141 Tire Service 90, 97-108, 121 Tool Organization 118-119 Tool Storage 5, 114-117 Torque Wrenches 46, 105 TPMS Tools 102-103 Tubing 76 Vacuum Pumps 61-62 Welding & Cutting 128-129 Wheel Weights 106-107
	BRANDS IN	THIS ISSUE:	
ABAC		Lisle	Robinair

ABAC
Access Tools 47
AIRCAT 72-73
AirSept 42, 69
ALLDATA
ALLSTART
American Forge & Foundry 83-85,
122
Arrow Pneumatics 77
Associated
Astro 73, 103
ATD Tools 12, 130
ATEQ102
Atlas Automotive 94
Autel 16, 22, 24, 25, 103
Balcrank 33, 35, 41
BelAire
BendPak 85-86, 89, 93-97,
122, 126
BigVac
Branick 55, 103, 108
BRM 50, 113, 124
Cal-Van42, 45, 51, 108, 130, 140-14
CEMB 88, 99, 101, 121
Central Tools 46, 105, 110
Challenger Lifts 85, 89, 91,
95-96, 122
Champion Air Compressors 71
Champion Power Equipment 127
Coats88-89, 92, 98, 100,
104, 121

C001 D055 20
CPS 60, 62, 68, 120
CRC144
Crushproof Tubing Co
CTA
Cutting Edge 85
Duralast 5-9
Ecotechnics 59-60
EnergyLogic17
FIX-A-THRED
FJC Inc64
Flexzilla
Forney Industries 128-129
Forward Lift 89, 92
GearWrench131
GreatLite
GreatNeck 12, 132, 137-139
H&S Autoshot128
Hardware Machinery 47, 68, 145
Hofmann 86-87, 89, 101
Homak114-115, 117
Ingersoll Rand 72-74
Innova
IPC
Jackson129, 146
John Dow
142, 145
Ken-Tool
Knipex
Lanair
Lang 27, 112

LINCOIN 29, 32, 34, 38, 77, 124
Lisle 35, 38, 42, 44-45,
49-50, 52-53, 56, 108, 112, 130,
140-141, 146
Livernois 53
Mahle 33, 41, 59-60
Manatec
Marson 47
Mastercool
60-69, 112, 120
MaxJax
Mi-T-M 71, 126-127
Midtronics
Mityvac 28, 30-31, 111
MotorVac 27, 33, 113
OEMTOOLS 10-14, 16, 19,
23-24, 29-46, 48-58, 61-65, 67-69,
72-85, 87, 95, 102-108, 110-113,
116-120, 122-126, 129-144, 146
ONE-Direct Sensors102
Phoenix Systems 111, 113
Portacool 20
Power Probe 26, 45
Pro-Cut
QSP55, 87
Quality Lifts 91
QuickJack Lifts 95
Ranger 35, 83-84, 97, 99,
101, 109, 125
Rapidair
Redline

Robinair 60 Rotary 88, 92, 98, 121 SAS 146-147 Shark 35, 76, 78, 80, 96, 104, 110, 124 Sheffield 117, 138 Slip-N-Grip 142 Solar 14 SRI 124 Steck 44, 47, 84, 143 Streamlight 12 SUNEX 75 Sunfire 17 SUR&R 27, 36, 145 Sure Shot 113 Sylvania 18 Symtech 126 TEXA 25, 59, 120 Thexton 41 Titan 27 TMR/The Main Resource 104 TOPDON 13-16, 22, 26 Graxion 143 Tuxedo 90 JView 66-67 /iking 117 //IM Tools 111
/iking
Water Works 125
Wiha Tools
Ktra Seal
Mia Scar







Fluid OEM TOOLS Handling 1.5 Gallons (6.3 Qts.) Pneumatic/Manual Fluid Extractor SKU 666978 24937 10999 REG. \$154.99

See More FLUID HANDLING on Pages 30-33

Battery Charger BASSOCIATED

6/12V, 40A Standard Duty Wheel Charger sки **34479**5 ASCUS20



VALUE: \$39.99

20 Ft. 4 Gauge **Booster Cables** with Storage Bag 24335

With Purchase of: ASCUS20

OEM TOOLS

OEM TOOLS

See More BATTERY SERVICE on Pages 13-16



Jacks & Hydraulics

6 Ton Jack Stands (Pair) Šки 1580891 *QQ99* 24788

· Self-Locking Ratchet Allows Safe and Easy Adjustment





Tesla Jack Pads Models 3/S/X/Y sки **1580896** 28999

- Prevents Damage to the **Battery Pack**
- 4 Adapters and Storage Case





See More JACKS & HYDRAULICS on Pages 81-85

Heating & Cooling SUNFIRE

Portable Radiant Heater 160,000 BTU

SKU OSB SFRSF160 *3,499* 99

· Heats Up to 3,500 Sq. Ft.



See More HEATING & COOLING on Pages 17-20

Chassis & Suspension

Master Inner Tie Rod Tool Set REG. \$99.99 27178



OEM TOOLS

OEM TOOLS



See More CHASSIS & SUSPENSION on Pages 54-58

RC-55E and 1300 Series Tire Service Combo SKU USB **14**,849⁹⁹



* Savings based on the price of items if purchased separately. See More TIRE SERVICE on Pages 97-108



Shop Press SKU 666327 25088 **9**99 REG. \$599.99

See More SH0P **EQUIPMENT** on Pages 123-127



Grease Gun

Pneumatic with 18" Extension Hose SKU 1207901 87205 REG. \$69.99



See More GREASE GUNS on Page 29

Duralast tool storage

Duralast

42" 4-Drawer Top Chest, Blue **SKU** 1354163

- 21-gauge steel construction
- 100 lb. soft-close full-extension drawers with liners
- Built-in power strip (4 outlets & 2 USB ports)
- 7,668 cubic inches of storage
- 400 lb. total weight capacity
- Combine with 1354168 (sold separately)

42" 9-Drawer **Tool Cabinet. Blue**

SKU 1354168

- 21-gauge steel construction
- 100 lb. soft-close full-extension drawers with liners
- 5"x2" heavy-duty casters to support up to 1,200 lbs.
- 10,532 cubic inches of storage
- 800 lb. total weight capacity
- Combine with 1354163 (sold separately)



Duralast

30" 5-Drawer Mechanic's Cart **BLUE SKU** 1354167

BLACK SKU 1354164


- High-capacity, full-extension ball bearing drawer slides
- 90-degree lid opening with dual gas struts
- 15,000 cubic inches of storage
- 700 lb. total weight capacity



Duralast 24999

30" 4-Drawer **Technician Cart**

BLUE SKU 1354165 **BLACK SKU** 1354166



- 90-degree lid opening with dual gas struts
- 12,600 cubic inches of storage
- 580 lb. total weight capacity



SPECIAL DEALS

Duralast

1/4", 3/8", 1/2" Drive 435PC Mechanic's Tool Set

SKU 1089589



\$1.850 Value

- Features 237 Chrome Sockets, 51 Wrenches, 42 Impact Sockets, 6 ratchets & more!
- The most tools for your money, all guaranteed for life

Duralast

1/4", 3/8", 1/2" Drive 335PC Mechanic's Tool Set

SKU 1092684



\$1,350 Value

- Features 210 Chrome Sockets, 41 Wrenches, 3 Ratchets & more!
- Professional Grade Tool Selection, All Guaranteed for Life

Duralast Mechanic's tool sets



- 1/4-in, 3/8-in, and 1/2-in drive mechanic's tool set
- 6-point standard and deep sockets (1/4-in, 3/8-in drive) and 12-point standard sockets (1/2-in drive)
- Sockets feature off-corner loading design to help prevent the rounding of fasteners
- Alloy Steel sockets and drive tools heat treated for superior strength









Duralast

180PC Mechanic's Tool Set SKU 52378

119⁹⁹



- 1/4-in, 3/8-in, and 1/2-in drive mechanic's tool set
- 6-point standard and deep sockets (1/4-in, 3/8-in drive) and 12-point standard sockets (1/2-in drive)
- Sockets feature off-corner loading design to help prevent the rounding of fasteners
- Alloy Steel sockets and drive tools heat treated for superior strength

Duralast

90PC Mechanic's Tool Set SKU 52377

8999



- 1/4-in and 3/8-in drive mechanic's tool set
- 6-point standard and deep sockets
- Sockets feature off-corner loading design to help prevent the rounding of fasteners
- Alloy Steel sockets and drive tools heat treated for superior strength

Duralast

60PC Mechanic's Tool Set SKU 15881

59⁹⁹



- 3/8-in drive mechanic's tool set
- 6-point standard and deep sockets
- Sockets feature off-corner loading design to help prevent the rounding of fasteners
- Alloy Steel sockets and drive tools heat treated for superior strength

Duralast

45PC Mechanic's Tool Set SKU 15879

3999



- 1/4-in drive mechanic's tool set
- 6-point standard and deep sockets
- Sockets feature off-corner loading design to help prevent the rounding of fasteners
- Alloy Steel sockets and drive tools heat treated for superior strength
- Premium S2 steel bits for durability

Duralast tool bundle deals

139⁹⁹

ROADSIDE BUNDLE DEAL

Keep this Duralast Tools roadside bundle with you on the go, and be ready for any obstacle that comes your way!



180 PC 1/4", 3/8", 1/2" Drive Tool Set SKU 52378

- Comprehensive selection of 1/4", 3/8", and 1/2" drive tools
- Forged from alloy steel for durability and long-lasting performance
- Slim profile blow mold case, allows for convenient storage on the go



- Collapses down to 10 inches and extends all the way to 15 inches to provide greater access and leverage
- Chamfered square drive lead-in helps provide easy placement of sockets onto drive

49⁹⁹

IMPACT SOCKET BUNDLE DEAL

Conveniently stored in a blow mold storage case, don't miss on this opportunity to score a hot deal on Duralast Impact Sockets! Made with forged Chrome Molybdenum, these sockets are built for strength and durability in impact use.



10 PC 1/2" Drive Deep Metric Impact Sockets SKU 914180

 Contains: (10) 1/2" Drive Deep Metric Impact Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

9 PC 1/2" Drive Deep SAE Impact Sockets

SKU 569664

 Contains: (9) 1/2" Drive Deep SAE Impact Sockets: 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1

4999

FLEX HEAD RATCHET BUNDLE DEAL

These Duralast 100 Position Flex Head ratchets are designed with a patended stacked pawl technology - allowing for a reduced ratcheting arc of just 3.6 degrees. These ratchets feature a flex head design with 6 different locking positions, and are fully guaranteed for life.



3/8" Drive Flex Fine-Tooth Ratchet (100T) SKU 565718

1/4" Drive Flex Fine-Tooth Ratchet (100T) SKU 565715

Duralast Ratcheting Wrench sets



Work Faster and Smarter with Duralast Ratcheting Wrenches

- 72T Ratcheting box ends need as little as 5 degrees of sweep to move a fastener
- The small ratcheting box end head allows for access to tight areas where a ratchet won't fit
- Manufactured from alloy steel for superior strength and longer life span
- Available in 12-pt. ratcheting, 12-pt. flex-head ratcheting, 12-pt. reversible ratcheting, 12-pt. combination ratcheting, and universal profile ratcheting

Duralast

6PC Flex-Head Ratcheting Wrench Sets

MM SKU 569808 SAE SKU 569818 **59**99 each

- 12-point flex head ratcheting combination wrenches
- Ratcheting flex heads allow for accessing fasteners at an angle for improved access
- Featuring off-corner loading design to help prevent the rounding of fasteners



Duralast

6PC Universal Ratcheting Wrench Sets

MM SKU 570925 SAE SKU 570926

> 3499 each



- Universal profile ratcheting box-ends allow engagement on 6 fastener types (6-point, 12-point, partially rounded, spline, square, and External TORX®)
- Alloy Steel wrenches heat treated for superior strength
- Chamfered lead-ins for easy placement onto fasteners

Duralast

6PC Reversible Ratcheting Wrench Sets

MM SKU 570923 SAE SKU 569807

5999 each



- 12-point reversible ratcheting combination wrenches
- Featuring off-corner loading design to help prevent the rounding of fasteners
- Alloy Steel ratcheting wrenches heat treated for superior strength

Duralast

6PC Ratcheting Wrench Sets

MM SKU 569779 SAE SKU 570921





- 12-point ratcheting combination wrenches
- Featuring off-corner loading design to help prevent the rounding of fasteners
- Alloy Steel ratcheting wrenches heat treated for superior strength

Duralast

2PC Quadbox Ratcheting Wrench Sets

MM SKU 951644 SAE SKU 951643

3499 each



- 12-point metric reversible ratcheting 4-in-1 wrenches
- Each wrench features 4 sizes for convenience
- Alloy Steel ratcheting wrenches heat treated for superior strength
- Reversing levers allow quick directional changes

Duralast LIFT EQUIPMENT & BATTERY CHARGERS



3 Ton Aluminum Floor Jack





3-1/2 Ton Professional Foldable Garage Jack SKU 1276164



229⁹⁹

Duralast



- 2.5 ton capacity
- 2.5 ton stands

Duralast

2.5 Ton SUV Jack SKU 189970

104⁹⁹

- Lift range: 5.88" 20.88'
- 1-year warranty
- Rotatable saddle for easier positioning
- Extra heavy gauge steel chassis frame and side plates for added strength

Duralast

3 Ton Garage Jack SKU 1399157

14999

- Lift range: 5.1" 18.6
- 1-year warranty
- Rotatable saddle for easier positioning
- Heavy duty steel construction high grade steel with powder-coated finish

Duralast

6 Ton Jack Stands SKU 234799

6789



- Full welded heavy gauge steel base
- Large Cast iron ratchet pawls for secure locking
- Multiple height positions

Duralast

250 Amp 12 Volt Battery Charger SKU 1277303

- The DL-250D is compatible with 12-volt standard, lithium, AGM, gel, and deep-cycle batteries
- The 250-amp engine start is strong enough to jump start cars, SUVs, trucks, and boats
- Manual operation controlled by 135-minute timer and manual rate selection knob
- Built-in ammeter lets you monitor the complete charging process



Duralast

Lithium Battery Booster/Jump Pack SKU 567656

 Powerful 1200-amp jump start is strong enough for cars, trucks, motorcycles, boats, SUVs, and other large engines

 150-PSI air compressor features a digital pressure gauge making it easy to inflate tires, toys, mattresses, and more

• The 2.4-amp USB port charges smartphones and other mobile devices two times faster than a standard USB charger"



HIGH-POWERED, RECHARGEABLE WORK LIGHTS

OEM TOOLS

Portable Dual Mode LED Work Lights with Multi-Position Mounting

• Dual Mode Features a Flood LED Work Light and a Directional Flashlight • 180° Magnetic Adjustable Base • USB-C Rechargeable





180° Multiple Positions for Angling Light







200 Max. Lumens SKU 1525563 34 99 32132

Heavy-Duty Belt ClipCharging Time: 2.5 Hours

LUMENS							
50 LUMENS WORK LIGHT	50 LUMENS LED LOW	200 LUMENS LED HIGH					
RI	JNTIMES						







400 Max. Lumens SKU 1525555 44 99

360° Rotating Hanging HookCharging Time: 2.5 Hours

	LUMENS	
·**	- CIVILINIO	.;;;
200 LUMENS WORK LIGHT	120 LUMENS LED LOW	400 LUMENS LED HIGH
R	UNTIMES	
5hrs Work Light	9hrs LED LOW	3hrs LED HIGH



360° Hang Hook

600 Max. Lumens SKU 1525559 4999 32126

- 360° Rotating Hanging Hook
- Charging Time: 3.5 Hours



OEM TOOLS

LIGHTWEIGHT **5.2** oz.



Magnetic Base

Flashlights

2 Pack Button LED Lights SKU 1525557 34 99 32129

- Magnetic Base for Hands-Free Use
- Charging Time: 0.5 Hours
 Includes: Two LED Lights with Two Charging Ports, USB-C and Micro USB, and 1 Charging Cable








LED Light with Auto Sensor sku 1525569 3999

- Auto Sensor Automatically Turns Light Off When Sensor is Covered
- Dual Mounting Options; Heavy-Duty Clip and Dual Magnets
- Charging Time: 3.5 Hours







Mini Rechargeable LED Light sku 1525564 1999 32137

- Dual Mounting Options; Heavy-Duty Clip and Dual Magnets
- Charging Time: 2.5 Hours











Work Lights

3-in-1 Multi-Use Rechargeable Diagnostic Under-the-Hood Work Light SKU **591153**

24609

• 3 Different Light Modes - White, Yellow (Smoke Detection), UV/Black (Leak Dye Detection)

- 400 Lumens of Super Bright Light Lasts More Than 5 Hours (White Light)
- Holds Charge for a Longer Run Time with 4400 mAh Li-ion Battery
- · Built-In Power Bank/Source Charges Cell Phones, Tablets and Handheld Devices
- Includes Universal Micro USB Charger
- LCD Battery Indicator Screen Displays Charge Level
- Strong Magnets on Each End
- Run Time: White (5.5 Hrs.), Yellow (5.5 Hrs.), UV/Black (12.5 Hrs.)
- Accessory Kits Available

13.4"









400 Lumens Super Bright Work Light



Yellow Smoke Detection Light



Multi-Application Work Lights





Magnetic Base




600 Max. Lumens SKU **822266** 25997

· 6 Hr. Runtime on High

1000 Max. Lumens SKU **850228** 24604

• 9 Hr. Runtime on High



5 Light Modes: High, Medium, Low, Strobe, SOS







· 4000 mAh Li-ion Battery

24695

360 Max. Lumens SKU **603726**

4 Light Modes: • 3.5 Hr. Runtime on High High, Medium,

Low, SOS



23.6"

STORE STOCKED

Mechanics 500 Max. Lumen Rechargeable Flashlight and 450 Lumen Ultra Slim Wand with UV Inspection SKU **344835**

24607

- 5 Light Modes: 100%, 50%, 25%, Strobe and SOS
- Flashlight Head Can Be Removed and Replaced with the Slim Inspection Light (as Shown)
- 3 Powerful, UV LED Lights on Inspection Light





Includes Hook Battery



Detachable 1809 USB Rechargeable

Magnetic Rechargeable **LED Work Light** SKU **819644** 25982

REG. \$79.99

- 3W COB LED, Super Bright White Lights: 400 Lumens
- 3.7V 2200 mAh Li-ion Battery
- · Runtime: 3 Hrs. (Work Light), 9 Hrs. (Torch Light)
- Powerful Magnets on the Back and Swivel Base
- Includes: USB Cable for Recharging



SKU **765525**



Rechargeable Multi-Head All-in-One Work Light Kit



Offer Good Through December 31, 2025

Pivoting Ultra-Slim 300 Max. Lumen Work Light SKU 603727 2799 24696

- Ultra-Slim Body Design Pivots 180° Providing More Light to Any Work Area
- Magnetic Base Attaches to Any Ferrous Surface
- 4 Light Modes: High, Low, Top Light and Handle Spotlight
 Top Light Illuminates the Tightest Work Areas













24648 · Quick-Attachment Coupler Allows for Easy Change Between 3 Interchangeable Heads

Comes with USB Charging Cord, AC Adapter, 180 Swivel Hook and (1) 18650 **Rechargeable Battery**

Work Lamp Attachment for 24648 Work Light Set SKU **884377 19**99 24648E



AZG0425

STORE STOCKED

LIGHTING

Flashlights

Periscope LED Flashlight SKU **526504** 1499 25458

- Chip On-Board LED
- · Beam Distance: 2 Meters
- · Includes: Magnetic Base to Stand Upright and 2 AA Batteries







OEM TOOLS





- Water Resistant
- Diameter: 1.25"





GreatNeck

For OSB, Call 901-300-4878

GreatLite

E36 Cree Rechargeable Flashlight Kit SKU **568461** EXPE36-E02

- Beam Distance: 300 Meters
- Impact Resistant Up to 1.5 Meters





STREAMLIGHT

GreatLite Stinger LED with AC/DC SKU **291368** *249*⁹⁹ STL75732

- 425 Lumens
- · Runtime: 10 Hours
- Beam Distance: 322 Meters
- Four Lighting Modes: High, Medium, Low and Strobe



Pen Lights

Stylus Pro with White LED

- 48 Lumens
- Runtime: 7.5 Hours
- Waterproof Construction with an Unbreakable Polycarbonate Lens Pocket Clip

Blue SKU **291362** STL66122

44 99 each

Black SKU **291408** STL66118

Red SKU **291358** STL66120

Silver SKU **291359** STL66121



STD

Cree LED Pen Light

- 3 Modes: Low (50 Lumens), High (150 Lumens) and Strobe
- 80 Meter Beam Distance
- Anodized Aluminum Body is Impact and Water Resistant
 Battery Runtime: 6 Hours (Low), 3 Hours (High)
- · Comes with 2 AAA Batteries and Tactical Clip

Red SKU **592188** 32838

Black Silver SKU **592183** SKU **592184** 32835 32839

Blue Green SKU **592185** SKU **592186** 32836 32837



Underhood Lights

2,000 Lumen LED Corded/Cordless SKU **1414959** ATD80357

- 40" Light Bar Provides 2000 Lumens of Bright Light
- Hooks Extend 55" to 83" to Fit New SUVs and Light Trucks
- 25' Removable Cord Remains Flexible in Cold Weather
- 2 Modes: High-2000 Lumens/Low-1000 Lumens
- 5200 mAh Li-ion Battery Provides Up to 2 Hours (High), Up to 4 Hours (Low) Runtime



Inspection Lights

700 Max. Lumen Rechargeable COB LED Slim Inspection Light SKU **418752** 24646

- Unique Variable Dial Lets You Control Output (0 to 700 Lumens)
- Runtime: 10 Hours (at 50% Power), 2.5 Hours (at 100% Power)
 Removable Magnetic Base with 360° Swivel and Lock Feature Lets You Adjust Angle to Point Light Where it's Needed



OEM TOOLS 2-in-1 Rechargeable Pocket Light SKU **081751** *24* 99

26029

- Super Bright COB LED Work Light with Integrated LED Flashlight
- Easy Hands-Free Operation with Magnetic Base and Magnetic Pocket Clip
- Max. Output (Work Light): 200 Lumens
- Max. Output (Flashlight): 140 Lumens
 Includes: (1) 18650 Li-ion Rechargeable Battery and (1) USB Charging Cord



TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Battery Testers

OEM TOOLS

Professional Series Battery Tester SKU **750009 14** 99 24508

• Large Tester Uses Gravity with the Number of Floating Discs to Show State of Battery Charge Specific Gravity Levels are Printed on the Tough, See-Through Plastic Body

 Large 16-1/4" Disc-Type Tester is Accurate Down to -40°F

OEM TOOLS Digital Battery Analyzer SKU **819073** 3999 24359

· Shows Available Power in CCA Starter and Charging System Testing Easy-to-Read Backlit

LCD Screen · Voltage Range:

1.5-15VDC Battery CCA: 200-1200



OEM TOOLS 100 Amp

Battery Load Tester SKU 203583 3999 24338

· Conveniently Tests Batteries in Just 10 Seconds

• Battery Load Test: 100A (12V), 50A (6V)

Designed to Work on Both 6V and 12V Batteries Up to 1,000 CCA

• Determines State of

Charge, Cranking and Charging Volts

 Convenient Handle for Transport



TOPDON®

OEM TOOLS

500 Amp Carbon Pile Load Tester SKU **1168827** 12499 24336

• Variable Load Capability to 500 Amps

Tests Batteries to 1,000 CCA

· Test Alternators, Regulators and Starters

Large, Easy-to-Read Gauges

· Heavy Duty Clamps



MIDTRONICS Advancing
Battery Mana Battery Conductance Tester

SKU **291330** MIDPBT100

- · Tests Both the Starter and the Charging System

 Tests 12V Automotive Batteries from
- 200 to 850 CCAs
- · Durable Design for the Workshop or in the Field



BT MobilePro S TOPDON® Jump Start/Power Bank/BSC System Analyzer SKU **1485041 TPDBTMPROS**

- Turns Your Diagnostic Scan Tool into a Battery Tester
- Compatible to Phoenix Line of Diagnostic Scanners
- Battery, Cranking and Charging Tests
 Tablet Compatibility

STORE STOCKED

- Test Voltage: 12V
- Test Range: 100~2000CCA
- Battery Type: Regular Flooded, AGM, EFB and GEL
- Test Standards: CCA, BCI, CA, MCA,



BT600 Battery Tester with Printer SKU 1339732 13999 TPDBT600

- 3.5" Color Screen
- · Built-In Thermal Printer
- Performs Complete Battery, Cranking and Charging Tests
- Large, Reinforced, Smoke-Free and Spark-Free Copper Clamps
- Quick and Accurate Test Results



Replacement Clamps SKU **1544657** TPDBT600RC

Thermal Printer Paper for BT600, BT300P SKU 1442591 **TPDBTPAPER**

12V Digital Battery Electrical

System Tester with Printer SKU **343373** ASC12-1015

· Tests Both Batteries Up to 1,700 CCA and Alternators

- · Tests Starters and Charging Systems

 Backlit Digital Display
- 9 Languages
- Includes: Deluxe Case and Extra Print Paper



BASSOCIATED

12/24V Digital Battery Electrical System Tester with Printer SKU **1491305** ASC12-2415

· Tests Both Batteries Up to 2,000 CCA and Alternators

Battery Service Tools

Side Terminal Battery Wrench

• For Use with Side Terminal Batteries Found on Many GM and Other Domestic Vehicles

5/16" SKU **466513 Q**99 25287

• Length: 5-1/2"

10 mm and 5/16" SKU **965838** 25282

- Length: 12"
- Double Sided



25282

2 Liter Battery Filler SKU **972771** 1499 87010

- Automatic Shut-Off to Prevent Overfilling
- · Fills Battery to Proper Level without Spilling



Battery Terminal Puller SKU **466489** 25121

- Use to Remove Battery Terminal Clamp without Damaging the Battery Post
- Puller Will Also Work on Corroded Spring-Type Clamps



Battery Nut Pliers SKU **943134** 1499 25123

- · Easily Tighten and Loosen Nuts
- Offset Handles
- · Serrated Jaws for a Firm Grip



Battery Carrier SKU **002284** 25316

· Designed to Grab, Lift and Carry Top Post and Side Terminal Batteries

 Grips Battery Widths from 5" to 7" with Rubber Pads

· Plastic Hand **Grip Provides** a Firm Hold



6 Piece Battery Service Kit SKU 1168822 6999

· Includes: Battery Terminal Puller, 4-Way Post Cleaner, Battery Nut Pliers, Extended 5/16" and 10 mm Battery Terminal Wrench, 5/16" Side Terminal Battery Wrench and a Side Terminal

Brush Organized in a Heavy Duty, Roll-Up Storage Sleeve





Jump Starters

TOPDON®

ALLSTART

Battery Tester and Jump Start *119*99 SKU **1368635** TPDV2200PLUS

· Jump Start Capacity: 8L Gas, 6L Diesel

• 2200A Peak Current for Jumps • Use the App to Perform

Detailed Battery Tests • 300 Lumen LEĎ Light with Solid, SOS and Strobe Functions

· Output Ports: Type-C: USB1, USB2, DC



JumpSurge 3000 Amp Portable Jump Starter SKU **OSB**

16999 TPDJS3000

Sturdy Outer Housing Resistant to Water, Dust and Wear 45 Jumps on a Single Charge

USB Quick Charge 3.0 Port

 Heavy Duty Smart Clamps



TOPDON®

Kwikstart® 12 Volt Portable Power and Jump Start SKU **850637**

264 99 ASC6256 · Peak Amp Output:

1700 Amps
• 360 CCA of Boost Assist

• (2) 12V DC Accessory Outlets to Power and/or Recharge DC Electronics

32" Heavy Duty Cables and USB Port



64999

ASSOCIATED

30,000 mAh Lithium Jump Starter for V10 and Diesel SKU 1268417 24999

CAL590

Improved Design Vehicle Jump Starter and Backup Charger for Portable Electronics

• 800 Cranking Amps and 1800 Peak Amps

 30,000 mAh High Capacity Li-ion Battery · Fast Charging with Low

Self-Discharge Cycle • Includes: Intelli-Clamps for Jumpstarting with Built-In Safety and Diagnostic Features



Premium 1700 Peak Amp 12 Volt Jump Starter SKU **OSB**

SOLJNC770R

• Heavy Duty Clamps with 68" Cables

• 1700 Peak Amps; 425 Cranking Amps

· Dual USB Outlets to Charge Mobile Devices

· Master ON/OFF Switch

1700 Peak Amp 12 Volt Jump Starter SKU **OSB** 2**99**99 SOLJNC660

• Heavy Duty Clamps with 46" #2 AWG Welding Cables.

1700 Peak Amps; 425 Cranking Amps

Heavy Duty Clamps with 46" Cables

S@LAR.

SKU **OSB** SOLJNC1224

Jump Stärter

 Voltmeter Provides Charge Status of Onboard Battery

3400 Amp 12/24 Volt

• Clore PROFORMER **Battery** Technology

• 3400 Peak Amps and 850 Cranking Amps - 12V

1700 Peak Amps and 425 Cranking Amps - 24V



S@LAR.

2-in-1 2200 Peak Amp Jump Starter and Tire Inflator

SKU 1485043 TPDV2200AIR

• Battery Capacity: 12000mah

 Delivers a Powerful 2200A Peak Current with Up to 25 Starts Per Charge

Capable of Jump-Starting Vehicles with Engines
 Up to 8.0 Liters for Gasoline or 6.0 Liters for Diesel

· Functions as a PD45W Fast-Charging Power Bank

400-Lumen LED Flashlight

• Tire Inflator Fills in Under 3 Minutes

1'OPDON®



2-in-1 4500 Peak Amp Jump Starter and Battery/System Tester SKU **1485040**

TPDV4500PLUS

• Up to 45 Jump Starts on a Single Charge

Test and Monitor Battery with App

Peak Amps: 4500

• 500 Lumen Flashlight

• Outputs: Bidirectional TYPE-C, USB1, USB2

IP65-Rated Casing

 Includes: D45W Charger Adapter, DC Adapter. DC Adapter and PD100W Cable

TOPDON®



To Confirm Price, Availability and Ordering Instructions on OSB, Call 901-300-4878

Wheeled Chargers

Battery Charger 12V SKU **OSŠ** S0L4735

- EZ View Control Panel
- 200 Amp Engine Starting Assistance
- 40 Amp Fast Charge Rate
- 5 Amp Setting for ATVs, Boats, Lawn and Garden Applications

Battery Charger with Engine Start 12/24V SKU **OSB** 36999 S0L4745

• 40 Amp 12V, 20 Amp 24V Charge Rate



ASSOCIATED

6/12V, 40A Standard Duty Wheel Charger SKU **344795**

ASCUS20

- · 40 Amp Charger with 90 Minute Timer
- 40 Amp Continuous Rating at 6/12 Volts
- 200 Amp Cranking Assist and 330 Amps Boost
- · Fan Cooling Prevents Overheating
- UL Listed
- Two Year Manufacturer's Warranty





VALUE: \$39.99

OEM TOOLS

20 Ft. 4 Gauge Booster Cables with Storage Bag 24335



TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Associated Battery Chargers

BIASSOCIATED

















	Commercial	Heavy Duty Fleet	Heavy Duty	Intellamatic® Charger and Reflash Power Supply			
	Duty Charger SKU 221248 ASC6002B	Charger/Añalyzer SKU 1414394 ASC6021AGM	Charger SKU 662763 ASC6012AGM	SKU 344790 ASCESS6008 (Not Pictured)	SKU 343379 ASCESS6008MSK	SKU 343370 ASCESS6007B	SKU 662745 ASCIBC6008MSK
Charger Type	Wheel	Wheel	Wheel	Wheel	Wheel	Wheel	Wheel
UL of CSA Continuous Amperage Charging Rate	100/80A	70/65/30A	70/60A	60A	60A	40A	60A
Re-Flash Power Supply Output Amperage	N/A	N/A	N/A	70A @ 13.9V	70A @ 13.9V	45A @ 13.9V	70A @ 13.9V
Crank Assist Amperage	400	205A	250	270	270	130	270
Operating Charging Voltage	6/12/18/24V	6/12/24V	6/12V	12V	12V	12V	12V
Battery Types	SLA	SLA, AGM, EFB	SLA, AGM, EFB	SLA, AGM, Gel-Cell, EFB	SLA, AGM, Gel-Cell, EFB	SLA, AGM, Gel-Cell, EFB	SLA, AGM, EFB, Li-ion, Gel-Cell
Smart Charger	N	N	N	Υ	Υ	Υ	Υ
Adjustable Charging Voltage	N	N	N	N	N	N	Y
Adjustable Re-Flash Power Supply Voltage	N	N	N	Υ	Υ	Υ	Y
Memory Saver Mode	N	N	N	N	Υ	N	Υ
DC Cable Length and Gauge	8' 4AWG	6.5' 4AWG	6.5' 6AWG	6.5' 6AWG	6.5' 6AWG	6.5' 6AWG	6.5' 6AWG
Warranty*	2 Year B2B 5 Year Limited	2 Year B2B 5 Year Limited	2 Year B2B 5 Year Limited	2 Year B2B 3 Year Limited	2 Year B2B 3 Year Limited	2 Year B2B 3 Year Limited	2 Year B2B 3 Year Limited
Price	<i>1,224</i> ⁹⁹	<i>874</i> ⁹⁹	<i>679</i> ⁹⁹	<i>979</i> ⁹⁹	<i>1,114</i> 99	<i>784</i> 99	<i>1,379</i> 99

^{*}Two years bumper to bumper (B2B) manufacturer's warranty with five years transformer/rectifier for heavy duty battery chargers (6001A, 6002B, 6006, 6009 and 6012) and three years transformer/rectifier warranty for INTELLAMATIC wheeled smart chargers.

Power Supply

12V - 90A Reflash Power Supply and Charger SKU **OSB ASCESS6100 1,599**

- Adjustable Power Supply from 12.6V to 14.9V at Up to 90 Amps
- Safe for All Batteries Including AGM, EFB, Li-ion and Gel
- OEM Vehicle Manufacture Approved
- 8.4 Ft. DC Leads

For OSB, Call 901-300-4878

ASSOCIATED



120A Power Supply and Battery Charger SKU 1485033 TPDT1200005 89999

- Intelligent Current (5-120A) and Voltage (11-16.8V) Output Adjustment
- 3 Major Charging Modes and 9-Step Smart Charging
- Compatible with Lead-Acid Batteries and Lithium Batteries
- · Clamp Cable Length: 16 Ft.



Booster Cables

20 Ft. 4 Gauge Booster Cables with Storage Bag SKU 1168815 3999 REG. \$59.99

- Extra Long 20 Foot Flexible Cables Expands Your Reach
- Tangle Free Design Ensures Quick and Easy Connections
 Insulated Clamps Fit Top and Side
- Insulated Clamps Fit Top and Side Post Batteries
- Oil, Gas and Acid Resistant All Copper Wire
- Includes: Storage Bag

Offer Good Through December 31, 2025



BASSOCIATED

20 Ft. Extra Flexible Cables



Smart Charger


TOPDON®

30A Smart Charger and Power Supply SKU 1442582 TPDT30000 29999

- Suitable for Multiple Battery Types, Including AGM, LI, WET, GEL, MF CAL and EFB
- 9-Step Smart Charging, Checks for Sulphation and Acid Stratification, Repairs Batteries, Prevents Battery Damage
- Works as a Stable Power Supply for 12V and 24V Devices
- Current Range: 12V-30A, 24V-15A, 6V-15A, 12V-10A
- Clamp Cable Length and Gauge: 7.2', AWG10



One Charger Does It All



Bench Chargers

6/12V, 1A Maintainer SKU **765478 ASC9003A** 69⁹⁹

- LED Lights Indicating Charging Status
- Includes 2 Sets of Charging Leads
 OEM Vehicle Manufacture
- Safe for AGM, Gel Cell,
- SLA Batteries
 Reverse Polarity Protected
- Overcharge Protection
- 1 Year Warranty



6/12V, 15/2A Smart Bench Top Charger sku 850634 ASC3100A 19999

- Digital Display Shows Charging Voltage/Amperage or Time Remaining
- Safe for AGM, Gel Cell, SLA Batteries
- 100A Boost
- 1 Year Warranty



AUTEL MAXIBAS

BATTERY & ELECTRICAL ANALYSIS

MaxiBAS® BT609

SKU #1125832 | Part #BT609

- Adaptive Conductance Technology: Produces a More Accurate Exam of the Battery's Status
- All System Scan, Read and Clear Codes
- Complete Service Menu 20+ Functions

MaxiBAS® BT608

MaxiBAS® BT506

SKU #1105501 | Part #BT608

 Adaptive Conductance Technology: Detects Battery Capacity Reducing Misdiagnosis
 Auto Battery Reset / Print Test Reports

· Use with Smartphone or other Smart Device

Support In-vehicle and Out-of-Vehicle Testing

· Test 6- and 12-volt Batteries: 100 - 2000 CCA

• Test 12- and 24- Cranking/Charging Systems

· Test Flooded, AGM, AGM Spiral, EFB & GEL Batteries

- Auto Battery Reset / Print Test Reports
 Via Built-in Thermal Printer
- AutoSCAN/VINScan for Quick Vehicle Identification & Battery Specifications

SKU #1125835 | Part #BT506

of Passenger Vehicle Batteries



OBDII EXTENSION CABLE

SKU #1443473 | Part #VCIEXTCAB

- Compatible with all OBDII-compliant VCIs
 It keeps VCI in sight
- It keeps VCI in sight and is easy to retrieve and not forget after use



MaxiEV® ALT100L

SKU #1442217 | Part #ALT100L

· Tests high voltage battery enclosures and

 High-sensitive pressure sensing significantly improves test accuracy and stability

 Dual Pressure Display: Real-time display of current pressure and leakage fluctuations

high voltage thermodynamics systems such as coolant and A/C for leaks

MaxiBAS® BTAK

SKU #1149588 | Part #BTAK

- · Battery Tester Accessory Kit
- Digital Multimeter and Current Clamp Kit
- Measures Voltage, Current and Resistance



NEW EV RELEASE

MaxiEV® CDT100

ADVANCED **EV DIAGNOSTICS**

SKU #1443474 | Part #CDT100

- Wide-voltage design, suitable for discharge, charge, and activation testing of modules with different voltage levels
- Set constant current and power, Charge and Discharge modes for varied applications
- Displays single-cell maximum/minimum voltage and other data onscreen in graphs, columns, and report forms

MaxiEV® ITS100

SKU #1442216 | Part #ITS100

- Tests high voltage wiring and components
- Test resistance measurement before loading into the vehicle
- Helps identify issues like damage, deterioration, or contamination of the insulation




Maxibas® BTMS SKU #1149587 | P



- · Battery Tester Memory Saver
- Preserves Vehicle Codes and Electronic Presets When Replacing Battery
- Enables Vehicle Computer to Be Powered and Maintain Data When Connected to Backup Vehicle Battery

CALL FOR PRICE







HEATING & COOLING

ENL11075104

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

EnergyLogic




On-board air compressor

Burn No.2 to 90W and synthetics

Small footprint

Stop paying to have your waste oil hauled off! Save and burn it for FREE heat this winter.



		Waste Oil	Heater Complet	te Systems*		
FURNACE	BTUs	HEATS UP TO	PART NO.	PRICE	Reg. Price	Savings
EL-140	140,000	3,500 Sq. Ft.	ENL01140103	11,349.99	11,999.99	\$650
EL-200	200,000	5,000 Sq. Ft.	ENL01200104	12,599.99	13,349.99	<i>\$750</i>
EL-350	350,000	8,500 Sq. Ft.	ENL01350104	15,599.99	16,549.99	\$950

*Complete systems include waste oil furnace and 250 gallon tank, swing-away burner with built-in air compressor, low-fuel cutoff, draft gauge, drain valve and Class A flue kit.

FOR BEST PRICING, Call 901-300-4878

Not for Sale in CA



O energylogic

Lanair



FREE Strainer Pan & Tank Gauge Included!

	Heater Package*	BTUs	Heats up to	Part Number	Price
	XT150C	150,000	3,500 Sq. Ft.	LANXT150C	10,449.99
Thru-roof	XT200C	200,000	5,000 Sq. Ft.	LANXT200C	10,799.99
chimney	XT250C	250,000	8,500 Sq. Ft.	LANXT250C	13,849.99
	XT300C	300,000	10,00 Sq. Ft.	LANXT300C	14,599.99

* Packages Include 215 Gallon Tank and 6" Chimney Kit

Not for Sale in CA



Sunfire

Portable Radiant Heaters

- Built-In Safety Features Equipped with Tip-Over Protection, Flame-Out Sensors, and Automatic Shutoff Systems to Ensure Safe Operation in Commercial and Indoor Settings
- · Infrared Radiant Heating: Clean, Quiet, and Odorless
- Built for Portability
- Thermostat-Ready and UI-Listed for Indoor/Commercial Use
- · Made In the USA with Strong Support

Part Number	BTU's	Heats up to	Fuel	Tank	Price
SFRSF80	80,000	1,900 Sq. Ft.	Dual Fuel (Diesel/Kerosene)	6 Gal.	1,799.99
SFRSF120	120,000	2,800 Sq. Ft.	Dual Fuel (Diesel/Kerosene)	14 Gal.	2,499.99
NEW SFRSF160	160,000	3,500 Sq. Ft.	Dual Fuel (Diesel/Kerosene)	19 Gal.	3,499.99







SFRSF120

AZG0425

HEATING & COOLING

Exhaust Hoses

Flarelock Hoses

- · Made Exclusively for Cars and Small Trucks
- · End is Flared to Permit Connection of 2 or More Links at a Time



SKU 977547

ACSDSS25

Tailpipe

3.5" x 11' SKU 977589 ACSFLT350

2.5" Service Station Kit

• 2 Each - 4' x 2-1/2" Hoses

• 1 Each - 6' x 2-1/2" Hose

• 1 Each - 2-1/2" Rubber "Y" Connector

· 2 Each - Straight

Adapter, Hook

• 1 Each - Splice

and Chain

Connector

3" x 11' SKU 977559 ACSFLT300

159⁹⁹

4" x 11' ACSFLT400 **244** 99

3" Y-Assembly Kit with F300 Adapter sku 977550 ACSYA300 26499

G CRUSHPROOF TUBING COMPANY

Door Port Adapters

For 2.5" Hose (Rubber) SKU 977551 *59*99 ACSDF25



- · Rubber Garage Door Port Adapter
- Designed for 2-1/2" ID

For 3" Hose (Aluminum) SKU 977552 **59**99 ACSADF30

· Aluminum Port Allows Hose to Be Vented Through the Door



For 4" Hose (Aluminum)



SKU **977554** ACSADF40

• Use on 1" Thick Doors

Bell Hose Adapters

- Designed for Easy Adapting to All Sorts of Tailpipes

2.5" Adapter SKU 977544 *59*99 ACSRA250

3" Adapter SKU 977545 ACSRA300

*59*99



- · Connects with Ball and Snap

SYLVANIA

#1 AFTERMARKET AUTOMOTIVE LIGHTING BRAND IN THE USA

3" Service Station Kit

• 2 Each - 4' x 3" Hoses

• 1 Each - 6' x 3" Hose • 1 Each - 3" Rubber

"Y" Connector

· 2 Each - Straight

Adapter, Hook

1 Each - Splice

Tailpipe

and Chain

Connector

SKU 977548

ACSDSS30



 $^1\text{Circana/U.S.}$ Retail Tracking Service, March 2, 2024 ^2See packaging for details $^3\text{Compared}$ to SYLVANIA BASIC

SYLVANIA LED OFF ROAD LIGHTS





LIFETIME LIMITED WARRANTY²

Superior optical engineering Durable design Water resistant (IP67 or IP69K)

LED OFF ROAD LIGHTBARS + PODS

SYLVANIA LED



5 YEAR LIMITED WARRANTY²

Performance, Longevity + Style

PART NUMBERS 9003 | 9005 | 9006 | 9007 | 9012 | H1 | H7 | H8 | H9 |

SILVERSTAR ULTRA



FARTHEST DOWNROAD + WHITER LIGHT³





SILVERSTAR FARTHER



DOWNROAD + WHITER LIGHT³



XTRAVISION



FARTHEST DOWNROAD³



Powersport headlight or fog light use only

EXPERIENCE THE DIFFERENCE OF



NEW! SYLVANIA LED **SEALED BEAM LAMPS**

5 Year Limited Warranty² Direct replacement Engineered with OEM grade OSRAM LEDs

Available Part Numbers: H6024 | H6054 Additional part numbers coming soon





OEM TOOLS

Raise Productivity

Unique high efficiency propeller design is quiet and delivers airflow over long distances.

Keep your technicians cool and comfortable.









Evaporative Coolers

5300 CFM SKU 213172

79999

- 1/3 HP 3 Speed Motor
- Water Capacity: 14.6 Gallons
 Cooling Area: 1,600 Sq. Ft.
- Dimensions: 45" x 17" x 28"
- · Weight: 56 Lb.

SKU 213184 23968

- *599*⁹⁹
- 1/5 HP 3 Speed Motor
- Water Capacity: 10.3 Gallons
 Cooling Area: 950 Sq. Ft.
- Dimensions: 37" x 17" x 25"
- · Weight: 39 Lb.

Replacement Media Sets

For 23969/23977 5300 CFM SKU 1485036 HESCP610

For 23968/23976 3100 CFM SKU 1485034 8999 HESCP370



- Powerful 3-Speed Motor
- · Easy to Assemble and Wall Mountable
- Oscillating Function Provides Effective Air Circulation

24" Indoor Fan SKU 592383 OEM24883

• CFM: 6500

30" Indoor Fan SKU 592385 OEM24884

OSCILLATING

• CFM: 9500


24" Outdoor Fan SKU 949553 29999 OEM24893

- CFM: 6800
- IP44 Water Resistance Rating

30" Outdoor Fan SKU 949582 OEM24894

- CFM: 7200
- IP44 Water Resistance Rating





20"

SKU 688197 134 99 REG. \$184.99 OEM24871

- CFM: 4500
- 5 Aluminum Blades6' UL Listed Power Cord

OEM TOOLS





Offer Good While Supplies Last Through December 31, 2025

Floor Fan

OEM TOOLS

20" High Velocity Floor Fan SKU 688200 OEM24870

- CFM: 4500
- Precision-Balanced Aluminum Fan Blades and Energy-Efficient Motor
- Airflow Output
- 3-Speed Motor Allows Operator to Control Airflow Volume
- 5' UL Listed Power Cord







HEATING & COOLING

PORTACOOL

PEAK COOLING, INTELLIGENT CONTROL

- Portacool APEX[™] Series
- Setting the STANDARD for **Auto Shop Cooling**
- HydroTek[™] Evaporative Media designed to MAXIMIZE cooling performance with less maintenance
- Control Your Comfort with COOLSYNC™ – Sync your Portacools to your smartphone for intelligent control
- Fan Speed
- Wind Direction
- Water Control
- Group Syncing
- Scheduling





PRCA05001A1

Apex 500 sku 1392317 PRCA05001A1

1,09999

- Cooling: Up to 500 Sq. Ft.
- Velocity: 40 MPH
- Air Flow Reach: 55 Ft.
- · Water: 13 Gal.

Apex 700

SKU 1392315 PRCA07001A1 1,59999

- Cooling: Up to 700 Sq. Ft.
- Velocity: 37 MPH
- · Air Flow Reach: 60 Ft.
- Water: 22 Gal.



PRCA12001A1

Apex 1200 sku 1392332

2,39999 PRCA12001A1

- Cooling: Up to 1200 Sq. Ft.
- Velocity: 25 MPH
- Air Flow Reach: 40 Ft.
- · Water: 40 Gal.

Apex 2000

SKU 1392329 PRCA20001A1 3,19999

· Cooling: Up to 2000 Sq. Ft.

COOL BOSS

- Velocity: 28 MPH
- · Air Flow Reach: 60 Ft.
- · Water: 45 Gal.



PRCA65001A1

Apex 4000

sku 1392335 PRCA40001A1

- · Cooling: Up to 4000 Sq. Ft.
- Velocity: 25 MPH
- · Air Flow Reach: 50 Ft.
- · Water: 55 Gal.

Apex 6500

4,99999 SKU 1392341 PRCA65001A1

- Cooling: Up to 6500 Sq. Ft.
- Velocity: 24 MPH
- · Air Flow Reach: 40 Ft.
- Water: 66 Gal



Customer Responsible For Offloading, Liftgate Service Available | We Offer the Full Line of Portacool and Cool Boss Evaporative Coolers and Accessories

Evaporative Coolers

- 80W 4000 Lumens Adjustable LED Floodlight
- Anion Negative Ion Air Purifier
- Low Level Shutoff
- Built-In Bluetooth® Audio Player and Speakers
- · Wireless Remote Control

CB-12L

sки **1360694** CLBCB-12SL

- . Max. Airflow: 1,565 CFM
- Cooling Area: 650 Sq. Ft.
- Fan Diameter: 12"

CB-16L SKU 1275460 2,79999 CLBCB-16L

- Max. Airflow: 4,950 CFM
- Cooling Area: 1,125 Sq. Ft.
- Fan Diameter: 16"

CB-36L

SKU 1275465 CLBCB-36L 4,899⁹⁹ CLBCB-36L

- Max. Airflow: 12,615 CFM
- · Cooling Area: 3,125 Sq. Ft.
- Fan Diameter: 36"

CB-14L

SKU 1400037 CLBCB-14SL

- Max. Airflow: 2,300 CFM
- Cooling Area: 850 Sq. Ft.
- Fan Diameter: 14"

CB-28L SKU 1275461 CLBCB-28L

- Max. Airflow: 9,020 CFM
- Cooling Area: 2,125 Sq. Ft.
- Fan Diameter: 28'







300 CFM Blower Fan SKU 1392323 MSC20300-A

- 120 Volts, 60 Hz
- For Indoor or Outdoor Use
- 3-Speed Switch (High, Medium, Low)
- 4-Position Adjustment Feet
- 8.5 Ft. Cord Length



Heater Attachment for 300 CFM Blower SKU OSB **79**99

MSC20300-HTR

• Converts Your 300 CFM Portable Blower into a Heater for Your Garage or Work Space

- 1320 Watts, 5000 BTU
- Fits Many Popular Brands (300 CFM Only. Not for 1,200 CFM Fans.)



For OSB, Call 901-300-4878



ALLDATA REPAIR® & COLLISION + ALLDATA ESTIMATOR

NEW!
ALLDATA ESTIMATOR
NOW INCLUDED
WITH YOUR
SUBSCRIPTION

Fast-Track Estimates & Order AutoZone® Parts

- Quickly create professional, compliant estimates
- Easily add parts & labor costs directly from ALLDATA Repair or Collision
- Store customer and vehicle data, including custom jobs
- Customize the estimate with your shop's logo
- Order AutoZone parts directly from the catalog



(888) 726-3211

For our latest pricing and promotions visi

ALLDATA.com

©2025 ALLDATA LLC. ALLDATA, Automotive Intelligence, ALLDATA Repair, ALLDATA Collision, ALLDATA Diagnostics, ALLDATA Shop Manager, ALLDATA Tech-Assist and ALLDATA Mobile are registered trademarks and ALLDATA Manage and ALLDATA Community are marks of ALLDATA LLC. AutoZone is a registered trademark of AutoZone IP LLC. All other marks are property of their respective owners.

TopDon

6" Bluetooth Scan Tool with Service Functions and CAN-FD 39999

TPDAD800BT2 • FCA SGW Support

- 28+ Special Services for Your Productive Days
- · Wider Coverage, Faster Solutions
- · Cut the Cord, Work Without Limits
- · All Systems Covered, All Issues Addressed
- Real-Time Performance Tracking with Live Data
- · Effortless Organization, Ergonomic Excellence
- · Identify, Record, and Share with Ease
- Take Advantage of the Feedback Feature to Communicate Any Issues You Encounter



For OSB, Call 901-300-4878

T-Ninja Pro Key Programming Via OBD2

SKU 1340225 **TPDNINJAPRO**

- · Pin Reading and Key Learning
- Remote Control Learning
- Deletes Keys
- All Keys Lost
- · Reads and Clears Fault Codes
- · Supports Wireless and Wired **Dual Connectivity**



TOPDON®

Phoenix Smart Diagnostic System SKU 1331482 **2,199**99 **TPDPXSMART 2,199**99

• Android Based OE-Level Coverage

- 10.1" HD Touch Screen
- TOPOLOGY Feature for **Enhanced Diagnostics**
- SmartLink VCI -Adds CanFD, DolP. J2534, RP1210
- · Codes/Data/Bi-Directional/ Special Functions/Coding/ Programming



Phoenix Max Diagnostic System SKU **1331492 TPDPXMAX**

• Includes A 4-Channel Oscilloscope

- · Supports Cloud-Based Programming For 9+ Brands, Including: Mercedes-Benz, BMW, Audi, Volkswagen/ Skoda/Seat, Porsche, Jaquar/Land Rover, Nissan, Subaru and Renault
- · Supports 9V to 24V Vehicle Models, Configuring Both
- Passenger Cars and Heavy Trucks

 Heavy Duty Housing with IP65 Standards
- · Auto VIN Technology Automatically Uses the Right Diagnostic Software After Identifying the Vehicle Through Its VIN



UltraDiag 2-in-1 Diagnostic Scanner and Key Programmer SKU **1368629** 699⁹⁹ **TPDULTRADIAG**

- · Full-System Diagnostics
- 8 Reset Functions: Oil, Throttle Adaptation, EPB, Steering Angle, DPF Regeneration, ABS Bleeding, BMS and Airbag
- Key Programming Functions: Number of Keys, PIN Reading, Key Learning, Remote Control Learning, Delete Keys and All Keys Lost



Transponder and Remote Tester Tool

SKU **OSB TPDT-DARTS**

- · Allows Either USB or Battery **Powered Function**
- · Supports Transponder Chips
- Supports 100+ Transponder Chips
- Includes: Quick Guide and a USB Type-C Cable



Heavy-Duty Non-16 Pin Cable Kit SKU **OŠB TPDHDCKIT**

• Includes: OBD-9, OBD-6, OBD-16, IVECO-38, IVECO-30, BENZ-14, MAN-12, MAN-37, ISUZU-3, ISUZU-20, RENAULT-12, VOLVO-8PIN, and CAT-9



For OSB, Call 901-300-4878

SHARED SERVICE FUNCTIONS

OIL RESET EPB - ELECTRONIC PARKING BRAKE BMS - BATTERY MANAGEMENT SYSTEM SAS - STEERING ANGLE SENSOR IMMO KEYS - IMMOBILIZER & KEYS BRAKE BLEED DPF - DIESEL PARTICULATE FILTER INJECTOR SUSPENSION

MaxiCheck® MX900 SKU #1369200 | Part #MX900

THROTTLE ABS/SRS VGT LEARN RELATIVE COMPRESSION WINDOW / DOOR / ROOF SEATS ODOMETER LANGUAGE CHANGE

HEADI AMP CHG TIRE SIZE SPEED & PTO CYLINDER TRANS ADAPTION

AIRBAG RESET CLUTCH A/F SETTING RESOLVER SENSOR CALIBRATION AUTOMATIC START/STOP ELECTRONIC WATER PUMP START

EGR FRM RESET TRANSPORT MODE HV BATTERY ACC

MaxiTPMS® TS900

SKU #1337325 | Part #TS900

A/C RAIN/LIGHT SENSOR RESET CONTROL UNIT CCS/ACC VIN COOLANT/REFRIGERANT CHANGE SUNROOF INITIALIZATION TEC LEARN HV DE-ENERGIZATION/ ENERGIZATION ALL SYSTEM



AUTO-SCAN

MAXICHECK MX900 MAXIBAS BTG09 **MAXITPMS TS900** OPERATING SYSTEM ANDROID 11 ANDROID 11 ANDROID 9 SOFTWARE UPDATES 1 YEAR FREE 1 YEAR FREE 1 YEAR FREE AUTOMATIC DETECTIONS AUTO-VIN/SCANVIN AUTO-VIN/SCANVIN AUTO-VIN/SCANVIN **VEHICLE COVERAGE** US, ASIAN & EUROPEAN 1996+ US, ASIAN & EUROPEAN 1996+ US, ASIAN & EUROPEAN 1996+ PERFORM BI-DIRECTIONAL PERFORM RI-DIRECTIONAL PERFORM BI-DIRECTIONAL OBDITTEST MODES ACTIVE TESTS AND SPECIAL ACTIVE TESTS AND SPECIAL ACTIVE TESTS AND SPECIAL FUNCTIONS FUNCTIONS FUNCTIONS DIAGNOSTICS & SERVICE ALL SYSTEMS / 40+ SERVICES ALL SYSTEMS / 40+ SERVICES ALL SYSTEMS / 40+ SERVICES VEHICLE CONNECTIVITY CORDED BLUFTOOTH VCI BLUFTOOTH VCI INCLUDED WITH ENHANCED TPMS DIAGNOSTICS TPMS STATUS SCREEN AUTEL BLE SENSOR FOR TESLA + TPMS SENSOR PROGRAM AUTEL COMPATIBILITY MX-SENSOR 1-SENSORS **BATTERY TESTING** INCLUDED






REDLIN

Smoke Leak Detectors

Smoke Pro® Total Tech Smoke Machine SKU **OSB** 1,19999 RED95-0050



- Rechargeable LED Inspection Light
- · Field Replaceable Smoke Hose
- Refined Flow Meter Callout Heavy Duty Flow Control Valve
 Includes: Easy Intake and Easy
- Connect



For OSB, Call 901-300-4878

ReadySmoke[™] Leak Detector SKU **744010** RED95-0400

- · Pinpoint Intake, Exhaust and Other EVAP Leaks In Minutes
- Flow Meter Identifies Minute Leaks at and Below .010" in Diameter
- Easy Fill Dipstick Style Fluid Port
 Includes: (2) 2 Oz. OEM-Approved Vapor Producing Fluid, EVAP Service Tool Kit, Halogen Inspection Light, Cap Plug Kit, Standard Cone Adapter and Storage Case









· Works in Most EVAP **Smoke Machines**



REDLINE



Smoke Pro Air™ SKU **1340239**

All Needed Accessories

RED95-0075

1,39999

• Ideal for Performing Diagnostics on the Evap Systems of Naturally-Aspirated Vehicles Made in USA

• Uses OEM-Approved Fluid to Produce a Visual Vapor That is Free of Dyes and Contaminants

Features an Onboard Micro Air Compressor for Total Portability and Includes

OEM TOOLS

SAVE

Detects Leaks as Small as 0.010" and Performs Air Leak Decay Test

89 REG. \$99.99 24536

- · Conforms to Any Shape Intake/Exhaust: Square, Round, Oval
- or Rectangular Works with Most Automobiles
- and Light, Medium and Heavy Duty Trucks Replacement Bladder

Available Use with All Smoke Machines

Offers Good While Supplies Last Through December 31, 2025

EasyConnect®

Test Kit SKU **1189091** RED96-0190

- · Forms a Complete Seal for Effective Leak Testing without Disturbing Other Components
- Comes in a Compact and Durable Storage Case
- · Compatible with Any Smoke Machine
- · Includes: 4 Different Sized Adapters with 4 Add-On Components



Easy INTAKE™ SKU **696477**

Machine

RED95-0082 · Compatible with Any Smoke

· Block Off Bladder Conforms to Any Shape Intake/Exhaust





- · Contains No Dye or





EasyEVAP™ Universal Filler Neck Connector

SKU **343405** RED95-0030

· Compatible with Any Smoke Machine and Removes Cleanly from the Gas Cap

· Essential Tool for Late Model Cars with Fuel Tank Rollover Valves



✓ Mastercool:





Digital Dual Smoke Machine SKU **OSB** MSC43066

- · High-Precision Gas Pressure Sensor Ensures Accurate Data
- 3 Built-In High-Power Air Pumps, Offers Faster and Thicker Smoke Generation
- Pressure Regulated at 0.44-0.5 psi for Safe EVAP Testing, Maximum Out 20 psi for High Pressure Testing
 • Accessories Include: Full Set of Block Off
- Caps, Schrader Valve Remover/Installer, Service Port Adapter Hose, 2 Oz. Smoke Producing Fluid and Bladder for Intake Testing





· Multiple Options for Smoke Injection Include Built-In Internal Compressor, Shop Air and Inert Gases

 Pressure Decay Gauge 0-30" H20 (70 mbar)

· Flow Meter: 0 to 0.040" (0 to 1.0 mm)

 Input Pressure: Max. 100 psi (8.2 bar)

· Built-In Pressure Regulated at 0.5 psi



For OSB, Call 901-300-4878



⋘ Mastercool ํ •

AZG0425

Diagnostic

Compression Tester Gauge Set SKU 1103601 3999 37138

• Use to Test Compression 0 to 300 psi on 14 mm and 18 mm Spark Plug Ports and Determine Engine Mechanical Condition



Exhaust Back Pressure Tester/Gauge SKU 1103604 37263

- Oxygen Sensor Adapter is M12 and M18 Thread
- 6' Hose Allows User to Test from Driver's Seat
- · Test for Restricted Exhaust Systems



8 Piece Noid Light Set SKU 1103589 37161

• Includes: GM TBI, GM SCPI, GM PFI, Ford TBI, GEO TBI, Bosch PFI, Bosch Type 2 and GM Multec 2

See-Through Design to Check Electrical Pulses



Oil Pressure Gauge Set SKU 347229 27262

- · For Use on Diesel and Gasoline Engines
- Includes Standard and Metric Adapters Found on Most Cars and Trucks
- 2-1/2" Easy-to-Read Gauge with Protective Boot
- Range: 0-100 psi, 0 to 7 Bar



OEM TOOLS

Automotive Tune-Up and Brake Bleed Kit SKU 466495 25138

• Includes Components to Diagnose and Service Vacuum and Pressure-Related Systems

· Tests Distributor Vacuum, Power Brakes, Carburetor Chokes, EGR Valves Along with Other Sensors and Components







MaxiSYS® MSULTRA S2 SKU #1540763 | Part #MSULTRAS2

MaxiSYS® MS919 SKU #1093326 | Part #MS919

MaxiSYS® MS909

Built on its award-winning predecessor, the Autel MaxiSYS Ultra, the Ultra S2 sets a new benchmark for efficiency and accuracy with upgraded hardware and advanced diagnostic features that deliver near OEM-level diagnostics and service capability.

Data Visualization: Enhanced graphing capability to visualize multiple parameters to identify the relationship between PIDs and pinpoint system anomalies

Live Data Fusion: Record and compare value changes across multiple systems.

Parameter Grouping: Multi-PID selection for analyzing related parameters simultaneously. Ideal for engine fault and performance and emissions troubleshooting.

Reference Sampling: Record, store, and review selected PIDs for pre- and post-repair comparison that will flag min, max, and average.

Real-Time, Split-Screen Analysis: Access the oscilloscope directly from the current Live Data screen.

SCAN FOR FULL ULTRA S2 DETAILS OR VISIT: AUTFL US/ULTRA-S2



MaxiVIDEO® MV480 SKU #1137680 | Part #MV480

- Record/Playback Images & Videos
- 4.1" Color LCD Display
- · Dual Front and Side Cameras for Wider Viewing Angle

AutoLINK® AL549 | SKU #789375 | Part #AL549

- · Universal OBD II and ABS Code Reader
- Read & Erase Codes, View Freeze Frame and Live Data
- · Supports all 10 Modes of OBD II
- · Compatible with U.S., Asian, and European vehicles, 1996 & Newer



- Includes Bluetooth dongle for vehicle connection.
 Download FREE MaxiAP Diag app
- Vehicle health check includes engine oil life, average fuel consumption, and brake pad life.
- All Systems diagnostics on first vehicle brand. Additional coverage can be added with in-APP purchase

AutoLINK® AL329 SKU #103946 | Part #AL329

- Read/Erase Engine DTCs
- One-Touch I/M Readiness /LED Indicator
- Display Live Frame Data

MaxiVIDEO® MV460

• 3.5" Color LCD Display

SKU #1089243 | Part #MV460







6-in-1 VCMI2

MaxiSYS® ULTRAEV SKU #1267097 | Part #MSULTRAEV

MaxiSYS® MS909EV SKU #1267098 | Part #MS909

MaxiSYS® MS909CV SKU #1174556 | Part #MS909CV

- For Class 1-8 Commercial Vehicles
- · Engine Coverage for Construction & Agricultural Vehicles



AUTEL

DIAGNOSTIC SOLUTIONS

MaxiSYS® MSULTRA SKU #1092018 | Part #MSULTRA

MaxiSYS® MS906 MAX SKU #1507706 | Part #MS906MAX | SKU #1369200

- 10.1-inch professional diagnostics Part #MX900 and service tablet
- Topology Mapping on Select Models Perform all-systems diagnostics Bi-directional Active Tests and Special Functions



MaxiCheck® MX900

- Read & Erase Codes
- · Bidirectional Active Tests and Special Functions
- 40+ Function Service Menu





 IM608PROII Tablet, XP400Pro, Wireless JVCI, IMKPA Key Programming Adapter Kit



MaxiIM® IM508S SKU #1442228 Part #IM508S

- Fast and Portable IMMO & Key Programming Tablet
- · Includes the XP200 Key Programmer







One-minute Key generation, Easy key button customization





FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-4878

TEXA

Axone Light Car Diagnostic Kit (NANO) SKU **OSB TEXAXLTAKN**3,69999

The Navigator NANO S can perform diagnostic operations on all major brands of cars and light commercial vehicles. It is the perfect entry level scan tool for automotive repair shops.

- Axone Nemo Light Rugged Tablet
- · Navigator NANO S VCI
- IDC5m Car Software License
- · Rugged Carrying Case with Custom Foam
- · Motor TruSpeed Repair included



The TXT MULTIHUB is TEXA'S flagship scan tool. It is IP53 Certified, can handle Doip, Can-FD, J2534/RP1210 protocols and more. Perfect for advanced diagnostics and shops that want the capability to work in more than one environment from the same device.

- · Axone Nemo Light Rugged Tablet
- · Navigator TXT Multihub
- IDC5m Car Software License
- Rugged Carrying Case with Custom Foam
- · Motor TruSpeed Repair included





TruSpeed Repair





Both packages offer a complete diagnostics solution:

Access repair information (including torque specs, torque sequences, fluid type, capacities), read and clear codes, view live data, wiring diagrams, maintenance resets, adaptation value resets (engine, brake systems, transmission), cylinder tests, idle learning and much more.

WHY TEXA?

- Lifetime equipment warranty with active software subscription.
- **Built by TEXA** to the highest Tier 1 OEM standards.
- Secure Windows-based architecture, not Android.
- With TEXA, YOU own your data.
- Need help? You can rely on TEXA's U.S. based support team to be responsive and knowledgeable.

Try us! Call to set up a demo.

For OSB, Call 901-300-4878

AUTEL MAXISYS

A 1000 AUTOMATED WHEEL ALIGNMENT & ADAS CALIBRATION SYSTEM

FULLY ROBOTIC FORWARD-FACING CALIBRATIONS

The Autel IA1000 is an all-in-one ADAS calibration, wheel alignment, and advanced diagnostics system featuring robotic target positioning and laser-guided accuracy. Designed for efficiency, precision, and repeatability, it's the ideal solution for modern service centers.

IA1000 Automated ADAS Calibration & Wheel Alignment System • Automated Alignment and ADAS Calibration brake lock, distance target, two wheel chocks, and

- Automated Alignment and ADAS Calibration System with robotic forward-facing camera target positioning, laser-guided ACC, blind spot calibrator and AVM mat placement capable of performing four-wheel alignment and ADAS calibrations.
- Includes three 27-inch attachable monitors and the Autel digital LDW target kit.
- Includes MaxiSYS Ultra S2 advanced diagnostics tablet with MaxiFlash VCMI2 and IA1000 Alignment and ADAS software upgrade.
- Includes 24" touchscreen display that attaches to frame unit, four tire clamps, steering wheel and

Includes digital targets (3 monitors) & digital

IA1000 + DIGITAL & PHYSICAL LDW TARGETS

SKU #1573140 | Part #IA1000LDWTDT

two AVM-placement lasers.

· Unit provides one-step robotic and vertical LDW

reducing manual operation and setup time.

Offers comprehensive four-wheel alignment

coverage of U.S., Asian, and European vehicles.

· Automatic pitch, roll, yaw, and front-to-back fine-

target placement via physical targets or with the

included 27-inch attachable monitors, significantly

tuning robotic adjustments improve accuracy and

- Includes digital targets (3 monitors) & digital target activation card
- Includes physical LDW Targets

reduce human error.

IA1000 ALL SYSTEMS + DIGITAL & PHYSICAL LDW TARGETS SKU #1573142 | Part #1A1000ASTDT

Includes digital targets (3 monitors)
 & digital target activation card

IA1000 + DIGITAL LDW TARGETS

SKU #1573143 | Part #IA1000TDT

target activation card

- Includes physical LDW targets
- Includes All Sytems equipment

DIGITAL TARGET MONITORS Compatible with both traditional physical LDW targets and optional 27° digital monitors. WERTICAL ROBOTIC CROSSBAR POSITIONING HORIZONTAL ROBOTIC LDW TARGET SPREAD





Power Probe

Power Probe III with Case and Accessories

SKU **262523** PWPPP319FTC

*189*99

- Relay and Component TesterVoltmeter and Continuity Tester
- Audio Tone
- 20' Jumper Lead
- Works on 12V to 24V Sources



Power Probe III with Lead Set PWPPP3LS01 26999

- Supplies Power and GroundDigital Voltmeter with Min./Max.
- Voltage Capturing
- 4 mm Banana Jack
- 20 Ft. Power Lead



Power Probe III Master Combo Kit SKU **1105994** *429*⁹⁹ PWPPPKIT03S

- Power-Up Components
- · Audible Monitoring of Electrical Signals Voltmeter
- 12V to 24V Range
- Bad Ground Indicator
- · Continuity Tester
- Relay and Component Tester
- Trace Short and Open Circuits



Power Probe IV Master Kit SKU **1330692** 49999 PWPPPKIT04

- · Supply Power or Ground for Functional Component Testing

 • Self-Resetting Thermal 8 Amp
- Circuit Breaker
- · Multiple DC Volt Readings on the Same Display
- · Quickly Determine if the Circuit is Open or is Shorted



Power Probe III Circuit Tester SKU 1580942 PWPPP3CSRED

- · Digital Voltmeter
- Continuity Tester
- 20' Jumper Lead SetRelay and Component Tester
- Removable Probe Tip Adapts to Any 4 mm Lead
- 2 Bright LED Lamps
- · Quickly Supply Power and Ground to the Tip



Power Probe III Professional **Electrical Test Kit**

SKII 1330691 PWPPPROKIT01

- · Supplies Power and Ground for Functional Component Testing

 CAT-IV 600V Hybrid Safe AC/DC Voltmeter

 Measures Resistance to 60M Ohms

- Measures Current from .001 Amps to 10 Amps



Power Probe IV with Case and Accessories PWPPP401AS 30999

- Supplies Power and Ground for Functional Component Testing
 Digital Volt and Ohmmeter for Circuit Testing
- Large Color LCD Screen with Easy to Navigate
- User Menu
- AC-RMS, AC Peak-to-Peak, Frequency and Pulse Width for Signal Testing
 • Fuel Injector Tester for Easy
- Circuit Diagnosis
- PCM/ECM Driver Supplies Safe Voltage for Testing Circuits



Reprogrammers

Programmer and Power Supply Bundle SKU **ÖSB**

TPDRLINKBNDL

Simplify Your Diagnostic Process and Elevate Your Capabilities - Highly Compatible with OE-Level Diagnostic Software for Performing

- Diagnostic, Programming and Coding Tasks

 One-Click Installation of OE-Level Diagnostic Software Drivers and
- Online Upgrades
- ECU Programming Voltage Stabilizer
 Suitable for All Types of 12V and 24V Lead-Acid Batteries, with a Wide Battery Capacity Range from 5 to 90 Amps
- Includes: T90000 Smart Battery Charger/Power Supply, T90DC Tornado90000 9.5' DC Cable Extension and RLINKLITE J2534 Compliant Passthrough Programming Device

For OSB, Call 901-300-4878








TOPDON[®]

When You Buy the Kit



TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

LANG

TU-113PB Fuel Injection Pressure Tester SKU **1330689** LNGTU-113PB



· Works on Most Domestic and Import Vehicles



Cylinder Leakage Tester with 2 Gauges - 100 psi SKU **1580933** 11999 LNGCLT-2

- 2 Gauges: 1 for Compression Reading and 1 for Shop Air
- Easy Adjustable Regulator
- Protective Boots for Gauges
- Additional Adapters Available
- Includes: Storage Case



TU-550 Master Fuel Injection Pressure Tester SKU **1330693**

659⁹⁹ LNGTU-550

LANG

Covers All Domestic and Foreign Platforms 1988 to Present



Does Not Include Cis and TBI Adapters

Fuel System Cleaners

MOTORVAS

Carbon Clean 1000

SKU **OSB**

MVC500-0220 2,14999

- · Complete, Through the Rail, Fuel System Decarbonizing Service
- Fuel Rail Hookup Provides the Most Effective Results
- Online Application Guide
- Unique Time Saving Adapter System
- Cleans Fuel Injectors, Combustion Chamber and Intake Valves
- Works with MV5 (400-0050) Fuel System Cleaner

MV5 Press Gas/Petrol Fuel System Cleaner 17 Oz. (6 Pk.) SKU **OSB** 12999 MVC400-0050



SUR&R®

S-Hook Sprayer SKU **114915**2 SURS-TOOL

- Nozzle End Produces Fine Mist Spraying Action for Thorough Cleaning of the Air Intake
- Helps Improve Fuel Performance
- Removes Carbon Build-Up
- For Use with SURFIC203



Fuel Injection Cleaner Kit SKU **1137808** SURFIC203

- Makes Connections Quickly and Easily Using S.U.R.&R.'s Exclusive Quick Connects
- · Holds Up to 18 Oz. of Canister Cleaning Solution
- · Cleans More Thoroughly Than Aerosol Methods
- · Easy to Connect and Use with Shop Air
- For Top Engine and Throttle Body Cleaning





EV Tools - Contact Us for Additional EV Specialty Tools 901-300-4878

7 Pc. Pliers and Screwdriver Tool Set-1000V Insulated Pouch Set

SKU **OSB**

KNP9K989825US

· Set Contains 4 Pliers and 3 Screwdrivers in a Roll-Up Nylon Material Pouch



KNIPEX

KNIPEX

10 Pc. Pliers and Screwdriver Tool Set, 1000V Insulated

SKU **OSB**

KNP9K989830US 2

• Set Contains 5 Pliers and 5 Screwdrivers in a Shock-Resistant Plastic Case



10 Pc. Socket Set, 3/8" Drive, SAE, 1000V Insulated

SKU OSB KNP989911S3

- Includes 10 Insulated Tools for Working on Electrical Installations 3/8" Drive SAE in a Shock Resistant Plastic Case
- Foam Insert with Precise Recesses for Holding the Tools All Tools 100% Tested and Meet 1000V Insulated
- Requirements



TIT73328

Titan

15 Pc. Tool Roll Bag, 1000V Insulated *579*⁹⁹ SKU **OSB** KNP989913

- Includes 15 Insulated Tools for Working on Electrical Installations in a Roll Made Pouch Made of Hard-Wearing Polyester Fabric
- · Pouch is Secured with a Quick Release Fastener Once Rolled Up
- All Insulated Tools Meet the Requirements of ASTM F1505



Insulated VDE Combination Pliers

- Tested to 10,000 Volts AC for Maximum Safety GS/VDE Certification and Tested, Certified to 1000 VAC
- Individually Certified to EN 60900
- TPR Ergonomic Cushion Grips

SKU **OSB** TIT73326

ŠKU OSB TIT73327

SKU OSB TIT73328

10 Pc. Insulated Socket Set 1/4" Drive, Metric SKU **OSB**

WIH31393

- Insulated 1000 Volt Rated 10,000 Volt Tested
- Meets ASTM F1505
- Professional Series Long Life Insulated
- High Visibility Coatings on Sockets
- Double Covered Insulation Red Over Yellow
- · Includes: 5 mm to 14 mm



AZG0425

wiha 🏻

To Confirm Price, Availability and Ordering Instructions on OSB, Call 901-300-4878

Mityvac

Professional Compression Test Kit SKU **972276** 11999 MITMV5530

Everything You Need to Perform Cylinder Compression Tests on Motorcycles, Marine and Small Engines and an Air-Hold **Adapter for Performing Valve Seal Repairs**

· Adapters Include: 10 mm, 12 mm, 14 mm and 18 mm

- · Extended Hoses for Hard-to-Reach Cylinders
- Large 2-3/4" Easy-to-Read Gauge
- Quick Disconnect Fittings



Silverline Elite Test Kit SKU **988888** MITMV8500

• Provides Either Vacuum or Pressure with Equal Precision and Convenience

• Performs Engine Performance Diagnostics, Brake Bleeding, Fluid Transfer, Evacuation, Sampling

and More Includes Components Needed to Perform Hundreds of Diagnostic and Mechanical

Tests



Power Steering Adapter Kit

SKU **ÖSB** *89*⁹⁹ MITMVA670

- Words with a Hand Vacuum Pump
- Helps Remove Trapped Air in the Power
- Steering System
 Includes: Universal Power Steering Adapter (MVA660), GM Power Steering Adapter (MVA661), Ford Power Steering Adapter (MVA662) Works with a Hand Vacuum Pump Helps Remove Trapped Air in the Power Steering System

mituvac:



For OSB, Call 901-300-4878

Digital Gas Engine Compression Test Kit SKU **383182** MITMV5532

- Stores Maximum Compression Value for Up to 12 Cylinders
- 3 Minute Auto Shut-Off
- · Sealed, Grease and Oil-Resistant Gauge Face Prevents Contamination of Electronics
- · Displays Values in psi, Bar and kPa



Diesel Digital Compression Test Kit 39999

SKU **988885** MITMV5535

· Features an Electronic Tester that Memorizes Peak Values for Each Cylinder Injector Adapter

 Includes: (2) Injector Adapters and (4) Glow Plug Adapters for Testing Most Modern Diesel Cars and Light Trucks Sold in the U.S.



Ford 6 Liter Adapter SKU **972279** MITMVA5610

- · Glow Plug Adapter -M14 x 1.25
- International VT365
- Ford Power Stroke,



INNOVA

OE-LEVEL DIAGNOSTIC TOOLS US-BASED SUPPORT

SDS-Pro Contact commercial sales

STORE STOCKED

INNOVA® 7111 SKU#1062521

- · Secure Gateway (SGW) access on 2018 & newer FCA vehicles
- · Active Tests and Special **Functions**



manager for pricing.

- · OEM Diagnostics
- Removeable VCI - Wireless Diagnostics
- · FREE access to RepairSolutions PRO built-in



SDS-Tech

INNOVA® SDS50 SKU#1269649

- OEM Diagnostics · Active Tests and
- Special Functions for ECM/PCM, TCM



Contact commercial sales manager for pricing.

STORE STOCKED

- · Reads TPMS/Tire Pressure
- · Service Check and Warning Light
- · FREE access to RepairSolutionsPRO



(6)

OBD2 Report

2015 CHEVROLET EQUINOX L4, 2,4L

SDS-Inspector

INNOVA® SDS43 SKU#1269650

- · OEM Diagnostics
- · Active Tests and
- - Special Functions for ECM/PCM, TCM



Contact commercial sales manager for pricing.

STORE STOCKED · Reads Tire Pressure.

- Service Check and Warning Light
- · Multiple Report Types
- FREE access to RepairSolutionsPRO



INNOVA® AUTOMOTIVE DIGITAL **MULTIMETER** Contact commercial sales manager for pricing.

3340

SKU#94874

 Tests alternators.diodes. solenoids, breaker points. wiring, switches and more

- 10 MegOhm impedance prevents damage to ECU
- Measure RPM. Dwell. Frequency, Temperature, Pulse Width, Duty Cycle
- Accessories included



STORE STOCKED





Designed for professional technicians to simplify and augment their vehicle diagnostic process.

· Verified Fixes

28

- · Repair Tips
- Technical Services Bulletins (TSBs)
- 5/03/2024: 5:22 PM · Parts/Tools for Repair · Scheduled Maintenance · Predicted Repairs



INNOVA® AUDIO ENHANCED INSPECTION CAMERA Contact commercial sales

3381

SKU#1392578

manager for pricing STORE STOCKED

· Record video and audio

 8 Bright Illumination LEDS fully light up the inspection area

IP67 Rated Submersible Lens allows safe inspection of areas contaminated by oil or water



Accessories Included: Magnet, Hook and Mirror



Grease Guns

- · Cast Iron Pump Head for Added Strength and Durability
- Multiple Filling Options to Support Suction, Filler and Cartridge Loading
- Precision Fit Plunger Prevents Grease Bypass and Resists Scoring Heavy Duty Follower Spring Allows Easy Priming and Efficient Pumping

OEM TOOLS



Grease Gun Accessories

7 Piece Grease Gun **Accessory Kit** SKU **978118**

SAVE 25711 REG. \$64.99

 Includes: Press-On 90° Lube Tool. Straight Extension, 300 mm Hose Extension, Slide-On 90° Coupler Rubber Tip Nozzle, Needle Nozzle and 60° Coupler



Offer Good Through December 31, 2025

Extension Hoses with Spring Guard

• Premium Grease Hoses for Manual and Air-Operated Grease Guns

18"

- · Spring Guard for Added Rigidity to Prevent Kinking
- Max. Working Pressure: 4,500 psi
- Burst Pressure: 12,000 psi
- · Accessory Thread: 1/8" NPT

SKU **1207902** 87220

Q99

SKU **1207887** 87221

999

36"

SKU 1207893 87222

70 Piece Grease Fitting Assortment SKU **577685**

25752 2499

· 70 Assorted Grease Fittings in 6 Popular Sizes



OEM TOOLS

Bearing Packer SKU **1055505** 26540

- Quickly Flushes Out Old Grease and Repacks Bearings with New Grease
- Transparent, Impact Resistant Cup Allows User to Clearly See Grease Level
- Works on Bearings with Up to 3-1/2" Outside Diameter



Universal Bearing Packer SKU **1339731** 25081

- · Connects to Any Grease Gun
- · Services Most Roller and **Ball Bearings**
- Forces Out the Old Grease and **Evenly Injects Fresh Grease**



LINCOLN

Lincoln

20V Li-ion PowerLuber Kit SKU **751676** LIN1884

- Delivers Grease at Up to 10,000 psi
- · Built-In LED Illuminates the Work Area
- Includes: Grease Gun, 2 Batteries, Charger and Case
- 36" Flex Hose



12V Li-ion PowerLuber Kit SKU **OSB** 34999 LIN1264

- Li-ion Battery for Maximum Power and Efficiency
- Delivery at Up to 8,000 psi
- Built-In LED Illuminates Dimly Lit Areas
- 30" Grease Hose



For OSB, Call 901-300-4878

Fully Automatic Pneumatic Grease Gun SKU **445386** LIN1162

- Fully Automatic, Continuous Operation
- 30" High-Pressure Hose with Coupler and Attachment Clip
- Pump Ratio: 40:1 at 150 psi
- Max. Grease Pressure: 6,000 psi



Super Pistol Grip SKU **445385** 89⁹⁹ LIN1134

- 18" Whip Hose
- Includes Rigid Pipe
- Variable Stroke Design
- 7,500 psi
- Filler Nipple/ Bleeder Valve



Professional Lever Grease Gun with 18" Whip Hose and Coupler SKU **522903** LIN1147

· 3-Way Loading: By Cartridge, Bulk Load and Suction Load



AZG0425

Fluid Extractors

Change fluids quickly and easily anytime. No mess, no clean up. Simply remove the dipstick and insert the tube.

OEM TOOLS

All OEMTOOLS Fluid Extractors Include:







- Single Piece Reservoir Structure Features a Leak Proof Bottom
- Overflow Shut Off Valve Prevents Fluid from Overflowing
- Use to Extract Most Fluid Types: Engine Oil, Transmission Fluid, Gear Oil, Coolant and Power Steering Fluid
- Updated 41" Extended Dipstick Hose Adapter for Longer Reach and Broader Applications

Manual Fluid Extractors

· Reservoir with Hand Operated Pump to Tackle Big Jobs





2.1 Gallons (8.4 Qts.) SKU 666877 12999 24936

1.4 Gallons (5.6 Qts.) SKU **544744 99**99 24389

2.5 Gallons (10 Qts.) SKU **547010 159**99 24397

Pneumatic/Manual Fluid Extractors

• Working psi: 85: Max. psi: 120

• Air Consumption: 6.5 CFM





1.5 Gallons (6.3 Qts.) SKU **666978** REG. \$154.99

Offer Good Through December 31, 2025

2.5 Gallons (10 Qts.) SKU **666881 149**99 24938

Brake Bleeder Adapter Hose for Fluid Evacuators SKU **568479** 24446



• Use with OEMTOOLS Fluid Evacuators, Converting Them into One-Person Vacuum Brake or Hydraulic Clutch Bleeders

· Universal Bleed Screw Adapter

Main Suction Hose Replacement SKU 1442592 34 99 24938-1

· Replacement for OEMTOOLS 24938, 24937, 24397, 24389 and 24936



Replacement Dipstick and Tube Adapter SKU **1442595** 24938-2

• 1/4" x 17" PVC Hose

Fluid Evacuators

PneumatiVac Fluid Evacuator (2.3 Gallon) SKU **497203**

MITMV7300

· Operates on Compressed Air • Independent Air Shut-Off Valve



Fluid Evacuator Plus SKU **497200** 18499 MITMV7201

- Evacuates or Dispenses at the Push of a Button Integrated 2.3 Gallon
- (8.8 Liter) Capacity Reservoir · Durable, Chemical Resistant
- Polyethylene Construction Dipstick Tube Adapters
- Included



Fluid Evacuator (1.9 Gallon) SKU **594882** *154* 99 MITMV7400

• Integrated 1.9 Gallon (7.3 Liter) Capacity Reservoir

 Evacuates All Kinds of Fluids Including Engine Oil, Transmission Fluids, Gear Oil, Coolant, Brake Fluid and More



mityvac.


Fluid Extractors and Fillers

mituvac:

1.5 L Fluid Extractor/Dispenser SKU **606541** 8999 MITMVA6852

- Simple Manual Syringe-Type Action Quickly and Cleanly Extracts or Dispenses Fluid
- Integrated Valve and Cap to Prevent Spills and Leaks Compact, Streamlined
- Design Allows Access into Tight Spaces · Ideal for Evacuating or
- Topping Off Fluid Reservoirs
- · Easy to Clean: Hose and Seals are Simple to Replace





 3 Male-to-Male Adapters: 10 mm Male to a Barbed, 3/8" or 5/16" Male Connection

For OSB, Call 901-300-4878



Fluid Siphon Pump SKU **568475 19**99

• Transfer Fluids Easily Use to Transfer Gas, Water, Oil and Other Non-Corrosive Liquids

• Hose Reach: 6' with 1/2" Diameter






- Use to Extract and Refill Many Common Automotive Fluids, Including Brake Fluid
- · Dual Scale Molded into Cylinder Body (Qt/mL)
- Transluscent Cylinder Body to Easily Read Volume Extracted and Fluid Condition
- 500 cc Volume & Suction Tubes Enable Faster, More Efficient Fluid Transfer
- · Great for Oil, Transmission Fluid, Power Steering Fluid, Brake Fluid, and More





- Required Tool to Fill or Add Fluid to the 5R55W Automatic Transmission
- Used in Many Ford Vehicles (2003 Newer) Same as Ford No. 307-437





OEM TOOLS

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Fluid Management

OEM TOOLS

Manual ATF Filler System SKU **526508** 164 99 24441

- Complete System for Servicing Sealed Automatic Transmissions
- Includes Adapters to Fit Ford, BMW, Honda, Nissan, VW, Porsche, Mini Cooper, Audi and Mercedes-Benz Transmissions
 • Reservoir Capacity: 3 Liters (3.1 Quarts)

 Fluid Dispensing Hose Features a Swivel Connector and Fluid Dispensing Shut-Off Valve

 Comes with Belt Attachment for Storing All of the Adapters on Dispenser Adapters included: DSG M24 x 1.5, CVT M22 x 1.5, CVT M12 x 1.5, ATF M10 x 1.0,

ATF 1/8 NPT - 27, ATF 04. ATF 03 and ATF 02



ATF Refill Kit, 5 L SKU **265092** MITMV6410A

• Fluid is Dispensed Under Pressure for Smooth Continual Flow

· Integrated Manual Pump Adds Air Above the Fluid Level to Prevent Aeration

· Internal Pump Components are Sealed Against Exposure to Fluids

 Flow Control Valve is Conveniently Located Near Fluid Output Features Integrated Safety

and Manual Pressure Relief Valve



mituvac:

Pneumatic ATF Refill Kit, 10 L SKU **1330680**

MITMV7412

• Utilizes Compressed "Shop-Air" to Produce Pressure for Fluid Dispensing



Pneumatic Powered mituvac

ATF Refill Adapters with Hose

SKU **1361999** MITMV7216A 264

Quickly Converts the Mityvac MITMV7201 Fluid Evacuator Plus into a Professional Tool for

Refilling Sealed Automatic Transmissions 13 Quick-Change ATF Refill Adapters Fit Most Vehicle



Gear Oil Dispenser Bottle and Tubing Kit SKU **1544678** 229⁹⁹ MITMVA577

- 10 Liter Gear Oil Dispense Bottle with Low Restriction Hose, Valve and Nozzle
- Bottle and Dispensing Equipment Included with Most Automotive Fluids (Except DEF)
- Fluid Level Indications on Reservoir to Monitor Fluid Levels
- Compatible with MV7100 and MV6400 Lids
- 10 Liter Reservoir for Larger Dispensing/ Longer Refill Intervals
- Compressed Air Moves Fluids-Reduces Risk of Contamination



mityvac:

• 10 Liter Pneumatic Pump Gear Oil Dispense Bottle with Low Restriction Hose. Valve and Nozzle

· Powered by Compressed Air

Gear Oil Dispenser

SKU **1544685**

MITMV7454

- 10 Liter Reservoir for Larger Dispensing/Longer Refill Intervals
- Can be Pressurized and Disconnected from Compressed Air Source for Convenience
- Easily Replaceable Tubing for Repair or Customization of Unit to Job Requirements



Hand Pump Powered **Mituvac** Gear Oil Dispenser SKU **1544672**

- MITMV7455 • 10 Liter Hand Pump Gear Oil Dispense Bottle with Low Restriction Hose, Valve and Nozzle

 • 10 Liter Reservoir for Larger
- Dispensing/Longer Refill Intervals
- Hand Pump Supplies Compressed Air to Power Unit · Manual Pump to Compress Air; Nothing but Pressurized Air

Moves Fluid which Lessens

Risk of Contamination · Fluid Level Indications on Reservoir to Monitor Fluid Levels



Universal Fluid mituvac. Dispensing System SKU **265093**

MITMV6400 · Large 1.2 Gallon (5 Liter)

- Fluid Capacity
 Integrated Manual Pump Adds Air Above the Fluid Level to Prevent Aeration
- Pressure Gauge Indicates Fluid Dispensing Pressure
- Safety and Manual Pressure Relief Valve
- Vehicle Adapters Not Included



Dispensing Hose Assembly SKU **1544679** MITMVA595

 Replacement Hose for MITMV7454, MITMV7455 and MITMVA577

mituvac:



Great for Use with Generators

OEM TOOLS

Battery-Operated Liquid Transfer Pump SKU **1414413**

87230

- Move Liquids Safely and Easily with this Convenient Handheld Pump
- · Use in Garage, Aquariums, Home and Yard
- Pumps Up to 6 Quarts of Liquid per Minute
- · Battery Operated (2 "D" Batteries)



Lever Action Pumps

OEM TOOLS

Lever Action Hand 0il Pump SKU **462495** 24381

- Oil Pump for Use with Oil-Based Fluids, Heating Oils, Motor Oils, Heavy and Light Oils, Diesel and Kerosene
- Built-In 1-1/2' and 2" Bung for Use on 16 to 55 Gallon Drums with Either Opening
- Not for Gasoline or DEF



Lever Action Barrel Pump Polypropylene SKU **688036 54** 99 24471

- Lever Action Pump, Self-Priming
- Ideal for Diesel, Kerosene, Lubricants and Other Oils
- Not for Gasoline. Water Based Chemicals or DEF
- Maximum Flow Rate: 12 Oz. per Stroke
- Maximum Viscosity: 40 Wt. Oil

OEM TOOLS

Lever Action Barrel Pump Polypropylene Stainless Steel Rod SKU **688038 54** 99 24472

- Ideal for Pumping Diesel, Oils, Kerosene, Water-Based_ Chemicals, Bases and Mild Acids
- · Not for Gasoline or DEF



OEM TOOLS

Lever Action Barrel Pump - Ryton® Stainless Steel Rod

SKU **688037** 24473

- Ideal for Pumping Diesel, Oils, Kerosene, Water-Based Chemicals, Bases and Acids Including DEF



Lever Action Barrel Pump SKU **970530 99**99 LIN1340

· Pumps Non-Corrosive Fluids, Not for Gasoline

LINCOLN

- Telescoping Tube for 16 to 55 Gallon Drums
- Removable Non-Drip Spout Allows for Threaded Hose Connection



LINCOLN

Rotary Pumps

OEM TOOLS

Rotary Barrel Pump SKU **462486 54** 99 24382

- Fluid Transfer Pump for Use with Oil-Based Fluids, Heating Oils, Motor Oils, ATF, Diesel and Kerosene
- · Not for Gasoline or DEF



OEM TOOLS

Polypropylene Rotary Drum Pump SKU **688035** 24470

- · Ideal for Pumping Diesel, Oils, Kerosene, Water-Based Chemicals, Bases and Mild Acids
- · Not for Gasoline or DEF



Manual Rotary Oil Pump with Hose for

55 Gallon Drums SKU 265089 34999 LIN1385H

• Includes: 8 Ft. x 3/4" Anti-Static Hose with Non-Sparking Aluminum Nozzle with Hanger; Seal Tight Telescoping Pick-Up Tube with Strainer for 16 to 55 Gallon Drums with 2" Bung

Manual Rotary Pump for 55 Gallon Drums SKU 462977 26499 LIN1385

· Hose Not Included

Drum Not Included

John Dow Industries

LINCOLN

Manual Rotary Fuel Pump with Hose for 55 Gallon Drums SKU **265088** LIN1387

*389*99

• 3 Vane Manual Rotary Pump for Most Fluid Types Including Gasoline. Diesel, Kerosene, Coolant, Non-Corrosive Materials, Medium Viscosity Petroleum Based Fluids, Hydraulic Oils and ATF



Drum Not Included

Drum Wrench

OEM TOOLS Aluminum **Drum Bung Wrench** SKU 1267963 24 99 22664

- Comfortable and Textured Grip for Ease of Use
- · Non-Sparking, Non-Corrosive Aluminum Construction
- Fits Most Steel and Plastic Caps, Including 3/4" Vent Plugs
- Effortlessly Opens and Tightens Bungs to Guarantee Drum Contents are Safe
- · Opens 10, 15, 20, 30 and 55 Gallon Barrels



Fuel Transfer Pump

25 Gallon Steel Gas Caddy SKU **360585** DOWFC25GC

74999 UL Approved

· 25 Gallon Tank is Constructed of 14" Gauge Steel for Use with Unleaded Gasoline, Kerosene, Ethanol E85, Diesel and Bio-Diesel Fuels



DEF Pump

Lift Action Pump SKU **1142361** LIN1390

 Transfers Popular Shop Fluids Including Acetone, Antifreeze,

Windshield Washer, Thinners and More

- Includes NPT and **Buttress Threads for** Steel and Plastic Drums
- · Adjustable Bung Type Fits 15, 16, 30 and
- 55-Gallon Drums
 Welded Ground-Post for Safe Dispensing of Volatile Fluids
- Premium Grade 316 Stainless Steel
- Self-Priming

Grease Pump LINCOLN

Manual Gear Lube Dispenser SKU **174166** LIN1293


154 99

• 5' Hose, 13" Pump Tube

LINCOLN

- Fits 25 to 50 Lb. 5 Gallon Containers
- Delivers 1 Oz. per Stroke





TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Fluid Exchangers

ATX280 Trans Fluid Exchange Unit 5,79999 MSS4008002300

• 7" Touchscreen LCD Display with Graphical

Interface Onboard Additive Tank for Detergent/ Injection



Fluid Not Included

BFX-10 Brake Fluid Exchanger SKU OSB MSS4258001600

1,24999 Suitable for

- ABS, ESP, EDS and SBC
- Hydraulic Pump • Two
- Universal Adapters Included

Fluid Not Included

MAHLE

MAHLE

Trans-Tech 4 Plus MVC500-1125B **5,699** 99

- Automatic, In-Line Exchange Through Vehicle Cooler Line
- ATF Exchange Through Vehicle Transmission Dipstick
- Drain Pan Feature 26 Quart New
- Fluid Reservoir High Volume Pump for Rapid and Efficient Service
- Comes with Standard Set of Adapters
- Uses MVC400-0137 2-Part ATF Cleaner and Conditioner Fluid

Fluid Not Included



MOTORVAS

MAHLE

BFX-20 Brake Fluid Exchanger SKU OSB MSS4258001400

2,44999

- Hydraulic Pump
- Suitable for ABS, ESP, EDS and SBC
- Adapters Included

Fluid Not Included

Lube Tech Set SKU 227302 | 24965

1,899⁹⁹ REG. \$2,252.39

Includes 160 of the Most Common Tools in Tool Cart

• SAE and Metric, 1/4", 3/8" Drive Tools, Combination Wrench Sets, Pliers and Screwdrivers. Plus Battery Service Tools, Oil Change Tools and More



OEM TOOLS





Offer Good Through December 31, 2025

To Confirm Price, Availability and Ordering Instructions on OSB Call 901-300-4878

Oil and Grease

Lynx 3:1 Universal Stub Pump sku 1580956

BAL1110-007

- Reliable Air Motor Design that Features Corrosion **Resistant Materials**
- Double-Acting Pump Design for Smooth and Accurate Fluid Delivery
- Includes: 2" Bung-Adapter



Oil Control Handle with Digital Meter SKU 1485049

BAL3330-159

- Exclusive "Memory" Flex Enables the Extension to Bend Into Any Desired Shape
 • Replaceable Electronic Circuit Board
- and Face Plate
- · Ergonomically Designed Grip Handle Reduces Fatigue for Technicians



Electronic Preset Meter BAL3331-032 64999

Tank Package SKU OSB BAL1135-017

- 50' EVO Reel
- Lynx 5:1 HD Pump 275 Gal Double Wall
- Construction • UL 2258 Certified
- · Compatible Fluids: DEF, Diesel and Lubricants
- · Package Assembled from Factory



5:1 HD Oil Pump Drum Package SKU OSB

BAL1131-069 2,299⁹⁹

• Reliable Air Motor Design that Features Corrosion **Resistant Materials**

 Includes: Heavy-Duty Drum Cart with Semi-Pneumatic 10" Tires, Front Caster with Brake to Steady Cart While in Use. 50' x 1/2" Hose Reel and **Electronic Metered Handle**

Drum Not Included



Lynx 55:1 Pump Package SKU OSB BAL1151-036


1,27499

- Reliable Air Motor Design that Features Corrosion Resistant Materials
- Double-Acting Pump Design
- Optional Hose Reel Mounting Kit

Lynx 55:1 Portable Grease 120 lb Package SKU OSB BAL1151-028 **874** 99



Drum Not Included



OIL CHANGE

Oil Drains

LINCOLN

18 Gallon Rolling Oil Drain SKU **988882** LIN3601

- All Steel Design Includes Reinforced Caster Supports
- 14" Telescoping Bowl: Range of 45" to 72"
- Preset Air Regulator (Up to 150 psi)
- Pressurized Self-Evacuation Feature Requires Only Shop Air and a

Tire Chuck to Discharge Fluids



25 Gallon Used Fluid Combo Drain/Evacuator

SKU **543345** LIN3639

- Powerful Compressed Air Operated Venturi Vacuum Quickly Draws Fluids from Reservoirs
- · Includes: Mercedes-Benz, BMW and VW Dipstick Tube Adapters and 6 Evacuation Wands of Varying Flexibility, Diameter and Length

 Pressurized Self-Evacuation Feature Requires Only Shop Air and a Tire Chuck to Discharge Fluids

• Min. Height: 60" • Max. Height: 74"

25 Gallon Used Fluid Evacuator SKU **543344** LIN3637

63999

25 Gallon **Used Fluid Gravity Drain** SKU **543350** LIN3635

76499

OEM TOOLS

OEM TOOLS 18 Gallon Rolling Oil Drain SKU **667005** 34999 87042

- Pressurized Self-Evacuation Feature Requires Only Shop Air
- · Funnel Capacity: 2.6 Gallons
- Funnel Diameter: 17'

LINCOLN

- Min. Height: 44.5"
- Max. Height: 68.5"



OEM TOOLS

OEM TOOLS 21 Gallon Oil Drain Vacuum and Extractor SKU **546658** 89999 24862

- Designed for the Collection of Used Fluids from Lift Mounted Vehicles or by Evacuation Directly from Fluid Reservoirs or Dipstick Tubes
- Funnel Diameter: 15"
- · Funnel Extension Adapter: 22"
- Funnel Height Adjustment: 45" to 62"
- Includes 5 Extraction Tubes: 7 mm x 35"; 6 mm x 29" 6 mm x 23" 6 mm x 22" and 3/8" x 15"



OEM TOOLS

9 Gallon Upright Portable Oil Drain SKU **908386**

87032 Adjustable Drain Height: 32" to 62"Funnel Diameter: 17"

- Features Built-In Drain Valve and Evacuation Spout
- · 4 Heavy Duty Casters for Easy Transport
- · Includes: Tool Holder



Easily Pour Out Used Oil



18 Gallon Upright Portable Oil Drain SKU **908388 199**99 87031

Adjustable Drain Height: 54" to 70"Funnel Diameter: 18"

- · Features Built-In Drain Valve and Evacuation Spout
- 4 Heavy Duty Casters for Easy Transport
- Includes: Tool Holder



Tool Tray





21 Gallon Waste Oil Drain SKU **544817** 24861

· Pressurized Self-Evacuation Feature Requires Only Shop Air

- Large Diameter Funnel Includes a Removable Filter Screen and Wide-Mouth Extension
- Funnel Diameter: 15"
- Funnel Extension Diameter: 22"
- Funnel Height Adjustment: 45" to 62"



Large Funnel



Sight Tube Catches Fluids without Spills



OEM TOOLS

OIL CHANGE

Used Fluid Drains

23 Gallon Anti-Freeze Drain SKU 1485042 874 99 BAL4110-025

- Powder-Coated Green
- 3/4" Cam-Lock Fitting





23 Gallon Oil Drain SKU **1485039** BAL4110-024

- Powder-Coated Black
- 1" Cam-Lock Fitting



Premium Drains Capture Used Fluids and Transfer Them to Any Bulk Storage Tank Using a Cam-Lock Kit and Evacuation System

Oil Change Kit

Oil Change Lube Tech Kit SKU **1169108** | **68916**

 Includes: Oil Filter Wrench Pliers, Oil and Transmission Funnel, 3-Legged Oil Filter Wrench, 10L Oil Jug, Drain Plug Socket Set, Professional Swivel Oil Filter Wrench Kit (Fits Sizes 2-3/8" to 4-3/8"), Safety Glasses, 18 Gallon Upright Portable Oil Drain and 10 Piece Metric Cap Wrench Set



Accessories

Prevents Splashing of Hot Oil

Oil Drain Splash Pads

• Keeps Work Areas Clean While Changing Transmission or Other Oils

· Allows Hot Oil to Drain Through Porous Pad



22" Square SKU **1340219** SHA73851



OEM TOOLS

Drains Not Included. Not for Coolants or Fluids That Will Be Recycled in the Vehicle

Super Transmission Drain Funnel SKU **291377**

- Extends the Catch Area of Any Lift Drain
- Fits the Ford E 40D

LIS17902

Dimensions: 24" x 36"



Transmission Drain Pan SKU **908383** 87035

3999

• Flexible Plastic Construction Fits on Top of Funnels for Most Lift Drains

· Built-In Screen to Catch Debris, Parts and Tools

· Dimensions: 22-3/4" (L) x 23-3/4" (W) x 4-3/4" (H)



Filter Crusher

Industrial 10 Ton Oil Filter/Can Crusher

SKU **OSB**

SKU **USB 2,449**99

- Reduces Used Oil Filters to 1/4 of the Original Size
- 20,000 Lb. Crushing Power
- 100% Air Operated for Minimal Maintenance
- Save on Disposal Costs and Storage Space
- Automatic Safety Door Stops Operation When Opened
- Pressure Regulator and Air Moisture Separator Come Standard
- · Transparent Door for a Convenient View of the Crushing Process
- Welded Steel Plate Construction
- Exclusive X-Shape Bevel in Press Head Pre-Aligns Filters for Absolute Vertical Press



Ranger.

For OSB, Call 901-300-4878


Used Oil Evacuation

· Includes All Necessary Fitting, Brackets, Valves, Hoses and Components for Seamless Integration with Air System and Fluid Collection/Discharge Processes

Evacuation Package for Used Antifreeze SKU **1485050** BAL1121-025

1" Evacuation Package for Used Oil SKU **1485032** BAL1121-024





OIL CHANGE

Oil Filter Tools

Filter Removal Cup

• Specifications: 6" x 6" x 6" (34 Oz. or 1 Liter), Volume Sufficient to Hold Typical Size Filters Commonly Used on Cars, SUVs, Light Duty Trucks and Vans

 Safely Holds Oils, Fuel (Gasoline, Diesel, Biofuels), Brake Fluid, Antifreeze and Other Hazardous Fluids. (Not Intended for Storing Fluids)



OEM TOOLS



2 Pack SKU 1245617 SURFC5PK2

REG. \$59.98 SAVE \$

OVER When You Buy the 2 Pack

Torque Limiting Adapter for Oil Filter Canister Caps SKU 1580932 2999 87118

- 3/8" Drive Adapter Limits Torque to 25 Nm
- Prevents Over Tightening and Damage to Plastic and Metal Oil Filter Caps
- · Can Also Be Used with a 21mm Socket or Wrench for Limited Access Areas





OEM TOOLS

OEM TOOLS

OEM TOOLS Swivel

Oil Filter Wrench SKU **1125870 Q**99 87115

- Fits Oil Filters 4-3/4" to 5-3/4"
- 1" Wide Stainless Steel Band



Auto Fit Filter Pliers SKU 1339727 87164

(SHIRE

• Suitable for Filters with 2.4" to 5" Diameters

(SHERR

- · Long Reach Slip Joint Design
- Precision Machined Jaw · Non-Slip Comfort Grip



OEM TOOLS 3 Jaw Adjustable Magnetic Oil Filter Wrench SKU **908387** 25101

- · Oil Filter Diameter: 2.4" to 3.6" (60 mm to 93 mm)
- Secure Magnetic Attachment
- Spring-Loaded Legs for a Secure Grip
- Includes 3/8" to 1/2" Drive Adapter





3 Jaw Adjustable Filter Wrench SKU **1339734 19**99 87160

- Works on a Variety of Vehicles
 Fits Oil Filters 2-1/2" to 4-1/2" (63.5 mm to 114 mm)
- Fits 3/8" Drive Ratchets and Extensions
- · Perfect for Removing Hard to Reach Filters



4 Piece Swivel Oil Filter Wrench Set SKU 1414418

• Fits Oil Filters 2-3/8" to 2-7/8", 2-7/8" to 3-3/8", 3-3/8" to 3-3/4" and 3-3/4" to 4-3/8"

· Dimpled Band with 3 Sets of Grippers to Hold Filter Securely in Place

• 1" Wide Stainless Steel Band for a Strong Grip and Slip Resistance

 Rubber Cushioned TPR Grip for Comfort and Safety in Tight Places

• Includes OEMTOOLS 87111, 87112, 87113 and 87114

OEM TOOLS

4-in-1 Steel Oil Filter Wrench SKU **1189097** 87116



• Size Range 2-3/8" to 4-3/8" (60.3 mm to 111.1 mm)

· 1 Swivel Handle with 4 Stainless Steel Bands

· Bands are Easily Removed and Installed

OEM TOOLS





180° Swivel Joint Reaches Impossible Places

OEM TOOLS

2 Detent Pins Help Quickly Remove and Install Bands



OEM TOOLS

SAVE

2-3/8" to 5" Oil Filter Pliers SKU **757057**

25324 *24* 99

87117

- Removes Stubborn Oil Filters from Gas or Diesel Engines Long Reach Slip
- Joint Design Precision-Machined Jaw
- Non-Slip Comfort Grip

• 14" Length



· 20° Jaw Bend for More Applications

· Jaw Teeth for Sure Grip 12" Length

Offers Good Through December 31, 2025

Heavy Duty Oil Filter Strap Wrench SKU **1544663** 87119

- For Use with 3/8" or 1/2" Drive Tools
- · Fits Oil Filters Over 8" in Diameter
- Heavy Duty 27 Nylon Strap



OEM TOOLS



3999

REG. 64.99

- Great for Stubborn Oil Filters
- Designed for Tight Spaces
- Double-Action Allows Use in Either Direction
- Capacity: 5-1/2" Diameter • 15" I-Beam Handle

Offer Good Through December 31, 2025

Heavy Duty Truck Oil Filters

· Extra Wide Band for Secure Grip

• 1/2" Drive Tools




300an 3 cmp								
	SKU	Part #	Range	Reg.	Price	Savings		
	344322	25231	4-1/8" to 4-5/8" (104 to 118 mm)	34.99	19.99	<i>\$15</i>		
	344323	25232	4-5/8" to 5-1/4" (118 to 134 mm)	34.99	19.99	<i>\$15</i>		
	344324	25233	5-1/4" to 5-3/4" (134 to 142 mm)	29.99	-	-		

OEM TOOLS

Oil Filter Plug for Cummins SKU **1340221** 1499 87168

- Perfect Tool for Installing and Removing Oil Filters
- Compatible with Dodge 6.7 Diesel Engines
- Prevents Oil Leaks When Removing Oil Filters from Engines
- Hard Plastic Construction for Maximum Strength and Durability
- Wide U-Shaped Handle for Added Grip and Control





Cap Style Filter Wrenches

Toyota/Lexus Oil Filter Cap Wrench Set SKU **383457** *24* 99 25409

• Sizes: 64 mm, 73 mm and 74 mm · Comes in Sturdy Blow Mold Case



• Includes: 5 Chrome Plated Aluminum Wrenches (64.5 mm - 14 Flute Toyota, 64.5 mm - 14 Flute Toyota/Lexus, 88.8 mm -15 Flute Hyundai/Kia, 74.2 mm - 14 Flute European, 86.6 mm - 6 Flute European), (1) 63 mm to 83 mm Adjustable Filter Wrench for Universal Applications, 3 Forged Low Profile Oil Filter Sockets (27 mm, 32 mm and 36 mm) and 3/8" Drive Application Chart for Quick Reference



· Comes in Sturdy Blow Mold Case

10 Piece Metric Cap Wrench Set

SKU **1189096** 87151

Painted for Rust Resistance

 Includes: 65/67 mm – 14 Flutes,
 80 mm – 15 Flutes, 68 mm – 14 Flutes,
 86 mm – 16 Flutes, 74/76 mm – 15 Flutes, 93 mm - 15 Flutes, 76 mm - 14 Flutes, 93 mm - 36 Flutes, 76 mm - 30 Flutes

100 mm - 15 Flutes Comes in Sturdy, Green Blow Mold Case

Offer Good Through December 31, 2025



OEM TOOLS

Make SKU		Part #	Size	Price	
BMW/Volvo	255675	25453	86.6 mm – 16 Flutes	19.99	
Hyundai/Kia	255659	25454	88.8 mm – 15 Flutes	24.99	
Toyota/Lexus	255634	25451	64.5 mm – 14 Flutes	14.99	
Toyota/Lexus	1340227	87131	64.5 mm – 14 Flutes	9.99	
Mercedes-Benz Sprinter/VW/Audi Porsche/Mazda	1340230	87132	74.2 mm – 14 Flutes	9.99	
Mazda/Ford	1340228	87133	75.6 mm – 14 Flutes	4.99	
Chrysler	1340234	87134	84 mm – 14 Flutes	19.99	3
Volvo	1340237	87136	88.8 mm – 15 Flutes	19.99	
Land Rover	1340238	87137	90 mm – 15 Flutes	24.99	

Drain Plug Tools

14 Piece Drain Plug Socket Set SKU **818568**

25374 · Designed for Both Foreign and Domestic Vehicles Including: BMW, Ford, Mazda, Mercedes-Benz, Nissan, Peugeot, Renault and More

 Ideal for Removal of Oil Drain Plugs from Manual Transmissions Transfer Cases, Differential Housings and More Includes Hex: 9, 10, 12, 14 and 17 mm;

Square: 7, 8, 11, 13 mm, 5/16", 3/8"; Female Square: 10 mm; Male Triangle: 10 mm; Tamper-Proof Triple Square: 16 mm



<u>ar</u>

8-in-1 Oil and Lube Multi-Wrench

- · Designed to Fit Most Oil Drains, Transfer Case and Differential Plugs
- Features Offset Head Design with Yoke Support for High Torque Applications

SKU 1442594 CTA2495K **49**99 · 6 Point Metric

17, 18 and 19 mm







- · Sizes: 12, 13, 14, 15, 16,
 - Square: 8 mm, 10 mm, 3/8" and 1/2"
 - Hex: 10, 12, 14 and 17 mm

3 Piece Plastic Oil Drain Plug Removal Set SKU **1207894** 25098

- · Safely and Easily Removes Plastic Oil Drain Plugs on Late Model Ford, Volkswagen, BMW and Audi Cars
- · Does Not Cause Damage to the Plug

Oil Filter Sockets **OEM** TOOLS

7 Piece Oil Filter Removal Socket Set SKU **191682 39**99 27197

• Includes: 24 mm for Cadillac: 27 and 36 mm for Mercedes-Benz, VW, Cadillac, Buick, Saturn, SAAB; 29 mm for Dodge Cummins Fuel Filter; 30 mm for Korean Cars; 32 mm for GM, Saturn and SAAB; 35/36 mm for Ford Diesel, Mini Cooper, BMW and Mack; 38 mm for Vauxhall Vectra

· Comes in Sturdy, Green Blow Mold Case



OEM TOOLS

32 mm Oil Filter Cap Socket 25410

· Removes and Installs Oil Filters on 2.2 Liter GM Ecotec Engines Low Profile 1-1/4 In. Socket is Specially Designed for Operating Clearance 3/8" Drive





36 mm Oil Filter Socket for 6.0L Ford Diesel SKU **110279 9**99 25411

7 Piece Offset Oil Filter Cap Wrench Set SKU **1145990**

87165

• 3/8" Drive Set Includes: 24 mm for Cadillac; 27 and 36 mm for Mercedes-Benz, VW, Cadillac, Buick, Saturn, Saab; 29 mm for Dodge Cummins Fuel Filter; 30 mm for Korean Cars; 32 mm for GM, Saturn and SAAB; 35/36 mm for Ford Diesel, Mini Cooper, BMW and Mack; 38 mm for Vauxhall Vectra

· Comes in Sturdy, Green Blow Mold Case

3 Piece Low Profile Oil Filter Socket Set SKU **094803** 27204

• Includes: 27, 32 and 36 mm

• 3/8" Drive





AZG0425

OIL CHANGE

No Spill Oil Funnels

Universal No-Spill Oil Funnel Set SKU 1533126 1500 87025

- Mounts Directly to Vehicle's Oil Fill Port for Spill-Free Oil Changes
- Includes 12 Adapters and 2 Extensions to Cover Most Engine Types
- No-Spill Adapters are Threaded to Securely Fit Filler Necks and Eliminate Oil Spills
- Funnel Can Support an Inverted Quart of Oil
- · Transparent Funnel with Embossed Scale Lets You Easily Monitor Fluid Levels





Universal Direct Fit No Spill Oil Funnel Set SKU **824884 99**99 87039

- Set Includes: Universal Oil Funnel, Chrysler (87019), Ford/Mazda (87020), GM (87021), Honda (87022), Toyota/Lexus (87024), Subaru Adapter, Toyota/Lexus Adapter and 150° Extended Adapter (87027) and Storage Rack
- Funnel Screws Directly into Filler Neck
- · Threaded to Fit a Range of Import and Domestic Vehicles Older and Current Models
- · Transparent Lower Chamber to Monitor Oil Flow
- · Wide Passage for Rapid Refilling



OEM TOOLS

Includes Wall Mount Bracket and Drip Tray



Fast-Clamp Universal Oil Funnel SKU **825017** 3999

87037

- · Automatically Adjusts to Filler Neck
- Securely Clamps into Filler Neck; No Need to Hold Funnel in Place **During the Refilling Process**
- · Transparent Lower Chamber to Monitor Oil Flow
- Clamp Can Be Used with Standard Funnels

STORE STOCKED



Direct Fit Individual **Funnels**

1	10	- Inne	
1			
			7
		ene las	

SKU	Part #	Description	Price
824892	87019	Chrysler, Dodge and Jeep	24.99
824879	87021	GM	19.99
824890	87022	Honda	34.99
824888	87023	Subaru	29.99
824886	87024	Toyota, Lexus, VW and Mercedes	24.99

STORE STOCKED

Dispensers

8 Quart Dispenser Lid and Cap SKU **080078** LIS19702

- · Spout Cap and Lid to Keep Out Contaminants
- Many Large SUVs and Trucks Now Require More Oil



10 Quart Oil Jug SKU **605325 44** 99 87018

- Safe for Automotive Oils and Fluids Convenient Carry and Pour Handles
- Spill Proof Caps

OEM TOOLS



- Oil and Transmission Funnel SKU **547009 14** 99 87008
- · Both Straight and 45° Angle Screen to Prevent Trash from Entering Transmission
- Includes Screen and Dust Cap
- Length: 25'

Oil Funnels



Flexible Spout Measuring Cans

- Designed for One-Hand Operation
- 14" Flexible Spout with Tapered Tip Recessed Bottom Drains Fully and
- **Guards Against Punctures**
- Rolled-Edge Top Helps Prevent Spilling

5 Quart SKU **298486** LING525

8 Quart SKU **298473** LING528



Drain Pans

OEM TOOLS

16 Quart Oil Drain Pan

- · Heavy Duty Polyethylene Construction
- · Features a Pour Spout and No-Splash Lip

Green SKU 908389 87034 3999

Black SKU **908382** 87033 *39*99

OEM TOOLS

2.8 Quart Low-Profile Oil Drain Pan SKU **568474** 87017



Great for Motorcycles and Small Engines

OEM TOOLS

4.7 Quart Clear Oil Drain Pan SKU **568469 9**99 87013

· Built-In Level Scale Lets You See Fluid Level



Great for Transmission Fluid Changes

Offset Funnel with Spout Cap and Lid SKU 1544662 2199

LIS18232 • 10" Tall Translucent Funnel with a 6-3/4" Offset

- from Center of Mouth to Center of Spout
- Lid and Spout Cap Help Keep Funnel Contaminant Free
- Includes: Offset Funnel with Cap and Lid, Adapter for Transmission and Other Dipstick Tubes



4.5 Gallon Black Oval Drain Pan SKU **1142687** LIS17972

4.5 Gallon Green Oval Drain Pan SKU **1142342** LIS17982





COOLING SYSTEM

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Pressure Testers

Universal Cooling System Pressure Test Kit SKU OSB 999 REG. \$179.99



OEM TOOLS

- Ouickly and Easily Pressure Test Cooling Systems in Most Vehicles
 Includes 3 Expandable Adapters that Take the Place of **Numerous Specialized Adapters**
- Easy Lever Style Pressure Relief Valve
- Prevents Damage to Plastic Reservoir Threads that Occurs When the Wrong Adapter is Forced on



▲ Mastercool *

For OSB, Call 901-300-4878

Offer Good Through December 31, 2025

Heavy Duty Cooling Test and Refill Kit

SKU 954220 13999 MSC43014

- Includes: Vacuum Gauge, Sealing Collar, Valve, Rubber Gaskets and Coolant/Draining Hoses
- · Sealing Collar (with Rubber Cone) Offers a Wide Variety of Applications for Radiator Filler Necks
- Minimizes the Risk of Engine Overheating
- · 2.3 Gallons per Minute Fill Rate



Universal Cooling System Adapter Set SKU 434723 **79** 99 REG. \$99.99



- Vehicles and Light Duty Trucks

 Fits Both Radiators and Plastic Reservoirs
- Universal Design Works with Any Cooling

System Pressure Pump

• Prevents Damage to Plastic Reservoir Threads

That Occurs When the Wrong Adapter is Forced On Pressure Test Pump

Not Included

Offer Good Through December 31, 2025



OEM TOOLS

SAVE

✓ Mastercool[®]

Cooling System Pressure Test Pump SKU 434722 11999 27069

· Quickly and Easily Pressure Test Cooling Systems in Most Vehicles

- High Quality Pressure Pump Designed to Work with Most Cooling System Adapters
- Easy-to-Use Lever Style Pressure Relief Valve



OEM TOOLS

✓ Mastercool∴

Heavy Duty Cooling Kit SKU 954231 52999 MSC43306

- Includes: Heavy Duty Vehicle Adapters, Pressure Test Regulator, Vacuum Refill Attachment with Tubing in a Plastic Case
- · For Use with Freightliner, International, Kenworth, Peterbilt,
- Mack, Volvo, GMČ and Sterling Cooling Systems
- Uses Shop Air to Pressure Check and Vacuum Refill
- 4 Quick-Disconnect Vacuum Attachments Provide Quick Refilling of the





27 Piece Master Radiator Pressure Test Kit sки **1053958**

MSC43301-A

• Includes: 1 Blue Radiator Cap Test Connector R123/R125, 1 Black Radiator Cap Test Connector R123/R124, 1 Thermometer, 1 Universal Radiator Cap, 1 Vacuum Purge and Refill Tool, Coolant Hose and Additional

Installation Accessories, 1 Hand Pump and 19 Adapters (Nos. 2 to 4, 6 to 21) to Fit Most Popular **Domestic and Import Cars** and Trucks



Cooling System Adapters

Volvo, Saab, Jeep, Maserati, Ferrari SKU 133600 **44** 99 27241R

- Fits Maserati and Ferrari Models (2000 Newer), Jeeps with Male Threads (1990 - 1994), Saab 900 (1978 - 1993), Saab 900 (Drop Top 1994), Saab 9000 (1987 – 1998), Volvos with Male Threaded Necks
- · Diameter: 45 mm
- Thread Size: 3 mm

Radiator Adapter GM SKU 133621 29 REG. \$44.99 27118R

• Fits Many GM, Chrysler, Ford, Jaguar and Freightliner Models



Offer Good Through December 31, 2025

Audi and VW SKU 133625 44 99

27245R • Fits Audi A4 (1996 - Newer), A6 (1998 - Newer), A8 (1997 – Newer), S4 (2004 – Newer), TT (2000 – Newer), Bentley (2006 – Newer), Lamborghini (2006 - Newer), Porsche Cayenne (2003 - Newer), Porsche Panamera (2010 – Newer), Volkswagen Passat (1998 - Newer), Beetle (1998 - Newer),

Golf and Jetta (1999 - Newer)



OEM TOOLS

Mazda 3, Volvo S40/V50 and Ford SKU 133633 4999 27249R

- Fits Land Rover LR-2 (2008 Newer), Mazda 3 (2004 - Newer), Volvo S40 and V50 (2004 - Newer), XC60 (2010 - Newer), Ford Fusion and Escape (2012 - Newer)
- · Diameter: 50 mm; Thread Size: 2.5 mm



Toyota, Lexus and Scion Radiator Adapter SKU 133632 44 99 27248R

- Fits Lexus LS (2007 Newer), Toyota Celica (2000 Newer), Spyder MR2 (2000 – Newer), RAV4 (2009 – Newer), Prius (2004 and Newer), Camry (2007 – Newer), Highlander (2006 - Newer) and Scion XB (2008 – Newer)
- · Diameter: 34 mm; Thread Size: 3 mm



Acura, Chevrolet, Chrysler, Geo, Honda, Isuzu, Lexus, Mazda, Mitsubishi, Suzuki and Toyota SKU 133624 **29**99 27244R

· Fits Early Models with 32 mm Opening and a 9 mm Depth



Ford, Jaguar, Pontiac, Range Rover and Saab Radiator Adapter SKU 133611 3999 27243R

- Fits Jaguar X Type (2002 Newer), Saab 900 (1994 - 1998), Saab 9-3 and 9-5 (1999 - Newer), Some Saturns and Other Vehicles
- · Diameter: 52 mm; Thread Size: 3 mm



VW SKU 133609 27242R

- · Volkswagens with Female Threaded Filler Necks (1990 to 1998)
- · Diameter: 57 mm; Thread Size: 3 mm




Ford, Jaguar and Mazda Radiator Adapter

sки **1**33631 27247R

- Ford Contour 1998-2000, Jaguar XJ8 1998-Up, Jaguar XK8 1997-2006, Mazda Tribute 2001-Up
- · Diameter: 52 mm; Thread Size: 3 mm





COOLING SYSTEM

Coolant Funnels

Professional No-Spill Coolant Funnel Kit SKU 943142 87043

- 5 Spring-Loaded Adapters for a Secure Fit
 Simply Select the Correct Adapter, Attach the Funnel and Fill
- · Air-Release Tubes to Vent the System **During Refilling Process**
- Stopper Prevents Dripping When Removing the Funnel
- · Includes: Extensions and Adapters for Hard-to-Reach Surge Tanks



Leak Tester

OEM TOOLS

Gas Engine Combustion Leak Tester SKU 1103608 3499 37145

• Used to Test for Combustion Leaks That Result from Head Gasket, Cylinder Head and Engine Block Leaks

 Pulls Air from the Cooling System Up Through the Leak Tester; if Carbon Dioxide is Present, the Leak Tester Fluid Color Will Change to Yellow Signifying a Combustion Leak



OEM TOOLS

No-Spill Coolant Filling Funnel Kit SKU 802197 87007

- · 4 Radiator Cap Adapters to Fit Most Passenger and Light Trucks
- Simply Select Correct Adapter, Thread Together, Attach the Funnel and Fill
- · Rotary Switch to Effectively Prevent Drips and Spills, and Stop Overflow and Bubbles
- Includes: 5 Adapters, (2) 45° Elbows and (2) 5" Extension Rods for Difficult-to-Reach Areas

No-Spill Coolant Filling Funnel Kit with Coolant Tester SKU 1340229 87045

- Includes 5 Direct Fit Cooling System Adapters to Fit Most Passenger Vehicles and Light Trucks
 Includes: 45° Angled and 5" Extension Adapters for
- Accessing Hard-to-Reach Spots and Tester for Glycol Based Coolants
- · Fluid Stopper to Prevent Drips and Spills When Removing from the Filler Neck



Combustion Leak Detector Fluid (8 0z.) SKU 391381 **9**90 25739

- Test for Internal Combustion Leaks on Gasoline Engines Fluid Turns Yellow When Exhaust Gases are Present in Cooling System
- Designed for Use with 37145 Combustion Leak Detector (not included)
- Can Be Used with Other Combustion Leak Testers, See Manufacturer's Manual Prior to Use
- · Not for Use with Diesel Engines



STORE STOCKED

Radiator Filler

OEM TOOLS

OEM TOOLS

2.4 Gallon Plastic Radiator Filler sки **754738** 87104

• Impervious to Oil, Gasoline and Antifreeze

· Stands Up to Extreme Weather



STORE STOCKED

AirEvac Cooling System

AirEvac Cooling System Refiller SKU 568478 11499 24444

- · Quickly Refills Cooling System and Eliminates Trapped Air
- Helps Prevent Come-Backs and the Threat of Engine Damage
- Universal Adapter Forms an Airtight Seal with Most Radiator and Coolant Bottle Necks
- · Performs Vacuum Leak Tests
- · Covers Most Radiator and Reservoir Types
- No Custom Adapters Required
- Comes in Sturdy. Green Blow Mold Case



AirEvac Cooling System Kit SKU 099292 **99**99

27066

- · Uses Shop Air to Evacuate the Cooling System for Vacuum Leak Testing
- Refills Cooling System without Trapping Air That Causes Overheating
- · Universal Adapter Forms an Airtight Seal with Both Radiators and Coolant Reservoirs
- · Self-Locking Quick Disconnects for Fast Assembly



Coolant Testing

OEM TOOLS

Professional Series Ethylene Glycol Antifreeze Tester SKU 750007 **14** 99 24507

- For Testing Hot or Cold Ethylene Glycol-Based Coolants, Including Dex-Cool®
- Easy-to-Read Discs are Magnified by Convex Design of the Clear, Thermal Resistant Plastic Barrel
- Disc-Type 16-1/4" Tester is Accurate at All Temperatures (Celsius and Fahrenheit Scales)



OEM TOOLS

COOLING SYSTEM

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Cooling System Tools

4 Piece 14" Jumbo Pick Set SKU **94658 39**99 25940


• Includes: Straight Pick, 90° Pick, Offset Pick and Hook Pick

Clic-R Hose Clamp Pliers 25102

- · Easily Remove or Install Clic-R Type High Tension Clamps
- Heavy Duty and Durable Steel Construction
- Clamps Commonly Found on BMW, Mercedes-Benz, Audi, VW and Other Cars and SUVs



- · Dual Durometer Handles for Comfort and Grip
- · Hooks and Picks are Assembled from Carbon Steel for Strength and Durability
- Perfect for the Removal of Coolant Hoses, Cotter Pins Brake Springs, Large Electrical Connectors and More



GM Water Pump Socket SKU **OSB 29**99 27109

- Works on 1993-newer Cadillac Northstar 4.6L V8 Engine (1993-newer) and Oldsmobile Aurora 4.0L L47 V8 (1995-1999) 1/2" Drive
- · Black Oxide Finish to Resist Rust
- · Chrome Vanadium Steel for Toughness



Hose Clamp Pliers SKU **607069** 4499 25246


- · Removes and Installs Flat Band Spring Style Hose Clamps with Diameters of 11/16" to 2-1/2
- Multi-Position Lock Holds Clamps Open for Hands-Free Operation
- · Engineered For Maximum Strength

OEM TOOLS



Master Freeze Plug Installer Kit SKU **965837 99 99 27208**

Designed to Remove and Install Freeze Plugs Used in Liquid-Cooled Gas and Diesel Engines



Flush Tools

Coolant System Flush Gun SKU **1284967** 49_{REG.} \$54.99 24719



- Combines Water with Compressed Air to Quickly
- and Efficiently Flush Cooling Systems

 Comfortable Lever-Action Air Throttle with Lock-On Latch for Simple Attachment of Air Hoses
- Used for the Detailed Flushing of Debris and Contaminants from the Cooling System During Repair and Maintenance

Offer Good Through December 31, 2025

Heater Core Backflush Tool SKU 511000 2999 **THX356**

• Fits 1/2", 5/8" and 3/4" Heater Hoses

 Saves Costly Replacement of Most Stubbornly Clogged Heater Cores

- · Made of Corrosion-Resistant Aluminum
- · Basic Garden Hose Hook-Up Cleans Cooling Systems and Heater Cores without Disassembly

Cooling System Back Flush Tool SKU **750008** REG. \$39.99 24506

- Non-Corrosive Aluminum
- Easy to Use
- Connects to Standard Hose 1/2", 5/8" and 3/4" Hose Fittings
- Made of Non-Corrosive Aluminum

Offer Good Through December 31, 2025

THEXTON

OEM TOOLS

Balcrank

To Confirm Price, Availability and Ordering Instructions on OSB, Call 901-300-4878

Coolant Exchangers

VCX-1 Vacuum Coolant Exchanger SKU **OSB** MSS4708001900

2,799⁹⁹

- · Extremely Fast Service Cycles
- · Simple Hook-Up and Operation
- Flexible Adaptation for Most Makes and Models



FluidPRO® MCX-2 Multi-Coolant System Fluid Exchanger MSS4708003000 2,87999

- · Includes System Pressure Test Feature and "Hot Car" Radiator Cap Pressure Release
- Compatible with All Coolant Types for Adaptability
- Contains (2) 7.5 Gallon New Coolant Tanks and (1) 15 Gallon Waste Tank Providing Simple, Rapid Switching from One Coolant to Another
- 3 Minute Service Time for Increased Productivity

Used Fluid Drain MAHLE

> 23 Gallon Anti-Freeze Drain SKU 1485042 874 99 BAL4110-025

- · Powder-Coated Green
- 3/4" Cam-Lock Fitting
- All-Steel Tank and Base
- Easy-to-Use Patented
 Cantilever Mechanism

Premium Drains Capture Used Fluids and Transfer Them to Any **Bulk Storage Tank Using** a Cam-Lock Kit and **Evacuation System**





Coolant Not Included

SPECIALTY TO

Line Repair Tools

OEM TOOLS

Double Flaring Tool Set SKU **864647 35**99 25358

- Includes: 5 Adapters: 3/16", 1/4", 5/16", 3/8" and 1/2"
- Chrome Swivel Made of Alloy Steel to Reduce Friction
- · Forged Yoke Made with Heat-Treated Steel



Single Flaring Tool SKU **ÖSB 29**99 25359



AIRSEPT

- Ideal for Making 45° Flares in Copper, Aluminum, Brass and Mild Steel Tubing
- Suitable for Tubing Sizes: 3/16", 1/4", 5/16", 3/8", 1/2" and 5/8"
- Makes a Precise Leak-Proof Flare That Fits Properly on Standard Fittings

· Flaring Bars are Heat-Treated for Durability



For OSB, Call 901-300-4878

Bubble Flaring Tool Kit SKU **592261** 1Q99 27214

• Designed for Metric Soft Steel Brake Lines Where an

- "ISO" or Bubble Style Flare is Required
- · Forged Yoke is Made of Heat-Treated Steel
- Includes: Flaring Bar, All Adapters Needed for ISO Bubble Flaring and 4 Dies (4.75, 6, 8 and 10 mm)




Fuel Line Repair Assortment Kit **Dynamic** SKU **1392319** DYNDY-FLA-2

· Kit Includes 23 of the Top Selling Connectors, Fittings and Clamps

86 Total Pieces



Pro Series Repair Assortment SKU **1125882** AIR78019



- 5 Minute Line Repair
- Leak-Free to 2,600 psi
- OE Approved







OEM TOOLS

- · Create Perfect Production Quality Flares
- Magnetic Adapter Holder Keeps Adapters in Place
- Tube and Die Set Stabilizing Arm for Easy Tube Forming
- Enlarged Die Set Compression Area for Better Grip of Dies



Disconnect Sets

NAVISTAR® MAXXFORCE® Fuel Line Disconnect

Tool Set - 4 Piece SKU **004112**

25031

34 REG. \$49.99

- 4 Piece Disconnect Tool Set for NAVISTAR® MAXXFORCE® Series 11 and 13 Engines
- Sized to Depress Fuel Release Tabs for Efficient Fuel Line Removal
- 1 Straight and (1) 90° Tool for 11.8 mm Fuel lines; 1 Straight and (1) 90° Tool for 16 mm Fuel Lines

Offer Good While Supplies Last Through December 31, 2025



Fuel Line Disconnect Set SKU **OSB Q**99

26514

· Disconnects Fuel Lines and Spring Lock

- Couplings on Ford and Chrysler

 Sizes: 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8"

 High Quality ABS Plastic That Can Easily Stand Up to Daily Usage
- Includes Reusable Holding Tray
- · Easily Disconnects Air Conditioning and Quick Connect Fuel Lines

For OSB, Call 901-300-4878



OEM TOOLS

Line Disconnect Set SKU **1544674** 68941

- · Disconnects Fuel Lines and Spring Lock Couplings on Ford and Chrysler
- Sizes: 5/16",3/8", 1/2", 5/8", 3/4" and 7/8"
 High Quality ABS Plastic that can Easily Stand Up to Daily Usage
- · Works on Fuel Lines and Other Quick Disconnect Couplings on Domestic and Import Vehicles
- Angled Handles for Easy Access to Tight Spots
 Sizes Include: 1/4", 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8"



Angled Disconnect Set SKU **291416 7Q**99 LIS39400

• Disconnects Spring Lock Couplings on Ford and Chrysler A/C Lines

Works on Fuel Lines and Other Quick Disconnect Couplings on

Domestic and Import Vehicles
• 6 Sizes: 5/16", 3/8", 1/2",
5/8", 3/4" and 7/8"



Master Disconnect Tool Set SKU **291413**

LIS39900



A/C and Fuel Lines





Coolant Hose Removal Tool Set SKU **383214** *34* 99 CAL244TNZ

• Used to Completely Fill the Void in the Connector to Release the Fastener

 40° Offset Designed for Jobs Up Against the Firewall or in Tight Spaces










Cakyan



OEM TOOLS

SPECIALTY TOOLS

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Spark Plug Service

3/8" Drive Magnetic Spark Plug 3 Piece Socket Set SKU 300140 **19**99 22891



• Includes: 5/8", 9/16" and 13/16"



Spark Plug Sockets								
SKU	Part #	Drive	Size	Features	Price			
082923	22880	3/8"	9/16"	Magnetic	9.99			
082933	22887	3/8"	5/8"	Magnetic	9.99			
082929	22881	3/8"	18 mm	Magnetic	9.99			
082932	22883	3/8"	13/16"	Magnetic	9.99			
082934	22889	1/2"	13/16"	Magnetic	9.99			
082936	22895	3/8"	14 mm	12 Point Thin-Wall	9.99			

14 mm x 12 Pt. BMW Spark Plug Socket SKU 814164 **19**99 22814

· Designed with a Universal Joint for the Installation and Removal of Spark Plugs Situated in Tight Spaces



Overall Length: 3.75

Plug Retainer for a Secure Grip



 Hard Chrome[™] Finish is Easy to Clean and Protects Against Rust Chamfered Ends Make Fastener Engagement Quick and Smooth

Magnetic and Won't Wear Out or Be Damaged By Oil

• Deep Marking for Easy Identification Knurling Position for Best Finger Gripping · Length: 6"

3/8" Drive Magnetic Spark Plug Socket Extra Long (9/16") SKU 300147 **19**99 22886

• Length: 6"

Adjustable Spark Plug Boot Pliers SKU 1340226 25559

· Jaws Adjust to Five Different Positions for

Easy Access to Spark Plug Boots Rubber Dipped Jaws Provide a Secure Grip for Damage Free Removal of the Spark Plug Boot

Hardened Jaws Will Not Bend When Gripping

 Dipped Handle Grips for a Comfortable and Sure Grip



3/8" Drive 14 mm x 12 Pt. Extra Long Spark Plug Socket SKU 814337 **74** 99 22813

• Designed with a Universal Joint for the Installation and Removal of Spark Plugs Situated in Tight Spaces

• Durable Chrome Moly Steel Construction

• 12" Extended Reach





· Designed to Remove Hard-to-Reach Spark Plug Boots

 45° Offset Jaws for Easy Gripping of Wires and Boots



STORE STOCKED

Spark Plug Wire Puller SKU 532549 25061

 Insulates Hands from Electric Shock

 Grips Directly on Boot to Prevent Wire Damage

STORE STOCKED







IPR Socket, 3/8" Drive SKU 912334 **14** 99 25280

- · Remove/Replace IPR without Damaging the Connector
- Applications: Ford 6.0 L and Other Diesel Engines



12-POINT

Oxygen Sensor Socket Set SKU 1103591 **24** 99

- · Special Purpose, Universal Slotted Socket That Services Hex Vacuum Switches and Oxygen Sensors
- Includes Sockets for Most Applications: 3/8" Drive 7/8" (22 mm) Deep 3/8" Drive 7/8" (22 mm) Crowfoot 1/2" Drive 7/8" (22 mm) Deep Crowfoot





7 Piece Sensor Socket Set SKU 900823 54 99

- Used for Oil Pressure Switches, Oil Pressure Sending Units and Thermal Sensor Switches
- Includes: 7/8" (22 mm) Offset Extended Oxygen Sensor, 7/8" (22 mm) Offset Oxygen Sensor Socket, 7/8" (22 mm) Vacuum Switch Socket, 7/8" (22 mm) Oxygen Sensor Socket, 1-1/16" (27 mm) Deep Oil Switch Socket, 1-3/16" (29 mm) Oil Sender Unit Socket and 1-1/16" (27 mm) GM Thermal Sensor Switch Socket

Chrome Vanadium for Toughness





OEM TOOLS

Insulated Tools

10 Piece Insulated Screwdriver Set 10 Piece II... sku 1267942 29 REG. \$54.99




Please do not return purchases to the store. For information regarding warranty, repair, or any questions or concerns, call 901-300-4878.

- 1,000V VDE Certified Insulated Screwdrivers
- Insulated Grip Handle and Precision Handle for Added Efficiency
- Insulation Sculpted Directly Onto Blade for Permanent Bonding
 Quick-Release Mechanism for Effortless Blade Change
- Exchangeable Blades with a Slim Tip to Fit Tight Terminal Blocks
- Durable Tool Pouch Included for Easy Organization
- Includes 4 Slotted Blades

Offer Good Through December 31, 2025





Fuel Pump Tools

Fuel Tank Adapter SKU **1407554** 24832

- · Makes Fuel Tank Removal Safe and Easy
- Works with Most Transmission Jacks
- · Foam Rubber Pads Protect Tank



OEM TOOLS

Bed Lifter SKU **OSB**

STK35885 Designed to Lift Truck Beds Safely and Easily

 Lifting Brackets Adjusts to Evenly Distribute Weight





Fuel Tank Lock Ring Tool SKU **751721** 24398

 Ford F150 Trucks (2004 - Newer); Chrysler/Dodge Mini-Vans, PT Cruiser, Dakota, Durango (2004 - Newer); Chevy 1/2 Ton and 3/4 Ton Trucks (2004 - Newer)

Works with 1/2" Drive Ratchet or Breaker Bar



STECK



OEM TOOLS



Fuel Pump Module Spanner Wrench sku **110278** 25156

· Removes and Installs the Fuel Pump Retaining Ring



Throttle Depressors

OEM TOOLS

OEM TOOLS

Brake - Accelerator Pedal Depressor SKU **802194** 4999 24232

- Holds Brake or Accelerator Pedal at **Desired Position**
- · Easy to Adjust
- Extends to 24"
- Suitable for Many Diagnostic **Applications**



Steering Wheel Holder and Peďal Depressor Set SKU **802195** 24231

- Holds Steering Wheel in Position for Alignment Adjustments
- Depresses Brake Pedal for Various Brake Checks Including Brake Lamp Operation
- Simply Hand Squeeze the Actuator to Accomplish Fine Adjustments



Throttle Pedal Depressor SKU **222525** LIS48700

Terminal Tools

Tool Set

27169

SKU **447159**

19 Piece Master Terminal

· Latest Tools for Coolant Sensors,

Application Chart Included Inside

on Most Modern Vehicles · Eliminates Potential Damage to Wires

or Terminal Blocks

Storage Case

Wiring Harnesses and Terminal Blocks

OEM TOOLS

- · Holds Throttle at a Constant RPM
- · Engage the Nylon Hook Under the Steering Wheel, Then Extend the Depressor Rod to the Accelerator Pedal
- Length: 40"



Wire Strippers

9-1/2" Terminal Crimping Pliers with Cutter SKU **OSB** 1499

- For Insulated and Non-Insulated Wire Connectors and Terminals
- Specially Hardened Wire Cutter in Nose
- Tapered Nose for Working in Confined Spaces
- For 10 to 22 AWG Wire Connect
- Plastic-Dipped Comfort Handles Minimize Fatigue



SKU **312821 14** 99 25193

8-1/4" Wire Stripper/Cutter/Crimper/Bolt Cutter

- AWG: 10, 12, 14, 16, 20 and 22 Stranded • AWG: 8, 10, 12, 14, 16 and 18 Solid
- · Crimps 7 and 8 mm Ignition Terminals



OEM TOOLS

For OSB, Call 901-300-4878

7" Wire Stripper Crimper - Cutter SKU **751657 24** 99 24452

- Strips 20-12 Gauge Insulated and Non-Insulated Wire
- · Use for Wire Cutting and Stripping, as Pliers for Grabbing and Twisting or for Crimping of Insulated and Non-Insulated Connectors
- · Industrial Finish with Red Textured Grips



6-in-1 Long Nose Pliers SKU 177785 24 99 22631

- Wire Strippers: 10, 12, 14, 16, 18, 20, 22 AWG
- Wire Crimper: 10 20 AWG
 Ergonomic Pistol Grip for Added Leverage
- · Ideal for Hard-to-Reach Spot



TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Circuit Testers

Memory Saver/Parasitic Drain Monitor SKU **1580963 199**99 **PWPPPDRAW**

- Connects Via 16Pin OBDII Port and Supplies Power and Monitors the Vehicles Electrical System for Parasitic Draw
- View and Record Data Via Bluetooth on Power Probe Link App
- · Graphing Mode for Displaying Voltage and Amperage as a Wave Form
- · Readings are Displayed on the LCD Screen
- Capable of Delivery Up to 10 Amps Continuous Current



ECT3000 Electrical Circuit Tracer

*149*99 SKU **1392338** PWPECT3000B

Automatic and Manual Sensitivity Locking

- Arrow Indicates Direction to Short · Signal Distance Indicator Bar
- 10 Minute Auto Shut Off
- Ergonomic Housing





Digital Display Circuit Tester SKU **568468** 3999 24451

- Detect Voltage, Power, Ground and Circuit Condition
- Display Provides Precise Voltage
- Voltage: 5 to 30V DC
- Computer Safe DO NOT Use on Airbags



OEM TOOLS



Voltage Display

Coiled Cord Circuit Tester SKU **422468** 1499 25886

· Circuit Tester with a Stretchable and Retractable 12' Cord for Long Circuit Runs



OEM TOOLS

One Handed Wire Piercing Circuit Tester SKU **422469**

- 25887
- · Bright Hi-Vis 12' Heat and Oil Resistant Coiled Cord Molded Strain Relief for Long Life
- Hangs on Wire for Hands-Free Operation
- 6, 12 and 24 Volt Systems

Heavy Duty Circuit Tester SKU **006511** 25019

· For Testing 6 and 12 Volt Systems for Wire Breaks, Shorts, Fuses, Lamps, Relays, Armatures and More



Relay Tools

Relay Puller Pliers SKU **291342 34** 99 LIS46950



 Allows Relay to Pop Free from Socket with Less Chance of Damaging the Relay



OEM TOOLS

- Cut Relay Related Diagnosis Time by 75% · Identify at the Push of a Button if a Wire, a Part, or a Relay is Defective
- · Test an Entire Circuit from the Battery to the Component
- Bypass Relays to Do Compression Test, Fuel Pressure Test, A/C Fill, etc.

OEM TOOLS

- Kit Includes: Tester, 6 Popular Relay Leads and 1 Universal Relay Lead
- Comes in a Sturdy Blow Mold Case

OEM TOOLS

Windshield Tools

OEM TOOLS

Compact Windshield Wiper Arm Puller SKU **191681 999** 25319

- Easily Removes Wiper Arms on Most Domestic and Foreign Vehicles
- Will Not Damage Wiper Arm or Hood Cowling During Removal
- · Features Turning Knob for Fast Work and Forged Body for Strength
- · Compact Design Works Great in Tight Spaces



Window Holder Tool SKU **191670** 25309

- Works on All Cars and Trucks with a Top Door Frame
- · Loop Cable Over Door Frame and Attach Suction Cups to Each Side of Glass
- · Window Glass is Securely Held Above the Door While Work is Performed



OEM TOOLS

Universal Wiper Arm Puller

SKU **265136 39**99 25339

· For Pulling Front and Rear Wiper Tight Fitting Wiper Arms

Suitable for Most Wiper Arms Including Audi®, VW®,
 BMW®, Ford®, Chevrolet®, Mercedes-Benz® and Others

· Designed to Prevent Damage to Wiper Arm Nozzle



Double Head Suction Cups SKU **291351** 24246

- Twin Head Suction Cups Help Remove Windshields
- ABS Rubber Cups Grab Ahold of Glass
- · Flexible Handle Bends to Windshield
- · Quick Release Levers for One-Hand Operation



18" Professional Windshield Knife SKU **480782** CAL53100

• Constructed of Heavy Duty Steel and Aluminum with a Padded Ergonomic Handle



AZG0425

Cal-yen





1/2" Drive (10-150 Ft/Lb.)

SKU **012651** 25689

25694

1/2" Drive (25-250 Ft/Lb.) SKU 177715 114 99 25695

SAVE

11'

Offers Good While Supplies Last Through December 31, 2025

3/4" Drive Torque Wrench (50-400 Ft/Lb.) SKU **1103610**

999 REG. \$299.99 Ideal for Replacing Ford F150 Front Wheel Bearings

• Range: 50-400 Ft/Lb. and 84.7-559.2 N-m

 Increments 2.5 Ft/Lb.

37309



1/4" Drive Deflection Beam Torque Wrench SKU **752621 29**99 25439

· Can Be Used on a Number of Fastening Applications Including Boats, Cars, Motorcycles and Bikes

- 80 In/Lb. (0-9 Nm) in Maximum Working Torque Dual Range Scale Features In/Lb. and Newton Meter Measurement
- Delivers Accurate Measurements When Used Clockwise or Counterclockwise
- Hard-Spring Steel Beam Resists Bending to Deliver Precise Readings

3/4" Drive Torque Multiplier SKU **191056** 25683

• Increased Torque Output Converts Low Torque (Max. 650 Ft/Lb.) to High Torque (2,200 Ft/Lb., 3000 Nm) with Planetary Gear Set for Heavy Duty Tightening and Loosening

Input Drive: 3/4"

• Output Drive: 1'

3/8" Drive Torque Wrench (25-250 In/Lb.) SKU **133657 44** 99 25685

• 45 Tooth Round Head Ratchet

Both Clockwise and Counterclockwise Operation



OEM TOOLS

3/8" Drive Click Style Torque Wrench SKU **133658** 25686

• Precision Torque Control by 45-Tooth Ratchet Head

Audible Click When Desired Torque is Reached

· Both Clockwise and Counterclockwise Operation

 High Grade Spring Steel Torque Mechanism



1/2" Drive Click Style Torque Wrench (25-250 Ft/Lb.) SKU **133659 79**99

25687 · Both Clockwise and

Counterclockwise Operation



3/4" Drive Professional Micrometer Torque Wrench (100-600 Ft/Lb.)

SKU **217376** 25688

· Right Hand Direction



42-3/8

Measuring Tools

Tire Tread Depth Gauge SKU **954233** *59*99 CEN3S402A

- · Easy-to-Read Digital Display
- Fractional Scale in 1/32" Increments
- Spring-Loaded Plunger

Central TOOLS, Inc.



Central TOOLS, Inc.

Central TOOLS, Inc.

24" Straight Edge SKU **94955Ž 41**99 25355

· Constructed with 1/4" Thick Cold Rolled Steel

- · Durable Powder Coat Finish with Precision Ground Edge
- Hang Hole for Convenient Storage
- Includes Reusable Protective Edge



Central TOOLS, Inc.

OEM TOOLS

OEM TOOLS

MTOOLS

Extended Range Bore Gauge

1" Dial Indicator Set SKU **954195** CEN3D101

- Strong Magnetic Base
- Revolution Counter

• Full 1" Range



Indicator Set with Flex Arms and Lock Pliers SKU **954184**

CEN3D103 *149*99

· Locking Pliers

- for Mounting
- Flex Arm for Extra Reach
- · Revolution Counter

Full 1" Range



Central TOOLS, Inc

CEN3D302 Extended Range of

SKU **954188**

1.4" to 6" Lower Range for Small

Applications Reach Deep into Cylinders

Central TOOLS, Inc.



0-5.5" Digital Rotor Gauge SKU **954197** CEN3M430A

- · Easy-to-Read Digital Display
- Pointed Anvil for Measuring Grooves
- Inch and Metric Readings




Digital Drum Gauge SKU **954196** CEN3B531

- Depth Stops to Improve Accuracy
- Pointed Anvils for Grooves
- · Easy-to-Read Digital Display
- 4" to 20" Range Plus Oversize




25' Tape Measure SKU **1414409** 25699



- 1" Extra Wide Blade
- · 10' Standout Reach
- · Magnetic End with Dual Hooks
- Heavy Duty Impact-Resistant Case





TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Steck - Lockout Tools

BigEasy™ Glo with Easy Wedge Lockout Kit SKU **964494**

QQ99 STK32955

- Glow-In-The-Dark Yellow Allows You to See the Tool at Night or Through Tinted Windows
- Easy Wedge Offers Controlled Opening of the Car Door for Inserting the BigEasy Glo




BigEasy™ Carrying Case SKU **227873** 1199 STK32935

- Made of Soft, Yet Firm Material to Protect Your BigEasy Kit
- · Custom Pockets for the BigEasy, Non-Marring Wedge, Lock Knob Lifter and Easy Wedge
- Makes it Convenient to Stow Your BigEasy Kit in Your Truck



BigEasy[™] Lockout Kit sku **964491 10**99 **49**99 STK32900

- · High Visibility Pink Powder Coating and Improved Non-Marring Wedge
- · Lock Knob Lifter for Cars with Flat Lock Knobs at the Top of the Door
- Paint Protector Reduces Friction Between the Car Door and the BigEasy



BigEasy™ Easy Wedge (Inflatable) SKU **964493** 4499 STK32922

• Inflatable Controlled Opening of Car Door for Insertion of the BigEasy



Access Wools

Access Tools - Lockout Tools

Emergency Response Kit Long Case SKU **1339730 AETERKLC**

- Most Popular Accessories, Gets into Any Vehicle
- Designed by First Responders
- Emergency Ready
- Includes: Quick Max Long Reach Tool, Flex Max, Button Master, Super One Hand Jack Tool, Super Air Wedge, Glassman Wedge and Button Strip Tool



Button Master SKU 1189051 **AETRCBM**

4999

- · Flexible Coated Long Reach Tool
- · Retractable Loop with Grip Cover
- Grab Vertical Door Buttons with Ease • Approximately 38" in Length
- When Straightened

1/8" x 3/8"

(120 Pc.)

 Most Flexible and Versatile Version of All the Button Masters

One Hand Jack Set SKU **1145698 AETOHJS4**

- Easy-to-Use Car Opening Kit
- · Soft Shielded Long Reach Tool That Won't Scratch Paint
- Air Wedge with Stiff Insert for Easy Insertion
- Vertical Button Tool One Hand Jack for Quick, Damage-Free Insertion of the Air Jack



1/8" x 5/16"

(120 Pc.)



3/16" x 5/16"

(70 Pc.)



3/16" x 3/8"

(70 Pc.)

Rivet Tools

500 Piece Aluminum Rivet Assortment SKU **271150 Q**99

• Includes: 1/8" and 3/16" Rivets 1/4", 5/16" and 3/8" Long



marson

1/8" x 1/4"

(120 Pc.)

Big Daddy® Hand Riveter SKU **094886**

MAR39031 Sets Large Diameter Blind Rivets.

 Double Gear Reduction System Easily Sets from 1/8" to 1/4" Diameter Klik-Fast Rivets in All Alloys Including 1/4" Klik-Split® Rivets

 Comes with 5/32", 3/16" and 1/4" Nose Pieces Stored in the Body



68109

Rivet Tool Kit SKU **94877** MAR39001KIT

• 50 each: SB4-2. SB4-4, AB4-2A • 25 each:

SC4-4, AB6-2



Rivet Tool Kit SKU **94879** *139*99 MAR39003KIT Includes 40 each:

SSB4-2S SSB4-3S SSB4-4S SSBL4-2S







MACHINERY

See More Marson Rivet Tools on AutoZonePro.com

Slide Hammer Pullers

5 Lb. Slide Hammer SKU 1103572 54 99

- For Use with OEMTOOLS® 27032 Axle Puller, 27058 Inner CV Joint Puller, 27059 Pilot Bearing Puller, and Other Puller Attachments with 5/8" X 18 Threads
- For a Variety of Pulling Tasks
- Chrome Plated Main Shaft
- Thread: 5/8" x 18



9 Way Slide Hammer Puller Set sku 1335798 13999

- Pulls Flange-Type Rear Axles and Most Front Wheel Drive Hubs
- Internal and External Jaws Provide a Variety of Combinations to Pull Bearings, Gears and Seals
- 2-Way and 3-Way Cross Blocks
- Includes: Grip Wrench Adapter and Dent Puller Attachment
- Designed for Use with Other 5/8" x 18 Thread Slide Hammer Attachments



Rear Axle Puller Set SKU 094801 114 99 27202

- Use for Flange-Type Rear Axle and Bearing Removal on Most Late Model Passenger Cars and Light Trucks
- Slide Rod and Adapters are 5/8" x 18 Standard Threads





VW/Audi Fuel Injector Puller Kit sku 1103636 5999

- Includes: 1 Mini Slide Hammer, 1 Installation Tool, 2 Special Puller Attachments and 3 Knurled Collars
- Attachments and 3 Knurred Collars
 Comes in a Sturdy Blow Mold Case
- Used with All 2.0 L TSI/FSI/TSFI Engines



Multi-Purpose Puller

Multi-Purpose Bearing and Pulley Puller Set sku 900824 18999

- Use on Pitman Arms, Timing Gears, Carrier Side Bearings, Crankshaft Pulleys and More
- Crankshaft Pulleys and More

 20 Piece Set Includes: 6 Jaws, 2 Bar Housings 6 Bolts and 2 Retainers
- Capacity: 6-10 Tons (Depending on the Jaws)
- Combine to Create 10 Different Pullers

OEM TOOLS



Retainer Remover

Brake Cylinder Retainer Remover sku 265111 14 99 25268

- Expands and Holds Special Retainer So the Brake Cylinder May Be Removed
- Releases the Spring Clip Retainer That Attaches the Rear Brake Cylinder to Backing Plate



OEM TOOLS

OEM TOOLS

OEM TOOLS

OEM TOOLS

Lock and Snap Ring Pliers

Professional Internal/External Snap Ring Pliers sku 1340233 24 99 25097

- Unique Jaw Design Makes it Easy to Switch from Internal to External Configurations
- For Both Internal and External Rings
- · Alloy Steel and PVC Grip with Storage for Tips
- Includes: 3 Pairs of Tips and Hex Key, 1 Pair Straight Tips for 1.2 mm and 1.8 mm, 2 Pair 90° Tips for 1.2 mm and 1.8 mm





Angle Tip Lock Ring Pliers SKU 191055 25354 1999

 For Spreading Snap Rings Found on Brakes, Pedal Shafts, Clutch Shafts, Transmissions, Machine Tools and Piston Rings

 Constructed with Durable Drop Forged Steel Alloy

 Spring-Loaded Jaws Feature a Scored Outside Edge for a Secure Grip

 Vinyl Grip Handles for Added Comfort and Control

• Spread: 3/4"

• Length: 8-1/4"




• Includes:

(2) 5-1/2" Bent Pliers (0.038" and 0.047" Tip), (2) 6" Straight Pliers (0.038" and 0.047" Tip), 7-1/2" Bent Pliers (0.070" Tip), 8" Straight Pliers (0.070" Tip),

8-1/2" Bent Pliers (0.090" Tip) 9" Straight Pliers (0.090" Tip), 1 Pick Tool and 1 Hook Tool

- For Both Internal and External Rings
- Constructed with Heat-Treated Chrome Moly Steel
- Comes in Sturdy Blow Mold Case



Jaw Pullers

- Adjustable and Reversible Jaws with 2 and 3 Jaw Configurations Available
- Remove Gears, Pulleys and Other Components in Various Applications, from Automotive to Heavy Duty Vehicles and Equipment
- Heavy Duty Forged Construction with Chrome and Black Oxide Finishes Protect Against Corrosion

SKU	Part #	Capacity	Jaw	Spread	Reach	Price		
246386	25902	1 Ton	2/3 Jaw	3"	3-1/4"	19.99		
246387	25903	5 Ton	2/3 Jaw	4"	4-3/4"	29.99		
70134	25901	2 Ton	2/3 Jaw	6"	4-3/4"	41.99		
OSB	25914	5 Ton	2 Jaw	6"	3-1/4"	44.99		
231202	25919	5 Ton	2/3 Jaw	7"	5-1/2"	51.99		
For OSP Call 001 200 4979								





TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Cam/Crankshaft Tools

Crank Bolt Sockets

Deep Counter-Weighted Sockets Provide Increased Torque to Break Loose Stubborn Crank Bolts

· Applications: Honda-Acura, Models: Accord, Civic, Pilot, CRV, Odyssey, CL TL Integra, MDX, Vehicles. Plus Toyota-Lexus, Models: Camry, Corolla, 4Runner, Sequoia, ES300, LS400 Vehicles and More

17 mm SKU **912348 14** 99 25275

22 mm SKU **070132** 25300

26 mm

19 mm

SKU **1335801**

SKU **919500** 25278

1999

6 Piece Crank Bolt Socket Set SKU 919501 114 99 25276

• Includes: 17, 19, 21, 22, 26 and 27 mm Deep Counter-Weighted Sockets

Provides Increased Torque to Break Loose Stubborn Crank Bolts

 Applications: Honda-Acura, Models: Accord, Civic, Pilot, CRV, Odyssey, L TL Integra, MDX, Vehicles. Plus Toyota-Lexus, Models: Camry, Corolla, 4Runner, Seguoia, ES300, LS400 Vehicles and More

· Constructed with Durable Chrome Moly Steel

21 mm SKU **912343 10**99

27 mm SKU **919497 19**99

OEM TOOLS

OEM TOOLS Universal Pulley and Fan Clutch Holder SKU **547013** 89⁹⁹ 27281

· Fits Many Different Fan Clutches, Cam and Crank Pulleys with Slots or Holes Adjustable Diameter: 1-1/2" to 8-5/8" Pin Sizes: 6-10 mm, 8-11 mm, 10-12 mm and 11-16 mm

· Comes in Blow Mold Case



OEM TOOLS

5 Piece Master Cam/Timing Gear Clamp Set SKU **383452** 24 99 27210

· Covers Most Single, Twin Cam and Quad Cam Engines

· Locks Camshaft to Hold Valve Timing During Timing Belt Replacement



OEM TOOLS

1999

Ford Cam Tool 1.6 Liter SKU **1103640** 37380

· Designed to Hold the VCT Sprockets in Position During Timing Belt Installation or Camshaft Service

· Alignment Tool Services: Ford Fiesta (2011 to 2014), Ford Escape (2013 to 2014), Ford Fusion (2013 to 2014), Ford Transit (2013 to 2014)



OEM TOOLS

Ford 2.0 L, 2.3 L, 2.5 L Cam Tool Kit SKU **626108** 24448

 Applications: 2.0 L DOHC Engines Found in Ford and Mercury (1994 to 2003), 2.5 L DOHC, 2.3 L DOHC 4V and 2.0 L DOHC Engines in Ford, Mercury and Mazda (2004 to 2012) and 2.0 L DOHC Engines in Ford Probe (1993 to 1994)



OEM TOOLS

Ford Timing Chain Locking Wedge Tool SKU **012647** 24207

• For 2005-14 5.4 L and 4.6 L 3V OE Type Tool Allows for Easy Cam Changes without Removing the Timing Cover

Compact and Easy to Use

OE Type Tool

• For 5.4 L and 4.6 L 3V (2005-2014)



Lisle DOHC Cam Lock Holder SKU **291419** LIS36880

• This Versatile Tool Easily Locks and Holds Both Camshaft Sprockets Firmly in Place

 Preserves the Engine Timing During Belt or Chain Replacement



OEM TOOLS Pilot Bearing **Puller**

SKU **775523** 25089

· Use to Pull Pilot Bearing from End of Crankshaft

· Plate Prevents the Jaws from Spinning When Force is Applied

Spread Range: 1/2" to 1-1/2'

 Reach Range: 3/16" to 11/4'



OEM TOOLS Pilot Bearing Puller Attachment SKU **OSB 19**99

27059

• Use with OEMTOOLS 37033 and 27202 Slide Hammer Pullers

 Threaded with Both 5/8" x 18 and 3/4" x 16 Threads to Fit Most Slide Hammers



For OSB, Call 901-300-4878 Ford Master Timing Kit SKU **OSB** 28499 CTA2221

• Includes: Harmonic Balancer Holder, Camshaft Alignment Tool, VCT Alignment Tool, Crankshaft Positioning Tool, Crankshaft Vibration Dampener Alignment Tool, 3 Pc. Wedges and Camshaft Timing Kit

· Services Ford, Mazda and Lincoln 1.4 L, 1.5 L, 1.6 L, 2.0 L, 2.3 L, 2.5 L, 3.0 L and 3.5 L Engines



For OSB, Call

Flywheel Turner SKU 1207891 25556

· Holds Flex Plates and Fly Wheels to Allow Clutch, Transmission and Crankshaft Service

· Spring Tensioned to Keep the Wrench Securely Engaged

· Sure Grip Handle



Universal Camshaft Bearing Tool SKU **191677** 27143

· Removes or Inserts Camshaft Bearings in Nearly All Engines

Set Includes: Driving Shaft, Driving Shaft Extension, Expander Unit,

5 Split Driving Plugs, 2 Driving Collars and Centering Cone

· Easy on Bearings • Range: 1.125" to 2.69"







AZG0425

Valve & Cylinder Head Tools

Combustion Leak Detector SKU **1103608** 37145

OEM TOOLS

- · Test for Internal Combustion Leaks on Gasoline Engines
- Fluid Color Changes to Yellow When a Combustion Leak is Present
- Comes in a Sturdy Blow Mold Case
- Not for Use with Diesel Engines



Combustion Leak Detector Fluid (8 Oz.)

25739



OEM TOOLS

LIS36050 **Makes Valve Component** Disassembly and Reassembly

Valve Keeper Remover and

Fast and Easy

Installer Kit

SKU **011658**

- For Use with Valve Stems from 4.5 to 7.5 mm and 5/16" to 3/8"
- · Magnet in Tool Body Captures Keepers
- Smaller Size Works on Toyota 4 Cylinder and Chrysler New World Engine

119⁹⁹

Lisle

Hydraulic **OFM TOOLS** Válve Lifter Puller SKU **424904** 27146

 Use for Removing Many Valve Lifters from Engine Block



- Applications: 1991 to 2004 Ford Vehicles with 4.6 L, 2V, V8 Engines; 4.6 4V, 5.4 V8 and 6.8 V10
- Works with Engine Removed or Installed, Cylinder Head On or Off
- Not for Triton 5.4 3V



Lever Valve

Spring Compressor SKU **662780 79**99 24676

- · Lever Action Stays Compressed for Easy Valve Lock Removal
- Included Adapters Fit Valve Retainer Diameters from 1" (25 mm) to 1-3/16" (30 mm)
- Compression Range from 1-3/8" to 5-5/8" (35 mm to 142 mm)



Siste,

OEM TOOLS

OEM TOOLS Valve Spring Compressor SKU **552331 14** 99

- Compresses Valve Springs on GM V8 Engines with Stud-Type Rocker Arms without Having to Remove Cylinder Heads
- Use with OEMTOOLS®



OEM TOOLS Ford Valve Spring Compressor for 3-Valve Engines SKU **814391 79**99 24429

- Designed to Compress the Valve Spring without Removing the Camshaft While Servicing the Cylinder Head in Ford 3-Valve Engines
- For Use with Ford 3-Valve 4.6 L and 5.4 L Engines



OEM TOOLS

STORE STOCKED

Flexible Air Valve Holder SKU **1392465** 25029

- For 14 mm and 18 mm Spark
- Plug Holes
- 14" Flexible Hose Reaches into Tight Areas



Push Rod Remover SKU **459100 29**99 LIS48300

- Redesigned for Newer 3.5 L and 3.6 L GM Engines - Also Works on GM V6 2.8L, 3.1 L and 3.4L
- Quickly Removes Push Rods to Replace the Intake Gaskets without Removing Rocker Arms



Torque Adapter. **OEM** TOOLS Diesel Head Bolt. Ford 6.0 L Power Stroke® Engines SKU **298191 19**99 24208

- · Eliminates the Need to Remove the Truck/Van Cab from the Chassis to Access the Rear Head Bolts
- · Eliminates the Need to Remove the Evaporator Housing, Saving 2 Hours of Time and the Additional Cost of Refrigerant Added During A/C Recharging
- · Prevents Damage to the Rear Heat Shield
- Use with OEMTOOLS® 27309 3/4" Drive Torque Wrench and OEMTOOLS® 22398 18 mm Socket



BRM

24" Straight Edge SKU **949552 41** 99 25355



- Constructed with 1/4" Thick Cold Rolled Steel
- Precision Ground Edge to +/- 0.001"
- Durable Powder-Coat Finish
- Hang Hole for Convenient Storage
- Includes Reusable Protective Edge



Engine Cylinder Hones

BC 180SC Flex-Hone Tool Kit SKU **213154 239** 99 BRM14353

- 10 Piece Kit Features Flex-Hone Sizes: 10 mm, 1/2",
- 5/8", 3/4", 7/8", 1", 1-1/4", 1-1/2", 1-3/4" and 2"

 Complimentary Snap Back Hat, 1/2 Pint of Flex-Hone Oil and 1GB Flash Drive



CMI	Doub #	Dundunk	Cylinder	Dulas	
SKU	Part #	Product	Metric	SAE	Price
341226	BRMBC30018	Flex-Hone™ GB	76 mm	3"	54.99
341232	BRMGB31412	Flex-Hone™ GB	83 mm	3-1/4"	54.99
341239	BRMGB31212	Flex-Hone™ GB	89 mm	3-1/2"	59.99
341317	BRMGB33412	Flex-Hone™ GB	95 mm	3-3/4"	64.99
341325	BRMGB41812	Flex-Hone™ GB	105 mm	4-1/8"	69.99
341332	BRMGB45812	Flex-Hone™ GB	118 mm	4-5/8"	69.99

Adjustable Engine Cylinder Hone Deglazer SKU **OSB** 3999 25041

- Range: 2" to 7" (51 mm to 128 mm)
 Spring Tension Adjusting Nut for
- Positive Cutting Action at All Speeds

· Includes: 4" Medium Grit Stones





OEM TOOLS

ADDITIONAL SIZES AVAILABLE - CALL US AT 901-300-4878 OR VISIT AZTOOL1.COM

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Harmonic Balancer Tools

Harmonic Balancer Puller Kit SKU **818738**

4499

Unique Jaw and Returning Springs for Easy Positioning of the Puller

- Includes: Puller Body, 3 Jaw Puller, 3 Jaw Retaining Pins, 3 Wave Washers, Pressure Screw
- Insert Rods: 4", 5-13/32", 6-1/2" and 7-13/32"

25090

 Used on Many GM, Ford, Mitsubishi and Chrysler Engines



Harmonic Balancer Puller SKU **1103576 29**99 37187

- Includes: Yoke, Pressure Screw and Pulling Screws
- · Floating Swivel Prevents Damage to Shaft Ends
- Ideal for Any Shop or Garage
- Pulling Balancers and More
- Heat-Treated for Strength and Durability



OEM TOOLS Long Reach Harmonic Balancer/Pulley Installer for GM, Ford and Chrysler SKU 1103550 3999 37306

• Use to Install Crank Pulley or Underdrive Pulley on Many Late Model Ford, GM, Dodge and Chrysler Vehicles with V8 and V6 Engines

 Includes: M16 x 2.0 mm (GM), M14 x 1.5 mm (Dodge, Chrysler and Jeep), M12 x 1.75 mm (Dodge Chrysler and Jeep) and M12 x 1.5 mm (Ford)



Universal Pulley and Fan Clutch Holder

SKU **547013** 8999 27281

- · Fits Many Different Fan Clutches, Cam and Crank Pulleys with Slots or Holes
- Adjustable Diameter: 1-1/2" to 8-5/8"
- Pin Sizes: 6-10 mm, 8-11 mm, 10-12 mm and 11-16 mm
- · Comes in Blow Mold Case



Harmonic Balancer Installer TOOLS **OEM** TOOLS SKU **1103603**

37144

29_{REG.} \$49.99 • Use to Properly Install Harmonic

Balancers without Damage Thread Adapters: 12 mm x 1.5 14 mm x 1.5, 16 mm x 2.0, 7/16" x 20, 1/2" x 20, 9/16" x 18, 5/8" x 18, 3/4" x 16

Offer Good While Supplies Last Through December 31, 2025



OEM TOOLS



Honda/Acura Crank Damper Holder Tool SKU **OSB** *19*99

26507

- For Removal and Installation of the Crank Bolt on Honda/Acura Engines (1990 - Newer)
- Designed to Hold Crankshaft Pulley to Install/Remove Crankshaft Pulley Bolt
- 50 mm Hex
- 1/2" Drive Works with Ratchet or Breaker Bar

For OSB, Call 901-300-4878



OEM TOOLS

Harmonic Balancer/Steering Wheel Puller SKU **532440 28** 99 25053

- Removes Balancers, Steering Wheels, Pulleys and/or Gears with Tapped Holes
- Floating Swivel Helps Prevent Damage to Shaft End
- Includes: 3 Nickel-Plated 5/16"-18 x 2" Coarse Pitch Bolts
- Includes: 3 Nickel-Plated 5/16"-18 x 2" Coarse Pitch Bolts
 Includes: 3 Yellow-Plated M8-1.25 x 80 mm Metric Bolts
- Includes: 3 Black Oxide-Plated 3/8"-16 x 4" Coarse
- Heat Treated Yoke Forged from High-Strength Alloy Steel for Longevity and Resilience



OEM TOOLS

2.7/5.2 L Ford EcoBoost Long Reach Harmonic Balancer/Installer SKU **1392336 49**99 CAL38710

• Designed to Achieve Easy Installation of Harmonic Balancers on Ford Ecoboost

 Can Be Used On 2.7 L, 3.0 L, 3.3 L and 5.0 L Engines in Ford/Lincoln Cars, Trucks and SUV



Balancer Pulley Puller SKU **1189050** CAL38000 • Eliminates Need to Remove

Ratcheting Harmonic

- the Radiator
- · Push Turn Click Design
- No Need for Bolts
- Applications: FORD 5.0 Coyote, GM 5.3 L, 5.7 (LS1), 6.0 (LS2), 6.2 (LS3), 7.0 L and Most Three and Six-Spoke Harmonic Balancers/Pulleys



OEM TOOLS

Hex Oil Pump Primers

• Used to Prime the Lubricating System of a Rebuilt Engine Prior to the First Start, Preventing a Dry Start

· Connects to the Oil Pump Shaft Through the Distributor Hole

• For Use with 3/8" Reversible Drill



Ford 5/16" SKU **534545** 27062

Ford 1/4" SKU **534537** 27061

OEM TOOLS

Piston Tools

Piston Ring Compressor SKU **013641** 1499 24682

• 1-1/2" Deep, Low Friction Wrinkle Band

• Fits 3" to 5" Pistons



- Eliminates Piston Ring Damage and Distortion During the Installation and Removal Process Dipped Rubber Handles for Improved Grip
- Diameter Range: 3-1/8"(80 mm) to 4-5/8" (120 mm)





Alternator Decoupler Pulley Tool Kit SKU **300124** 27261

- Works on Both Overriding Alternator Decoupler (OAD) and One-Way Clutch (OWC) Pulleys
 Tools May Be Used While the Alternator is On or Off
 Includes 2 Pulley Sockets and 3 Shaft Bits

- Comes in a Sturdy Blow Mold Storage Case



Alternator Decoupler Pulley Service Set SKU 1103629

· Removes and Installs Many Alternator Decoupler Pulleys on the Most Popular Vehicles

· Works on Both Overriding Alternator Decoupler (OAD) and One-Way Clutch (OWC) Pulleys



OEM TOOLS

AZG0425

Diagnostic

Compression Tester Gauge Set SKU 1103601 3999 37138

• Use to Test Compression 0 to 300 psi on 14 mm and 18 mm Spark Plug Ports and Determine Engine Mechanical Condition



8 Piece Noid Light Set SKU **1103589 20**99 37161

- Includes: GM TBI, GM SCPI, GM PFI, Ford TBI, GEO TBI, Bosch PFI, Bosch Type 2 and GM Multec 2
- See-Through Design to Check Electrical Pulses



Exhaust Back Pressure Tester/Gauge SKU **1**103604 **79**99

- Oxygen Sensor Adapter is M12 and M18 Thread
- 6' Hose Allows User to Test from Driver's Seat
- · Test for Restricted **Exhaust Systems**



Gas Engine Combustion Leak Tester SKU **1103608** 3499 37145

- Test for Internal Combustion Leaks on Gasoline Engines
- · Fluid Color Changes to Yellow When a Combustion Leak is Present
- Designed for Professional Auto Mechanics and **Heavy Duty Applications**
- · Not for Use with **Diesel Engines**

Use with 25739 **Test Fluid Listed** on Page 40



Vacuum Pump Tester Power Steering and Brake Bleeder Set SKU **1103570 49**99 37070

• Brake Bleeding Kit Bleeds Brakes, Clutches or Other Hydraulic Systems

 Kit Includes: Vacuum Pump Reservoir Jar with Transfer Lid, Storage Lid, Brake Bleeding Adapter Package, Steering Pump Adapters and Tubing

OEM TOOLS



Exhaust Tools

Exhaust Donut Stretcher SKU **390901 9**99 25543

· Easily Grabs onto Mounting Rubber Rings or Doughnut Used on Many Exhaust Systems

- Features an Offset J-Hook
- · Large Coated Handle for Comfort

OEM TOOLS **Exhaust Manifold Spreader Set** SKU **504028**

25253TWO

- Use for Reinstalling the Manifold on Small-Block Chevrolets
- Simple Way to Expand Warped Manifold to Align Bolt Holes
- Helps Prevent Cross-Threading of Manifold Bolts
- · Works Best When Used in Pairs or Install Before Removing Manifold to Prevent Misalignment



OEM TOOLS

OEM TOOLS

1-1/2" x 2-7/16" Tailpipe Expander SKU **ÖSB** 27027

• Extra Long Hex Bar for Convenience



OEM TOOLS

For OSB, Call 901-300-4878

Tailpipe Cutter SKU **OSB** 27045

- Used to Cut Tail Pipe Range 3/4" to 3-1/4" (19-83 mm)
- Cushion Grip Handles
- · Designed for Both On and Off Cutting



For OSB, Call 901-300-4878


Manifold Drill Template -Ford 2V and 3V SKU **213145** 8999

25251

- · Designed to Remove Broken Exhaust Manifold Studs
- For Ford Triton 2V and 3V Engines 4.6L, 5.4 L and 6.8 L V10
- · Drill Depth Gauge Marked on Each Adapter
- Interchangeable 2V and 3V Adapters
 Hi-Vis EVA Tray for Easy Storage and Organization
- · Includes: Template, 2V Adapter, 3V Adapter, 2 Stud Alignment Pins, 3/16" and 1/8" Double-Sided Drill Bits and Stud Extractor



Exhaust Pipe Stretcher Kit SKU **080137** 36999 LIS17350



• Use with Impact Wrench to Quickly Stretch Pipes



Manifold Drill Template for GM EcoTec3 5.3 L and 6.2 L SKU **1125865** LIS71650

- Removes Broken Exhaust Manifold Bolts without Damaging the Cylinder Head
- Tapered Bolts Allow You to Move from Hole to Hole without Moving Base Plate
- Screw Extractor Removes Broken Bolts
- Includes Bushing Drill Guide When Extractor Cannot Be Used









TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com





Cam phaser knock on 4.6/5.4 L 3V engines is common in older models and can lead to bigger problems if not fixed. There are millions of trucks on the road with this problem, but until now, there have been few good options to permanently help fix the knock. This kit helps to eliminate any knocking noise heard from the front valve cover/timing cover related to the phasers. These all-in-one kits correct the cam phaser knock on ONE engine.

Stop Saying "No" to Business and Be Confident Your Customers Will Be Satisfied!



This Kit is the Only True, Long Term Repair for Ford Cam Phaser Noise on the Market

Cam Phaser Noise Repair Kits Include:

- Wedge Tool for Easier Installation
- Programmer with OBD-II Cable
- 2 OEM Quality Phaser Bolts
- 2 Lock Outs

Ford Cam Phaser Noise Repair Kit SKU **OSB**

LMEF1503V

OEM TOOLS

· Fits Ford OEM Cam Phaser

Ford, Livernois and logos featured or referred to on this page are the property of their respective trademark holders | For OSB, Call 901-300-4878

Fan Clutch Tools

Fan Clutch Wrench Set SKU **1103596** 37141


REG. \$99.99

 Works on Many of the Ford, Mazda, Dodge, Lincoln, Mercury and Jeep Makes and Models with the Original Fan **Clutch Assembly**

Includes Wrench Sizes: 40 mm, 48 mm, 54 mm, 68 mm, 72 mm, 76 mm and

Offer Good Through December 31, 2025

Pneumatic Fan Clutch Wrench Set SKU **291409** *219*⁹⁹ LIS43300



· Includes Wrench Sizes: 32 mm, 36 mm, 40 mm; 7/8", 1-7/8" and 2"



Fan Clutch Service Set for TOOLS Mercedes-Benz and BMW

SKU **512958 174** 99

- · Removes Lock Nuts on Thermo Viscous Fans Found on Mercedes-Benz, BMW and Many Ford Models
- Special Open-Ended Spanner to Allow Removal and Replacement of the Radiator Fan Hub
- The 3-in-1 Design Allows Servicing of 3 Separate Areas of Repair, Eliminating the Need for 3 Different Tools
- Hub Securing Bar Used for Securing Water Pump Hub from Rotating During R&R of Fan Clutch Nut
- Applicable: Mercedes M103, 104, 111, 119, 120 OM 602, 603, 605, 606; the 10 mm is Used for Adjusting A/C Belt Tension and R&R of Idler Pulley on Models 420, 560 with V-819 (1986 and Newer)

 Applicable: Mercedes M103 (6 CYL. M104 (6 CYL 4 VLV), M119 (8 CYL 4 VLV)

M120 (12 CYL 4 VLV)

OEM TOOLS

Stretch Belt Tools

Stretch Belt **OEM** TOOLS **Installation Tool** SKU **227301** 24363

- · Works on Both Large and Small Pulleys
- · Clamping Jaw Allows User to Position Serpentine Belt without the Belt Slipping Out of the Tool





the Tool in Place on the Pulley · Compact, One Piece Tool Can Be Used on the Front or Back Side of the Pulley



Pulley and Fan Clutch Holders

Fan Clutch Holding Tool SKU **209526** 27171

- For Fan Clutch Repair and Service
- Holds Water Pump Pulley while Servicing Fan Clutch Adjustable Jaws
- Fits Most Water Pump Pulley Bolt Patterns, Including Pressed-On Pulleys
- Jaws Will Lock in Place, Securing Water Pump Bolts
- Longer Handle Provides Leverage for Extra Torque



Universal Pulley and Fan Clutch Holder SKU **547013 89**99

- · Fits Many Different Fan Clutches, Cam and Crank Pulleys with Slots or Holes
- Adjustable Diameter: 1-1/2" to 8-5/8"
- Pin Sizes: 6-10 mm, 8-11 mm, 10-12 mm and 11-16 mm
- · Comes in Blow Mold Case





CHASSIS & SUSPENSION

Ball Joint Service Kits

XL C-Frame Ball Joint Press Set SKU **1142924** *149*99 25105

• Ideal for Pressing Out Larger Ball Joints on Pick-Up Trucks: Toyota Tacoma and Tundra, Chevrolet 2500-3500 and Tahoe, Dodge Ram 2500-3500 and Ford F350-F550

• Extended C-Frame Allows Use of Multiple Larger Adapters That Standard C-Frame

Presses Won't Fit · C-Frame Constructed with Heavy Duty Forged Steel for Strength and Durability

 For Use with OEMTOOLS® Ball Joint Press Kits and Adapter



74 Piece Master Ball Joint Press Kit SKU **1207895 999**99 37388

· Adapters for Almost Every Car, Van, SUV and Light Duty Truck

Comprehensive Kit with 70+ Adapters and C-Frame

. Tough Heavy Duty C-Frame is Built to Last

· 2 Heavy Duty Molded Cases are Designed for Storage and Mobility

Easy to Read Mánual for Finding Adapters Quickly and Easily

OEM TOOLS





25219 With

Purchase of: 37388

Offer Good Through December 31, 2025

21 Piece Master Ball Joint Press Set SKU **1142406** 25104

- Removes and Replaces Press-Fit Upper and Lower Ball Joints on 2-Wheel Drive (2WD) and 4-Wheel Drive (4WD) Vehicles
- · Includes Adapters with Specialized Cut-Outs to Maneuver Around Obstructions


· Includes Adapters Needed for Removing Upper and Lower Ball Joints on GM,

Ford and Chrysler 2WD and 4WD Light-Duty Trucks, Vans and SUVs

· Heavy Duty Forged Steel Alloy C-Frame for the Toughest Jobs — Ideal for Seized Joints



Master Ball Joint Installer/ Remover Adapter Set SKU **1103612** 8999 REG. \$99.99 37310



Works on Press-Fit Upper and Lower Ball Joints

 For Use with OEMTOOLS® **Ball Joint Press Kits** and Adapter Sets



Offer Good Through December 31, 2025

Ball/U-Joint Press with 4WD Adapter Set SKU 1103607 37089

- Remove and Replace Ball Joints on Many Vehicles
- C-Clamp Frame Press Also Removes and Replaces U-Joints
- Includes Adapters to Service 1/2 to 3/4 Ton 4 Wheel Drive Vehicles Equipped with Dana 44 Series Front Axle



Ball Joint Tools

Ball Joint Separator SKU 1340232 3999 37308

- Used for Separating the Ball Joint from the Spindle Support Arm on Domestic and Import FWD Vehicles
- · Adjustable for Different Size Ball Joints
- Max. Opening Range: 1-1/8" to 2-1/8"



Pressure

Screws

Low Profile Ball Joint Separator SKU **1245676 19**99 25112

· Designed for Tight Access Where Many Ball Joint Separators Won't Fit

• For 2005+ Ford, Lincoln and Mercury **Applications**

Impact Rated



Polaris ATV Ball Joint Tool

SKU **1142310** 24683

49⁹⁹ REG. \$79.99

 For Removal and Installation of Upper and Lower Ball Joints on Sportsman XP, RZR and Ranger ATVs

Offer Good Through December 31, 2025



OEM TOOLS

3/4" Drive Ball Joint Impact Socket 1-59/64" SKU **662809 79**99

24238 · Used on Chrysler/Dodge Mid-Size Cars, Light Trucks and Vans

3/4" Drive Ball Joint Impact Socket 2-9/64"

SKU **462494** 24215

· Used on Chrysler/Dodge Cars, Light Trucks and Vans



Hydraulic Ball Joint Separator SKU **177718** 25219 REG. \$129.99

- Hydraulic Ram Rated to 8 Tons
- Jaw Capacity: 56 mm (2.25")
- Jaw Width: 22 mm (0.86")



Offer Good Through December 31, 2025





- Adjustable for Different Size Ball Joints
- · Max. Opening Range: 1-1/8" to 2-1/8"
- Fork Opening Measures 7/8"
- Steel Construction with Black Oxide Pins
- · Comes in a Sturdy Blow Mold Case

05/

CHASSIS & SUSPENSION

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com





Bracket Design Easily Adjusts to Accommodate a Wide Range of Vehicle Strut Sizes


> No Special **Adapters Required**

Floor Mounting Hardware Not Included

Coil Spring Compressor SKU 1103643 37035 REG. \$69.99

Use to Safely Compress the Coil Spring on Most Cars and Light Trucks

· Can Also Be Used When Installing Coil Spring Spacers



Offer Good While Supplies Last Through December 31, 2025

Model 7600 Strut Spring Compressor

SKU **547959** BRA7600 · Handles the Toughest

Applications Min./Max. Spring Diameters: 3.5"/11.5"

· No Adapters Required

OEM by Major



Branick

Cart for BRA7600 SKU **547960** BRA00-0137 *599*⁹⁹

Mechanical Strut Compressor SKU **OSB** QSPMSC-1000 Call for Price

· Designed to Handle Any Size Spring and Strut Assembly

 Adjustable Extra Strong Clamps for a Perfect Grip · Top Mounted

Tool Tray Standard

Wall Mount · Safety Guard Included

 Optional Floor Mount and Third Hand Support Kits



For OSB, Call 901-300-4878

OEM TOOLS

Coil Spring Compressor Set SKU **1103614 39**99 37200

· Forged Construction for Strength and Durability Removes and Installs Coil Springs Quickly and Safely

· Compresses Coil Springs on Most Passenger Cars and Pickup Trucks



Strut Spring Compressor SKU **1207884** 37036 REG. \$54.99

• Used to Compress Strut Springs During Cartridge Replacement

 Safety Latches Lock Spring in Place During Compression Hooks are Forged and Center Screw is Hardened for Longer Life

. Thread Length: 9'

 Can Be Used with Varying Coil Diameters Up to 5/8'

OEM TOOLS



Offer Good While Supplies Last Through December 31, 2025

Suspension

OEM TOOLS

GM Upper Control Arm Knock Out Tool SKU **420336 24** 99 24210

· Services Chevrolet and GMC 1/2, 3/4 and 1 Ton, 2 and 4 Wheel Drive Trucks (1989 to 2001) and All Wheel Drive Chevrolet Astro and

to 2002)



Shock Socket

OEM TOOLS

SAVE

OEM TOOLS

Volvo Shock Retaining Nut Strut Removal Socket Tool

SKU 300125 1999 24365

• Remove and Install Top Shock Retaining Nut on Volvo Models

 Applications Include: Volvo C70 (1999-2004), Volvo S40 (2000-2004), Volvo S60 (2001-2004), Volvo S70 Non-Turbo (1999-2000), Volvo S70 Turbo (1999-2000), Volvo S70 AWD Turbo (1999-2000), Volvo S80 (1999-2004), Volvo S80 V8 (2007-2008), Volvo S80 Turbo (1999-2006), Volvo V40 (2000-2004), Volvo V70 (1999-2007). Volvo XC90 (2003-2010)

Front End Service Kit

5 Piece Front **End Service Kit** SKU **1267952**

26554 · Large and Small Pitman Arm Puller

for Ball Joint Application Two Ball Joint Separators

· Three Tie Rod Pullers

Torsion Bar Tool

OEM TOOLS

GM, Ford, Chrysler Torsion Bar Tool SKU **1103600**

37278

• Safely Loads and Unloads 5-Lug, 6-Lug and 8-Lug GM, Dodge and Ford Torsion Bar Suspensions for Key Replacement

• Extended Long Reach "C-Clamp" for Use with

2011 and Higher GM Heavy Duty Trucks

Includes Ford/Dodge Adapter



AZG0425

CHASSIS & SUSPENSION

Hub Bearing

Brake Drum and Rotor Puller SKU **1125878** 159⁹⁹ 25106

- Use on Most FWD and AWD (Some RWD) Vehicles.
- Use with Impact Wrench to Remove Hubs, Drums and Brake Rotors
- · Includes 3 Hub Adapters for Use with Most Common Hub Sizes and Types
- Jaw Spread Up to 14" with 5" Reach
- Durable Forged Frame Rated to 7 Tons of Pulling Force for the Toughest Jobs
- Drum and Rotor Pulling Arms Feature with Raised Stops for Use with Ratchet Straps (Not Included)
- · Easily Adjust the Arms and Set Puller in Place for Tough Pulling Jobs in Tight Spaces





Master Wheel Hub and Bearing Remover and Installer Set SKU 1103635 39999 37342

· For Removal and Installation of Front Wheel Hub on Most Vehicles

- · Self Centering Design is Incredibly Durable and Easy to Use
- · Works on Front, Rear and All-Wheel Drive Vehicles
- · Heavy Duty Thrust Bearing Reduces Effort and Extends the Life of the Pressure Screw
- · Includes: Adapter Shoes, Pusher Washers, Receiver Sleeves, Nut-Bolt and Heavy Duty Bearing



OEM TOOLS

Wheel Hub Removal Tool SKU **1245618 114** 99 25749

- Ideal For Removing a Frozen Hub Assembly without Damaging the Axle
- WALES STRONGER • For Use on Many Axle Bolted Hubs Including Five, Six and Eight Lug Hubs
- · Constructed from High-Quality, Impact-Resistant and Corrosion-Resistant Steel
- 2-5/8" Center to Center Hole Pattern
- 3/4" Steel Backing Plate and Reinforced Striking Plate for Long Life



- · Fits Most Domestic and Import Vehicles
- Yoke and Bolt are Threaded 5/8" x 18
- Heat-Treated Pressure Screw for Toughness





Slide Hammer Not Included

Tie Rod Tools

Master Inner Tie Rod Tool Set SKU **344979** YREG. \$99.99 27178

- Works on Both Small Cars and SUVs
- Tube Handle Has an Inner Diameter of 2.125" to Service Small Cars,
- Includes 12 Crowfoot Style Adapters, Sizes: 29 mm, 1-3/16", 1-1/4", 32.5 mm, 1-5/16" 33.6 mm,

1-3/8", 1-7/16", 1-1/2", 38.4 mm, 40 mm and 42 mm





OEM TOOLS

- Pickups and Large SUVs

Offer Good Through December 31, 2025



OEM TOOLS

OEM TOOLS Tie Rod **End Remover** SKU **209525**

- Comes with Pressure Screw Tip Swivels for Damage Free Results
- Will Not Damage Tie Rod End Dust Boot
- · Rust Resistant Finish

27175



fisle

Inner Tie Rod Tool Kit SKU **217377 54** 99 27185

- Removes and Installs Tie Rod End on Rack and Pinion Steering
 • Includes: 3/16", 5/16" and
- 7/16" Adapters



OEM TOOLS

Inner Tie Rod Tool SKU **291414** LIS45750

• 6 Sizes: 1-3/16", 1-1/4", 1-5/16", 1-7/16", 1-1/2 and 33.6 mm



Pitman Arm Puller

Pitman Arm Puller for Light Trucks SKU **OSB** 5499 27170

- · Services Cars and Light Trucks 3/4 Ton
- · Features Forged Adjustable Jaws and
- Designed for Striking



Pickle Forks

Stepped Pickle Fork Set SKU **291410 79**99 LIS41400

- 6 Tools in One
- Includes: 11/16" 15/16", 1-1/8" Forks



5 Piece Tie Rod and Ball Joint Set SKU **1103626** 37201

- Used to Remove Tie **Rods and Ball Joints**
- Includes: 11" x 1-1/8" 11-3/4" x 1-5/8", 11-5/8" x 1-7/16" 16" x 11/16"

and 16" x 15/16"

Offer Good Through December 31, 2025







OEM TOOLS

OEM TOOLS

CHASSIS & SUSPENSION

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

CV Axle Nut Sockets

12 Pt. 39 mm Axle Nut Socket SKU 824759 27321H

· Replacement Part for OEMTOOLS 27321 8 Piece Axle Nut Socket Set (12 Pt.)



Axle Nut Socket Sets

• Includes Sizes: 29, 30, 32, 34, 35, 36, 38 and 39 mm

6 Pt. sки 1103577 37320

12 Pt. SKU 1103460 37321



OEM TOOLS

See AZTOOL1.com for Full Line of CV Axle Nut Sockets

Bushing Tool Set


Manual Bushing Installation and Removal Tool Set SKU 298214 *299*⁹⁹ 27212

· Comprehensive Kit for Fast and Effective Removal/Installation of Wheel Bearings/Suspension **Bushings and Seals**

· Allows the Technician to Service a Wide Range of Bushings without Removing Components from the Vehicle

Comes with 20 Sleeves for Hundreds of Combinations

• External Sleeve Diameter: 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80 and 82 mm



Axle Tools

CV Axle Puller Adapter SKU 02061 **19**99 27058

• Works with OEMTOOLS 37033, 37191, 27085, 27033 and Other Slide Hammer Pullers with 5/8" x 18 Threads



CV Axle Popper Set SKU 1189082 34 99 37305

- · Includes: Axle Shim Tool and Fork/Wedge Tool
- Length: 13-3/4"
- · Used to Remove Axles from the Transmission, Ball Joints in the Suspension System and Tie Rods
- Fork Design Allows Mechanic to Exert Force Evenly on Both Sides of the Axle



5 Lb. Slide Hammer SKU 1103572 .54 99

• Use to Pull Bushings, Seals, Sleeves, Bearings, Flange-Type Rear Axles, Front-Wheel Drive Hubs, Dents and Pressed-In Bolts with Two or Three Jaw Puller Options

 Slide Rod is 3/4" x 16 Standard Threads



4WD Spindle Puller SKU 143436 27104

- Use with OEMTOOLS Slide Hammer 27033
- Fits Most Spindles 1-1/2" 1-5/8" and 2" on 4 Wheel **Drive Vehicles**
- · Heat-Treated for Strength
- · Will Fit on 2 Puller Size Shafts 1/2" x 20 Threads and 5/8" x 18 Threads




Rear Axle Puller Set SKU 094801 11499 27202

• Use for Flange-Type Rear Axle and Bearing Removal on Most Late Model Passenger Cars and Light Trucks

SKU 1103639

 Slide Rod and Adapters are 5/8" x 18 Standard Threads





Bearing Race and Seal Master Driver Set

34 99 REG. \$49.99

Axle Spindle Threading Set SKU 1103645 49 REG. \$84.99

Use to Clean or Repair Axle

Set Comes with a Special Twist Shape That Provides Easier and Quicker Work

Sizes Included: M20 x 1.25, M20 x 1.50, M22 x 1.00, M22 x 1.50, M24 x 1.50, M24 x 2.00, 13/16" x 20 UNEF, 3/4" x 20 UNEF and 27 mm Extension Bar

Offer Good While Supplies Last Through December 31, 2025



Seal Tools

Transmission/Transaxle Plugs sки **298196** 24490

- Includes 5 Plugs to Seal Both Transmissions and Transaxles on Most Import and **Domestic Vehicles**
- · Stepped Design for Retention and Positive Sealing
- Includes Side Gear Centering Pin for Ford Transaxles





Offer Good While Supplies Last Through December 31, 2025

Seal Puller SKU OSB 25014

- 2 Tops Fit All Seal Sizes
- · Pops the Seal Out Every Time
- No Pounding or Hammering
- · Protects Bearings and Races



For OSB, Call 901-300-4878

CHASSIS & SUSPENSION

Power Steering Bleeders

Vacuum Pump Tester, Power Steering and Brake Bleeder Set sки 1103570 **19**99 37070

• Includes: Vacuum Pump Reservoir Jar with Transfer Lid, Storage Lid, Brake Bleeding Adapter Package, Steering Pump Adapters and Tubing



Power Steering Bleeder Set SKU 434716 2999 27311

Reduce Comebacks

- Eliminate Trapped Air in Power Steering and Brake Systems Following Repairs or Fluid Changes
- Includes: 2 EPDM Tapered Rubber Adapters to Fit Most Power Steering Pumps and Reservoirs, Reservoir Bottle to Protect Hand Vacuum Pumps and 3 Sizes of Brake Bleeder Adapters
- Works with a Hand Vacuum Pump



Drive Line Tool

1/2" Drive OEM TOOLS (12 mm)Ford Drive Line Impact Socket SKU 420319 24212

· Applications Include Many Ford Drive Line Bolts

• 12 mm, 12 Pt.



Power Steering Pullers

Power Steering Pulley Remover/ Installer - Ford, GM, Chrysler SKU 1103578 34 99 37031

- · Includes 2 Screws for Use on Most Ford, Chrysler, GM and VW Power Steering Pulleys
- · Pulls Pulleys on GM Belt Driven Vacuum Pumps and Pressed-On Water Pump Pulleys of GM V6 Engines



Steering Wheel Puller SKU 1103540 $\Lambda\Lambda^{99}$

- · Designed for All Major Makes and Models
- Sizes Included: 1/4" x 28, 8 mm x 1.25, 5/16" x 18, 5/16" x 24, and 3/8" x 16



U-Joint Tools

OEM TOOLS

U-Joint Pullers

- · Easily Removes Seized U-Joint Cups on Most Passenger Vehicles and Light Duty Trucks
- · Does Not Damage the Driveshaft, Yokes, Joints or Bearing Cups

Automotive SKU **949561** 24539

• Bearing Cup Outside Diameter: 1" to 1.25"

Intermediate SKU 949565 24548

• Bearing Cup Outside Diameter: 1.25" to 1.7'

Heavy Duty SKU 041474 24538

24549

One Process

· Contact Points

Cups During

Feature Magnets

to Retain Bearing

Automotive Bearing Cup Installer

• For the Installation of Bearing Cups on Light-Duty and Medium-Duty U-Joints

· Efficiently Install 2 Bearing Cups in

· Bearing Cup Outside Diameter: 1.5" to 2.2"

SKU 949571 5999



GM Axle Hub Nut Socket SKU 298219 2999 25967

- Applications: GMT900 Silverado, Sierra HDCS, 2-Wheel (2WD) and 4-Wheel (4WD) Drive Cheyenne, Silverado, Escalade, Sierra and Avalanche Trucks with 10.5" or 11.5" Ring Gear
- · Has 9 Pins to Fit GM Style Retaining Nuts
- Unapproved Methods Can Damage the Bearing or Result in Shorter Service Life



Ford Rear Axle Nut Wrench SKU 1392337 27353

· Services 2003-Newer Ford F-250, F-350 and F-450 Super Duty Trucks with 10-1/2" Rear Axle

- · Same as Ford Part Number 205-448
- · Use with a 1/2" Drive Ratchet or Breaker Bar

25243

Automatic

Locking Hubs



1/2" Drive Socket Bearing Locknut SKU 231203

· Fits Adjusting Nuts Found on Ford F150 Trucks (1995 to 1996) and Full Sized Broncos with



4WD Ford - Dodge Spindle Socket, 76 mm x 80 mm SKU 603347 **19**99 25966

• 1/2" Sq. Drive

4WD Ford

SKU 603346

25965

Spindle Socket,

66.5 mm x 80 mm

• Fits Ford F-Series 1/2-Ton Truck and

Full-Size Bronco with Manual Hubs;

1-Ton Trucks with Manual Hubs;

Jimmy; 1969-89 Dodge 1/2-Ton

International 1/2-Ton Truck

Truck with Manual Hubs; 1969-72

1995-Newer Ford F-Series 3/4-Ton and

1959-85 Ford F-Series 1/2- and 3/4-Ton

Trucks and Full-Size Bronco; 1960-90

GM 1/2-Ton Truck and Full-Size Blazer/



OEM TOOLS

Toyota 8 Pin Front Hub Locknut Socket sки **298205 29**99 25962

· Allows for Easy Removal and Installation of Front Hub Lock Nut without Damage to the Nut

• Applications: Toyota 4Runner 2WD (2007 to 2014), Toyota Sequoia (2008 to 2014), Toyota Tundra (2007 to 2014)



Dodge Hub Locknut Socket SKU 344964 1499 25968

- Fits Dodge 1/2-Ton Pickup Trucks (1994-Newer) with Dana 44 Front Axle and Dana 60 Axle with a Vacuum Disconnect
- Designed to Accommodate the 1-11/16" (43 mm) Wheel Bearing Retaining Nut Which is Recessed into the Hub



Toyota 4 Pin Hub Locknut Socket SKU 298224 25969

- Services High Torque Locknuts on Toyota 4WD Vehicles Having Free Wheel (Lock Out) Hubs
- Tacoma (1995-Newer); T100 and 4Runner (1996-Newer)
- Improved Design with Solid Pins for Increased Durability









TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

FOR MORE DETAILS ON RECOVERY MACHINES GO TO AZTOOL1.COM

Recovery Machines

ArcticPRO®



	Refrigerant 134a			Refrigerant 1234yf		
MAHLE	ACX-2150 R134a Recovery Machine SKU 213170 MSSACX2150	ACX-2180 R134a Recovery Machine sku 213168 MSSACX2180	ACX-2180H R134a Hybrid Recovery Machine SKU 213203 MSSACX2180H	ACX-2250 R1234yf Recovery Machine SKU 213151 MSSACX2250	ACX-2280 R1234yf Recovery Machine SKU 1187032 MSSACX2280	
Automatic Oil Drain	✓	✓	✓	\checkmark	✓	
Automatic Air Purge	✓	✓	✓	\checkmark	✓	
Included Database	Optional	✓	✓	Optional	✓	
Automatic Oil and Dye Injection	✓	✓				
Includes Refrigerant Identifier				√ **	✓*	
Phone Application	Optional	✓	✓	Optional	✓	
Price	4,39999	5,099999	5,09999	<i>6,349</i> ⁹⁹	7,249 ⁹⁹	

On-Board Integrated Thermal Printer (Optional) *Integrated **Non-Integrated

ECOTECHNICS/



Description	Hybrid Ready R134a SKU 1339733 H0FEEAC820B	Hybrid Ready R1234yf SKU 1335790 H0FEEAC830B	Eco Dual Gas A/C Service Station SKU 1335792 H0FEEAC800	
Refrigerant Type	R134a	HFO-1234yf	R134a + HF01234yf	
Refrigerant Tank	Refrigerant Tank 30 Lb.		30 Lb. + 30 Lb.	
Command Valves	Automatic	Automatic	Automatic	
Display	5" Touch	5" Touch	7" Touch	
Database	✓	✓	✓	
Printer	√	√	√	
Status Light	✓	✓	✓	
Hybrid Function	√	√	√	
Price	<i>5,2</i> 49 ⁹⁹	6,799 ⁹⁹	<i>10,499</i> ⁹⁹	

KUNFURT



HOFEEAC800

TEXA	750R R134a Recovery Machine SKU 1282745 TEXZ11450	760 R1234yf Recovery Machine SKU 1282756 TEXA17910	780 Dual Gas Recovery Machine SKU 1282809 TEXA17810
Automatic Oil Drain	✓	\checkmark	$\sqrt{}$
Automatic Oil and Dye Injection	✓		
10 in. Multi-Touch Display		\checkmark	✓
R134a Management	✓		✓
R1234yf Management		✓	✓
Vehicle Capacity Database	✓	✓	✓
Software Update Over Wi-Fi		✓	✓
Push-Pull Recovery	✓	✓	✓
Fully Automatic Operation	✓	✓	√
Price	<i>5,399</i> ⁹⁹	<i>8</i> ,749 ⁹⁹	<i>10,549</i> ⁹⁹

Recovery Machines





Warranty: 1 Year Parts and Labor

ROBAC1234-9

Description	AC1234-4 Premier R1234yf SKU 1212384 R0BAC1234-4	AC1234-9 Connected R1234yf ACS SKU 1212383 R0BAC1234-9	34288NI Economy R134a SKU 221185 R0B34288NI	34788NI-H Premier R134a Refrigerant for Hybrid and Non-Hybrid Vehicles SKU 751572 R0B34788NI-H	34788NI Premier R134a Refrigerant SKU 751569 R0B34788NI	34998 Connected R134a ACS SKU 1212385 R0B34998
Operation	Automatic	Automatic	Semi-Automatic	AutomaticHybrid VehicleApplications	Automatic Auto Oil Injection	Automatic Auto Oil Injection
Display	4.3" LCD Display	10" Hi-Res Touch Screen	4.3" Full Color Display	4.3" Full Color Display	4.3" Full Color Display	10" Hi-Res Touch Screen
Printer	ROB30038 (optional)	Wireless Printing	ROB30038 (optional)	ROB30038 (optional)	ROB30038 (optional)	Wireless Printing
Bluetooth and Wi-Fi		✓				✓
Price	6,39599	7,44999	4,09999	4,89999	4,89999	5,999999



cps.	R134a SKU 1407803 CPSMSX134	R1234yf SKU 1407806 CPSMSX1234	R134a/R1234yf SKU 1407510 CPSMSX3030	Heavy Duty R134a SKU 1407805 CPSMXHD
Fully Automatic	✓	✓	✓	\checkmark
Onboard Oil Injection	✓			
High Capacity Oil-less Compressor	✓	✓	✓	✓
Vehicle Database Included	✓	✓	✓	✓
10 Ft. Service Hoses	✓	✓	✓	18' Hose
Includes 2 Tanks and 2 Sets of Hoses			✓	
Wi-Fi and Bluetooth Enabled	✓	✓	✓	✓
Touch Screen	7" Hi-Res	7" Hi-Res	7" Hi-Res	7" Hi-Res
Includes Refrigerant Identifier		✓	✓	
Converts Between R134a and R1234yf in 10 Min.			✓	
<i>Price</i>	<i>5,399</i> 99	<i>6,999</i> ⁹⁹	9,29999	7,64999

Recovery Machine Filters/Maintenance Kits











SKU	Part Number	Brand	Fits	Price
522875	ROB34430	Robinair	17700A, 34450, 34700, 34134Z	133.99
414883	ROB34724	Robinair	34288, 34788, 34788NI, 34788NI-H, 34988, 347002, 341342	89.99
752703	ROB13172	Robinair	Maintenance Kit for Models Using 34724 Filter - Includes Oil	159.99
186483	CPSARXF5	CPS	FX and AR Series CPS Equipment	99.99
1149172	CPSFX3030X1	CPS	Includes FX Series Filter, Vacuum Pump Oil and Coupler O-Rings for FX134A	154.99
389222	389222 MSC69788FLTPK Mastercool		69788, 69789 and 69789-H	249.99
199681	MSCCOM1FLTRPK	Mastercool	Commander 4000 and 4000x	184.99
199675	MSCCOM2FLTRPK	Mastercool	Commander 1000, 2000 and 3000	229.99
1149182	MSS3608325400	Mahle	ACX2180, ACX2180H and ACX2280	119.99
207349	MSS268077600	Mahle	ACX1120H, ACX1150, ACX1150H and ACX2120H	119.99
207508	MSS3608273900	Mahle	ACX1280, ACX2150 and ACX2250	114.99
818739	RTI3608213300	Mahle	RHS980 and ACX1180	119.99
1406968	106968 HOFEEAC33023B EcoTechnics HOFEEAC800, HOFEEAC810, HOFEEAC820B, HOFEEAC8		HOFEEAC800, HOFEEAC810, HOFEEAC820B, HOFEEAC830B	99.99

A/C VACUUM PUMP KITS - BETTER VALUE FOR YOUR MONEY

Starter A/C Vacuum Pump Kit - R134a SKU 1400034 68950



R134a and R1234yf Spark-Free A/C Vacuum Pump Kit SKU **1400036** 68951

• Includes: 6 CFM, 75 Micron, Spark-Free Single Stage Vacuum for Use with R134a or R1234yf, Extruded Aluminum Manifold Gauges, 72" Hoses with High Quality Manual Couplers, R1234yf Conversion Couplers That Convert R134a Manifold and Hoses to R1234yf, 1/2" ACME Right Hand to 1/2" ACME Left Hand Tank Adapter, 1/4" SAE x 1/2" ACME Hose to Vacuum Pump Adapter and R134a and R1234yf Can Tap



REG. \$404.98

When You Buy the Kit

OEM TOOLS

Electronic Leak Detection

A/C Refrigerant Leak Detector SKU **466307** 24510

- Detects All Types of Halogenated Refrigerants

 Sensitive to 0.1 Oz. per Year Single Color LED Display with 7 Level Leak Alarm
- Flexible Stainless Steel Probe to Reach Almost Any Space
- Includes Spare Sensor Tip
- Works with 1234yf

OEM TOOLS



Black Series Infrared Refrigerant Leak Detector

SKU **OSB** MSC55600-A

- Easily Select Sensitivity Levels with a Maximum Sensitivity Up to 0.14 Oz./Yr.
 TFT Screen Provides Clear and Easy Readings
- That Show Leakage, Sensitivity, Battery Level and Sensor Fault Indicators
- Designed to Meet EN14624, SAE1627, SAE2791 and SAE2913 Standards



Raptor Refrigerant Leak Detector SKU **916550 274** 99 MSC56100

- Features 3 Sensitivity Levels and 5 Detection Levels
- Detects Leaks as Small as 1/10 Oz. per Year
- Detects All Refrigerants (CFC, HCFC, HFC)
- Flexible 16" Probe for Hard-to-Reach Areas
- Works with 1234yf



Inspector 2-in-1 Electronic/UV Leak Detector SKU 916553 29999 MSC56200

- Pinpoint Leaks as Small as 1/10 Oz. (3 gr) Per Year
- · Built-In Ultra-Bright UV Light at End of Probe Allowing Easy Access into Tight Areas
- · Works with 1234vf



Mastercool:

Portable Recovery Systems

R-134 Twin Turbo Complete Recovery Machine

SKU **OSB** MSC69360 1,99999

- Largest Volume Recovery Rate on the Market
- · For Use with All Refrigerants Including R410A
- Injection Molded High Density Polyethylene Case for Maximum Durability
- · Safety High Pressure Switch
- Revolutionary Double Piston Oil-Less Compressor



R1234yf Twin Turbo Complete Recovery Machine

SKU **OSB**

1,99999 MSC69360-YF

- Revolutionary Double Piston Oil-Less Compressor
- Largest Volume Recovery Rate on the Market
 Includes: 30 Lb. DOT Tank, Sight Glass,



R134a/R1234yf Complete A/C Recovery Set

SKU **OSB** MSC69372



 Built with the Safest Spark-Free Components
 Includes All Hoses and Couplers Needed to Recover, Cleanse and Remove the Oil from R134a and R1234yf Automotive A/C Systems

Refrigerants Included with Each Unit (Refrigerant Sold

- Separately) • 115V/60 Hz
- 1/2 HP Oil-Less Compressor
- Compatible Refrigerants: All CFCs, HCFCs and HFCs



AZG0425

To Confirm Price, Availability and Ordering Instructions on OSB, Call 901-300-4878

Vacuum Pumps

1.8 CFM Single Stage Vacuum Pump SKU 466312 24500

- Motor: 1/4 HP, 110V
- Ultimate Vacuum Rating: 100 Microns
 Inlet Ports: 1/2" ACME 1/4" Flare
- Oil Capacity: 6.7 Oz. (200 mL), Included
- Internal High Volume Cooling Fan for Extended Use



4 CFM Single Stage Vacuum Pump SKU 466305 24501

- Motor: 1/3 HP, 110V
- 75 Microns
- Inlet Ports: 1/2" ACME 1/4" Flare
- Oil Capacity: 11 Oz. (330 mL), Included
- Internal High Volume Cooling Fan for Extended Use



6 CFM Single Stage Vacuum Pump sku 466306

24502

- Motor: 1/2 HP, 110V
- 75 Microns
- Inlet Ports: 1/2" ACME 1/4" Flare
- Oil Capacity: 11 Oz. (330 mL), Included
- Internal High Volume Cooling Fan for Extended Use



6 CFM Spark-Free Vacuum Pump SKU 213133 24642

- · Motor: Spark-Free 1/2 HP, 110V
- Ultimate Vacuum Rating: 75 Microns 3 Inlet Ports: 1/4" Flare, 1/2" ACME and 1/2" ACME LH
- Oil Capacity: 330 mL, Included
 Internal High Volume Cooling Fan for Extended Use
- Can Be Used with R1234yf Refrigerant



Black Series 1.8 CFM Single Stage Vacuum Pump MSC90059-BL 18499

- 80 Microns
- 1/4 HP
- 110/120, 60 Hz
- T-Fitting 1/4" FL-M x 1/2 ACME-M



▼ Mastercool:

1.8 CFM Deep Vacuum Pump SKU 1330695 MSC290059RCL

✓ Mastercool[®]

- 1.8 CFM Deep Vacuum Pump
- 1/4' and 1/2' Fittings
- · For Use with Multiple Refrigerants



▼ Mastercool:

3 CFM Single Stage Vacuum Pump SKU 1392324 23999 MSC290062

· Large Fan Keeps Vacuum Pump Cooler and Extends Life • 1/4" SAE and

1/2" ACME Port Access • 110-120V, 60 Hz Voltage



◆ Mastercool:

6 CFM 2 Stage Vacuum Pump SKU OSB MSC900662V-BL

• 15 Microns

- 1/2 HP
- 110/220, 50/60 Hz Includes: 3 Inlet Ports: 1/4",
- 3/8" SAE and 1/2" ACME



Spark-Free 6 CFM Vacuum Pump (Single Stage) SKU 1400035 MSC90066BLSF

- 80 Microns
- 1/3 HP
- 110/120V, 60HZ
- T-Fitting 1/4" FL-M x 1/2 ACME-M



For OSB, Call 901-300-4878

Air-Operated Vacuum Pump SKU 544730 44 99 24533

- Includes: 1/2" ACME (R134a) and R12 Connectors
- · Air Pressure Range: 75 to 180 psi
- Air Consumption: 4.2 CFM @ 90 psi
- Vacuum Capacity: 28.3" of Mercury @ 90 psi



Vacuum Pump Oil (8 Oz.)

SKU 363429 24399

- Increases Life Span of the Pump • Performance of Your Pump Depends on Regular Service and the Quality and Purity of the Vacuum Pump Oil That You Use
- · Compatible for Use in Pumps Made by Most Manufacturers




OEM TOOLS

Premium Vacuum Pump Oil 1 Quart Bottle sки **517580** CPSVP0Q12

- · Compatible with Most Pumps
- Increases Life Span of the Pump
- Performance of Your Pump Depends on Regular Service and the Quality and Purity of the Vacuum Pump Oil That You Use



STORE STOCKED



TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Manifold Gauges

R1234yf Manifold Gauge and Hose Set sки **752518**

24559

- 3" Easy-to-Read Gauges with Temperature Chart
- 72" Hoses
- · High Quality 6-Ball Manual Couplers



Dual Aluminum R134a/R1234yf Gauge Set sки **1335797**

19999

25130

• Includes: 72" Hoses, Manual Couplers and Can Tap Valves with 1/2" ACME Fittings for Use with Both R134a and R1234yf Refrigerants



OEM TOOLS

R134a Brass Manifold Gauge Set SKU 752520

- High Quality Brass Body with Sight Glass
 Large 2-1/2" Gauges are Easy to Calibrate and Have a High Impact Lexan Lens
- 60" Hoses (3,000 psi Burst, 600 psi Working Pressure)
- Snap Style Quick Couplers



R134a Manifold Gauge and Hose Set SKU 466319 159⁹⁹ 24527

• Easy-to-Read 2-3/4" Spring Dampened Gauges to Reduce Flutter

Extruded Aluminum Manifold

• 72" Hoses with Manual Couplers



Deluxe R134a Gauge Set SKU 1282751 MSC289772CL

- Solid Block Extruded Aluminum Manifold
- 72" Long Hoses with Manual Couplers
- Gauge Guards for Protection



★ Mastercool:

✓ Mastercool:

Dual R134a, R-12 Manifold Gauge Set sки 1335804

MSC293996PBCL

- · Solid Block Extruded Aluminum Manifold 96" Long Hoses with Manual Couplers
 Gauge Guards for Protection
- Silicone Dampened Calibratable Gauges
- Extra Long Hose for Access to Heavy Duty Buses, Fleet and Refrigerated Trucks Systems



R134a Aluminum Manifold Kit with Dye Injector SKU 290023 MSC89660UV

• Includes: R134a Aluminum Manifold, 60" Hoses, Standard Couplers and 10 Application Mini Dye Injector



Dual R134a/R1234yf Brass Gauge Set sки 1142631 18499 MSC66661AYF

- 2-1/2" Silicone Dampened, Recalibrateable Gauges
- Extra Access Port for Vacuum Line
- R1234yf High and Low Side Quick Couplers R134a High and Low Side Economy Couplers 1/2" ACME-M x 1/2" ACME-F LH Thread Adapter (2) 12 mm-M x 14 mm-F R1234yf Adapters Set of 3 - R134a Standard Hoses



R1234yf Aluminum Manifold Gauge Set SKU 505065 MSC83272

- Ideal for Shops That Want to Wait to Invest in New AC Service Stations Adapted for R1234yf

 Contains Manifold, 3 Service
- Hoses, 2 Service Couplers LT/HT



Dual Aluminum R134a/R1234yf Gauge Set sки 1086254 *299*⁹⁹ MSC89661AYF

- Professional Extruded Aluminum Block
- 2-1/2" Silicone Dampened, Re-Calibrateable Gauges
- Free-Floating Piston Type Valves Reduce O-Ring Wear
 R1234yf High and Low Side Couplers with Extended
- Disconnect Protection Sleeve
- Standard Hoses, R134a Manual Couplers, R1234yf Couplers, 1/2" ACME-M x 1/2" ACME-F LH Thread Adapter, (2) 12 mm-M x 14 mm-F R1234yf Adapters



Can Taps

R1234yf Self-Sealing Can Tap SKU 213178 **Q**99 24553

R134a Can Tap SKU 466315 24524



4-Way Side Can Tap SKU 1103203 34 99 FJC6842

- For Use with R-12, R134a or R1234yf Refrigerant Cans and Oil Change Cans
- Fits Cans with 2-7/8", 2-1/2" and 2" Diameter
 Includes: 1/2" ACME LH, 1/2" ACME and 1/4" Flare Male Fitting with Check Valve



Refrigerant and Oil Charge Side Can Tap SKU 466313 24523

- Fits 1 Lb. Cans of R134a, R12 and 2" Oil Charge Cans
- Plier Type Grip with Positive Lock
- Includes: 1/2" ACME Male and 1/4" FL Male Ports with Safety Valve



3-In-1 Side Mount Can Tap SKU 290033 **19**99 MSC85530

- Unique Design will Work on All R134a (2-7/8"), R12 (2-1/2") and Oil Charge (2") Cans
- Outlet Port Offers a 1/2" ACME and 1/2" FL Fitting with an Internal Check Valve to Prevent System Backflow



Manifold Gauge Repair

Replacement Gauge High Side for A/C Manifold SKU 481705 24530

- · Replacement High Side Gauge Fits OEMTOOLS® and Other Brands of A/C Manifolds Used to Service A/C Systems
- 1/8" NPTF Male Threads
- · Reads 0 to 500 psi

Replacement Gauge Low Side for A/C Manifold SKU 481709 **19**99 24531

• Reads 0 to 120 psi and 0 to 30" Hg



✓ Mastercool:

OEM TOOLS

A/C Manifold Upgrade Kit SKU 1043688 68903

• Includes: 3-in-1 Side Mount Can Tap Valve, R134a Manual Coupler Set, 1234yf Self Sealing Can Tap, 1/2" ACME Hose Set 72", R134a to HFO-1234YF Conversion Coupler Set







• Includes: 1/2" LH ACME Female x 1/4" Male Flare, 1/2" ACME Male x M12 x 1.5 Male, 1/2" ACME Female x M12 x 1.5 Female, 1/4" Male Flare x M12 x 1.5 Male, 1/2" LH ACME Female x M14 QDK, 1/2" LH ACME Male x 1/4" Female Flare

• Includes Organizer Case with I.D. Labels









OEM TOOLS



RI34a/RI2 Charging Hose Repair Kit SKU 295557

MSC91334-A • 50 Piece Assortment of Replacement Gaskets. 0-Rings, Depressors

for Charging Hoses and



⋘ Mastercool∴

72 Pc. Valve and Gasket Set sки **1544670**

- Includes: 50 Common Gaskets for 134a Hoses and Manifold Sets, 10 Replacement Valves and 10 Replacement Valve Cores
- Includes: Valve Core Replacement and Installation Tool and Organizer Case



A/C Hoses

Adapters

96" R134a Red Hose sки **489152 49**99 MSC84963

• 1/2" ACME-F and 14 mm-M Auto A/C Fittings - 96"

96" R134a Blue Hose SKU 489151 MSC84961

• 1/2" ACME-F and 14 mm-M Auto A/C Fittings - 96"



72" R134a Hose Set SKU 752516 4999 24558

· 3 Color Coded Hose: Red, Yellow and Blue

96" 2 Pc. 1234yf Recovery Hose Set SKU 85829 **29**99 25010

- Includes 96" Set Blue/Red 12 mm-M x 12 mm-M
- Meets or Exceeds SAE J2888 Standards

72" 1/4" SAE Hose Set SKU 752515 **29**99 24557

 3 Color Coded Hose: Red. Yellow and Blue



OEM TOOLS

72" R1234yf Hoses sки 85803 3499 25009

- Includes: (2) 72" High/Low Charging Hoses with 12 mm Male Fittings and 72" Charging Hose with 12 mm and 1/2" x 16" Left Hand Acme Fitting
- Meets or Exceeds SAE J2888 Standards



TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

A/C Service Tools

A/C Condenser Fin Comb Straightener/ Cleaner SKU 466317 24526

- Clean and Straighten Condenser and Evaporator Coils
- · Compact Design for Confined Spaces
- 6 Clearly Marked Combs: 8, 9, 10, 12, 14 and 15 Fins per Inch



Valve Core Tool Set (2 Piece) SKU 1209377 22589

· Designed for Removal and Installation of Schrader Style Valve Cores



A/C Clutch Holding Tool SKU 1392339 1999 26550

- · Holds Compressor Clutch in Place When Removing the Holding Bolt
- Adjustable Pins to Fit Various Compressor Clutches
- · Compatible with Domestic and Import Vehicles



A/C Clutch Hub Puller and Installer SKU 1103539 **79**99 37150

- · Features All the Tools Necessary to Remove and Install Pressed on A/C Clutch Hubs on Many Domestic and Import Vehicles
- Includes: Orifice Tube Extractor Tool Set





VALUE: \$19.99

26 Piece Master Orifice **Tube Assortment** 24564

With Purchase of: 37150

Offer Good While Supplies Last Through December 31, 2025



A/C Couplers

R12 Hoses

R134a Manual Coupler Set SKU 362980 2999 24396

- · All Metal Construction for Extra Durability
- 6-Ball Coupler for Secure Grip · Includes: Adapter for Use with
- R134a High Side Manual Coupler

SKU 347267 **19**99 24395



R134a Low Side Manual Coupler SKU 347266 24394

OEM TOOLS



1234yf Manual Coupler Set with 134a Hose Adapters and Acme Adapter SKU 1544682 .3999

25093

- Couplers Have 12 mm F Threads to Connect to 1234yf Hose Connections
- Two 12 mm M to 14 mm F Brass Adapters Included for Use with 134a Hoses
- Includes: 1/2" M to 1/2" F Left Hand Acme Adapter

R1234yf High-Side Coupler and Adapter Set SKU 1544684 **24** 99 25094

R1234yf Low-Side Coupler and Adapter Set SKU 1544686 **24** 99

25095

▼ Mastercool:

R134a Refrigerant Tank Adapter

SKU 850565 **19**99 24554

- Male Low-Side R134a to Female 1/2" ACME
- · Attaches to Virgin Tank and Low-Side Service Coupler



R1234yf Low Side Tank Adapter SKU 1103204

- · Used to Fill Refrigerant from R1234yf Cylinders Attaches to Virgin Tank and Low Side Service
- This Fitting Does Not Have a Valve Core or Valve Core Depressor

R1234yf Hose to Vacuum Pump Adapter Fitting 1/4" x 1/2" SKU 600806 24509

• 1/4" SAE x 1/2" ACME Female LH Thread



✓ Mastercool ̂

OEM TOOLS

OEM TOOLS



Valve Core Tools

OEM TOOLS

A/C Valve Core Tool SKU 466314 **14**99 24555

· Double Ended Valve Core Tool to Service Both Standard and Large Bore R134a and R12 Cores



No Gas Loss A/C Valve Core Remover/Installer SKU 466321 **49**99

• Remove and Install Standard R134a Valve Cores without the Loss of Refrigerant

- · Built-In Ball Valve Retains Charge and Allows Access to A/C System
- For 13 mm and 16 mm High and Low Service Ports
- · Includes Blow Mold Case

24529



Universal Valve Core Remover/Installer for R1234yf SKU 1043686 MSC58490-YF

- Attaches to R1234yf Service Ports to Quickly and Easily Remove and Replace Valve Cores without the Loss of
- Ball Valve Design with Stainless Steel Ball Provides Smooth Movement and Durability
- Kit Covers 17 mm and 14 mm High and Low Side Service Ports
- · Includes: Valve Assembly, High Side 17 mm Connector, Low Side 14 mm Connector,

Standard Valve Core Shaft, GM Large Bore Valve Core Shaft and Eaton R134a/ R1234yf High Side Valve Core Shaft



Universal Valve Core Remover/Installer for R134a/R12

SKU 1142576 244 99 MSC58490

• Kit Covers All R12 and R134a System Valve Cores for Standard, JRA, Eaton and GM Large Bore

 Includes: Valve Assembly, R134a High Side 16 mm Connector, R134a Low Side 13 mm Connector, 1/4" FL Swivel Connector, Adapter 1/4"-M x 3/16"-F High Side GM/Ford, Adapter 1/4"-M x 1/8"-F High Side Ford and Blow Mold Case



AZG0425



SpotGun® Jr.

SpotGun® Jr. Univ. Oil/UV Dye Kit for R134a/R1234yf - 1 Oz. SKU 1368623 UVU390100

- · Works with Both R134a and R1234Yf Refrigerant Systems

- 4 Universal Oil Cartridges (1 Oz.)
 2 ExtenDye[™] Cartridges (1 Oz.)
 2 LeakGuard[™] OneShot Cartridges (1 Oz.)
- 2 Low-Side Service Adapter Hoses and R134a/R1234yf Couplers



SpotGun® Jr. Univ. Oil/UV Dye Kit for R134a/R1234yf -1 Oz. with UV Lite

sки 1400039 UVU390200

*299*⁹⁹

- · Works with Both R134a and R1234Yf Refrigerant Systems
- Includes UV Phazer (AAA) UV Lite and UV **Enhancing Glasses**

- 4 Universal A/C Oil (1 Oz.)
 2 ExtenDye™ Cartridges (1 Oz.)
 2 LeakGuard™ OneShot Cartridges (1 Oz.)



A/C ExtenDye[™] Cartridge

- SAE J2297 Certified Super Concentrated
- UV Dye
- · Works in R134a, R1234yf Systems and is Hybrid Safe
- · Contains Friction Modifier to Increase Lubricity and Decrease Friction
- · Contains Antioxidant to Prolong Oil Life
- Anti-Wear Additive for Better Wear Resistance
- Works with SpotGun® Jr. Injection System

A/C ExtenDye[™] Cartridge 1 0z. (4 Pack) SKU 1362004 UVU399020A **59**99

A/C ExtenDye[™] Cartridge .25 Oz. (6 Pack) SKU OSB UVU399006A

*39*99



WiEW. Universal PAG 46 Oil for R134a 10z. Cartridge (12 Pack) SKU 1363781 **99**99 UVU399046

- OEM Approved
- · Works with SpotGun® Jr. Injection System
- · Formulated to Work with R1234yf, R134a and Hybrid Safe
- Sealed Cartridge Assures Clean Oil Delivered to Vehicle A/C System
- Injection System Measures the Correct Dosage



Universal PAG 46 Oil R1234yf - 1 Oz. Cartridge (4 Pack) sки 1407808 UVU399046YF

5499

To Confirm Price, Availability and Ordering Instructions on OSB, Call 901-300-4878

SpotGun®

SpotGun® Univ. Oil/Dye Kit for R134a/R1234yf - 8 Oz. without UV Lite SKU OSB **199**99 UVU490100

- Works with Both R134a and R1234Yf Refrigerant Systems
- 1 Universal Oil Cartridge (8 Oz.)
 1 ExtenDye™ Cartridge (8 Oz.)
- Service Maintenance Stickers
- 2 Low-Side Service Adapter Hoses and R134a/ R1234yf Couplers



SpotGun® Univ. Oil/Dye Kit for R134a/R1234yf -8'0z. with UV Lite

SKU OSB UVU490200

- Works with Both R134a and R1234Yf Refrigerant Systems
- 1 Universal Oil Cartridge (8 Oz.)
 1 ExtenDye™ Cartridge (8 Oz.)
- UV Phazer[™] Black (AAA Batteries Included) UV Enhancing Glasses





A/C ExtenDye[™] Cartridge - 8 0z. SKU OSB UVU499108A

7999

- · Works in R134a, R1234yf Systems and is Hybrid Safe
 Contains Friction Modifier
- · Contains Antioxidant to Prolong Oil Life
- Fits Competitive Guns



Mastercool

Professional UV Leak Detection Kit with 12V/50W UV Light SKU 290041 9999 MSC53351

- 12 Volt/50 Watt UV Leak Detector
- 1 Oz. Coolant Dye, 1 Oz. Oil/ATF/Fuel Dye, Dye Remover
- Mini Dye Injector (10 Applications of Universal A/C Dye) Compatible with R134a and R12 Adapter
- UV Enhancing Safety Glasses
- 12 Service Labels



Universal Concentrated Dve Cartridge 1 0z. (5 Pack) SKU 505040 9999 MSC53810-5

- 5 Pack of Dye for 53585 Leak Detector Kit
- 10 Applications per Bottle



TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com



Rechargeable UV Flashlight SKU 1544660 MSC53518UV



- High-Intensity LED Ensures Superior Illumination for Accurate Leak Detection
- 2W Lamp Power: Provides Powerful Performance In a Compact Design
- UV Intensity: 154-170 μW/cm², Comparable to a 50-Watt UV Flashlight
- UV Wavelength: Operates At 390-400 Nm for Optimal Detection
- · Rechargeable Battery: Delivers 3 to 5 Hours of Continuous Use
- · Backup Power Option: Includes Holder and 3 AAA Batteries



UV Phazer Professional 395nm Leak Detection Light

- Adjustable Zoom Lens Allows for Focusing Light Intensity In a Smaller/Larger Area for Precision Viewing
- Rechargeable Li-ion Battery

Black

sки 1405963 UVUEW40395

- High Output True UV LED Light
- · Precise, True UV Wavelength and Bandwidth to Optimize the Fluorescence of UV Dyes
- Max. Run Time: 4 Hrs.



NEO

SKU 1400042 UVUEW50395

• UV Dye Shines Brighter with the Phazer Neo

- Than Any Other UV Light
- Water Résistant
- Max. Run Time: 5 Hrs.



UV Leak Detection Light and Glasses SKU 213144 **24** 99 24516

- Compact UV Leak Detection Pen Light
- . Can Be Used with All Types of UV Leak **Detection Dyes**
- Yellow Lens Protective Glasses Enhance Visibility of Leaks





Magnifying Glass with 5 LED and 1 UV Light

SKU 191688

25465 • Compact Magnifier with 5 LED Lights

and a Super Bright UV Light UV Light Detects Dyes



OEM TOOLS

Refillable Injectors

In-Line Dye and Oil Injector

SKU 466322 3999 24532

- . Add Up to 2 Oz. of Oil or Dye to a System Under Vacuum or While Adding Refrigerant
- 1/2" ACME Fittings to Fit Most R134a Systems
- Use with UVU499008A A/C ExtenDye™ Bottle (8 Oz.)



OEM TOOLS

R12 and R134a Hand Turn Dye Injector SKU 466320 **79**99 24528

- Injects Dye or Oil into R12 or R134a Systems • Refillable, Capacity: 2 Oz.
- Includes: R134a Quick Coupler
- Use with UVU499008A A/C ExtenDye[™] Bottle (8 Oz.)







OEM TOOLS

R1234yf Hand Turn Oil and Dye Injector SKU 213158 **99**99 24517

- Easy to Operate Hand Turn InjectionDurable Aluminum Construction with Laser Etched Filling Guide
- Includes R1234yf System Coupler
- 2 Oz. (60 mL) CapacityUse with UVU499008A
- A/C ExtenDye™ Bottle (8 Oz.)



✓ Mastercool[®] Refillable Universal Dye Injector for R1234yf MSC53123-YF 164 99

- Heavy Duty Aluminum Construction Injects Dye or Oil into R1234yf Systems
- · Refillable, Any Dye or Oil Can Be Used
- Easy Twist Injection System
- Precise Injection Control



Pourable Dyes

A/C ExtenDye[™] Bottle - 8 Oz. SKU OSB **59**99 UVU499008A

- SAE J2297 Certified Super Concentrated UV Dye
- Works in R134a, R1234yf Systems and is Hybrid Safe
- Contains Friction Modifier to Increase Lubricity and Decrease Friction
- . Contains Antioxidant to Prolong Oil Life
- Anti-Wear Additive for Better Wear Resistance

For OSB, Call 901-300-4878

Multi-Purpose Dye **49**99 SKU 1392316 UVUB483206

• Pinpoint Leaks in Engine Oil, Transmission, Hydraulic, Power Steering, Gasoline and Diesel Fuel Systems



PAG 100 0il with A/C ExtenDye[™] 8 Oz. Bottle (4 Pack) SKU OSB

UVU488100PBD4

- PAG 100 Oil
- · Contains ExtenDve for Leak Detection
- A/C ExtenDye Includes Additive Package to Reduce Wear A/C ExtenDye Will Extend Component Life and Improve
- A/C Efficiency
- Formulated to Have the Correct Dye/Oil Performance

For OSB, Call 901-300-4878



Orifice Tube

26 Piece Master Orifice Tube Assortment 19 REG. \$29.99 24564

- Covers Most Vehicles That Require Air **Conditioning Orifice Tubes**
- Includes: Chrysler (Orange, Purple T-Top), Ford (Black, Blue, Brown, Green, Red), GM (Black T-Top, White, Yellow) Jeep (Green - White) and Volvo (Yellow) Offer Good Through December 31, 2025







A/C 0-Ring Assortment

270 Piece A/C 0-Ring Kit sku 271196 **19**99 68141

· Great O-Ring Set for Most Automotive and



Kit Contains 270 Refrigerant Applications O-Rings in a Variety of SAE Sizes



✓ Mastercool≗

▼ Mastercool:



Digital Scales

Digital Refrigerant Scale (240 Lb. Capacity) SKU 752521 79999 24560

- High-Visibility .75" x 2.5" LCD Backlit Display
- 3 Units of Measure: Kg/Oz./Lb.
- · Automatic Shut-Off After 10 Minutes, Backlight Will Shut Off After 3 Minutes

 • Fully Enclosed and Removable Metal Scale
- Platform Enables Use of Product in or Out of the Protective Case



CDS

OEM TOOLS

Black Series Electronic Charging Scale with Bluetooth

SKU 290029 MSC98210-BI

- · Includes Bluetooth
- Wireless Technology · Capacity: 243 Lb.
- Accuracy: ≤±0.05% of Reading
- · Resolution:
- 0.05 Lb./0.5 Oz./0.01 kg
- Rugged, Non-Slip Platform



A/C Flush

A/C Flush Machine SKU OSB CPSAFM100

1,799⁹⁹

- · Air Operated 8' Hoses to Reach Any System
- · Forward or Reverse Flush
- without Changing Hoses
 2-1/2 Gallon Capacity Tank for Use on Cars and Buses
- · Universal Couplers Allows Connection to Most Types of Connections
- · Clear Filter Bowl Allows You to See What is Coming Out of the System with a Cleanable Filter



For OSB, Call 901-300-4878

MASTERCLEANSE A/C Flush Machine

SKU OSB MSC69900

- · Designed to Flush All HVAC/R and Automotive Systems
 • Pump Power: 0.4 HP;
- Flow Rate: 4 Gal/Min.
- · Stainless Steel Ball Valve Controls
- 1/4" SAE Connection
- Pump Equipped with Mechanical Seal and PTFE Gasket
- 110 VAC

For OSB, Call 901-300-4878

Adapter Kit sku 481575 MSC69925

- Isolates A/C System Components for Closed Loop Flushing Flush Individual Components without Removing Them
- from the Vehicle
- Install Adapters on A/C Line Ends to Allow Attachment of Flushing Equipment





A/C Flush Kit sки **1103579** 6999

- Uses Shop Air to Pressurize the Solvent to
- Thoroughly Clean the System

 Simple, Effective and Easy to Use

 Attached Nozzle Directs the Solvent
- Attached Nozzle billeus the Solvent without Sprayback
 Includes: Canister, Hose, Blowgun, Rubber Tip and Cylinder Cap
 Solvent Purchased Separately



A/C Flush Solvent

Bottle (32 Oz.) SKU 695650 MSC91049-32

1 Gallon SKU 695653 MSC91049-128

MSC91049-32





MSC91049-128

OEM TOOLS

AIR CONDITIONING

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

A/C Hose and Line Repair

OEM TOOLS

Heavy Duty Ratcheting Hose Cutter SKU 466311 14 99 24522

· Smooth Action and High Quality Blade Provide Quick, Clean and Accurate Cuts

- · Ratcheting Action Makes it Faster and Easier to Use than Other Cutters
- · Cuts Rubber Hose and PVC Up to 1-1/2" OD
- Wide Hooked Jaws Hold **Tubing Securely**



· Ratcheting Action is Ideal Where Space is Limited

• Cuts 1/4" to 7/8' Tubing





✓ Mastercool^a.



- · Manual Style A/C Hose Crimper
- Mount to Bench Using Holding Fixture or Place in Vise
 Includes: 71500 001 Yoke Assembly, 71550 002 Arbor Assembly, 71550 - 003 Holding Fixture Assembly, 71500 - 6 Die Set - #6 (5/16"), 71500 - 8 Die Set - #8 (13/32"), 71500 - 10 Die Set - #10 (1/2"), 71500 - 12 Die Set - #12 (5/8") and 71500-PB Custom Mold Box Carrying Case



Thermometers

SAVF Thermal Imaging Camera SKU **213193** REG. \$299.99 24552

• Temperature Range: -4°F to 1,202°F -20°C to 650°C), Selectable Temperature (C or F)

- Captures Thermal Images and Saves to MicroSD Card (Not Included)
- 3 Selectable Color Palettes
- 1.8" LCD Color Display
- Includes Storage Pouch and Mini USB Cable

Offer Good While Supplies Last Through December 31, 2025

Non-Contact Infrared Thermometer SKU **951642** 25245

- Point-and-Click Non-Contact Thermometer Uses a Laser Pointer to Give Precise Temperature Readings Ranging from -58°F to 716°F (-50°C to 380°C)
- Laser Pointer Identifies the Spot to Be Measured and Provides Accurate Temperature Measurements from a 12:1 Distance-to-Spot Ratio (Emissivity 0.95 Preset)
- Lightweight and Easy to Operate with an LCD Backlit Display That Makes it Effective Even in Low Light Situations
- Auto Power-Off Feature Conserves Battery Power by Shutting Thermometer Off After 7 Seconds of Non-Use
- 9V Battery Included (Typical Battery Life: 22 Hours in Non-Laser Mode, 12 Hours in Laser Mode)



AirSept® Line Repair

SAVE TIME & MONEY!



UP TO 2,600 psi

OE-APPROVED REPAIR SOLUTION INSTALLS IN MINUTES, NO SPECIAL TOOLS, NO GLUE

Line Terminator SAE (5 Pack) SKU **504122** AIR76526

• Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y

- Block Off Leaking Rear Evaporators and Failed System Components
- Include One Each: 5/16", 3/8",1/2", 5/8" and 3/4" SAE Kits



FIX or TERMINATE a Line in 5 MINUTES!

Line Terminator SAE/Metric (10 Pack) 19999

SKU **504124** AIR76530

- Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y"
- Block Off Leaking Rear Evaporators and Failed System Components
- Includes One Each: 5/16", 3/8", 1/2", 5/8", 3/4", 8 mm, 10 mm, 12 mm, 15 mm and 16 mm









Line Splice Straight SAE/Metric (10 Pack) SKU **504103** AIR76051

• Includes One Each: 5/16", 3/8", 1/2", 5/8", 3/4", 8 mm, 10 mm, 12 mm, 15 mm and 16 mm



Line Terminator Rear A/C Blockoff Kits

- · Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y"
- · Block-Off Leaking Rear Evaporators and Failed System Components
- Help Maximize Front A/C Performance
- Eliminate Refrigerant and Oil Pooling in Rear A/C Lines

SKU	Part #	Size	Price
504149	AIR76502	3/8" Line	26.99
504146	AIR76501	1/2" Line	26.99
504150	AIR76503	5/16" Line	26.99
504152	AIR76504	5/8" Line	30.99
504154	AIR76505	3/4" Line	35.99
329221	AIR77508	8 mm OD Line	26.99
329219	AIR77510	10 mm OD Line	26.99
329231	AIR77515	15 mm OD Line	30.99
329230	AIR77516	16 mm OD Line	30.99

Line Splice Straight Repair Kit

- High-Tech Anti-Vibration Tension Ring Ensures **Durability in Tough Automotive Applications**
- HNBR Seal Sleeve Dramatically Expands the Sealing Surface Area
- · Burst Tested to 2,600 psi



SKU	Part #	Size	Price	
504140	AIR76003	5/16" Line	35.99	
504138	AIR76002	3/8" Line	35.99	
504136	AIR76001	1/2" Line	35.99	
504143	AIR76011	5/8" Line	44.99	
504132	AIR77008	8 mm Line	35.99	
504155	AIR77010	10 mm Line	35.99	

Smart Splice[™] Line to Hose

- Leak-Proof Line Splice[™] Technology on the Metal Side of the Connection
- Superior Hose Crimp Technology on the Rubber Side
- Also Works for Heater and Coolant Lines
- · Install in 5 Minutes



SKU	Part #	Size	Price	
504125	AIR76701	1/2" Line to #8 Hose	35.99	
504128	AIR76702	3/8" Line to #6 Hose	35.99	

AIR COMPRESSORS

















Description and Part Number	3.5 HP 60 Gallon 230V Air Compressor, Single Phase SKU OSB ABA3-2160V1	5 HP 60 Gallon 230V Air Compressor, Single Phase SKU OSB ABA5-2160V4	5 HP 80 Gallon 230V Air Compressor, Single Phase SKU OSB ABA5-2180V4NS	5 HP 80 Gallon 230V Air Compressor SKU OSB ABAC5-2180V - Single Phase ABAC5-2380V - 3 Phase	7.5 HP 80 Gallon 230V Air Compressor SKU OSB ABAC7-2180V2 - Single Phase ABAC7-2380V2 - 3 Phase	13 HP 30 Gallon Honda Powered Air Compressor SKU OSB ABA13-30GH	10 HP 120 Gallon 230V Air Compressor, 3 Phase SKU OSB ABAC10-23120V
CARB Compliant	N/A	N/A	N/A	N/A	N/A	Yes	N/A
CFM at 100 psi	12.3 CFM (1 Technician)	15.4 CFM (1-2 Technicians)	15.4 CFM (1-3 Technicians)	18 CFM (2-3 Technicians)	27 CFM (2-4 Technicians)	23 CFM (1-3 Technicians)	35 CFM (3-6 Technicians)
Max. Pressure	135 psi	175 psi	175 psi	175 psi	175 psi	175 psi	175 psi
Heavy Duty, Low-RPM Cast Iron Pump	Cast Iron Cylinders	Cast Iron Cylinders	Cast Iron Cylinders	Yes	Yes	Cast Iron Cylinders	Yes
Magnetic Starter Mounted and Wired	Not Required	Not Required	Not Required	Yes	Yes	Recoil and Electric Start	Yes
High Flow Belt Guard	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Price	1,26999	1,69999	2,09999	2,99999	3,79999	3,49999	4,99999

Premium Models

7.5 HP 80 Gallon 230V

SKU **OSB** ABAC7-2180V2FF

- 4,54999
- Vertical 80 Gallon Tank Horsepower: 7.5 HP
- · Power Supply (V/Ph): 230V/1
- CFM @ Max. psi: 24
- Max. psi: 176



10 HP 120 Gallon 230V SKU **OSB**

ABAC10-23120VFF *5,599*99

- Vertical 120 Gallon TankHorsepower: 10 HP
- · Power Supply (V/Ph): 230V/3
- CFM @ Max. psi: 32
- Max. psi: 176

Premium Models Include: Low Oil Level Shut Off, Auto Tank Drain and Belt Guard Aftercooler





Ensure you select the right size for your needs. We can help you with size selection. Please remember to verify the voltage and phase before purchasing. Upgrading your air compressor may require upgrading your wiring.

See page 2 for delivery information.

Questions? Call 901-300-4878.



Customer Responsible For Offloading, Liftgate Service Available.

For OSB, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary · Customers Responsible for Offloading Equipment Upon Arrival · Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

AIR COMPRESSORS

Rotary Screw Compressors

- High Performance with Low Energy Consumption
 Low Noise and Vibration Levels
 Fully Integrated Aluminum Block

Rotary Screw Compressors are an Ideal Solution for Applications Where There is Continuous Demand for Dependable Compressed Air



10 HP 131 Gallon 150 psi Screw Compressor with Dryer SKU **OSB**

ABAAS-10503TMD

• 208V-230V-460V/3PH • 34.1 CFM

15 HP 131 Gallon 150 psi Screw Compressor with Dryer 12,149°°

SKU **OSB** ABAAS-15503TMD

• 208V-230V-460V/3PH

• 46.4 CFM



ABAAS-10503TMD



BelAire

5 HP 60 Gallon 230V Air Compressor, Single Phase

SKU **OSB** IMC4916V

- 15.4 CFM @ 100 psi
- 165 psi Max. Pressure Cast Iron Cylinders
- 2 Stage Pump
- No Start-Up Kit Required
- High Flow Belt Guard
- Warranty: 2 Year Factory



13cl line 5 HP 80 Gallon 230V Air Compressor, Single Phase SKU **ÖSB**

IMC418V ,**999**99

- 18 CFM @ 100 psi
- 175 psi Max. Pressure
- Solid Cast Iron 2 Stage Pump
- Magnetic Starter Included
- · Fully Enclosed Belt Guard
- Warranty: 2 Year Factory



ABAAS-75501TM

- 100% Cast Iron Pump with Alloy Steel Reed Valves
- Warranty: 1 Year Unit Parts and Labor, 2 Years Pump Parts and Labor

5 HP 80 Gallon RV Series VRV5-8 SKU **OSB** Call for Price CHCRV215AS01

- 230V/1ph
- 17.0 CFM @ 175 psi
- 3600 RPM Motor, No Starter Needed

5 HP 80 Gallon RV Series VRV5-8 with Starter

SKU **OSB** CHCRV215AS07

Call for Price

- 230V/1ph
- 16.5CFM @ 175 psi
- 1800 RPM Motor with Magnetic Starter



CHAMPION

CHCRV215AS07

Contact Your TSM for BEST PRICING

Refrigerated Dryers

- Removes Condensate and Vapor So Dry Compressed Air is Produced in a Continuous, Cost-Efficient Way
- 115 VAC

Cool 15 CFM SKU **OSB** ABACOOL15

Cool 25 CFM SKU **OSB** ABACOOL25

Cool 35 CFM

ABACOOL35 **1,299**99

ABACOOL15



Mi-T-M

30 Gallon

Air Compressor/Generator

SKU **OSB** MTMAG2SM1430ME

- CFM @ 175 psi 15.7
- Max. AC Output: 4000 Watts
- Continuous with Compressor On Load 2300 Watts
- Continuous with Compressor Off Load 3500 Watts
- Receptacles 2 NEMA 5-20R, 1 NEMA L6-20R • Displacement/Engine 420cc Mi-T-M OHV
- Compressor Two Stage, Cast Iron Pump





Customer Responsible For Offloading, Liftgate Service Available.

For OSB, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

AIR TOOLS

1/2" Impact Wrenches

Heavy Duty 1/2" Composite Stubby Impact Wrench SKU **087596** 17999 24418

- Torque: 900 Ft/Lb.
- Includes (7) 1/2" Short Impact Sockets Sizes: 13 mm to 19 mm
- · Custom Cut EVA Foam Storage Tray
- CFM: 4.0

WARRANTY: 1 Year









1/2" (IR) Ingersoll Rand Impact Wrench SKU 970487 IRT231HA

• Torque: 590 Ft/Lb.

- Pressure-Fed Lubrication ... System • In-Handle
- **Exhaust Directs** Away from User · Industry Standard for
- 3 Decades · Sound Pressure:

94 to 105 dBA WARRANTY: 1 Year

(IR) Ingersoll Rand 1/2" Super Duty Air Impact Wrench with Extended Anvil SKU **604744** 26499 IRT231HA2

• Max. Torque: 590 Ft/Lb.



Pressure-Fed **Lubrication System**

WARRANTY: 1 Year

IRT231C · Torque: • Pressure-Fed

1/2" Air (IR) Ingersoll Rand **Impact** Wrench Classic SKU **495316**

• Original Twin Hammer Impact

- 600 Ft/I b.
- Lubrication
- Adjustable Power Regulator

• 1/2" Square Drive



1/2" Quiet (IR) Ingersoll Rand Impact Wrench IRT21350XPA 36999

- Torque: 780 Ft/Lb.
- · Light, Quiet and Powerful Impact
- Twin Hammer Mechanism
- · Weighs Only 4 Lb.



AIRTAT.

*AIRT*AT

WARRANTY: 1 Year WARRANTY: 1 Year

1/2" Titanium Air Impact Wrench SKU **695134**

(IR) Ingersoll Rand

AIRTAT.

IRT2235TIMAX 51999

- Torque: 1,350 Ft/Lb.
- Reverse Torque: 930 Ft/Lb.
- Twin Hammer Impact Mechanism · Lightweight

1/2" Titanium (IR) Ingersoll Rand Air Impact Wrench with Extended Anvil IRT2235TIMAX2 54999

- Torque: 1,350 Ft/Lb.
- Max. Reverse Torque: 930 Lb.
- 8,500 Free Speed RPM
- Titanium



1/2" Nitrocat AIR TAT. Composite Twin Clutch Impact Wrench SKU **1580951** ACA1250K

- Provides 950 Ft/Lb. Max. Torque and 1,300 Ft/Lb. of Loosening Torque
- · Hard Hitting Smooth Twin Clutch Mechanism
- The Twin Clutch is Better Suited for Heavy Duty





AIR TAT

1/2" Compact Impact Wrench SKU 1580967 ACA1057-TH

19999

- Provides 500 Ft/Lb. Max. Torque and 700 Ft/Lb. of Loosening Torque
- Low Weight Aluminum Alloy Housing
 Weight: 2.80 Lb.
- Length: 3.85"
- Air Inlet: NPT 1/4"



WARRANTY: 2 Years

1/2" Composite Impact Wrench ACA1150 22999

WARRANTY: 2 Years

- Provides 900 Ft/Lb. Max. Torque and 1,295 Ft/Lb. of Loosening Torque
- · Durable Composite Housing
- Weight: 4.5 Lb.



1/2" Impact Wrench SKU **1580946**

*119*99 ACA1431

- Provides 800 Ft/Lb. Max. Torque and 1,000 Ft/Lb. of Loosening Torque
- Cross Bolt Forward/ Reverse and Power Management Control
- Weight: 5.7 Lb.
- Length: 7.2"
- Free Speed: 9,000 RPM



AIRTAT

1/2" Composite Impact Wrench SKU **1580952** ACA1000TH

• Provides 800 Ft/Lb. Max. Torque

- and 1,000 Ft/Lb. of Loosening Torque
- Patented Quiet Tuned Exhaust (86 dBA)
- Air Cons.: (CFM) 8
- Weight: 4.5 Lb.
- Length: 7.5



1/2" Vibrotherm **Drive Composite** Impact Wrench SKU **1580965** ACA1178-VXL

• Provides 950 Ft/Lb, Max, Torque

- and 1,300 Ft/Lb. of Loosening Torque
- · Weight: 4.5 Lb.
- · Free Speed: 7.500 RPM
- Air Inlet: NPT 1/4"



WARRANTY: 3 Years

AIR TOOLS

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

3/8" Impact Wrench (R) Ingersoll Rand



3/8" Titanium Impact Wrench SKU **198065** IRT2115TIMAX

. Torque: 300 Ft/Lb.

 Feather Touch Trigger and Patented Push Button Forward/Reverse





3/4" Composite Impact Wrench SKU **1580960** 65999 ACA1778-VXL

- · Provides 1,450 Ft/Lb. Max. Torque and 1,700 Ft/Lb. of Loosening Torque
- The Latest Patented Aircat Muffler System Provides the Aircat's Unmatched Low Noise Levels

 • Weight: 7.7 Lb.
- Length: 7.7"
- Free Speed: 5,400 RPM



AIRTAT

WARRANTY: 3 Years

Don't Forget Your Air Hose Couplers 70% More **OEM** TOOLS **FLOW** See Page 75

Air Ratchets



3/8" Air Ratchet SKU **970485** IRTIR107XPA

- Max. Torque: 54 Ft/Lb.
- Advanced Head Design



WARRANTY: 1 Year

1/4" Super Duty Air Impact Ratchet SKU **850508**

1999 24415

Impact Mechanism Adds Power and Prevents Kickback

- Max. Torque: 50 Ft/Lb.
- Free Speed: 700 RPM CFM: 3.1 @ 90 psi
- Length: 6.5"
- Sealed Head Ratchet Housing Prolongs Tool Life
- · Compact and Lightweight
- Most Power-to-Weight Ratio
- Rear Air Exhaust: 360° Adjustable

WARRANTY: 1 Year



Composite

Impact Ratchet SKU **850055** 20999 24416

• Max. Torque: 50 Ft/Lb.

3/8" Super Duty Air

- Free Speed: 700 RPM
- CFM: 3.1 @ 90 psi
- Length: 6.5"
- · Sealed Head Ratchet
- Housing Prolongs Tool Life · Compact and Lightweight
- Most Power-to-Weight Ratio
- · Rear Air Exhaust



OEM TOOLS

WARRANTY: 1 Year

*AIRT*AT

Air Hammers

Standard Duty Air Hammer SKU **1392327 IRT117**

- 2.000 Blows per Minute
- · Heat-Treated Piston and an Alloyed Steel Barrel



WARRANTY: 1 Year

(IR) Ingersoll Rand 1210 Super Duty Air Hammer SKU 478945 164 99 IRT1210

- · Ideal for Body Panel Crimping and Cutting, Bushing Driving, Shearing and General Front End Work
- Built-In Power Regulator and Trigger Control
- Easy to Control with an



WARRANTY: 1 Year

Cut-Off Tools 3" Air Cut-Off Tool SKU **466590**

39⁹⁹ REG. \$64.99 25760 • Air Inlet Thread Size: 1/4" NPT

• Free Speed: 22,000 RPM Recommended Air



Offer Good Through December 31, 2025

Air Drill

3/8" Capacity Keyless Composite Pistol Grip Drill SKU **1580948** 14499 ACA4338

• Air Consumption: (CFM) 6

• 1,800 RPM • Reversible and Variable

Speed • Length: 7"

WARRANTY: 2 Years



Inflators

Digital Tire Inflator SKU **802198** 9999 24412

- · Easy-to-Read Backlit LCD Display 4 Units of Measure (psi, Bar, KPa, kgf)
- Measuring Range: 0 to 175 psi (0 - 12 Bar)
- Accuracy: +/-1.2 psi Up to 58 psi, +/-2.3 Between 58 psi and 145 psi Inclusive, +/-3.6 psi Greater Than 145 psi · High Air Flow Saves the Technician Time





OEM TOOLS

Dial Tire Inflator SKU 301772 8999 24380

- Clear and Easy-to-Read 80 mm 180 psi Gauge
- 3-In-1 Function: Inflate, Deflate and Measure Tire Pressure
- Increased Accuracy to Improve Tire Performance and Prevent TPMS Comebacks



OEM TOOLS

3.5" Digital Tire Inflator with Hose

SKU **1268419** AST3018

• 21" Stainless Braided Hose Dual AAA Battery

Powered Design · Backlit LCD

Digital Read-Out Includes **Batteries**



4PAstro

OEM TOOLS Dual Head Chuck Tire Inflator Gauge SKU **094652** 25864

• 6" Chrome Plated Dual-Head Chuck with Full 360° Swivel Action

• 15" Air Hose with 1/4" Female NPT and 3/8" 24 Thread Air Intake

· Inflates within 10 to 120 Lb. Pressure Range

 Magnifying Bubble Lens, Allows Full View of the Pressure Scale

· Gauge in 2 Lb. Increments



AIR TOOLS

Surface Prep Heavy Duty Mini Surface Prep Kit SKU **087620** REG. \$174.99 24417

- 2" and 3" Heavy Duty Mini Air Surface Prep Sander
- (1) 2" Backer Pad (1) 3" Backer Pad • (2) 2" and (2) 3" Medium
- Grit Surface Prep Discs
 (2) 2" and (2) 3" Coarse
- Surface Prep Discs (2) 2" and (2) 3" Sander Discs
 Blow Mold Case

WARRANTY: 1 Year

Offer Good Through December 31, 2025



1/4" Mini Angle Die Grinder and Surface Prep Kit SKU **94648 124** 99 **25777**

- · Air Consumption: 4 CFM
- Free Speed: 20,000 RPM
- Grinding and Cleaning All-in-One Kit
- · Comes in a Heavy **Duty Plastic Tray**



OEM TOOLS

OEM TOOLS

WARRANTY: 1 Year

Air Sanders

2" Surface Prep Air Sander SKU **094650 89**99 25778

- · Includes Quick Change "Twist Lock" Mandrel
- Free Speed: 20,000 RPM
- Average Air Consumption: 3.2 CFM
- · Air Inlet Thread Size: 1/4" NPT

WARRANTY: 1 Year

OEM TOOLS



Heavy Duty Reciprocating Air Saw SKU **802225** 24409 REG. \$169.99

Recommended Air Pressure: 90 psi

- Air Consumption: 1.7 CFM
 Strokes per Minute: 9,000 SPM
 Air Inlet Thread Size: 1/4" NPT
 Lightweight: 1.50 Lb. (0.70 kg)
 Length: 10.6" (270 mm)

- Exhaust: Front
- Enhanced Blade Guard Design and Trigger Safety Lock
 Includes: Reciprocating Air Saw, 2 Hex Key Wrenches, 2 Saw Blades and 2 Blade Guards

WARRANTY: 1 Year

Offer Good Through December 31, 2025

6" Dual Action Sander 10999 SKU **970475** IRTIR311A

- Dual Action Pad Motion Reduces Swirl
- · Built-In Silencer for Quiet Operation



(IR) Ingersoll Rand

Straight Line Sander SKU **970479** 18999 IRTIR315

- Twin Piston Design for Smooth Operation
- 3,000 Strokes per Minute
- Quick-Action Paper Clamps

WARRANTY: 1 Year

(IR) Ingersoll Rand

WARRANTY: 1 Year

1/4" Die Grinders

Mini Air Die Grinder SKU **751631** 2 REG. \$54.99 24404

- Air Consumption: 2.4 CFM
- Free Speed: 25,000 RPM

WARRANTY: 1 Year

Extended Air Die Grinder

• Recommended Air Pressure: 90 psi




Offer Good Through December 31, 2025

1/4" Air Die Grinder SKU **802212** 4999 REG. \$64.99

Composite Body with Built-In Silencing to Reduce Noise Level

- Air Consumption: 3.4 CFM
- Free Speed: 22,000 RPM
- Recommended Air Pressure: 90 psi
- Exhaust: Rear 360°







- Air Consumption: 3.4 CFM
- Free Speed: 25,000 RPM
- Recommended Air Pressure 90 psi





SKU **802214** 24407

Mini Angle Air Die Grinder

OEM TOOLS

- Air Consumption: 2.8 CFM
- Free Speed: 18,000 RPM
- Recommended Air Pressure: 90 psi
- · Built-in Silencing to Reduce Noise Level



WARRANTY: 1 Year

SKU **802216** 39 REG. \$89.99 • Air Consumption: 2.5 CFM • Free Speed: 23,000 RPM

• Recommended Air Pressure: 90 psi

(Color May Vary) WARRANTY: 1 Year



R TOOL ACCESSORIES

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Impact Sockets and Extensions

1/2" Drive Impact Extension Set SKU **1340235**

SUNEX

SUN2500

• Set Includes: 1/2" Dr. 3", 5", 10" and 15" Impact Extensions • Comes in a



33 mm 1" Drive Budd Style Wheel Socket SKU **466569** .34 99 25528

• 1" Drive 33 mm Budd Wheel Socket for Mack, Midliner, Volvo, White and Other Import Trucks with Dual Rear Wheels



OEM TOOLS

1-1/2" Hex x 13/16" Square Deep 1" Drive **Budd Style** Wheel Socket SKU **466570** 25529

• For Budd Wheel 1-1/2" Hex with 13/16" Inside Square

OEM TOOLS



3/8" Impact
Sockets

6 Pt. High Quality Impact Sockets

6 SAE: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1"

Metric: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19 mm

Posi-Grip No Slip™ Design Provides Superior Gripping Power for Maximum Torque **Chrome Moly Steel Construction for Strength and Durability**

12 Piece Shallow (SAE) SKU **391191** 25589 .34 99

12 Piece Shallow (Metric) SKU **391190** 25587



12 Piece Deep (SAE) SKU **442193** 25590

12 Piece Deep (Metric) SKU **464314** 25588

OEM TOOLS

REG. \$64.99

REG. \$64.99



Offers Good Through December 31, 2025

1/2" Impact • 6 Pt. High Quality Impact Sockets

• SAE: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1" • Metric: 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19 mm Sockets

11 Piece Shallow (SAE) SKU **391195** 25593

*39*99

10 Piece Shallow (Metric) SKU **391192** 25591



11 Piece Deep (SAE) SKU **391196** 25594

4499 REG. \$64.99

10 Piece Deep (Metric) SKU **391194** SAVE 25592

OEM TOOLS

OEM TOOLS

*39*99

REG. \$54.99



Offers Good Through December 31, 2025

Impact Adapters

5 Piece Adapter and Universal Joint Set (3/8" and 1/2") SKU **965864**

34 99 REG. \$49.99 24226

Chrome Moly Steel ConstructionIncludes: 3/8" Drive Universal Joint, 3/8" Drive (F) x 1/2" (M) Adapter, 1/2" Drive Universal Joint, 1/2" Drive (F) x 3/8" (M) Adapter and 1/2" Drive (F) x 3/4"(M) Adapter

Offer Good Through December 31, 2025







Air Blow Gun

5 Piece Interchangeable Tip Air Blow Gun SKU **338823** 24439

• Includes 4 Interchangeable Tips: 100 mm (4"), 140 mm (5.5"), 320 mm (12.5") and a Turbo Wide Angle Nozzle

· Quick Change Coupling Makes it Easy to Change Tips

Wide Angle Nozzle for High Volume

Variable Trigger to Control Volume and Tip Pressure

• 1/4" NPT Air Inlet

High Flow Couplers

High Flow Coupler 70% and Plug Kits



· Delivers the Highest Air Volume with the Lowest Pressure Drop

14 Piece 1/4" Body, 1/4" NPT SKU **757091 24** 99 26134



7 Piece 1/4" Body, 1/4" NPT SKU **757040** 26132



OEM TOOLS 7 Piece 1/4" Body, 3/8" NPT SKU **757046** 26133



AZG0425

*When Paired Together, OEMTOOLS High Flow Couplers and Plugs Deliver Up to 70% More Flow than Conventional Couplers

AIR TOOL ACCESSORIES

Surface Prep

Superior Quality Surface Prep Tools

Try our longer lasting surface prep disks that save you time and money.

Surface Prep Discs (25 Pack)

Twist-Lock Style

2" Coarse SKU 1330684 22517

19⁹⁹ (0.79 each)

2" Medium SKU **1335806** 22516

19⁹⁹ (0.79 each)



3" Coarse SKU 1335795

3" Medium SKU 1335787 22519

34 99 (0.99 each)

34 99 (0.99 each)





2" Twist-to-Lock Surface Prep Discs (50 Pack) with Cookie Jar

Coarse SKU 1146029 SHA13088 8499

Medium SKU 1146030 SHA13089 8499

Assorted SKU 1168677 SHA13087

REG. 84.99

• Includes: Coarse, Medium and Fine

Offer Good Through December 31, 2025



2" Purple Strip Disc with Twist-Lock (5 Pack) SKU **298097**

SHA16206

 Long-Life Silicon Carbide for Paint and Coating Removal



2" Twist-Lock Mini Flap Discs Assorted Grits (6 Pack) SKU **306275**

SHA13056 • Outlasts Mini Grinding Discs by 3 Times

· Includes: 2 Each of 40, 60 and 80 Grit





RAPIDAVIR

Twist-Lock Disc Holders

SKU **1368617 17**99 SHA13012

• 2" Holder (Single)



SKU **094911** *29*⁹⁹ SHA323T2

· 2" Holder (2 Pack)



Twist-to-Lock Green Zirconia Mini Grinding **Discs**



OEM TOOLS

Green Zirconia							
SKU	Part #	Size	Grit	Qty	Price		
306282	SHA12613	2"	36	25	44.99		
305896	SHA12614	2"	50	25	44.99		
204022	SHA12615	2"	80	25	44.99		
305827	SHA12618	3"	50	25	54.99		
204009	SHA12619	3"	80	25	54.99		



SHARK

Cut-Off Accessories

Mandrel Set for Cut-Off Tools (2 Pack) SKU **094907** SHA32



10 Piece Cut-Off Wheel Set with Mandrel SKU **1400046 14** 99 26528

· Capable of Cutting Fiberglass, Plastic, Iron, Steel and Other Ferrous Metals

• Quantity: (10) 3" x 1/16" Cut-Off Wheels with 3/8" Arbor, 46 Grit

Max. RPM: 20,400

HARN



3" Aluminum Cutting Wheels (10 Pack) SKU 306331 SHA13178PK2

- Silicon Carbide Grain • Includes: (10) 3" x 1/16" x 3/8" Cut-Off Wheels
- Works on 3" Die Grinders



3" x 1/16" x 3/8" Reinforced Cut-Off Wheels (25 Pack) SKU **306273** SHA25E5PK5

· For Use with Pneumatic **Cut-Off Tools**

Max. RPM: 25,000

· Includes: 25 Discs



Air Piping

MaxLine Compressed Air Piping System 3/4" Master Kit SKU 360593 26999 RAPM7500

SHARK

Aluminum Core: Holds Any Bent Shape!

Heavier Duty Components for Longer Air Runs in Larger Buildings


• 3 Air Outlets, (1) 3/4" NPT Straight Fitting, 2 Tees, 20 Clips and 100' of 3/4" **HDPE** Tubing



1/2" Tubing Master Kit SKU **360485** RAP90500

16999

on AutoZonePro.com



AIR TOOL ACCESSORIES

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Regulators/Filters/Drains

5 Stage Desiccant Filter/Dryer SKU **543076** ARRC7612XL

· Includes: Gauge, Shut-Off Valve and (1) 1/2 Gallon of Desiccant

• Lowers the Dew Point to -30°F

NAME	SKU	PART #	PRICE
Replacement Desiccant Silica Gel, 1 Quart	OSB	ARR34189	24.99



For OSB, Call 901-300-4878

Regulator with Gauge (1/4") SKU **543086** ARRR262G

• Adjustment Range is 5 to 125 psig

· Rated for 25 SCFM



Filter Regulator Lubricator (1/2") SKU **543075** ARRC33354

· Cleans, Dries and Lubricates Air Supply Operating Pressure Range: 5 to 125 psi

• 40 Micron Element

• 142 CFM

Extend the Life of Your Air Tools!



1/2" Electronic Drain SKU **543065** ARR5804

- · Automatically Drains Compressor Tanks, Receiver Tanks or Filters • 110 Volt
- 6' Power Cord



SKU **1491310**

• 1/4" NPT Brass Fittings

Filter/Regulator (1/2") SKU **543071** ARRB754G

- Operating Pressure Range 5 to 125 psi
- 40 Micron Element
- 3 Position Non-Rising Adjustment Knob



Air Regulator with Gauge (1/2") SKU **543091**

SAIJE

LINCOLN

ARRR354G · Adjustment Range is

5 to 125 psig Rated for 100 SCFM



OEM TOOLS

NAME	SKU	PART #	PRICE
Regulator with Gauge (3/8")	543088	ARRR353G	74.99

Hoses and Hose Reels

50' Nitrile Rubber Hose 3/8"

· Lays Flat Under Pressure for Easy Maneuverability and Safety LIN72N3850

- Meets PFAS-Free Regulations · Resists Abrasions and Kinks
- UV Protective Material
- Excellent Resistance to Grease, Oil and Weather

1/2" SKU **1491309** LIN72N1250

• 1/2" NPT Brass Fittings



OEM TOOLS

50' Premium Hybrid Hose

• Lightweight Design for Ease of Use and Enhanced Portability

· Kink Resistant with All-Weather Flexibility (-40° to 150°F)

LIN72H3850

• 1/4" NPT Brass Fittings



LIN72H1250 • 1/2" NPT Brass Fittings

LINCOLN

Mount Air Hose Reel SKU **291343** 25970

REG. \$59.99



· Mounts Solid or with Swivel Action

 Solid Steel Frame Some Assembly

100' Wall

Required

Offer Good Through December 31, 2025

3/8" x 50' OEM TOOLS Air Hose Reel SKU **900815** *199*99 25979

· Smooth Automatic Retracting Spring Coil

• 50' Hose

• Max.



3/8" x 50' Hybrid Polymer Air Hose with Reel SKU **347224** 124 REG. \$199.99 24424

 Heavy Duty Polymer Hose Material Redefines Flexibility - Stays Flexible **Under All Weather Conditions** (-40° to 150°F)

· Holds No Memory - Kink Resistant **Under Pressure**

• 300 psi Working Pressure Bend Restriction for Reducing

Wear and Tear and Extending Life of Hose Solid Brass MNPT Ends

Offer Good Through December 31, 2025



Value Series Air Hose Reel

· Retractable Delivery Hose

Durable Heavy Gauge Steel Construction

• Slotted Mounting Base for Easy Installation

3/8" x 50' SKU **972284** LIN83753

1/2" x 50'

SKU **972285** LIN83754 *319*99



3/8" x 50" Retractable Air Hose Reel SKU **OSB**

LFGL8250F7 · Extreme All-Weather Flexibility,

Even in Subzero Temperatures (-40° to 140°F)

· Won't Kink Under Pressure



THE WILLIAM

For OSB, Call 901-300-4878

Air Chuck

Dual Foot Air Chuck with Comfort Grip Handle SKU **802201** 24 99 24413

- Comfortable Screwdriver Style Handle
- 30° Reverse Angle Chuck Can Be Used on Outside Tires
- · Tilt Lock Feature Locks onto the Valve



- Durable, OEMTOOLS Screwdriver Style Handle for Comfort and a Positive Grip
- · Sealed-Ball Air Chuck is Extended 1" from Handle to Allow Access to Tight Areas



POWER TOOLS

Professional OEMTOOLS®

20V Max* Li-ion Heavy Duty 1/2" Impact Wrench SKU **818594** 10099 24481

- Speed: 0 to 2,200 RPM and 0 to 2,900 IPM
- Nut Busting Torque: 300 Ft/Lb. • Tightening Torque: 260 Ft/Lb.
- Weight: 8 Lb.
- Battery Light Indicators
- Charge Time: 2 Hrs.
- Includes: 4.0Ah Li-ion Rechargeable Battery with Charging Station and Sturdy Blow Mold Storage Case



20V Max* Li-ion 1/2" Brushless Impact Wrench SKU **592251**

24486

- · Variable Speed: 0 to 2,600 RPM and 0 to 3,000 IPM
- Nut Busting Torque: 300 Ft/Lb. Tightening Torque: 260 Ft/Lb.
- Charge Time: 2 Hrs.
- Weight: 9.28 Lb.
- Includes: Rechargeable 4.0Ah Li-ion Battery, Charging Station and Sturdy Blow Mold Storage Case



20V Max* Li-ion 1/2" Brushless Hammer Drill SKU **593469 149**99 24485

- Variable Speed: 0-600 RPM and 0-2000 RPM
- Max. Torque: 310 In/Lb.
- Electric Brake
- Clutch: 21 + 1 Torque Setting
- · Charge Time: 1 Hour
- Includes: Rechargeable 2.0Ah Li-ion Battery, Charging Station and Sturdy Blow Mold Storage Case

20V Max* Li-ion Cordless Angle Grinder SKU **598786** 24492

- Speed: 0 to 10,000 RPMMax. Disc Diameter: 4-1/2"
- Spindle Thread: 5/8"
- Spindle Lock: Yes
- Charge Time: 2 Hrs.
- · Includes: Grinding Disc, Assist Handle, Rechargeable 4.0Ah Li-ion Rechargeable Battery and Charging Station



20V Max* Li-ion Reciprocating Saw SKU **592353 99**99 24491

- Variable Speed: 0 to 3,000 RPM
- Overall Length: 14-1/4"
- · Charge Time: 1 Hour
- Includes: High-Quality, Multi-Purpose Bi-Metal Reciprocating Saw Blade, Rechargeable 2.0Ah Li-ion Battery and Charging Station

All Professional OEMTOOLS 20V Power Tools Work with: Replacement Batteries

Battery Charger SKU **824778** 27333B

Replacement Part for **OEMTOOLS Heavy Duty** 1/2" 2VSR Cordless 20V Li-ion Drill

2.0Ah SKU **824777** 27333A 4.0Ah

27314AM

SKU **1236363**

OEM TOOLS

*With respect to 20V Max, Maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 18V.

Corded OEMTOOLS®

Oscillating Tool SKU **592331 54** 99

- Includes: 3-1/2" Semi-Circle Wood Saw Blade, 2" Rigid Scraper, 1-1/4" Wood Plunge Blade, Standard Sanding Pad and (3) 60/80/120 Grit Sandpapers and 6 Ft. Power Cord
- Variable Speed: 11,000 to 20,000 OPM
- Power: 2.3 Amps
- Overall Length: 14-1/2"
 - · Power Cord Length: 6 Ft.

7" Variable Speed Polisher SKU **592258** 24496

- No-Load Speed: 1000 to 3000 RPM
- Power: 11 Amps
- Spindle Thread: 5/8"
- Spindle Lock: Yes
- Power Cord Length: 6 Ft.
- Includes: Sanding Paper, Sanding Pad, Terry Bonnet, Wool Bonnet and Foam Piece



6" Bench Grinder with Lamp SKU **412598 179**99 80058

- Solid, Heavy Duty Construction for Shaping and Sharpening Hardened Steel
- 6" Wheels with Tool Rests
- Tool Rests Adjust to 45° or 90° Position
- · Includes: Coarse and Fine 6" Grinder Wheels, Goose Neck Lamp, Adjustable Eye **Guards and Spark Breakers**






· Economical, Long Lasting Ahrasive Wheels





OEMTOOLS®

20V Max* Li-ion 3/8" Cordless Drill SKU **052383** 24660



 No-Load Variable 2 Speed Gear Box: 0 to 350 RPM and 0 to 1,150 RPM

• Max. Torque: 220 In/Lb.

Max. Drilling Capacity: 5/16" (Metal) and 3/4" (Wood)
Keyless, Auto Spindle Lock Chuck Size: 3/8"

• Clutch: 16 + 1 Torque Clutch Setting

· Electric Brake

· Forward and Reverse Switch

Battery Charge and Capacity Indicator Lights

Charge Time: 4 to 6 Hrs.

 Includes: 1.5Ah Li-ion Rechargeable Battery and Battery Charger



· Anvil: Heat-Treated 3/8" Drive Ball Detent

· Variable Speed: 0 to 2,400 RPM and 0 to 3,000 IPM

• Max. Torque: 200 Ft/Lb. (Forward) and 240 Ft/Lb. (Reverse)

Battery: 1.5Ah Li-ion

Electric Brake

· Battery Charge and Capacity Indicator Lights

Charge Time: 3 to 5 Hrs.

Includes: 1.5Ah Li-ion Rechargeable Battery and Diagnostic Fast Battery Charger

STORE STOCKED



20V Max* Li-ion 1/2" Cordless Impact Wrench

SKU **052380 99** 24670

• Anvil: 1/2" Square Drive

 Speed: 0 to 2,200 RPM; 0 to 2,700 IPM

 Nut Busting Torque: 300 Ft/Lb. • Max. Tightening

Torque: 240 Ft/Lb.

· Battery: 2.0Ah Li-ion

• Weight: 6.5 Lb.

· Charge Time: 5 to 7 Hrs.

· Includes:

STORE STOCKED

2.0Ah Li-ion Rechargeable Battery, Li-ion Battery Charger



OEM TOOLS

20v MAX

STORE STOCKED

Individual **Batteries and** Charger Available

20V Max* Li-ion Battery 1.5 Amps SKU **029415** 24660A 4599

· Charges in 4 to 6 Hrs.



20V Max* Li-ion Battery 2.0 Amps SKU **1392334** 4999 24670-36

· Charges in 4 to 6 Hrs.



20V Max* Li-ion **Battery Charger** SKU **029418** 24660B



4-1/2" Compact Angle Grinder SKU **052382** 43⁵⁵

24663

• Motor: 6 Amp

Voltage: 120V, 60 Hz

• Speed: 10,500 RPM

• Interchangeable Handle for Left or Right Hand Use

Heavy Duty, Cast Aluminum
 Gear Head for Strength and Durability

• 6 Ft. Power Cord

• Includes: Grinding Wheel, Spanner Wrench and Disc Guard

Heavy Duty 1/2" Impact Wrench SKU **052388** 24666

Input Power: 8.5 Amp

Voltage: 120V, 60 Hz1/2" Square Drive with Hog Ring Retainer

No-Load Speed: 0 to 2,200 RPM and 0 to 3,000 IPM

Replaceable Carbon Brushes

8 Ft. Power Cord

STORE STOCKED



STORE STOCKED

Rotary Tool with 35 Piece Accessory Kit SKU **052384** .3799 24664

• Input Power: 1.2 Amp

Voltage: 120V, 60 Hz

No-Load Speed: 10,000 to 35,000 RPM

• Collet Capacity: 1/8" to 3/32"

· Spindle Lock for Easy Bit and Accessory Change

• 6 Ft. Power Cord

Includes: Grinding Stones, Wheels, Brush, Sanding Bands and Disc, plus Grinding, Cloth and Cut-Off Wheels



Flexible Shaft Rotary Tool Extension SKU **003483 14** 99 24657

· Easily Attaches to Many Popular Rotary Tools



STORE STOCKED 🖊

12V Max** Li-ion Power Ratchet SKU **1069064** 24685

• Max. Torque: 35 Ft./Lb.

Max. Manual Torque: 96 Ft./Lb.

• No-Load Speed: 230 RPM

• Ergonomic Grip with Low-Profile Head for Work in Tight Spaces

• Features Integrated Worklight for Hard-to-See Spots

• Includes: 2Ah Li-ion Removable Battery and Charger





Dual Temp Heat Gun SKU **052387 79**69 24665

 Input Power: 10 Amp Voltage: 120V, 60 Hz

 Temperature Settings: 482°F/842°F

Trigger:

3 Position Rocker

Hanging Loop for Storage

6 Ft. Power Cord

STORE STOCKED



*With respect to 20V Max, Maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 18V.

**With respect to 12V Max, Maximum initial battery voltage (measured without a workload) is 12 volts. Nominal voltage is 10.8V.

AZG0425

POWER TOOLS

Power Tool Accessories

OEM TOOLS 33 Piece Impact Rated Driving Bit Set SKU **750443** 25960



OEM TOOLS

- · Designed to Withstand High **Torque Applications**
- · Reduces Wear, Stripping and Cam-Out
- · Includes: Magnetic Impact Rated Bit



Hole Saw Set SKU **547011 24** REG. \$39.99 24378

6 Piece Bi-Metal

- Includes: Sizes: 7/8", 1", 1-1/8", 1-1/4" and 1-1/2" (22 mm, 25 mm, 29 mm, 32 mm and 38 mm)
- Slotted Saw Allows for Easier Plug Removal
- Durable Enamel Finish Protects Against Corrosion
- Bi-Metal Construction for Increased Wear Resistance



Multi-Purpose Drill Powered Pump SKU **526513** 24503


OEM TOOLS

· Works with a Corded or Cordless Drill to Transfer the Following Liquids: Fresh Water, Sea Water, Organic Solvents, Motor Oil, Heating Oil, Insecticides and Liquid



Bench Grinder, Vise and Drill Press Stand

SKU **943120** 164° 24643



• Top/Plate Dimensions: 13.8"(L) x 9.8"(W) x 0.2"(H)

• Overall Dimensions: 13.8"(L) x 9.8"(W) x 37.4"(H)

Multiple Mounting Configurations Fit Many Bench Grinders, Pipe Benders, Vises and Drill Presses



OEM TOOLS

4-1/2" x 1/16" x 7/8" Cut Off Wheel Pack of 6 SKU 1485031



- Diameter • 1/16" Wheel Thickness
- 7/8" Arbor Diameter
- · Will Evenly Cut Through Fiberglass, Plastic and Steel
- Arbor Diameter Fits Most Drills

3 Piece Spiral Step Drill Set SKU **99189** 24372




OEM TOOLS

- 28 Hole Sizes in 3 Bits
- Enlarge Existing Holes
- 1/4" Hex Shank To Prevent Slipping in Chuck Applicable Materials: Stainless Steel, Copper, Brass, Aluminum, Plastic and Laminates (Material Thickness of 0.125")

4.5" Depressed Center **OEM TOOLS** Grinding Wheels

SKU **1485045**





- Diameter: 4.5 by 1/4
- · Hubless, 24 Grit
- Pack Contains 3 Wheels



Mechanics Set SKU **533204 | 24974**

1,999_{REG.} \$2,355.51



Includes 156 of the Most **Common Tools in Tool Cart**

• SAE and Metric, 1/4", 3/8" and 1/2" Drive Tools, Combination Wrench Sets, Pliers and Screwdrivers. Plus Battery Service Tools, Oil Change Tools and More







Go to A7TOOI 1.com for 24974 Contents List

Offer Good While Supplies Last Through December 31, 2025

Cart Style and Color May Vary

Technicians Set SKU **533203 | 24975**

2,649⁹⁹ REG. \$3,203.22

Includes 312 of the Most **Common Tools in Tool Cart**

• SAE and Metric, 1/4", 3/8" and 1/2" Drive Tools, Combination Wrench Sets, Pliers and Screwdrivers. Plus Battery Service Tools, Oil Change, Wheel Service and More



Cart Style and Color May Vary








Go to AZTOOL1.com for 24975 Contents List

Offer Good While Supplies Last Through December 31, 2025



TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Floor Jacks

2 Ton Off-Road Jack SKU 1525571 374 99 29004

- Full Length Skid Plate Provides Stability in Soft or Unstable Materials Such as Sand or Gravel
- · Heavy Duty Oversized Wheels are Ideal for
- Navigating on Rough or Uneven Surfaces

 High Lift Adapter Extension for Additional Lift Height Up to 24-3/16" Provides Access to Lifting Points for Off Road Vehicles
- · Dual Piston Hydraulic System for Quicker, More Efficient Lifting
- . Min. Height without Extension: 6-1/8", with Extension Stage: 11-1/4"
- Max. Height without Extension: 17-15/16". with Extension Stage: 24-3/16"
- · Weight: 59.5 Lb.



3-1/2 Ton Low Profile

Floor Jack

SKU **757109**

24837





3¾" LOW

PROFILE

31/2"

PROFILE

PADDED

HANDLE

LOW 🖣



Carry Handle for Portability



Locking Adjustable Height Extender



OEM TOOLS



3%" LOW

PROFILE

LONG

LÓW -

PROFILE

LONG

4 Ton Hydraulic Service Jack SKU **1525558** 29003

- · Dual Piston Hydraulic System for Quicker More Efficient Lifting
- Nylon Casters Protect Sealed Floor Surfaces and Dealer Showrooms
- Meets ASME PASE-2019 Standards
- 4.3" Saddle Provides Generous Lifting Area and Secure Grip
- Min. Height: 4-3/8" · Max. Height:
- 20-1/4" · Weight:
- 98.3 Lb.





31/8" LOW

PROFILE

PADDED

HANDLE







SKU **1407611** 24868

· Extra Long and Low Profile is Great for Low Clearance Vehicles, Pickups and SUVs

- Padded Jack Handle and Saddle Pad to Prevent Vehicle Damage
- Dual Pump Design for Quicker Lifting



- · Min. Height: 3-3/8' Max. Height:
- 24-1/4" • Length:
- 31-3/8' Weight: 100.3 Lb.



3 Ton Low Profile Jack SKU **OSB** 29005

- Low Profile Professional Quality Floor Jack for Low Clearance Vehicles
- 3-1/8" Minimum Height is Ideal for Sports Cars, Lowered Vehicles, and Lifting Vehicles with Flat Tires
- 4.3" Saddle with Jack Support Pad and Foam Handle Cover to Prevent Damaging Vehicle
- Overload and Bypass Safety Valves Prevent Use Beyond Rated Capacity and Over-Extension



2-1/2 Ton Aluminum/Steel Hybrid Floor Jack SKU **1417557**

24869 Aluminum and Steel Frame Construction Provides the Benefit of Strength Along with Light Weight

- · Padded Jack Handle and Saddle Pad to Prevent Damage to Vehicle
- Dual Pump Design for Quicker Lifting Nylon Casters to Protect Sealed Floor
- Surfaces and Dealer Showrooms • Min. Height: 3-1/2"
- Max. Height: 19-1/4"
- Length: 25-1/2" Weight: 58.2 Lb.





2 Ton Extra Long, Extra Low Profile Floor Jack SKU **757041** 24838

- Min. Height: 2-3/4"
- Max. Height: 24-1/4"
- Length: 31-7/8"
- Weight: 97.5 Lb.



AZG0425





Wheel Dollies

Mechanical Vehicle Position Dollies

- Easily Lift and Move Vehicles Up to 6,000 Lb.
- 1,500 Lb. Capacity Each

Set of 2 Dollies SKU 1089031 24793 *399*99



Set of 4 Dollies with Storage Cradle SKU **1414391** 69000

REG. \$809.97



OEM TOOLS

Air Hydraulic Jacks

20 Ton Air Hydraulic Bottle Jack

SKU **544795** 24850

- · Can Be Operated with Air or Manually
 • Height: 10.25" to 20.1"
- Extension Screw Adjustment: 3.15"
- Meets or Exceeds ASME PASE-2019 Standards



OEM TOOLS

Hydraulic Vehicle Position Dollies

- Easily Lift and Move Vehicles Up to 6,000 Lb.
- 1,500 Lb. Capacity Each

Set of 2 Dollies SKU **298098** 24855TW0



Set of 4 Dollies with Storage Cradle SKU **696485** 68986

REG. \$909.97 SAVE \$

When You Buy the Set



· Compact, Low Profile Design Easily and Safely Fits Between Wheels of Tandem Axle Vehicles

• Ram Travel: 4-15/16"

- Extension Screw Adjustment: 4"
- Min. Height: 8-3/4"
- Max. Height: 17-11/16"

Hydraulic Jacks Built for Performance and Ease of Use



1500 Lb. Wheel Dollies Set SKU **757043**

- 99 REG. \$119.99 • Great for Moving Cars, Trucks, Trailers and Lawn Tractors
- 4 Swivel Nylon Casters Give Mobility in All Directions, Roll Smoothly and are Safe for Epoxy Floors
- HD Steel Plate Construction for a Long Life
- 2 Casters on Each Dolly Have Locking Mechanisms

Offer Good While Supplies Last Through December 31, 2025



Lift Pads

OEM TOOLS

Tesla Jack Pads Models 3/S/X/Y SKU **1580896 29**99 28999

- · For Tesla Models 3, S, X and Y One-Piece Molded Rubber Construction is Sturdy and Durable
- · O-Ring Allows the Adapter to be Pre-Installed onto the Vehicle
- For Use With Floor Jack or 2-Post Lift
- · Prevents Damage to the Battery Pack
- 4 Adapters and Storage Case



OEM TOOLS

Vehicle Position Dolly Cradle SKU **544800 QQ** 99 24856

· Neatly Secure and Store Up to 4 Vehicle Car Dolly Jacks





Jack Stands 3 Ton Jack Stands (Pair) SKU **757122** 59 REG. \$99.99 24852 • Min. Height: 11"

- Max. Height: 16-1/2"Meets or Exceeds
- ASME PASE-2019 Standards



6 Ton Jack Stands (Pair) SKU **1580891 99**99 24788



 Recessed Saddle for a Secure Placement · Self-Locking Ratchet Allows Safe and Easy Adjustment

 Features Locking Pin for Additional Security When Under Load

- Max. Height: 23-7/16'Min. Height: 15-1/2"
- Meets or Exceeds ASME **PASE Standards**



22 Ton Heavy Duty Axle Stands (Pair) SKU **757098 249**99 24854

- Min. Height: 12-1/4"
- Max. Height: 19-3/4"
- Adjustable Pin Design Features Handle for
- Transport and Positioning
- Large V-Shaped Saddles Center Lift Points for Secure Placement
- · Meets or Exceeds ASME PASE-2019 Standards



TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com























1,250 Lb. Engine Stand SKU **462493** 24829

- · Easy to Move and Rotate
- Heavy Gauge Square Steel Tube Frame
 Extra Wide 4 Wheel Base Provides Added Stability
- 360° Rotation
- · Lock Pin Locks Engine into Position



Heavy Duty 1,000 Lb. Engine Stand SKU 757115 22999 24839

- · Adjustable Mounting Arms to Fit Most Engine Configurations
- Locking Head Plate with 360° Engine
- **Tubular Steel Construction**
- Base: 32-1/2" (L) x 30-3/4" (W) Height: 37-3/8"
- Weight: 41.9 Lb.



1,100 Lb. Rotating Engine Stand SKU 1125862 64999 24798

- Adjustable Mounting Arms to Fit Most **Engine Configurations**
- Locking Head Plate with 360° Engine Rotation · Heavy Duty Worm Gear for Effortless Rotation
- Tubular Steel Construction
- · Folding Legs for Easy Storage
- Base:

41-1/4" (L) x 27-1/8" (W)

· Weight: 102.5 Lb.



1 Ton Folding Engine Stand SKU **544804**

32999 24834


OEM TOOLS

- Folds Upright to Conserve Valuable Floor Space
- · Sturdy, Wide-Base Design to Prevent Tipping **Under Load**



Shop Cranes

6,000 Lb. Heavy Duty Engine Crane SKU **1267948** AFF3584



- 4 Different Boom Settings: 3, 2, 1.5 and 1 Ton
- · Rear of Crane: 61.5" Tall x 33" Wide
- Distance Between Front of Legs: Retracted 23", Extended 28.5
- Built-In Safety Overload to Protect the Unit from Being Used Beyond its Rated Capacity



2 Ton Folding Shop Crane SKU **ÓSB**

RANRSC2TF *649*99

- Heavy Duty Hydraulic Folding Engine Hoist with 2 Ton Capacity Ram is Perfect for Shops That Have Limited Space but Still Need the Pure Lifting Convenience of a Crane
- Front Casters Include a Safety Brake to Prevent Movement

For OSB, Call 901-300-4878



OEM TOOLS

2 Ton Folding Shop Crane SKU **544801 24830**

62499

- Foldable Design Makes for Convenient,
- Easy Storage 6 Solid Steel Caster Wheels
- Add Mobility Fully Adjústable 4 Position Boom



OEM TOOLS

Lifting Accessories

OEM TOOLS Universal **Engine Lift Plate** 1,000 Lb. Capacity SKU **662861** 24867

- · Corrosion Resistant, Gold Iridite Zinc Plating
- Tough, All Steel Construction
- Fits Most Style 6 and 8 Cylinder Engines with 2 or 4 Barrel Intake Manifolds

 Mounting Hardware Not Included



Floor Jack Crossbeam SKU **544803** 999 REG. \$174.99

- Compatible with Most Floor Jacks with a 1-1/8" Diameter Saddle Stud
- · Saddles Adjust from 23" to 32" on Center
- Min. Width Capacity: 3,000 Lb.
- · Max. Width Capacity: 4,000 Lb.



Fuel Tank Adapter SKU **222503** *169*99 DOWJDI-FTA7

- Safe and Convenient Adapter for Handling Vehicle Fuel Tanks
- · Works with Most Transmission Jacks



Bed Lifter SKU **OSB** STK35885

*339*99



· Lifting Brackets Adjusts to Evenly



For OSB, Call 901-300-4878

STECK

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Engine Support

3 Point Engine Support Bar SKU **133617** 24951

- · Makes Removal of Transaxle Easy by Supporting Engine of Front Wheel Drive Vehicles
- Width Expands from 34-1/2" to 61"
- (2) 14" Adjustable Hook Screws
- (2) 38" Braided Steel Cables
- 700 Lb. Capacity

1,100 Lb. Engine Support SKU **512946** 17499 24950

- 2 Screw Adjusters for Precise Positioning Makes Job Easier, Faster and Safer
- Rubber Feet to Prevent Damage to Vehicle and Ensure Stability
- 1,100 Lb. Capacity



3/4 Ton Engine Leveler SKU **544802** 5999 24831

- 4 Point Mounting System Provides Maximum Control
- · 3 Chain Positions to Accommodate Different **Engine Configurations**
- Durable Steel Construction
- · Smooth Operating Worm Drive Shaft for Easy Level Adjustment
- Rated Capacity: 1,500 Lb.



OEM TOOLS

OEM TOOLS

Lift Table

OEM TOOLS

660 Lb. Double-Scissor Lifting Table Cart SKU **1525568 799**99 24789

- · Reduces Operator Strain When Moving Heavy or Bulky Items
- Double Scissor Mechanism Raises the Table from 13.8" to 50.6"
- Large 32" x 20" Platform Fits a Wide Range of Items
 • Foot Pedal Pump Allows
- Hands-Free Operation
- Hand Operated Release Lever for Easy, Controlled Descent
- 5" Heavy Duty Casters with Bearings for Easy Rolling Over Rough Floors
- Safety Bar Lock Mechanism Allows the Table to Be Secured at 40.2"
- · All Steel Construction for Strength and Durability



High Reach Stands

- Provides Added Support During Installation/Removal of Automotive Components
- Compact Design for Use in Limited Workspaces
- Durable Heavy Gauge Steel Construction

1,500 Lb. High Reach Jack Stand SKU **757043** 24848

*169*99

- Min. Height: 55"
- Max. Height: 78"
- Meets or Exceeds ASME PASE-2019 Standards



- · Foot Pedal Pump Saves Time Adjusting Load
- Min. Height: 55' • Max. Height: 78"
- Meets or Exceeds ASME PASE-2019

Standards



- Securely Supports Load in 5 Positions
- Min. Height: 49"
- Max. Height: 80
- Meets or Exceeds ASME PASE-2019 Standards

EV Lift Table SKU **OSB**

CHLBT3300

- 3,300 Lb. Lift Capacity
- Scissor-Style Lifting
- Hydraulic Cylinder and 115V Plug
- Pendant Controlled Operation
- Max. Reachable Height: 76.5"
 Complies with ASME PASE-2019
- 8" Clearance Under Base Plate for Battery Removal
- · Extending, Adjusting and Tilting Top Plate for Larger Batteries



2,200 Lb. Lifting Table, Air/Hydraulic with Adapters SKU **OŠB** 3,99999 CEA-MS10KIT

- Designed for Removing/Replacing Battery Packs of Electric Vehicles as well as the Engine, Transmission, Drive Axle, Fuel Tank, Suspension and Sub-Frames of Traditional Vehicles
- Large Base Frame Ensures Better Stability and Reliability

 • Max. Lift: 70-1/16"
- Min. Height: 22-7/16"
- Platform Length: 51-3/8" to 58-1/4"
- Platform Width: 33-1/8"



2,640 Lb. Lifting Table, Electric/ Hvdraulic with Adapters SKU **OSB CEA-MS12MKIT**

CUTTING EDGE

6,499⁹⁹

2.500 lb. Powertrain Lift SKU **OSB**

6,34999 AFF3182 · Air Assist Foot Pump with 9' Extension

- Provides Hands-Free Operation Safety Latches at 30%, 50% and 80% of Max. Height
- · 8" Diameter Swivel Casters for Easy Maneuverability
- Rear Wheels Can Be Locked to Prevent Rolling

Top Height from 33 to 77"



4,500 Lb. BendPak.

EV Battery and Powertrain Lift Table SKU OSB BENEVS4500

10,199⁹⁹

- Full-Rise Battery Powered Mobile Scissor Lift Table
- Remote Control Operation
- DC Electric Power System with Onboard Charging
- Full-Length Utility Trays



AZG0425

To Confirm Price, Availability and Ordering Instructions on OSB, Call 901-300-4878

Ask About Special Pricing on Additional Multi-Lifts and Package Deals, Call 901-300-4878

SAVE \$1,549*

geoliner® 609 with 12K 4-Post Lift SKU **OSB** 33.19999 ALIGNCOMB020

- Provides Accurate, Real-time Measurements Reduces Setup and Measurement Times While Generating Serious Productivity Benefits
- Ultra Low-Profile Design Allows Easy-On Approach Angle for Low
- Hydraulic Cylinder Mounted Underneath Runway



* Savings based on the price of items if purchased separately and includes lift install credit.

SAVE \$2,849*

geoliner® 678 Complete Alignment System with 12,000 Lb. Scissor Lift

SKU **USB 56**, **399** 99

 Includes: Geoliner® 678 Aligner w/AC400 Clamps and VIN Reader, 12,000 Lb. Scissor Lift with (2) Rolling Jacks, Air Line Kit, Turn Plates and Rollback Kit

· Open Front Design Provides Easy Access to Alignment Service and Calibration Areas

24" Wide Runways Provide Easy Drive-On for Large Vehicles

• 70" Lifting Height





HOFMANN

Hofmann Will Pay \$1,500 Towards Your Lift Install.

(Must use Hofmann authorized installer.)

* Savings based on the price of items if purchased separately and includes lift install credit.

ALIGNER INCLUDES: Manufacturer's Set-Up

INCLUDES: (2) Rolling Jacks, Air Line Kit, Premium Turn Plates and Rollback Kit

WARRANTY: 1 Year Parts and Labor

BendPak.

SAVE \$1,299*

4 Post Alignment Lift Package (Open-Front)

SKU **OSB**

BEN14AXCOMB3 • 14,000 Lb. Lift Capacity

- Overall Length: 243"Runway Width: 20.5"
- · Includes: Lift, (2) 7,000 Lb. Rolling Jacks, Turn Plates, Slip Plates and Air Line Kit





* Savings based on the price of items if purchased separately.

SAVE \$1,199*

4 Post Alignment Lift Package SKU **OSB** 15.349°°

BEN14LSXECMB2

- 14,000 Lb Lift Capacity
- Overall Length: 271" Runway Width: 20"
- · Includes:

Lift, (2) 7,000 Lb. Rolling Jacks, Turn Plates, Slip Plates and Air Line Kit





* Savings based on the price of items if purchased separately.

INCLUDES: (2) Rolling Jacks, Turn Plates, Slip Plates and Air Line Kit

WARRANTY: 1 Year Parts and Labor



Customer Responsible For Offloading, Liftgate Service Available.

For OSB, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

Aligners

geoliner® 770 AC400 Clamps and VIN Reader

HOFEEWA752BV3 **31,599**99

• Lightweight, 3-Camera System Folds to a Compact Size with a Low Center of Gravity, Taking Up Less Floor Space in the Shop and Easily Maneuverable When Needed

 Touchless AC400 Wheel Clamping System (Only the Tire is Contacted), Installed in Seconds with Single, Fast-Action Adjustment Knob

- Automatic Height Tracking to Provide Optimum
 Placement of its Advanced XD Targets and Cameras for More Speed and More Accuracy on Every Alignment Diagnostic Alignment with "Compensate Warn Alert"
- Intervention Gets it Right the First Time Video Speed Cameras Constantly Monitor Alignments, Providing Information at Every Step
- Unique Camera Beam Design Fits Through a Standard Doorway and Protects Cameras
- Next Generation UI Optimized for the High Volume User
- Highly Accurate and Reliable XD Camera Technology

ALIGNER INCLUDES: Manufacturer's Set-Up

WARRANTY:

1 Year Motor and Parts, 6 Months Labor,

3 Years Circuit Boards, Pods and Electronics





HOEMANI geoliner® 609



HOFEEWA741TH3 *14,849*⁹⁹

SKU **OSB**

 Groundbreaking User Interface Provides Instant Access to Critical Tasks

Alignment System

- · No Calibrations Required
- Designed for a Connected World
- Small Footprint
- · Includes: AC200 Clamps

WARRANTY:

1 Year Motor and Parts,

6 Months Labor, 3 Years Circuit Boards, Pods and Electronics

ALIGNER INCLUDES: Manufacturer's Set-Up



geoliner® 660 Imaging Wheel Aligner

HOFEEWA712TH3 **23,199**99 Advanced XD Cameras and

- Sophisticated Monitoring Algorithms
- · Exclusive Dimensioning and **Productivity Features**
- Patented EZ-TOE Turn the Front Wheels and Access Difficult Adjustment Points While Still Displaying Centered Toe Readings
- Features Easy-Rolling Casters, Storage for All Attachments and a Fully Enclosed Printer Compartment
- Includes AC200 Clamps, Brake Pedal Depressor, Color Ink-Jet Printer and Steering Wheel Holder

WARRANTY:

1 Year Motor and Parts, 6 Months Labor, 3 Years Circuit Boards, Pods and Electronics

ALIGNER INCLUDES: Manufacturer's Set-Up



geoliner® 678 Wheel Alignment System with AC400 and VIN

оки **ОЗБ** НОГА715ТВV3 **28,949**99

- · Easy to Use Interface 3 Levels of Intervention ("Compensate - Warn - Alert") with Corrective Actions Just One Click Away Help Videos - View Detailed Videos of How
- to Make Needed Adjustments to Complete Even the Most Complex Tasks
- Cross-Diagonal Measurements Identify Frame or Structural Damage (Saving Time)
- · Rolling Radius Identifies Mismatched Tire Sizes to Prevent Vehicle Pulling and Drive Train Damage
- Touchless AC400 Wheel Clamping System (Only the Tire is Contacted), Installed in Seconds with a Single Fast-Action Adjustment Knob

1 Year Motor and Parts, 6 Months Labor, 3 Years Circuit Boards, Pods and Electronics

ALIGNER INCLUDES: Manufacturer's Set-Up



Alignment Accessories

Steel Turn Plates SKU **OSB** QSP25-140

Call for Price

• Capacity: 4,500 Lb. per Plate • Dimensions: 14" x 14" x 1.5'



Stainless Steel **Turn Plates** SKU **OSB** QSP25-129 Call for Price



SKU **OSB** OSPDB-6000 Call for Price

• (2) 59-1/2" x 20" Full Floating Rear Slip Plates

- Simple Installation On Most General Service Lifts · Length Options: 173", 186"
- to 196" and 200" to 205"





Steering Wheel Holder and Peďal Depressor Kit SKU **802195**

24231



- Depresses Brake Pedal for Various Brake Checks Including Brake Lamp Operation
- Simply Hand Squeeze the Actuator to Accomplish Fine Adjustments



OEM TOOLS

For Pricing, Call Your Commercial Sales Manager



Customer Responsible For Offloading.

For OSB, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

ALIGNMENT

Aligners

CWA 6500 Wheel Aligner SKU **OSB**

AMM8006500

28,64999 · Comes with Both Self-Centering

Clamp and Exclusive Tire Gripping Adapters to Ensure Both Accurate Reading and **Fast Operation**

· Multiple Compensation Modes to Make Getting Readings on Heavy Vehicles Easy without Having to Roll Vehicle Excessively Far

· Two Wheel Alignment Mode for Setting Total Tow on Large Trucks, No Rear Targets Required

· Standard VIN Scanner for Time Savings and Ease of Vehicle Selection

 Mobile Cabinet Supports Using Aligner in Multiple Bays

ALIGNER INCLUDES: Manufacturer's Set-Up and Training

WARRANTY:

1 Year Parts, 6 Months Labor, 30 Days Wheel Clamps



Mobile Tablet Aligner SKU **OSB** ROTR1065

· Tablet Operated No PC Required

CEMB &

 Wifi Communication No Cables

 4 Sensors 2CCD Cameras Each Sensor Cart Charging

Built-In 4 Point Clamps



ALIGNER INCLUDES: Manufacturer's Set-Up

3 Years Parts and 1 Year Labor

CEMB Wheel Alignment Systems

• User Friendly Software with Adjustment Graphics

- More Than 55,000 Vehicles In Database
- · Cloud Based Wi-Fi Networking
- 12" to 24.5" Clamping Range
- For Cars and Light Trucks

Trolley Wheel Alignment System SKU **OSB** CMBDWA1100TROLL

*12,799*99

• Toughpad with 10" Touch Screen, Waterproof, Dustproof Rubberized Case

Complete Wheel Alignment System SKU **OSB** CMBDWA1100CWAS

18,499⁹⁹

- Portable Wheel Stands with Integral Turn Plates on All Four Stands Align All Vehicles
- Stands Weight Limit: 10,000 Lb. or 2,500 Lb. per Stand
- Includes: Stands, Roller and Plates

Wheel Alignment System SKU **OSB** CMBDWA1100

15,899⁹⁹

· Includes: Cabinet, Printer, Depressor, Holder and Software

ALIGNER INCLUDES: Manufacturer's Set-Up and Training

WARRANTY: 2 Years Parts, 1 Year Labor



• 3D HD Camera Technology Portable Cabinet/Tower Moves Bay-to-Bay

 Adjustable Camera Height Follows Alignment Rack • Complete 4-Wheel Alignment System

· Includes: 24" Monitor, Color Printer, Compact Wheel Targets and User-Friendly Software

• FREE 1-Year Spec Update and Shop Alignment Banner



WARRANTY: 2 Years Parts, 1 Year Labor



CMBDWA1100TROLL

Customer Responsible For Offloading, Liftgate Service Available.

For OSB, Call 901-300-4878

Free Delivery in 48 Continental United States
 Specifications Subject to Change without Notice or Liability
 Equipment Lead Times and Shipping May Vary
 Customers Responsible for Offloading Equipment Upon Arrival
 Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

ALIGNMENT

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-48

Alignment Lifts

12,000 Lb. Scissor Alignment Lift SKU **1350795** HOFR709APKG

. Open Front Design Provides Easy Access to Alignment Service and Calibration Areas

• 24" Wide Runways Provide Easy Drive-On for Large Vehicles

· Dual Engaging Twin Interlocking Mechanical Safety Racks with Pneumatic Release

 95 Second Lifting Time and 45 Second Lowering Time

• 70" Lifting Height



INCLUDES: Rolling Bridge Jacks, Air Line Kit and Turn Plates

WARRANTY: 1 Year Parts and Labor



CL Challenger Lifts

HOFMANN'

14,000 Lb. 4 Post Alignment Lift SKU **OSB** FORCRA14

• Max. Rise: 80-3/4" · Max. Wheelbase: 182-1/2"

• 4 Wheel Alignment from 88" to 157"

· Long Lasting, High Performance Cable and Sheave System



INCLUDES: Rear Slip Plates, (2) 7,000 Lb. Rolling Jacks, Radius Gauges and Internal Air Line

WARRANTY: 1 Year Parts and Labor



15,000 Lb. 4 Post Open Front Alignment Rack Package - Ext. Length

CHLAR4115XAO 30, 79999

• Max. Wheelbase: 210"

• Improved 4-Wheel Alignment Wheelbase with Longer Rear Slip Plates

· Removable Lock without Dropping the Column

· Enclosed Column with No Outside Lubrication

· Improved Column and Cross Beam Design

 Increased Drive Through Clearance

· 26" Wide Runways

• 78" Rise Height

WARRANTY: 2 Year Parts, 1 Year Labor

INCLUDES: Air Line Kit, Slip Plates, Turn Plates and Two Rolling Jacks

4 Post Alignment Lift Combo SKU OSB

BEN14LSXCOMB1

• 14,000 Lb. Capacity Overall

Length: 241"

 Runway Width: 20"

WARRANTY:



FORWARDLIFT



INCLUDES: Air Line Kit, Slip Plates, Turn Plates and Two Rolling Jacks

15,39999

14,000 Lb. Scissor Alignment Lift Package

SKU **OSB**

AMM8KSC14KITP *45,149*⁹⁹

• Max. Service Wheelbase: 198"

 Max. 4 Wheel Alignment Wheelbase: 160'

· Max. 2 Wheel Alignment Wheelbase: 178"

• Ceiling Height Required: 12'

2 Roll Back Bars and 1 Airline Kit

Overall Length: 260"

Overall Width: 91-1/2"

. Lifting Height: 74"



INCLUDES: 2 HD Rolling Jacks, 2 SS Turn Plates, WARRANTY: 1 Year Parts and 6 Months Labor

15,000 Lb. 4 Post Open Front Ext. Alignment Lift Pkg

SKU **OSB** AMM8K4P15XKITP

41,04999

• Max. 4 Wheel Alignment Wheelbase: 164-1/2"

· Max. 2 Wheel Alignment Wheelbase: 209'

• Ceiling Height Required: 12' Raised Height: 75

Overall Length: 287-1/2"

 Overall Width: Front 143" to Rear 137-1/2"

INCLUDES: 2 HD Rolling Jacks, 2 SS Turn Plates,

WARRANTY: 1 Year Parts and





Customer Responsible For Offloading.

For OSB, Call 901-300-4878

2 Roll Back Bars and 1 Airline Kit

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

Alignment Combo

CK-14KACX-IWA
iDEAL Alignment Lift & Wheel Aligner
Combo Bundle Kit

SKU: **429041**

- High Performance Commercial Alignment Lift
- Durable, High Quality Cable Lift System
- Extended Rise Height
- . 'Bolt-On' Runway Alignment Kit • 18 Locking Height Positions
- 20" Wide Runways
- Slack Cable Safety Devices
- Self-Chocking Approach Ramps W/ Nylon Rollers
 Wide Scope High Resolution 3D Industrial



Combo Bundle Kit = (1) FP14KAC-X Alignment Lift
(2) RAJ-7K-H Bridge Jacks & (1) IAW-60-2000T-K iPRO Wheel Aligner

Two Post Lifts

*5,299*99

iDEAL - TP10KAC-DX

10,000lbs CAPACITY SKU **942096**

- ALI Certified
- Bi-symmtric Arms
- Overall Height: 144"
- Overall Width: 145-1/2"
- Bi-Symmetric Lift Arms
 Low Profile Swing Arm Design
- 3 Stage Front Arms
- Adjustable Height Swivel
- Pads
- Stackable Height Adapters



Installation or Optional Equipment as Shown

Paint Booths



PSB-AFCF23B-3PH-230V-AK **Cross Flow Paint Booth** 17,399⁹⁹

PSB-SDD26B-3PH-230V-AK

SKU **799158**

- Inside Dimensions:
- 22'-6" L X 13' W X 8'-6"H
- 5/16" Bolt & Nut Assembly
- 18 Guage Panels
 UL Listed Dayton 24" Tube-Axial Fan
- Double Entry Doors w/ Shutoff Switch
- Meets or Exceeds All Applicable OSHA & NFPA 33 Regulations

Side Down Paint Booth

26' L X 14' W X 9'3" H
• 5/16" Bolt & Nut Assembly

SKU **592190**

• Inside Dimensions

• 18 Guage Panels

Tube-Axial Fan

 Personnel Door w/ Shutoff Switch • Meets or Exceeds All

• UL Listed Dayton 24"

Storage Lifts

FP8K-DX-XLT 8,000lbs CAPACITY

SKU **426415**

- Extended Lift Height & Length
- Cable Driven Lifting System
- Single Point Manual Lock
- Slack Cable Safety
- Steel Approach Ramps
- Adjustable Locking Postitions





TP11KC-DX 11,000lbs CAPACITY SKU 426140

- Direct "Pull" Cylinders
- Overall Height: 145"
- Overall Width: 145-1/2"
- 3 Stage Front Arms,
- Low Profile Arms Rubber Door Guards
- Spin Up Pads with stackable drop in Height Adapters





Scissor Lifts

LR-10K-TLPAD 10,000lbs CAPACITY

SKU **1404546**

4,63999

- · Ideal For Express Tire & Wheel Service
- Surface Mount Install Configuration
- Integrated Outer Frame & Ramps Provide Drive-On & Off Clearance For Wide Vehicles
- Latch Release Handles On Each Side Of Lift

DEAL

3,17999 TP9KACX

9,000lbs CAPACITY SKU 426138

- Asymmetric Arms
- Overall Height: 143"
- Overall Width: 138" Spin Up Pads with
- stackable drop-in height adapters






Wheel Service

Applicable OSHA & NFPA 33

TC-950

Regulations

Semi-Automatic TireChanger SKU **426755**



- Rim Width: 3" 15"
- Rim Diameter: 15" 28"



WB-953

2,67999

sки **426803**

HighPerformance 1,959

DEAL

*27,699*⁹⁹

- Max Wheel Diameter: 39'
- Rim Width: 1.5" 20"
- Rim Diameter: 10" 24"
- . Wheel Weight Capacity: 150 lbs



SC-2K-UTV-X 4,93999

iDEAL Single Column, UTV & Mower Storage / Service Lift SKU 1413367

- 2,000 lbs Capacity
- Multi-Purpose Single Column **Dual Platform Lift Design**
- Ideal Storage Solution for Most Small to Mid-Sized ATVs, UTVs, Golf Carts, Riding Lawnmowers & Zero Turns



Installation or Optional Equipment as Shown

3,09999

TP9KFX 9,000lbs CAPACITY SKU **426106**

- Symmetric Arms
- Overall Height: 112"
- Overall Width: 134.5"
- Spin Up Pads with Stackable drop-in height adapters





DON'T FORGET THESE ACCESSORIES!



PWB-1600 1,600 lbs Workbend SKU 1284169





8G DRAIN 8 Gallon Drain 8 Gallon Drain SKU **426733**



Challenger Lifts

10,000 Lb. 2 Post Offset Arm Design Lift SKU **OSB** 5,79999 CHLVLE10

Versymmetric 3-Stage Offset Front Arms

· Lifts Asymmetric and Symmetric in the Same Service Bay

 Rubber Door Guards



Available in Red and Blue



INCLUDES: Telescoping Footpads

WARRANTY: 1 Year Parts and Labor

CL Challenger Lifts 10,000 Lb. 2-Post Versymmetric® Adjustable Lift 7,39999 SKU **1544683** CHLCL10AV3

3-Stage Front, 3-Stage Rear Arms with Swept Arm Design
3 Adjustable Widths and 2 Adjustable Heights

· Can Be Set Up to Lift Most EVs Arm Reach: Front - Min. 20", Max. 42" Rear - Min. 37-5/8", Max. 60" • Ceiling Height Required:

12' Minimum · Width:

Versymmetric®

14' Recommended



INCLUDES: Telescoping Footpads

Available

in Red. Blue

and Black

WARRANTY: 2 Years Parts and 1 Year Labor

12,000 Lb. 2 Post Symmetric Lift

12,000 Lb. 2 Post Symmetric Lift SKU **1580894** 10.34999 CHLLE12-3S

• Heavy Duty 3-Stage Front and Rear Arms

 Single-Point Mechanical Lock Release

· Adjustable Column Height: 166" or 175"

Padded Overhead

Shut-Off System

Includes:

 Powder Coat Finish Standard Dual Integrated Rubber Door Guards (4) 3" Stack Extensions, (2) 6" Stack Extensions Available in and (2) Organizer Red and Blue Racks with Hardware

12,000 Lb. 2 Post Symmetric Lift SKU **OSB** 9,69999 CHLLE12

WARRANTY: 1 Year Parts and Labor

SKU **OSB** CHLCL12A

• 3 Stage Front and Rear Arms Provide Extension and Retraction to Lift Everything from Small Sedans to Pickup Trucks

 Adjustable Height: 158" to 164" Adjustable Width: 142"/148"/154"

• Includes 10315 Stack Adapter Kit, (4) 3" Stack Adapters,

(2) 6" Stack Adapters. (2) Organizer Racks with Hardware



WARRANTY: 2 Year Parts 1 Year Labor

14,000 Lb. 4 Post Closed Front Lift SKU **OSB** CHL4P14EFX

10,04999

- 20" Wide Runways
- · Max. Wheelbase: 182.5" · Minimum Bay Size:
- 12' x 24'
- Rise Height: 78"
- · Color: Black Only

Air Line Kit WARRANTY: 60999 SKU **1580944** 1 Year Parts and Labor CHL40230E Rolling Jacks Sold Separately

One 7,500 Lb. Rolling Jack SKU **OSB** CHLRJ75



Optional Equipment



BEFORE PLACING YOUR AUTOMOTIVE LIFT ORDER:

Please verify minimum ceiling height. concrete requirements and bay size. See page 2 for delivery information or Call 901-300-4878.

Quality Lifts

quality lifts

10,000 Lb. 2 Post Lift SKU **1580947** CHLEQ10

· 3-Stage Front, 2-Stage Rear Arms

· Lifts Symmetrically or Asymmetrically

• Ceiling Height Required: 12' · Rubber Door

Guards Padded Overhead

Shut-Off Bar Single-Point Lock Release

System • Color: Black Only



INCLUDES: (4) 3" Stack Adapters

WARRANTY: 6 Months Parts

UPGRADE YOUR QUALITY LIF

Double Telescoping Foot Pads (4 Pack) SKU **1580892** 64999 CHLB2270PK4

• 10.000 Lb. Footpads

• Fits Quality 10,000 Lb. 2 Post Lifts

Single Pad Features Frame Engaging Ears

(2) 6" Stack Adapters CHL10313 20999

• Upgrade for CHLEQ10 Lift

12,000 Lb. 2 Post **Heavy Duty Lift** Screw-Style Footpad *139*99 SKU **1580890** CHLB12162S-12

• Fits Challenger and Quality 12,000 Lb. Heavy Duty 2 Post Lifts

Single Pad Features Frame Engaging Ears





Customer Responsible For Offloading.

For OSB, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

Coats Lifts

10,000 Lb. 2 Post Lift with 3 Stage 2n1 Arms

SKU **OSB**

AMM4TV21NSR1 8,24999

- 90" Offset 3-Stage Front and Rear Arms for Asymmetric or Symmetric Vehicle Positioning
- · Includes Door Bumper Guards and Lifting Adapters
- Premium U.S. Made Power Unit
- Overall Height: 138" or 148"

WARRANTY: 1 Year Parts, 6 Months Labor



12,000 Lb. 2 Post Lift with 3 Stage Symmetric Straight Arms SKU **OŠB**

AMM4T212SSR1 10,99999

- Includes: Door Bumper Guards and Lifting Adapters
- Overall Width: 137-1/8"
- Overall Height: 154-7/8" or 158-7/8"
- · Color: Red

12,000 Lb. 2 Post Lift with 3 Stage 2n1 Arms

AMM4T212NSR1 10,99999

WARRANTY: 1 Year Parts, 6 Months Labor



Forward Lifts

10.000 Lb F10 2 Post Lift

FORF10N500MBK 6,29999

- Three-Stage Front Arms and Two-Stage Rear Arms
- · Includes Drop In Adapters and 4 Extensions
- Overall Height 141"
- · Color: Black



INCLUDES: Truck Adapters

WARRANTY: 1 Year Parts and Labor I12 Symmetrical Two Post Lift 12K Capacity

SKII OSB FORI12N300BK

- Three-Stage Front and Rear Arms
- Includes Drop-In Adapters With 4 Extensions
- Overall Height 166"



INCLUDES: **Truck Adapters**

WARRANTY: 1 Year Parts and Labor

14,000 Lb. CR14L 4 Post Lift SKU **USB 9,999 99 FORCR14L**

- · Heavy Duty Hydraulic Cylinder
- Single Point Latch Release System
- 78-3/4" Rise
- 18 Lock Positions
- Accommodates 182-1/2" Wheelbase
- Vehicles High Performance



Internal Air Line Kit ROTFC5760-14 67999



WARRANTY: 1 Year Parts and Labor

FORWARDIE

WORKS WITH

One 7,000 Lb. Rolling Jack SKU OSB FORRRJ70G

4,189

Optional Equipment

Two 7,000 Lb. Rolling Jacks SKU **OSB** FORRRJ70GB0G0

5,95999

Optional Equipment

Offer Valid Only with Purchase of Forward 4 Post Lift

Rotary Lifts

10,000 Lb. 2-Post Asymmetric Lift with AV Arms - Blue

SKU 1580893 ROTSPOA10AVBL

- · Easy Spotting and Positioning
- Highest Capacity Low-Profile Lift Available
 Comes Standard with Adjustable Round, Truck
- and Stackable Adapter Extensions
- Overall Width: 11' 5-1/2"
- Overall Height: 11' 11-1/2"
- Arm Reach: Front: Min. 18-1/2" Max. 41". Rear: Min. 27-5/8" - Max. 58-1/4"
 • Max Rise: 81-1/2"
- Drive-Thru Clearance: 95-1/4"
- Min. Bay Size: 12' x 24'

WARRANTY: 1 Year Parts and Labor



Shown with Additional Accessories

14,000 Lb. 4 Post Lift SKU **OSB 11,449**99

- Filter/Regulator/Lubricator Included to Extend the Life of Lift and Tools
- Max. Wheel Base: 182"
- 78" Rise
- · Long Lasting Cables and Sheaves

Rolling Jacks Sold Separately

Internal Air Line Kit SKU **OSB** ROTFC5760-14

67999



WORKS WITH

One 7,000 Lb. Rolling Jack SKU **OSB** 5.50999 ROTRJ7100Y

Optional





Customer Responsible For Offloading.

For OSB, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary · Customers Responsible for Offloading Equipment Upon Arrival · Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-4878

BendPak.

BendPak Lifts

10,000 Lb. 2 Post Lifts

 Bi-Metric[™] Reversible Triple Telescoping Swing Arms

- Low-Pro[™] Swing Arms
- · Automatic Arm Restraints
- Expandable Top Beam Accommodates Wide or Narrow **Drive-Thru Configurations**

SKU 1360698 | BEN10AP

• Height: 145" Width: 135" to 145" Rise: 69"

SKU **OSB BEN10APX**

 Height: 157" Width: 135" to 145' Rise: 75.5"

WARRANTY: 1 Year Parts and Labor

SKU **OSB** BEN10AP-168

- Height: 168' Width: 135" to 145" Rise: 69
- 24" Bolt-On Extension for Increased Vehicle Height Clearance

SKU **OSB BEN10APX-181**

- Width: 135" to 145" Rise: 75.5'
- 24" Bolt-On Extension for Increased Vehicle Height Clearance

BEN10AP

12,000 Lb. 2-Post BiMetric Lift SKU **OSB**

BEN12APX

· Adaptable Design: Symmetric or Asymmetric · Automatic Swing Arm Restraint System • Includes: 4 Frame Cradle Pads,

4 Medium and 4 Tall Stacking Adapters

12,000 Lb. 2-Post Short-Rise Floorplate Lift SKU **OŚB**

BEN12AP-SRT 8,249⁹⁹

- Post Height: 93.5"
- Max. Lifting Height: 46"

Great Choice for Low Ceiling **Height Where** You Do Not **Need To Work Underneath**

the Vehicle

INCLUDES: 4 Frame Cradle Pads, 4 Medium and 4 Tall Stacking Adapters



WARRANTY: 1 Year Parts and Labor

Portable

SKU **OSB**

16.000 Lb. 2-Post Lift

SKU OSB BEN16AP

· Telescoping Arms Accommodate a Wide

- Variety of Vehicle Chassis Dual Direct-Drive Hydraulic Cylinders for Smoother Operation and Less Maintenance
- · Includes: 4 Frame Cradle Pads, 4 Medium and 4 Tall Stacking Adapters with Column-Mounted Racks

INCLUDES: 4 Frame Cradle Pads, 4 Medium and 4 Tall Stacking Adapters



10,000 Lb. Low-Rise Lift

SKU **1275473 BENLR-10000**

• Min. Height: 4.5"

· Max. Lift Height: 23" • Lift Height + Blocks: 32"



7,000 Lb. Full-Rise Scissor Lift SKU USB **11,699**99

• Full-Rise Scissor Design Provides

· Open-Center Platform Ideal For Exhaust,

Drive-On and Drive-Off

78.5" Overall Width, 63" Platform Length, 21" Platform Width, 220V, 1-Phase Power



BENLR-60 • Min. Height: 3.5"

1 Year Parts and Labor

WARRANTY:

WARRANTY:

1 Year Parts and Labor

SKU 210383

6,000 Lb. Low-Rise Pad Lift

 Max. Lifting Height: 23' · Max. Lift Height + 1.5" Blocks: 24.5'

BENLR-60P 3,09999 • Min. Height: 4" Max. Lifting Height: 23"

Customer Responsible For Offloading.

For OSB, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

BendPak[®] Lifts

14,000 Lb. 4 Post Lift SKU OSB

BENHDS14

- · Overall Width: 130"
- · Overall Length: 241"
- Max. Rise: 70"
- Motor: 220 VAC/1 Ph

Air Line Kit SKU **OSB** BEN5174009 14999



Rolling Jacks Sold Separately WARRANTY: 1 Year Parts and Labor 9.000 Lb. 4 Post Lift SKU **OSB**

5,699°°

 Overall Width: 110.25"

BENHD-9

- · Overall Length: 174"
- · Column Height: 88" (2,235 mm)

• Max. Lifting Height: 74-1/2" (1,892 mm)

Air Line Kit SKU **OSB** BEN5174009 **149**99

BendPak.

Shown with Optional Equipment Rolling Jacks Sold Separately WARRANTY: 1 Year Parts and Labor

WORKS WITH

WORKS WITH

One 7,000 Lb. Capacity Rolling Bridge Jack SKU **OSB** SKU **USB 2,349**99



Optional Equipment One 4,500 Lb. Capacity Rolling Bridge Jack SKU **1275497** 2,44999 BENRJ45W



Optional

Atlas Equipment


For Pricing, Call Your Commercial Sales Manager

Commercial Grade Overhead 2-Post Lift 15,000 lb. Capacity SKU **OSB** Call For Price

ATLXH-PV15PX-FPD


- · Extra Tall and Extra Wide
- Adjustable Height: 165" (13' 9") or 177" (14' 9")
- Special Low Height: 150" (12' 6") (Requires Purchase of Extra Cables)
- Symmetric Arms

Heavy Duty Truck Wheel Balancer SKU **OŠB** Call For Price



- Computer Controlled Heavy Duty Spin Balancer
- · Plastic Quick Release Nut and Heavy Duty Steel Wing Nut Included
- · Pneumatic Wheel Lift (External Air Supply Required - Not Included)
- Automatic Start/Stop When Hood is Lowered/Raised
- Static and Dynamic Balancing Modes
- · Includes: Cone Sets for Car and Light Truck Tires
- Includes: Cone and Spacer Set for Truck, Bus, or Implement Tires

WARRANTY: 1 Year Parts Only



Call For Price

ATLAP-PVL14-FPD

SKU **OSB**

- Lifting Height: 76-1/2"
- Clearance Under Runways: 69-1/2"
- Width of Columns (with Motor): 140-1/2'
- · Length with Approach Ramp: 251-1/2"
- Runway Width: 20"
- Rolling Jacks Sold Separately



WARRANTY: 2 Years Parts Only



12,000 Lb. Heavy Duty 2-Post Lift SKU **OSB Call For Price** ATLXH-PV12PXFPD

Adjustable Height: 165" (13' 9") or 177" (14' 9")
Special Low Height: 150" (12' 6")

- (Requires Purchase of Extra Cables)
- Symmetric Arms
- · Automatic Arm Restraints

WARRANTY: 2 Years Parts Only 12,000 Lb. 2 Post Lift

SKU **OSB Call For Price** ATLAP-PVL12-FPD

· Low Pad Height Allows Lift to Accommodate Both

- Long Wheelbase Trucks and Passenger Cars
- · Extra Tall and Extra Wide
- 3-Stage Symmetric Arms • 8 Piece Truck Adapter Set





• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary · Customers Responsible for Offloading Equipment Upon Arrival · Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-4878

Mid-Rise Lifts

BendPak

6,000 Lb. Portable Mid-Rise Lift SKU 210386 3.39999 **BENMD-6XP**

- Portable, Easy to Move from Bay to Bay
- Adjustable Arms



INCLUDES: Truck Adapters

WARRANTY: 1 Year Parts and Labor

CL Challenger Lifts

6,000 Lb. Mid-Rise Portable Lift 4,09999 SKU **1580897** CHLMR6

- · 6 Safety Lock Positions
- · Short and Tall Auxiliary Adapters Come Standard
- Sliding/Rotating Arm Design Reaches Pick-Up Points on a Wider Range of Vehicles
- · Zerk Fittings on Pivot Points for Serviceability



WARRANTY: 1 Year Parts and Labor

CL Challenger Lifts

10,000 Lb. Short Rise Lift 6,29999 SKU **OSB** CHLSRM10

- Min. Height: 4.25"
- · Max. Height: 22"
- Includes: (4) 2 Position Adapter Blocks
 Three Locking Positions for Ease of Use
- Color: Black Only



WARRANTY: 1 Year Parts and Labor

MaxJax Lift

MaxJax M7K SKU **1360718** 4,69999 MJXM7K

- Min. Pad Height: 5.5"Height Overall: 89.5"
- · Max. Lift Height: (Pad Only) 47.25' (With 3" Adapter) 50.5"
- Clear Undercar Access
- · Portability
- · Stow to Go in Less Than 15 Minutes

MAXJAX



OEM TOOLS

WARRANTY: 1 Year Parts and Labor

QuickJack™ Lifts You get it all.

 Complete Package Includes: 2 Jack Frame Assemblies, (2) 150" Hydraulic Hoses, (2) 14" Aux. Hoses 2 Ouick-Mount Handles. (4) 1.5" x 3" x 4" Rubber Lifting Blocks, (4) 3" x 3" x 4" Rubber Lifting Blocks,

1 Mini Hydraulic Power Unit with Pendant Control



QUICKJACK

8000TLX Extended-Length Portable Truck and SUV Lift SKU **OSB**

QJK8000TLX

- Capacity: 8,000 Lb. 66" Lift Point Reach
- · Fast and Easy Setup
- Stackable Rubber Blocks
- · Automatic Safety Locks
- · Increased Lifting Height
- Undercarriage Access
- One Handed Operation



QuickJack[™] SUV and Light Truck Adapters

SKU **862288** RAN5150561

• Fits BL-5000 and BL-7000 Series

• Set of 12 Pieces Includes: 4 Low Profile Round Polyurethane Contact Pads, 4 Sliding Receivers That Accommodate the Round Polyurethane Contact Pads and (4) 3" Stackable Adapters



Motorcycle Lift

Air Hydraulic Motorcycle Lift 1,000 Lb. Capacity SKU **662742** 1.29999 24859

Our Lift Compares to Top Brand Motorcycle Lifts in Every Way

- 86.5" x 26.75" Platform Deck with 25.5" Long Removable Loading Ramp
- Built-In Casters and Adjustable Stabilizers • Durable 12 Gauge, Powder Coated
- Diamond Plate Deck
- · Air/Hydraulic Lift System Allows Use with Shop Air or as a Manual Lift
- Tie Down Rings on Deck for Added Stability







Rear Dropout Panel (for Rear Tire Maintenance Access)



Customer Responsible For Offloading.

For OSB, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

			i de la companya de
Lift Pads	Fits Models	Replaces	Challenger Lifts Challenger Lifts
Forward/Eagle/Gemini/ Worth/American Hexagon Shaped - 2 Bolt Style Lift Pads (Set of 4) SKU 1137807 SHA51663	I-DP9, DP09A2, DP09A, DP07A, DP97A, DP7A, Eagle and Other Texas Style 2 Post Lifts	OEM# 994105, 991234, 991222 and LP603	Electric Vehicle Footpad - Set of 4 SKU 1544676 90999 CHLEVFPK • Designed Specifically to Work on Electric Vehicles • Fits All 10K and 12K 2-Post and Inground Lifts • Double-Screw-Up for Finer Adjustments • Low Profile, Fits in Small Places • Durable, Thin Pad
Hexagon Shaped - 2 Bolt Style Lift Pads (Set of 4) SKU 1137812 11999 SHA51661	20000, 21000, 26000, 27000, 28000, 30000, 31000, 33000, 36000, 37000, 39000	OEM# J0K01D, LP602	Truck Adapter Set for 10,000 Lb. and 12,000 Lb. 2 Post Lifts SKU OSB CHL10315 Stack Adapter Extension Kit Includes: (4) 3" Stack Extensions, (2) 6" Stack Extensions and 2 Organizer Racks with Hardware
Challenger Rubber Round Slip-On Lift Pad SKU OSB CHLB2208 2999 For OSB, Call 901-300-4878	Challenger CL10, E10, Q10, VS10 and Ammco AC21NS	N/A	GM Wide Frame Footpads (Pair) SKU OSB CHLB2280PR 68999 • Fits 2008 and Up Challenger Lifts CL10V3, E10, LE10, VLE10, SA10, CLFP9, E12, CL12 and EV1020 Models • Works on 2019 GMC Sierra and Chevrolet Silverado Half-Ton Trucks • Drop-In Design Makes Switching Simple and Quick • Telescoping Feature Provides Simple Access to Lift Points
Quality Round Slip-On Lift Pads	VS10, CI10, E10,	OEM#	For OSB, Call 901-300-4878
SKU 1137816 54 99 SHA51673 54	TLT210, TLT210-AS, TLT211, TLT211-As, ACD210S and More	104130315, B2208	Rubber 2 Post Lift Pad/Slip Over (Set of 4) SKU 954179 BEN5700227 • Heat and Cold Resistant Lift Pad Assembly/ 35 mm Pin (Set of 4) SKU 1053947 BEN5215753 • Works with Any BendPak 2 Post Lift • Thick Rubber Construction
Rotary Square Bolt Style Lift Pads (Set of 4) SKU 1137817 12999 SHA51667	SP09, SP0A9, SP010, SP0A10, SP012, SI29, SL19, SL210	OEM# FJ6213, BH-7536-92P, BH7542-73 and LP609	 Heat and Cold Resistant Highly Resistant to Gouging Oil and Solvent Resistant Tear Resistant Tear Resistant Tinck Rubber Construction Textured Surface for Extra Grab Will Not Scratch the Vehicle Easy Drop-In Design 5" Diameter for Enhanced Stability
BendPak Square Slip-On Lift Pads (Set of 4) SKU 1137805 SHA51666 13499	MX10AC, MXACX, X10CX, MX10C, XPR-9S, XPR-9S-LP, XPR-9DS, XPR-10S, XPR-10S-LP, XPR-10S-168, XPR-10AS-168, XPR-10AS-168, XPR-12FDL, XPR-12FDL, XPR-12CL, XPR-15CL, XPR-18CL, XPR-15CL-192, XPR-15CL-192, XPR-18CL-192, XPR-18CL-192, RJ6, RJ6000, RJ4500	OEM# 5715-365 and LP608	Cradle Pads • Tactile Rubber Pad Reduces Slippage and Protects the Finish • Made for Heavy Duty Commercial-Grade Trucks • Installs Easily to BendPak 2 Post Lift Arms • Sturdy Steel Construction Frame Cradle Pads 35 mm Pin (Set of 4) SKU 954221 BEN5215754 24999 Wide Frame Cradle Pads 60 mm (Set of 2) SKU 979067 BEN5215848 24999

BENDPAK

BendPak. 2-POST LIFTS





AUTOMOTIVE LIFTS

16AP 16K lb. Capacity Clearfloor Super-Duty 2-Post Lift SKU OSB BEN16AP

\$22,095

- Max. Rise 76'
- Height 169" / Width 168"

20AP 20K lb. Capacity Clearfloor Super-Duty 2-Post Lift

SKU OSB BEN20AP \$25,195

- Max. Rise 76.5"
- Height 169" / Width 168"



TIRE SHOP ESSENTIALS



12AP-SRT 12K Capacity Mid-Rise **Two-Post Lift** SKU OSB BEN12AP-SRT

- Max. Rise 42.75"
- Overall Height 93.5" • Overall Width - 155"



4-POST LIFTS

HDS-14XT **EXTENDED Length Tall Four-Post Lift** SKU OSB BENHDS14XT

> \$9,795 \$**9.349**99

• Capacity - 14,000 lbs.

220V - SKU OSB RAN26FLT

• Max. Rise - 82.75"

• Width - 131.25" • Length - 272"



7,000 lb. Capacity Rolling Bridge Jack SKU OSB



HDS-27X **EXTENDED Length Four-Post Lift** SKU OSB BENHDS27X

• Capacity - 27,000 lbs.

• Width - 153.5"

• Length - 372.75"

\$27,195 \$25.874⁹⁹

HDS-40X **EXTENDED Length Four-Post Lift**

SKU OSB BENHDS40X

- Capacity 40,000 lbs.
- Width 153.5"
- Length 373.75"



HEAVY-DUTY

\$16,595

RB30T Car & Truck **Wheel Balancer**

SKU OSB RAN30T

• Max. Tire Diam. - 48"

• Max. Tire Weight - 330 lbs.

. LED Wheel Weight Display



• Maximum Tire Diameter - 63" • Maximum Rim Diameter - 14"- 26" • Drive System - Electric / Hydraulic

PACKAGE DEAL

\$15,874⁹⁹ **R80EX 220V Tire Changer LS45DS** 220V Wheel Balancer Tape Weight Rolls / Blk. & Slv. 1400 pc. PACKAGE SKU OSB RANCOMBO18

Ask about our setup and training options



SPRAY WASHERS



RS-750D Spray Wash Cabinet SKU OSB RANRS750D

• 1,000 lb. Load Capacity

53 gal. Tank Capacity
Interior Dimensions 54" x 32" »**8,799**99

RS-750DS STAINLESS STEEL **Spray Wash Cabinet**

SKU OSB RANRS750DS

\$9.195

• 1,000 lb. Load Capacity

• 53 gal. Tank Capacity

• Interior Dimensions 54" x 32"



Coats Combos

RC-45E and 885 Tire Service Combo

SKU OSB AMMCOMB05

• External Rim Clamping Range from 6" to 24" (Max. Tire Diameter 50"; Max. Rim Width 10.5")

 Tire Changer Allows Inflation from 0 to 60 psi with a Built-In Pressure Limiter • RC-45E Drive System: 1 HP Electric Motor

 885 Balancer - Automatic Distance and Diameter Entry · Direct Tape-A-Weight®

Placement · Auto Start Hood

• 110V

AMM800885

INCLUDES: Setup and Training

WARRANTY: 1 Years Parts and 6 Months Labor

AMM8560994901 Savings based on the price of items

if purchased separately.

RC-55E and 1300 Series Tire Service Combo

SKU **OSB** AMMCOMB02

14,849°9

RC-55E Features an External Clamping
Range from 6" to 24" (Max. Tire Diameter 50"; Max. Rim Width 10-1/2")

RC-55E Drive System: 1 HP Electric Motor

 Tire Changer Allows Inflation from 0 to 60 psi with a Built-In Pressure Limiter

1300 Series Wheel Balancer is Powered by Direct Drive

Static-On-Screen® Display Identifies Any Excess Residual Static Imbalance

· Wheel Balancer Automatically Enters 2-D Data for Wheel Diameter and Offset Measurement

AMM80013002D

INCLUDES: Setup and Training

AMM8560995001 - WARRANTY: 1 Year Parts and 6 Months Labor AMM80013002D - WARRANTY: 3 Years Parts and 6 Months Labor

if purchased separately.

* Savings based on the price of items

DON'T FORGET THESE ACCESSORIES

· Works with Coats Wheel Balancers Listed on This Page



Adjustable Pin Plate Set 1 59999 SKU **OSB | AMM8200000400**

40 mm Light Truck Cone SKU **OSB | AMM8113277C**

AMM8560995001

Customize Your Own Combo, Call for Special Pricing 901-300-4878

Rotary Combos

R146P and R155 Tire Service Combo SKU **OSB**

ROTCOMB04



• Includes: R146P Tire Changer and R155 Balancer High Quality Swing Arm Changer and Pro 3D Wheel Balancer at an Economical Price

Changer Offers 26" Outside and 28.5" Inside Clamping with Tire Diameters Up to 46"

PLUS91SA Helper Arm Not Installed Prior to Delivery

 Balancer Features Automatic Program, Linked Keyboard, Internal Data Gauge, and Simple Visual Display

. This Combo is Ideal for High-Volume Tire Shops and General Repair Bays

R146P

• Inside Clamping: 12 to 28.5"

- Outside Clamping: 10 to 26"
- 115V, Single Phase

R155

- Rim Diameter: 10" to 30"
- Rim Width: 1.5" to 22"
- 115V, Single Phase
- 8 Piece Collet Kit Included





Savings based on the price of items if purchased separately. WARRANTY: 3 Years Parts and 1 Year Labor R146P and R148 Tire Service Combo SKU **OSB**

13,89999 ROTCOMB05

• R146RP Tire Changer with Swing-Arm Design, Helper Arm and Hand Bead Breaker; Handles Wheels up to 26" Outside and 39" Overall

· Built-In Air Tank and Plastic Mount/Demount Head

• R148 Pro 2D Wheel Balancer Features Auto Distance and Diameter Entry, LED Display and Split/Hidden Weight Modes

• Includes: 8 Piece Double Sided Collet Kit

• Rim Diameter: 10" to 30" • Rim Width: 1.5" to 20"



INCLUDES: Setup and Training

Savings based on the price of items if purchased separately.

WARRANTY: 3 Years Parts and 1 Year Labor



Customer Responsible For Offloading, Liftgate Service Available.

For OSB, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary · Customers Responsible for Offloading Equipment Upon Arrival · Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-48

CEMB Combos

EZ10 and SM825EVOPA Swing Arm Tire Changer Combo *10,999*⁹⁹ CMBCOMB03

Tire Changer Clamping Range of 13" to 24"
Max. Tire Diameter 44" and Max. Tire Width 15"

Powerful and Adjustable Bead Breaker Shovel

• Dual Clamping Cylinders and Semi-Automatic Swing Arm

· 3D Wheel Measurement with Sonar

· Automatic Approach and Auto Adaptive Mode to Save Balancing Time

Electromagnetic Brake

• 3D Inner Data Entry Arm Eliminates Rim Width Caliper Use

· Direct Measures Input Feature Eliminates Selection of Balancing Modes

· Guided Weight Placement, ALU, Hidden Spoke Modes

CMBEZ10

* Savings based on the price of items if purchased separately



CMBSM825EVOPA

Includes Press Arm

ER72D Balancer and SM628BPS Tire Changer Combo SKU **OSB** 17,749⁹⁹

CMBCOMB04 Includes ER72D Balancer and SM628BPS Tire Changer
 Tire Changer: Clamps Up to 16" Rims, Handles Tires

Up to 44" Diameter Ideal for 19.5" Tires

· Balancer: Laser Weight Spotter and 3D Data Arm Entry

Guided Weight Placement and Quick-Clamp Wing Nut



* Savings based on the price of items if purchased separately.

CMBSM628BPS

Ranger:

On-Site Training Included

WARRANTY: 2 Years Parts and 1 Year Labor

Ranger Combos

R76ATR and DST30P Tire Service Combo SKU **OSB**

RANCOMB03 10,69999

• Inflation Pressure Regulator/Limiter Bead Tool/Tire Iron Automatic Braking · Black and Silver Powder-Coated Surface

Helps Eliminate Corrosion and Staining of **Expensive Wheels**

• Low Profile Design for Increased Clearance of Close-Proximity Calipers or Brake Components



* Savings based on the price of items if purchased separately.

R980XR and DST-2420 Tire Service Combo

SKU **OSB** RANCOMB01

 Includes: R980XR NEXTGEN™ Swing-Arm 30" Tire Changer and the DST-2420 Dynamic Wheel Balancer

 R980XR External Rim Clamping Capacity: 9" to 28", Internal Clamping 10" to 30' 3-Position RimGuard™ Wheel Clamps

· DST-2420 Dynamic Wheel Balancer Dependably Ensures an Accurate Result within Hundredths of an Ounce



* Savings based on the price of items if purchased separately.

User Setup Required WARRANTY: 1 Year Parts and Labor R76ATR and LS45DS Tire Service Combo

SKU OSB

SKU **USB 13,199**99

 Includes: R76ATR Tire Changer and LS45DS Wheel Balancer

· R76ATR Tilt-Tower Tire Changer

• Handles External Rim Clamping from 9" to 28"

 Equipped with a Durable Electric Turntable with Reversible Direction

LS45DS Sonar 3D Wheel Balancer

· Features Automatic 3D Data Entry for Faster, More Accurate Balancing

Supports Wheel Sizes from 12" to 24"

Accommodates Tires Up to 31.5" in Diameter



* Savings based on the price of items if purchased separately.



Customer Responsible For Offloading, Liftgate Service Available.

For OSB, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

Coats Tire Changers

Maxx 50 Tire Changer, 110V sки **1350784** 7,44999 AMM800MAXX50E

• Dual Nozzle, Hi-Flow Bead Sealing System for Quick, Easy Bead Sealing

• 110V Electric Operation, Plug In Almost Anywhere

• 6" to 24" Steel Clamps Standard

 Nylon Duckhead Standard Expanded Capacity to



Maxx 70 Tire Changer, 110V SKU OSB AMM800MAXX70

• Dual Nozzle, Hi-Flow Bead Sealing System for Quick, Easy Bead Sealing

• 110V Electric Operation, Plug in Almost Anywhere

· Expanded Capacity to 16" Wheel Width and Up to 50" Total Diameter

· 6" to 24" Steel Clamps Standard

 Steel and Nylon Duckheads Standard

No-Index Tabletop

Use

for High Efficiency

Maxx 70 Tire Changer, Air SKU OSB AMM800MAXX70A 9,74999

Maxx 70 Tire Changer, 220V, 2 HP SKU OSB 9 74999 AMM800MAXX70220

Maxx 80 Tire Changer, 110V sки 1354781 AMM800MAXX80

• Dual Nozzle, Hi-Flow Bead Sealing System for Quick, Easy Bead Sealing

• Dual Control, Hand or Foot Operated Bead Loosener System • 110V Electric Operation, Plug in Almost Anywhere

• 6" to 24" Steel Clamps and Zinc Plated 6" to 24" Grip Max. 2.0 Clamps with Dual Soft Compound Inserts

• Expanded Capacity to 16" Wheel Width and Up to 50" Total Diameter

 Steel and Nylon Duckheads Standard No-Index Tabletop for

High Efficiency Use Includes Storage Cabinet

Maxx 80 Tire Changer, Air sku 1354782 AMM800MAXX80A

11,24999 Tire Changer,

220V, 2 Speed SKU OSB AMM800MX802SP

*11,799*⁹⁹

Maxx 80 Tire Changer, 220V, 2 HP SKU 1350785 11.24999 AMM800MX80220

INCLUDES: Setup and Training

WARRANTY: 3 Years Parts and 6 Months Labor

Coats Wheel Balancers

1185 Wheel Balancer 110V SKU 1350791 6,34999 AMM8001185

· Color LCD Video Display

 Max. Tire Diameter: 38 · Bottom Dead Center Laser

· Position Indexing · Small Chassis,

110V

WARRANTY:

1 Year Parts 6 Months Labor

SKU OSB

AMM800MAXX50A



7,44999

1500A 3D Wheel Balancer SKU 339012

*10,249*⁹⁹ AMM80015003D

· Powered by Direct Drive • Max. Tire Diameter: 44'

Behind-the-Spoke Mode

· Premium Quicknut

• 8 Piece Collet Kit Automatic

3-D Data Entry 220V, 1 Phase



WARRANTY: 3 Year Parts 6 Months Labor

1600A 3D Wheel Balancer эки 8286U AMM80016003D 11,24999

Powered by Direct Drive

. Max. Tire Diameter: 44'

· Premium Quicknut

· Behind-the-Spoke Balancing

• 8 Piece Collet Kit

 Automatic 3-D Data Entry

Touch-Screen

220V, 1 Phase



WARRANTY: 3 Year Parts 6 Months Labor

INCLUDES: Setup and Training



Customer Responsible For Offloading, Liftgate Service Available.

For OSB, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary · Customers Responsible for Offloading Equipment Upon Arrival · Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

CEMB

Automatic Wheel Balancer with Monitor SKU **OSB** CMBER65

6,99999

- · Auto-Data Entry of Distance, Diameter and Width
- · Laser Pointer for Weight Placement
- 17" Monitor with Intuitive Software
- · Auto-Approach Positions Wheel at Correction Point



On-Site Training Included WARRANTY: 2 Years Parts and 1 Year Labor

CEMB NAME OF THE PROPERTY OF T

3D Data Entry Wheel Balancer SKU **OSB** 5,999999 CMBEZ15

- Electro-Magnetic Brake Holds Weight Position
- Quick-Clamp Wing Nut Auto Adaptive Enhancement with Static Residual Force Minimization
- 3D Inner Data Entry Arm Eliminates Rim Width Caliper Use
- · Guided Weight Placement, ALU, Hidden Spoke Mode



On-Site Training Included

WARRANTY: 5 Years Motor, 2 Years Parts, and 1 Year Labor

Ranger

DST-2420 Tire Balancer SKU **OSB** SKU **OSB 3,049**99

- Motor: 1.5 HP, 110V/220V, 50/60 Hz, 1Ph
 Balancing Modes: Dynamic/Static/3-Alloy
 Quick-Release Hub Nut for Dramatically

• Max. Tire Diameter:

 Balancing Speed: 180 RPM

47

• Balance Increments: 0.25 or 0.01 Oz.



R980XR NextGen™ **Ranger**. Swing-Arm Tire Changer

RANR980XR 4,699 99

- Motor: 3 HP/220V
 Drive System Type: Electric/Air
- Adjustable RimGuard™ Wheel Clamps
- External Rim Clamping Capacity: 9" to 28"

 Internal Rim Clamping
- Capacity: 10" to 30"
- · Max. Tire Diameter: 50" (1,270 mm)
- Bead Seating System:
 Turbo Blast/Bead Seating



R80EX Tire Changer 10,89999 SKU **OSB** RANR80EX

- Ranger's Adjustable RimGuard[™] Wheel Clamps Feature Internal and External Multi-Teeth Jaws
- · Variable Clamp Positioning Makes Wheel Service Simple, Perfectly Controlling the Wheels When Clamping Them
- Geometric Tabletop Provides Easier Bead Lubrication Features a Multi-Axis and Adjustable Bead Loosener Shovel Blade Oversized Axle Minimizes Blade Flex and Improves Durability
- Motor: 3 HP (220 VAC 50-60 HZ)

SKU **OSB | RAN5150032**



WARRANTY: 1 Year Parts and Labor

Works with Ranger Wheel Balancers Listed on This Page

Hofmann

Monty® 3550EM Tire Changer with smartSpeed™ SKU **OŠB** 12,69999 HOFEEWH747B

• smartSpeed™ Technology Automatically Controls Turntable Speed and Torque to Minimize Tire and Wheel Damage

 Push-Button Controlled Mount/Demount Head Pneumatically Lowers and Locks into Position, Automatically Indexing Away from the Wheel to Prevent Contact and Damage

 Fast and Ergonomic Pneumatic Vertical Arm Automatically Re-Positions the Mounting Head to Minimize Wheel Damage

 High Capacity Tire Changer Allows for Broadest Tire and Wheel Assembly Coverage

- Clamping Range: Inside 12" to 28"; Outside 12" to 26"
- Max. Tire Diameter: 47"
- . Max. Tire Width: 17'

INCLUDES: Setup and Training

WARRANTY: 1 Year Parts and 6 Months Labor



HOFMANN°

User Set-Up Required

40 mm Truck Cone Kit

Geodyna® 7600P with Laser and Power Clamp

SKU **OSB** HOFEEWB765AP

9,34999

- · Power Clamp Clamps Wheel Accurately
- with Constant Force
 Smart Sonar™ Delivers Automatic,
 Non-Contact Rim Width



Setup and Training

WARRANTY: 1 Year Parts and 6 Months Labor

Manatec

MANATEC USA

DL-65 DSP C Wheel Balancer SKU **OSB** 1,64999 MANDL65-DSPC

- Static and Dynamic Balancing
- · Automatic Start with Wheel Guard Closure
- · Unbalance Recalculation
- Self-Calibration
- · 7 Modes of Alloy Wheel Functions
- Normal and
- Fine Measurement
- · Motor Power: 0.35 HP
- · Maximum Wheel





User Setup Required WARRANTY: 1 Year Parts



Customer Responsible For Offloading, Liftgate Service Available.

For OSB, Call 901-300-4878

Free Delivery in 48 Continental United States
 Specifications Subject to Change without Notice or Liability
 Equipment Lead Times and Shipping May Vary
 Customers Responsible for Offloading Equipment Upon Arrival
 Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager.

TPMS Tools

VT37 TPMS Sensor Activation and Programming Tool SKU **1343925**

ATEVT37-0000

- · Search TPMS Sensor Replacement Part Numbers
- Test Keyfob Signal Strength/Battery Status
- Install and Service TPMS Retrofit Kits



ATEQ

VT47 TPMS Programming Tool SKU **OSB** ATESM47-12SC

- TPMS Sensor Part Number Look-Up (OE and Aftermarket)
- Change Placard Values When Swapping Tire Sizes
- Includes: 12 Dual Band Sensors with Both Metal and Rubber Valve Stems



Includes 12 Dual Band Sensors \$299.88

Includes 5 Years Software Updates and 1 Year Warranty





Includes 2 Years Software Updates and 1 Year Warranty

For OSB, Call 901-300-4878

FUNCTIONALITY	VT37	TS47	TS57	VT67
Reads, Diagnoses and Activates 100% of OE and Aftermarket Sensors, Including 2022 Coverage	V	V	V	V
VIN Barcode Scanner to Select Make, Model and Year			V	V
Wi-Fi and Real-Time Updates Powered by Live Sensor™		V	V	V
Programs Aftermarket Sensors (Including EZ-Sensor® and All Leading Brands)	V	V	V	V
Secure Gateway (SGW) Ready for Stellantis Vehicles and Others				V
Provides Direct (OBD, Auto, Manual) and Indirect TPMS Relearn Procedures	V	V	V	V
98.6% TPMS Reset Coverage, Including Bonus ECU Reset Coverage in <2 Min. (OBD Connectivity)		V	V	V
ECU Unlock for Toyota, Scion and Lexus Models (Closed Loop)		V	V	V
OE and Aftermarket TPMS Sensors and Service Kits Part Number Look-Up	V	V	V	V
Save, Manage and Edit Customer Jobs and Reports on the Cloud				V
Retrieves, Decodes and Clears TPMS DTCs		V	V	V
Tire Management, DOT, Tread Reading and More		~	~	V

Dual Band TPMS Sensor SKU **OSB** SIMSM-1SC

- Dual Band TPMS
- · Aluminum and Rubber Valve Included
- 98% Coverage Tested and Validated in USA
- · Live Tech Support



ONE>

Bluetooth Pre-Programmed Sensors SKU **OSB** SIMSM-BLE

- · Tesla, OE Like
- · Future Proof, OE Like
- Plug and Play
- · Black Valve
- Live Tech Support





OEM TOOLS

Wheel Stud Tools

8 Piece Wheel Stud Alignment Guide Kit SKU **818715** 34 99

- · Makes the Job Faster and Easier Allowing the Tech to Safely Position the Wheel Prior to Installing the Wheel Bolts

 Applications: Mercedes-Benz, BMW, Audi, VW, Porsche, Fiat
- and Dodge
- Sizes Included: 12 mm x 1.5, 12 mm x 1.25, 14 mm x 1.25 and 14 mm x 1.75



Wheel Stud Installers SKU **339123 14** 99 24234

· Works with Hubs, Rotors and Axles on Both Front and Rear Wheel Drive Vehicles

- Prevents Damage to Lug Nut or New Stud
- · Designed to Fit Studs Up to 14 mm or 9/16"



Truck Wheel Stud Installer

SKU **339117** 24235

- · Designed to Work on Truck Wheel Studs Up to 22 mm (7/8") in Diameter
- · Use with an Impact Wrench or Ratchet



Wheel Stud Installer Set for Cars and Trucks SKU **1544687** 24239

Set Includes 24234 and 24235





CALL FOR PRICE

MaxiTPMS® TS508 WiFi Kits SKU #1328117 | Part #700180

- Update software directly from tool-enabled Wi-Fi
- · Quick Mode & Advanced Mode Options
- Read/Activate/Relearn All Known Sensors
- · Detect & Display TPMS System Faults
- · Display Vehicle-Specific Relearn Procedures; Perform OBDII Relearns
- Placard Value Reset on Supported Vehicles
- 2 Programming Options: MX-Sensors Only
- · FREE Software for lifetime of tool
- 4 1-Sensors & Metal Valve Included

SKU #1413611

SKU #1538300 Part #700190 \$249 Part #700330

• 20 Rubber 1-Sensors • 20 Metal 1-Sensors Included Included



Part #700190 SHOWN

MaxiTPMS® ITS600PR01

- SKU #1140847 | Part #ITS600PR01

 Complete TPMS Service and Diagnostics Tablet 5.5 Inch Color Touchscreen/Android 9.0 OS
- Activates, Reads and Relearns All Known Sensors

OEM TOOLS

- On-Tool DOT Tire Registration
- 2 MX-Sensor Program Modes





Combined Frequency: 315MHz & 433MHz Interchangeable Valve Stems (rubber included) · Program to Replace 99% of OE Sensors • Fast valve stem swap **MAXITPMS® 1-SENSORM** SKU #1064478 | Part #1SENSORM

· Same as 1-Sensor with Aluminum stem

1-Sensor 240 Pack SKU #1089240 | Part #300050

SKU #1128315 | Part #300070

with Rubber Valves

1-Sensor 100 Pack

Bulk pack of 100

MaxiTPMS®

MaxiTPMS®

MaxiTPMS® 1-Sensor 20-Pack (R) SKU #370328 | Part #300010

AUTEL MAXITPMS

MaxiTPMS® MX-Sensor BLE

SKU #1366285 | Part #300100

· Tesla-ready: Just Fit and Go

MaxiTPMS® 1-Sensor | SKU #31745 | Part #1SENSOR

Pre-programmed Bluetooth Low Energy TPMS sensors for Tesla 3/Y/S/X models

· Future-proof: programmable with Autel TPMS tools for the latest BLE-equipped vehicles

> Bulk pack of 20 1-Sensors with Rubber Valves

MaxiTPMS® 1-Sensor 20-Pack (M) SKU #1107286 | Part #300060

Bulk pack of 20 1-Sensors with Aluminum Valves





CALL FOR PRICE

MaxiTPMS® TS900 SKU 1337325 | Part #TS900

- Activate, Read, and Relearn ALL known TPMS sensors, including Tesla OE sensors
- Program universal Autel 1-Sensors to replace 99% TPMS sensors
- · Compatible with BLE TPMS sensors and Autel BLE Sensor for Tesla vehicles
- Features Android 11 operating system and 64GB storage memory
- · All Systems Diagnostics with bi-directional controls, Active Tests & Special Functions

MaxiSYS® MS906PRO-TS SKU #1207797 | Part #MS906PROTS • AutoVIN 2006+/AutoSCAN

- · 21 Service Functions · Wi-Fi Software Updates
- · Eligible for ADAS Software Upgrade
- · Advanced Coding & Adaptations



NEW HEAVY DUTY

TPMS SERVICE



MaxiTPMS® ITS600 CV SKU #1573165 | Part #700420

Complete TPMS Service tool for Commercial Vehicles

- Industry-leading coverage for TPMS-enabled Trucks, Trailers, Buses
- Program Autel MX-Sensor CVS-A01433 MHZ Sensor to replace OE and programmed aftermarket sensors
- Separate Tractor & Trailer interfaces display up to 46 wheels & 12 axles
- Includes Deutsch 6 and 9-pin, and UNIU-4 DLC adapters

MX-Sensor CVS-A01 TPMS Sensor for Commercial Vehicles SKU #1573139 | Part #300170

Includes metal band to attach sensor to rim, compatible with rims sized 14 to 24.5-inches SKU #1573138 | Part #300190

 Includes fabric band to attach sensor to rim, compatible with rims sized 14-17.5-inches SKU #1573141 | Part #300210

· Includes metal band to attach sensor to rim, compatible with rims sized 17.5 to 24.5-inches



Granick

Inflators

Digital Tire Inflator sки 802198 *9999*

- 24412 · Easy-to-Read Backlit LCD Display
- · 4 Units of Measure (psi, Bar, KPa, kgf) Measuring Range: 0 to 175 psi (0 - 12 Bar)
- Accuracy: +/-1.2 psi Up to 58 psi, +/-2.3 Between 58 psi and 145 psi Inclusive, +/-3.6 psi Greater Than 145 psi
- · High Air Flow Saves the Technician Time



2 AAA



Dial Tire Inflator sки 301772

89⁹⁹ 24380



psi Gauge
• 3-In-1 Function: Inflate, Deflate and Measure Tire Pressure

· Increased Accuracy to Improve Tire Performance and Prevent TPMS Comebacks



OEM TOOLS 3.5" Digital Tire PAshro Inflator with Hose

SKU 1268419 AST3018

- 21" Stainless Braided Hose
- Dual AAA Battery Powered Design
- · Backlit LCD Digital Read-Out
- Includes **Batteries**



9999

Airstation

Wall Mount Airstation SKU OSB 94999

- BRA155
- Four 25' Hoses with Lock-On Chucks
- Large Easy-to-Read Digital Display High Flow Valve for Faster Operation
- Max. Inlet Pressure: 218 psi
- Max. Operating Pressure: 145 psi
- Accuracy: +/- 0.7 psi
- Increments: 1 psi



OEM TOOLS

For OSB, Call 901-300-4878

Bead Seater

5 Gallon Bead Seater SKU 526505 REG. \$129.99 24449

- Seats Beads on All Tires, from Small 4" Tires to 24-1/2" Truck Tires
- · Operates on Standard Shop Air; Max. 120 psi



Air Chuck

Dual Foot Air Chuck with Comfort Grip Handle SKU 802201 24413

onto the Valve




Air Chuck with Comfort Grip Handle SKU 802200 24414

· Sealed-Ball Air Chuck is Extended 1" from Handle to Allow Access to Tight Areas



AZG0425





Mount/Demount Heads	Fits	Models	OE Part Number		Fits	Models	OE Part Number
Red Nylon Mount/Demount Head SKU 1137811 44 99	Hunter	TC250, TC300, TC325, TC350, TC2000, TC3250, TC3500, TC3000 and TC3100 Series	221-615-2-13	Nylon Mount/Demount Head without Hardware SKU 1125892 1199	Accuturn	3602, 3602HP, 4260, 4560MR, 4602, 5602 and 5602 HP	2002433, 14024784
SHA35034 44	Accuturn	(Requires Adapter) 220A, All Other Models Require 102765 Adapter	SM102529	SHA35033 44	Hofmann	1520, 1565, 1620, 1625EM, 3300, 3300EM, 1270, 2300, 3000 and 3000GP	4024784, ST0024335
	Ranger	R980X Rev A Models, R980XR/NXT, R30XLT, RX-850/950-B Models, R23/23ST, R26ST/26EX, R745 and R710 Models ONLY. Require RAN5150524 Adapter	5150523		John Bean	EHP System IVE, IV, III, IIE	2433, EAA 0247G20A
Nylon Mount/Demount Tapered Hole Head with		5030, 5040, 5045, 5050, 5060, 5065, 6050, 6060, 6065, 7050, 7055, 7060,			Snap On	All Models	2433, EAA 0247G20A
Hardware SKU 1137818 SHA38306 3999	Coats	7065, 7660, 7665, 50X, 60X, 70X, 80X, GTS, RC45, RC55, Maxx50, 70 and 80	8183061		All Tool	All Models	2008402
	Baseline	BL200, BL300, BL400 and BL500	8183061	Nylon Mount/Demount Head with Round Hole Kit		Early 5060, Early 5060A, Early 5060E, Early 5060AX, Early 5060EX, 9010A, 9010E, 9024E,	00000100
Low Profile Mount/ Demount Head SKU 1125869 SHA35038 64 99		Replacement for Coats 8184432. For use on Models RC100, RC150, RC200, 5030, 5035, 5040, 5045,		SKU 1137815 9999 SHA35030	Coats	Some APX80, APX80A, APX80E, APX90, APX90A, APX90E, RC-1, RC1, RC-5A, RC5A, RC-15A, RC15A, RC-20AA, RC20AA	83008402, 83008403
	Coats	5050 Series, 5060 Series, 5065 Series, 6050, 6060, 6065, 7050, 7055, 7060, 7065, 7655, 7660, 7665, BL200, BL300, BL400 and	8184432		CEMB	All Models	3008403, 2008402
		BL500				12SE, 22SE, 1510, 1610, S410	
Nylon Mount/Demount	Accuturn	3602, 3602HP, 4260, 4560MR, 4602, 5602 and 5602 HP	2002433	Nylon Mount/ Demount Head SKU 1125877 3999	Hofmann	Not for use on Hofmann: 1550,1620 & 1625	8314813
Head with Hardware SKU 1442589 TMRTC14024784	Hofmann	1520, 1565, 1620, 1625EM, 3300, 3300EM, 1270, 2300, 3000 and 3000GP	4024784	SHA35031 397	Hunter	Fits Many Hunter TCX series	RP11-8-11400327, RP11-8314813,
44′′	John Bean	EHP System IVE, IV, III, IIE	24335				83008403
	Snap On	All Models	24335		Giuliano, Corghi, SICE	Fits Giuliano, Corghi, and SICE Machines	Giuliano – 8314813 Corghi – 4-120129B SICE – 3008403

Bead Lifting Tool

20" Bead Lifting Tool - 3 Pack SKU 1142616 1999 26036

- For Use with Any Make of Tire Changer and Tire Combination
- Curved End to Prevent Tire Damage
- Can Be Used for Both the Removal and Mounting of Tires
- · Heat-Treated for High Strength and Durability



12 Pack Plastic Insert Rim Protectors for Coats Stainless Steel Mount/Demount Head SKU **1400044 19**99 TMRTI182963

• For Coats Stainless Steel Mount/ Demount Head Coats 8182961 (2 Pk.) RC1, 5, 10, 15, 20 8182963 (12 Pk.) Early 5060, 5030, 5040, 5050, 5060, 5065



Hybrid Duckhead Táil - 2 Pack SKU **1442586** AMM8560896102



- Designed to Float Across the Rim, Decreasing the Stretching of the Bead
- Compatible with Hybrid Duckhead® Mount/ Demount Tool (85608959)
- · Compatible with All X-Series and RC Series That Have Hybrid Duckhead® Mount/Demount Tools







Non-Marring Lug Nut Sockets

1/2" Drive 17 mm Mercedes-Benz® Flower Lug Bolt Impact Socket SKU **081308 19**99 24469

· Designed Specifically for 17 mm, Convex "Flower" Shaped Mercedes Lug Bolts



3 Piece Extra Thin-Wall Wheel Nut Protector Impact Socket Set SKU **094646 29**99 25583

• Blue - 17 mm/11/16" Gold - 19 mm/3/4" Red - 21 mm/13/16"



3 Piece Super Strength Wheel Nut Impact Socket Set 39⁹⁹ REG. \$44.99 SKU **347212** 24227

• Blue - 17 mm/11/16" Gold - 19 mm/3/4' Red - 21 mm/13/16'



Offer Good While Supplies Last Through December 31, 2025

OEM TOOLS

9 Piece Thin-Wall Wheel Protector Impact Socket Set SKU **965856 QQ**99 24224

• Sizes: 3/4", 7/8", 13/16", 15/16", 1", 1-1/16", 17 mm, 19 mm and 21 mm



1/2" Drive Non-Marring Lug **Nut Socket Set** SKU **OSB** *39*99 68945

- Services 17 mm, 19 mm, 21 mm and 22 mm Lug Nuts
- Non-Marring Sleeve Prevents Damage of Lug Nuts and Wheel Rims
- · CR-MO Steel Construction for Strength and Durability





For OSB, Call 901-300-4878

Lug Nut Sockets

Master Lug Nut Kit SKU **1190208** 68919

· Includes: 2 Socket Sets for Removing, Locking, Damaged and Undamaged Lug Nuts on Most Vehicles

· Ideal for Removal of Warped and Mangled Chrome-Cap Style Lug Nuts

 Easily Removes Locking Lug Nuts on Most Aftermarket Wheels



OEM TOOLS

16 Piece Locking Lug Master Key Set SKU **626107** 24447

- Easily Removes Locking Lug Nuts on Most Aftermarket Wheels
- · Thin-Wall Sockets Prevent Damaging Wheels and Lugs
- Hex-Head Design Fits Most Lug Wrenches as well as 13/16" and 7/8" Sockets



4 Piece Deep Thin-Wall SAE and Metric Impact Flip Socket Set SKU **965857** 3999 24223

• Includes: 3/4" to 13/16", 19 mm to 21 mm and 7/8" to 15/16" Sockets and 3" Extension



5 Piece 1/2" Drive Flip Socket Set SKU **1125891** 25555

Half Metric Sizes for Removal of Warped and Mangled Chrome-Cap Style Lug Nuts

- Durable CR-MO Flip Socket Set
- Includes: 18.5 mm x 19.5 mm, 19 mm x 21 mm, 21 mm x 21.5 mm, 22 mm x 22.5 mm and 1/2" Drive Extension



Torque Limiting Sets

8 Piece Torque Limiting Extension and Thin Wall Socket Set SKU **347217**

24228

999

- 4 Extension Bars: 65Ft/Lb. (90Nm), 90 Ft/Lb. (120 Nm), 100 Ft/Lb. (135 Nm) and 110Ft/Lb. (150 Nm)
- 4 Deep Sockets: 17 mm, 19 mm, 21 mm, 22 mm



5 Piece 1/2" Drive Torque Limiting Extension Set SKU **965858 79**99 24220

- Quick, Simple and Accurate
- · Helps Prevent Lug Stud/Nut Damage and Warped Rotors
- Includes 1/2" Drive Extensions: 65 Ft/Lb., 80 Ft/Lb., 100 Ft/Lb., 120 Ft/Lb. and 140 Ft/Lb.
- · Made with Flexible Chromoly Steel that Stops Turning When the Required Torque is Reached
- · Comes in a Sturdy Blow Mold Case



Torque Wrenches

3/8" Drive (10-80 Ft/Lb.) SKU 177722 6999

1/2" Drive 25-250 Ft/Lb. SKU 177715 114 99 25695



1/2" Drive Undercar Torque Wrench

tentral TOOLS, Inc.

AZG0425

25695

• Unique One-Way Design Cannot Be Used as a Breaker Bar (thus Preventing Damage)

- High Contrast Laser Markings for Easier Reading
- Rubber Over-Mold Lock Ring for Better Grip
- Head and Handle Covers for Increased Durability
- Range: 25 to 250 Ft/Lb. (43.4 to 348.4 Nm)
- Lenath: 23.3'

SKU **OSB**

CEN97354A



Wheel Weight Kits

- Steel Weights are More Environmentally Friendly Compared to the Lead Weight Alternative
- Premium Powder Coated Finish Resists Chips and Scratches Which Helps Prevent Damage and Corrosion to Wheels

Complete Wheel Weight Kit with Floor Rack SKU 1392466 68953A

- Includes 78 Boxes of Coated Clip-On Wheel Weights
- ALFE, LHFE, MCFE, PFE, TFE, ENFE, FNFE and IWFE
- 25 Weights per Box
- All Metal Floor Rack



ALFE Steel

LHFE Steel

MCFE Steel

PFE Steel

TFE Steel

ENFE Steel

FNFE Steel

IWFE Steel

IVII L SICCI

999⁹⁹

SAVE \$609
When You Buy the Kit

Wheel Weight Starter Kit with Floor Rack SKU 1339729 OEMREPLENKITA

- Includes: 18 Boxes of Coated Clip-On Wheel Weights
- ALFE, MCFE and PFE in the Most Popular Sizes
- · 25 Weights per Box
- All Metal Floor Rack

ALFE Steel

MCFE Steel

PFE Steel

549⁹⁹ REG. \$631.81

SAVE \$81

When You Buy the Kit

Adhesive Wheel Weight Starter Kit with Stand SKU 1392467 68955A

OEM TOOLS

- Includes: 4 Boxes and 2 Rolls of Adhesive Wheel Weights
- 3 Boxes of Strips, .25 Oz, .50 Oz. and 1.00 Oz.
- 1 Box of .25 Oz. Strips, Black
- (2) 10 Lb. Rolls of .25 Oz. and .50 Oz.
- · Wheel Weight Dispenser Stand



349⁹⁹ REG. \$511.93

SAVE \$161 When You Buy the Kit

Wheel Weights Only

Complete Wheel Weight Kit, Weights Only SKU 1392468 68954A

- Includes 78 Boxes of Coated Clip-On Wheel Weights
- ALFE, LHFE, MCFE, PFE, TFE, ENFE, FNFE and IWFE in the Most Popular Sizes
- and twee in the work Popular S
- 25 Weights per Box



59999 REG. \$1,209.22

OEM TOOLS

SAVE \$609
When You Buy the Kit

Wheel Weight Starter Kit, Weights Only SKU 1392326 68952

- Includes: 18 Boxes of Coated Clip-On Wheel Weights
- ALFE, MCFE and PFE in the Most Popular Sizes
 25 Weights per Box

ALFE Steel
MCFE Steel
PFE Steel

14999
REG. \$231.82
SAVE \$81
When You Buy the Kit

Adhesive Wheel Weight Starter Kit sku 1525567 68956

- Includes: 4 Boxes and 2 Rolls of Adhesive Wheel Weights
- 3 Boxes of Strips, .25 Oz, .50 Oz. and 1.00 Oz.
- 1 Box of .25 Oz. Strips, Black
- (2) 10 Lb. Rolls of .25 Oz. and .50 Oz.



199⁹⁹
REG. \$361.94

SAVE \$161

When You Buy the Kit

OEM TOOLS

CALL YOUR COMMERCIAL SALES MANAGER TO ORDER YOUR WHEEL WEIGHTS TODAY

Wheel Weight Tools

Adhesive Wheel Weight Removal/Cutting Tool SKU 1362016 2999

- All-In-One Wheel Weight Tool for Removal Installation and Cutting with Precision
- Hammer End with Non-Marring Head Prevents Damage
 Share Cutting Edge to Trim Adhesive Wheel Weights
- Sharp Cutting Edge to Trim Adhesive Wheel Weights
- Jaws Feature a Protected Surface for Non-Marring Removal of Adhesive Wheel Weights
- Anti-Slip Rubber Coated Handle



4 Piece Plastic Scraper Set SKU 900802 24 99

· Will Not Scratch Paint

 Great for Wheel Weight Removal



Adhesive Weights

OEM TOOLS

SKU	Part#	Size	Туре	Description	Price
19304	23200*	.25 Oz.	40 Strips	12 Pieces per Strip, 480 Pieces per Box	52.99
19312	23201*	.25 Oz.	10 Lb. Roll	640 Pieces per Box	63.99
19294	23203*	.50 Oz.	24 Strips	10 Pieces per Strip, 240 Pieces per Box	63.99
19310	23202*	.50 Oz.	10 Lb. Roll	320 Pieces per Box	74.99
1339726	23214	1.00 Oz.	16 Strips	7 Pieces per Strip, 112 Pieces per Box	67.99
1339728	23216	.25 Oz.	30 Strips	Black, 8 Pieces per Strip, 240 Pieces per Box	37.99



Wheel Weight Racks

Adhesive Wheel Weight Dispenser Stand sku 1363723

- 23209 149
 Easy Assembly
- Can Be Secured to Workshop Floors
- Holds 2 RollsAll Metal

Construction


Mounting Hardware and Wheel Weights Not Included



Metal Wheel Weight Floor Rack SKU 1328027 PLM486-31280

44999

- All Metal Construction
- 8 Shelves
- Includes Dividers



Clip-On Wheel Weights

- Easy to Apply and Remain Firmly in Place Once Installed
- Steel Weights are More Environmentally Friendly Compared to the Lead Weight Alternative
- Polymer Coated for the Best Appearance and Exceptional Corrosion Resistance
- 1 Box of 25 Each

OEM TOOLS

STORE STOC	CKED* ///		 Steel Weigr Compared t
SKU	Part #	Profile	Price
1359082	23246	10 gm. IWFE	3.99
1359087	23248	15 gm. IWFE	5.99
1359077	23271	20 gm. IWFE	7.99
1359098	23273	25 gm. IWFE	9.99
1359089	23277	30 gm. IWFE	11.99
1359075	23283	35 gm. IWFE	13.99
1359040	23290	40 gm. IWFE	14.99
1359084	23294	45 gm. IWFE	16.99
1359043	23297	50 gm. IWFE	18.99
1417848	23301	55 gm. IWFE	20.99
1414943	23310	60 gm. IWFE	22.99
382841	23217*	0.25 Oz. MCFE	9.99
382842	23219*	0.50 Oz. MCFE	10.99
382843	23220*	0.75 Oz. MCFE	11.99
382844	23221*	1.00 Oz. MCFE	13.99
382845	23227*	1.25 Oz. MCFE	17.99
382846	23230*	1.50 Oz. MCFE	17.99
1359096	23244	1.75 Oz. MCFE	20.99
1359053	23253	2.00 Oz. MCFE	21.99
1359056	23257	2.25 Oz. MCFE	23.99
1359052	23260	2.50 Oz. MCFE	26.99
1359095	23262	2.75 Oz. MCFE	28.99
1359036	23263	3.00 Oz. MCFE	31.99
382853	23218*	0.25 Oz. PFE	6.99
382919	23223*	0.50 Oz. PFE	8.99
382920	23224*	0.75 Oz. PFE	8.99
382921	23225*	1.00 Oz. PFE	10.99
382922	23226*	1.25 Oz. PFE	12.99
382923	23228*	1.50 Oz. PFE	14.99
382924	23229*	1.75 Oz. PFE	15.99
382925	23232*	2.00 Oz. PFE	16.99

SKU	Part #	Profile	Price
1359093	23235	2.25 Oz. PFE	23.99
1359086	23236	2.50 Oz. PFE	26.99
1359058	23237	2.75 Oz. PFE	28.99
1359069	23259	3.00 Oz. PFE	31.99
1359038	23239	10 gm. FNFE	3.99
1359073	23242	15 gm. FNFE	5.99
1359092	23265	20 gm. FNFE	7.99
1359068	23267	25 gm. FNFE	9.99
1359071	23269	30 gm. FNFE	11.99
1359063	23270	35 gm. FNFE	13.99
1359083	23272	40 gm. FNFE	14.99
1359057	23274	45 gm. FNFE	16.99
1359094	23275	50 gm. FNFE	18.99
1359070	23276	55 gm. FNFE	20.99
1417552	23309	60 gm. FNFE	22.99
383021	23222*	0.25 Oz. ALFE	9.99
383022	23231*	0.50 Oz. ALFE	10.99
383023	23233*	0.75 Oz. ALFE	14.99
383029	23234*	1.00 Oz. ALFE	15.99
1359044	23243	1.25 Oz. ALFE	18.99
1359078	23247	1.50 Oz. ALFE	19.99
1359076	23249	1.75 Oz. ALFE	20.99
1359037	23250	2.00 Oz. ALFE	21.99
1359048	23252	2.25 Oz. ALFE	23.99
1359074	23287	2.50 Oz. ALFE	26.99
1359047	23289	2.75 Oz. ALFE	28.99
1417555	23302	3.0 Oz. ALFE	31.99
1359054	23238	0.25 Oz. TFE	9.99
1359064	23241	0.50 Oz. TFE	10.99
1359091	23255	0.75 Oz. TFE	12.99
1359049	23256	1.00 Oz. TFE	14.99
	M/bool N	Naight Drafila	

SKU	Part #	Profile	Price
1359039	23258	1.25 Oz. TFE	18.99
1359088	23261	1.50 Oz. TFE	19.99
1359080	23264	1.75 Oz. TFE	20.99
1359059	23266	2.00 Oz. TFE	21.99
1359060	23268	2.25 Oz. TFE	23.99
1359079	23284	2.50 Oz. TFE	26.99
1359066	23286	2.75 Oz. TFE	28.99
1359062	23288	3.00 Oz. TFE	31.99
1359097	23251	10 gm. ENFE	3.99
1359067	23254	15 gm. ENFE	5.99
1359081	23278	20 gm. ENFE	7.99
1359051	23279	25 gm. ENFE	9.99
1359045	23280	30 gm. ENFE	11.99
1359090	23282	35 gm. ENFE	13.99
1359061	23293	40 gm. ENFE	14.99
1359050	23296	45 gm. ENFE	16.99
1414944	23299	50 gm. ENFE	18.99
1414942	23300	55 gm. ENFE	20.99
1414945	23308	60 gm. ENFE	22.99
1359055	23240	0.25 Oz. LHFE	9.99
1359085	23245	0.50 Oz. LHFE	10.99
1359042	23281	0.75 Oz. LHFE	12.99
1359072	23285	1.00 Oz. LHFE	14.99
1359065	23291	1.25 Oz. LHFE	18.99
1359041	23292	1.50 Oz. LHFE	19.99
1359046	23295	1.75 Oz. LHFE	20.99
1414947	23298	2.00 Oz. LHFE	21.99
1414946	23303	2.25 Oz. LHFE	23.99
1417553	23304	2.50 Oz. LHFE	26.99
1417556	23305	2.75 Oz. LHFE	28.99
1417554	23306	3.00 Oz. LHFE	31.99

















Tire Service Tools

OEM TOOLS

2 Piece Tire Valve Core Tool Set SKU **1209377** 22589

- Designed for Removal and Installation of Schrader Style Valve Cores
- Includes: 2" and 5" Tools
- Extra-Long 5" Tool for Hard-to-Reach Applications
- Tough Impact and Solvent-Resistant Acetate Handle



Tire Taxi™ DOWJDITT1 8999

Industries

- · Designed to Transport Car, Light Truck and SUV Tires and Wheels
- · Transport 5 Tire and Wheel Assemblies or 8 Tires
- Max. Load: 265 Lb.
- · Built-In Locking Caster



For OSB, Call 901-300-4878

Quick Change Wheel Stud Cleaner Kit SKU **666299** 6999 CAL16

- Kit Includes: 1/2" Drive Adapter and 6 Brushes
- Brush Sizes: 7/16" (12 mm), 1/2" (13 mm), 9/16" (14 mm), 5/8" (16 mm), 7/8" (22 mm) and 1-1/8" (28 mm)



Catyan

Tire Tube Test Tank SKU **291382** 10999 LIS19822

- · Tank Features Reinforcement Ribs for Extra Support
- · Will Handle Passenger Tire Sizes to Wide Oval and



5025 Tire Spreader SKU **757051** 44999

- BRA00-0161
- Self-Locking Spread Arms 4 Horizontal



Tire, Including Low Profiles · Quick Pin Adjustment with Lanyard



Tire Repair

Puncture Repair Set SKU **OSB** 17999 XTS14-662

- Includes Puncture Repair Procedures Guide and 20" x 32" Shop Poster
- Enough Supplies to Provide More Than 70 Complete Repairs



Xotra 1

For OSB, Call 901-300-4878

Tire Repair Cabinet Assortment SKU **OSB** 64999

XTS14-603

- Deluxe Wall-Mount Cabinet · Loaded to Complete Over
- 110 Industry Standard Puncture Repairs
- · All the Tools Plus XLIGHT Air Powered Vacuum Carbide Cutters and More



Mounting/Demounting Compound (2 Pack)



11" Cotton Tire Swab (6 Pack) SKU **666324**

XTS14-378PK

- · Professional Quality Tire Repair Tool
- Use to Spread Mount/Demount Lube on Bead of Tire



- · Ready-to-Use Mounting and Demounting Compounds to Prevent Damage to Tire Bead
- Pre-Mixed

XTS14-753PMPK



SKU **OSB** XTS14-708EPK 4999

- Very Slippery
- · No Mixing or Water Required
- Dries Tacky
- Rust Inhibitors
- · Works Great with Low Pro, Run Flat and Alloy Wheel Applications
- Mounting and Demounting Compounds to Prevent Damage to Tire Bead

For OSB, Call 901-300-4878



- XTS14-008PK
- · Fast Drying
- Can Be Used with Heat Vulcanization









Xtra

Xotra

57 Piece Tire Repair Kit SKU **213119** 26686

• Includes: T-Handle Plug Insert Tool, T-Handle Reaming Tool, Replacement Insert Needle, Long Nose Pliers, Hex Keys, 30 Repair Plugs, Utility Knife, Lubricant, Valve Cores, Valve Caps, Valve Stems and a Valve Core Tool





• For Use with 26680, 26682, 26683 and 26686








30 Pack SKU **477063** 26684

100 Pack





FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-4878

Brake Lathe Kit

PRO-CUT

Combination Bench Lathe Kit SKU **OSB** *13,449*99 PCTB-17K

• Features Adapters and Accessories for All Passenger Vehicles and Light Trucks

 Resurfaces Brake Drums and Discs to Exceed OEM Specs for Surface Finish in 1 Pass

· Switch from Drums to Rotors in Seconds

• Includes: Dust Collection System and Side Work Table

> **On-Site Installation and** Training Included





WARRANTY: 1 Year Parts and Labor

NUS VALUE: \$1.749.99

Quick Chuck Kit PCT50-4250K

With Purchase of PCTB-17K

Offer Good While Supplies Last Through December 31, 2025

Lathe Kit with Trolley

PRO-CUT

On Car Brake Lathe for Car and Light Truck SKU **OSB** 18,24999 PCTX15-6ADP

• Plug In, Variable Speed 48v DC Motor Performance Plus Cutting Head

• PFM 2.0 Electronics • Patented One Touch Lateral Run

Out (LRO) Compensation Cross Platform Compatible Computer and Wiring Harness

6 LED On-Board Work Light

· 4 Wheel, 4 Axis, Adjustable Trolley

On-Site Installation and Training Included

WARRANTY: 2 Year Parts and Labor

Performance Plus Cutting Tips SKU **OSB** *119*99 PCT50-778

• Includes: 6 Tips with Screws

TEST DRIVE BEFORE YOU PURCHASE!

901-300-4878

Ranger®

RL-8500 Combination Brake Lathe with Bench and Standard Tooling

SKU **OSB** RANRL8500

10,624 99

- Complete Kit Includes Lathe, Standard Adapters and Bench
 Provides a Faster, More Accurate and Easier Resurfacing Capability Than Any Other Brake Lathe in Its Class
- Infinitely Variable Speed Controller Able to Turn Rotors and Drums
- Quick-Change Adapter-Plus System with Built-In Springs Eliminates the Need for Conventional Bell Clamps and Cones
- · Independent DC Servo Motors Control the Cross-Feed and Spindle-Feed Drives
- One-Cut Micro Finish
- 150 or 200 RPM Spindle

RL-8500XLT HD Combination Brake Lathe with Bench and Standard Tooling

SKU OSB RANRL8500XLT

*12.799*99

WARRANTY: 1 Year Parts and Labor

Leasing Terms Available,

Ask Your AutoZone® Commercial Sales Manager.



Shown with Optional Equipment. Accessories Not Included.

Ranger

Truck Adapter Package SKU **OSB**

RAN5150161

- Super-Duty Truck Tooling Package Consists of an Upgraded 1-7/8" Arbor and a Wide Variety of Adapters
- 32 Piece Set Allows Expanded Coverage to Handle Any Vehicle Up to 1 Ton Trucks
- Fits RL-8500 and RL-8500XLT





Customer Responsible For Offloading, Liftgate Service Available.

For OSB, Call 901-300-4878

Brake Service Tools

2 Piece Steel Line Stopper Set SKU 1331483 1999 35057

• Seals Steel Lines Found on Fuel, Brake, AC, Power Steering, Transmission Cooling Lines and Banjo Lines

O≣M TOOLS

- Prevents Leaks and Contamination
- · For Use with All Automotive Fluids
- Fits 3/8", 1/2", 5/16" and Banjo Lines



8 Piece Brake Tool Set SKU **900827** 59⁹⁹ REG. \$64.99 27194

 Includes: Spring Compressor, Brake Spring Installer, Spring Removal Tool, Brake Retaining Spring Tool, Brake Spring Pliers, 2 Brake Adjustment Spoons and Mini Adjustment Spoon



Offer Good While Supplies Last Through December 31, 2025

OEM TOOLS

Brake Cylinder Retainer Remover SKU **265111** 25268

· Expands and Holds Special Retainer So the Brake Cylinder May Be Removed

· Releases the Spring Clip Retainer That Attaches the Rear Brake Cylinder to Backing Plate

8 Piece Brake Caliper Hanger Set SKU **312538** 3499 24518

• Prevents Kinking or Premature Failure of Brake Hose

Keeps Calipers Up and Out of the Way When Servicing Suspension Components, Brakes, etc.

Hi-Vis Green Powder Coat So You Won't Misplace Them or Leave Them Attached to the Vehicle



• Color Coded Brake Gauge Identifies Thickness Levels for Brake Lining Inspection

· Includes Sizes: Red: 2, 3 mm, Yellow: 4, 5, 6 mm, Green: 8, 10, 12 mm

 Red Indicates Must Be Serviced: Yellow Indicates Should Be Serviced; Green Indicates Good



OEM TOOLS

©≡M TOOLS

OEM TOOLS

Brake Caliper Brush SKU **250125 19**99 25435

· Slim Design for Cleaning Brake Calipers and Other Brake Hardware



· Lightweight for Easy Handling

Makes Left, Right and Offset Bends Up to 90°

Degrees Marked for Accuracy
Use with 1/4", 5/16" and 3/8" (4, 6 and 8 mm) Diameter of Mild Steel and Soft Tube Material



1/2" Drive Impact Driver Set SKU **1142387**

22561

· Easily Break Free Rusted, Corroded and Frozen Screws Includes: Impact Driver, Bit Adapter, 8 Impact Bits and

Sturdy Blow Mold Case



Rotor/Drum Caliper Kit SKU **186504** CEN3K301

· Attaches to Any Caliper on the Lower Jaws

- Outward Facing Anvils to Inspect Drums
- Inward Pointing Anvils to Measure Rotors 8" to 13"
- · Range 0 to 6" Digital Caliper Included



Central TOOLS, Inc.

SKU **1330687** CEN3M431

Electronic Digital Rotor Gage

- Easy to See Digital Readout
- Long Arms for All Rotors
- · Interchangeable Flat and Pointed Anvils



Disc Brake Rotor Micrometer SKU **607071 99**99 25367



- Large LCD Display with SAE or Metric Reading
- Manual Power Off/On
- Range: 5.5"/140 mm
- Easy Glide Action
- Hardened Measurement Surface

Carbide Lathe Inserts









Central TOOLS, Inc.

SKU	Part Number	Quantity	Application	Description	OEM Part No.	Price
26238	SHA0626	6 Pack	Ammco	Use on Ammco Models 1000, 1001, 3000, 4000, 4100, 7000, 7700	90614-6	29.99
26238	SHA06210	10 Pack	Ammco	Use on Ammco Models 1000, 1001, 3000, 4000, 4100, 7000, 7700	90614-10	34.99
26238	SHA1046	6 Pack	Ammco	Postive Rake Cutting Bits for Ammco Models 3850, 4000, 7000 and 7500 as well as Twin Cutter and 9381 Facing Set	906918-6	49.99
54338	SHA069-10	10 Pack	Pro-Cut	Pro-Cut Style Bit for Use on Model 610 On-The-Car Lathes for Ford. RJ West PFM 9.2, FM900, PFM 9.2DRO Warthog and 9.2DRO	50-742	64.99
26238	SHA40710	10 Pack	FMC	Use on FMC, John Bean, Barrett, Snap-On 67BSD, 67DLX, 67GSA, 69DLX, 701ECF, 601PF, 400, 500, 600, 700 Disc/ Drum Lathes	90488, W139, D139	54.99
30078	SHA408-10	10 Pack	FMC/Ranger/ Accu-turn	Ranger RL8500 and RL8500XLT Disc and Drum Cutting Lathes. FMC/Barrett Models 400, 500, 600 and 700 Lathes	45016	84.99
26238	SHA06010	10 Pack	Accu-turn	Use on Models: 7700, 8920, 8922, 8944, 8989, 8990, 8991, 8993, 8995 and 8997 Brake Lathes. 3 Cutting Edges	433796	59.99
114233	1 SHA065-10	10 Pack	Hunter	Use on Rotor Models: BL500, 501 and 505 Hunter Lathes	221-639-3	89.99

Silencer Bands

Large Solid Rotor Silencer Band (9") SKU 262396 14 99 SHA94





Silencer Clamp SKU **388821** SHA70B



Ammco Style Disc Silencer Band with Steel Weights SKU **262392 44** 99



Ammco Style 1-3/4" Drum Silencer Band SKU **262390** SHA80B

See AutoZonePro.com for More Applications

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Brake Bleeding Tools

OEM TOOLS

Vacuum Pump Tester, Power Steering and Brake Bleeder Kit

SKU **1103570** 37070

· Includes: Vacuum Pump Reservoir Jar with Transfer Lid, Storage Lid, Brake Bleeding Adapter Package, Steering Pump Adapters and Tubing Pump with Vacuum Gauge and Accessories



1 Liter Pneumatic Vacuum Brake Bleeder with Refill Bottle SKU **1282750** 22505

Convenient Single-Person

- Operation Effective for Use on Disc/Drum Brakes and Clutches
- Auto-Refill Kit to Simplify the Master Cylinder Refill Uses a Standard

Workshop Air Supply Offer Good Through December 31, 2025



OEM TOOLS

Universal Fluid Dispensing Bottle SKU **568477 49**99 24443

⊘≣M TOOLS

• Refill the Master Cylinder During Vacuum or Manual Hydraulic Brake or Clutch Bleeding and Flushing

. Mounts Securely to Master

Cylinder and Clamps • Capacity:



VALUE: \$9.99

Brake Bleeder Wrench (8 mm and 10 mm) 25317

With Purchase of: 24443 Offer Good While Supplies Last Through

mituvac...

2 Liter Pneumatic Vacuum Brake Bleeder with Refill Bottle

SKU **1361989** 22506

- · For Use on Brakes and Hydraulic Clutches
- Convenient Single-Person Operation
- Uses Standard Workshop Air Supply
- · Includes: Auto-Refill Kit to Simplify the Master Cylinder Refill and Adapters to Fit Most US and Domestic Vehicles

· Standard and ABS Brake Systems



Brake Bleeder, Steering DEMITOOLS Pump Bleeder and Vacuum Pump Test Kit SKU **1142597** 64 99 27070



Includes: Vacuum Pump Reservoir Jar with Transfer Lid, Storage Lid, Brake Bleeding Adapter Package, Steering Pump Adapters

and Tubing



Master Cylinder Adapter Cap Update Kit SKU **1544667**

MITMVA6855

• Includes Adapter Caps: 2 Honda Specific Caps, 1 Tesla Specific Cap, 1 Nissan/Infinity Hybrid Specific Cap, 2 Ford Caps, 1 Ford/Tesla Specific Cap, and 3 Down Tubes for Caps

December 31, 2025

- EV/Hybrid
- Update Cap Kit Combined with MVA6850 Covers Most Hybrid and Electric Vehicle Brake Pressure **Bleeding Applications**
- · Expands Our Cap Offerings for Brake Bleeding
- · Can Be Used with All MityVac Manual and Pneumatic Pressure Pumps



Mituvac_

DIY Reverse Brake and Clutch Bleeder SKU **459112**

PH02104-B · Easily Bleeds ABS

- Removes Trapped Air
- Attachments to Fit All Vehicles



Mituvac.

Silverline Elite Test Kit SKU **988888** 14499 MITMV8500

• Provides Either Vacuum or Pressure with Equal Precision and Convenience

• Performs Engine Performance Diagnostics, Brake Bleeding, Fluid Transfer, Evacuation, Sampling and More

 Includes Components Needed to Perform Hundreds of Diagnostic and Mechanical Tests



Mituvac.



Brake Bleeding Kit SKU **604208** MITMV6830

- Compressed Air Operation
- 1.9 Quart Capacity
- · Swivel Air Inlet with Quick Disconnect



Pressure Brake Bleeding System SKU 383099 52 MITMV6840

- Large 1.2 Gallon Capacity Dispenser
 Includes 7 Master Cylinder Adapters That Connect to Most U.S., Asian and European Cars and Light Trucks
- Pressure Gauge Indicates Dispensing Pressure
- Utilizes Push-to-Connect, Quick-Change Adapters



2.5 L Pressure Brake Bleed Kit SKU **1361996**

MITMV7840

- Utilizes Shop-Air to Produce Pressure for Dispensing and Vacuum for Extracting
- Pressure Control System Safely Maintains Output Pressure Between 20 and 25 psi
- Includes 7 Master Cylinder Adapters That Connect to Most Domestic and Import Cars and Light Trucks
- Conveniently Located On/Off and Flow Control Valve



5 Piece Brake Bleeder Wrench Set SKU **1442597 59**99 **VIMBB500**

- Includes: 7 mm to 11 mm
- True Size Hex Openings for Tight Fit
- · Satin Chrome Plated High Alloy Steel
- Angles are Designed to Access Bleeder Screws without Removing the Wheel



Disc Brake Tools

18 Piece Disc Brake Caliper Set SKU **94798** 27113

- Includes Caliper Adapters from 1-3/16" to 2-1/2" – Some Specifically to Service Nissan, Saab and Honda Models
- · Includes Right and Left Hand Caliper Rotation Tools
- Left Hand Thread is Useful When Working on 2004-2007 Ford Freestyle, 500, 2008 Taurus and Taurus X Models
- · Rust Resistant Finish





37 Piece Disc Brake Service Kit SKU **1125858** 25107

• Includes: Disc Brake Caliper Tool Set, Pad Spreader, Brake Caliper Brush, 8 Brake Caliper Hangers, 3 Bleeder Wrenches and One-Man Brake Bleeder Kit





OEM TOOLS

Pneumatic Brake Caliper Tool Set SKU 1053954 24999 MSC43050

- Durable Non-Impact Single Piston ShaftO-Ring Protected Shaft to Maintain Proper
- Magnetic Base to Secure Press Adapters
- 15 Piece Press Adapter Set



Mastercool.

Dual Piston Press SKU **900811 19**99 25741

· Designed to Press-In Single and **Dual Piston Brake Calipers**

· Universal Application on Cars, Light and Heavy Trucks

 Rugged Design for Longer Tool Life



OVER When You Buy the Kit

Dual Speedy Pad Spreader SKU **291420** LIS25750

· Compresses Dual Brake Pistons Simultaneously

 Makes Dual Piston Pad Replacement a Simple Job



Lisle

Speedy Pad Spreader sku **291417** LIS24300

· Compresses Disc Brake Pistons in Seconds

· Makes Brake Pad Replacement Fasier



Quick Quad Pad Spreader SKU **080553** 10999 LIS29100

· A Quick Way to Spread Brake Pads and Compress Disc Brake Pistons for Pad Replacement on Single, Double and Quad Piston Calipers

 Simultaneously Compress All 4 Pistons on **Quad Piston Applications**

• Can Be Used While Caliper is on the Vehicle or Hanging Free



Brake Caliper Press (Standard Size) SKU **954224 99**99 LNG279

- Size Range is 1.7" to 3"
- · Works on Various Single, Dual and Quad Piston Calipers
- 360° Ratchet Swing Allows Access at Any Angle

Brake Caliper Press (Small Size) SKU 1400043 8999 LNG277

• Size Range is 1" to 2.25"



Brake Caliper Piston Rewind Tool SKU **1368620**

• Includes a Standard Two-Pin Adapter Compatible with Any Piston Adapter

 Includes a Fully Adjustable 3/8" Drive 2 and 3 Pin Adapter Tool That Fits Most Vehicles

· Powerful Internal Spring to Apply Stable Pressure to the Caliper Piston



Brake Hub Resurfacing Tool SKU **013590** *19*99 24686

- · Quickly Remove Rust on Lug Studs and Rotors on the Hub Assembly
- · Use with Drill for a Quick and Easy Job · Fits All Passenger Cars, Light Trucks
- and SUVs

• Includes 4 Pads








2 and 3 Pin Brake Rewind Tool SKU **13592 29**99 24693

- · 2 Fully Adjustable to Fit Thousands of Vehicles
- · No Need for Multiple Tools
- 3/8" Drive Adapters



2 Pin Side

OEM TOOLS



TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Sprayers

Red Powder Coated Aluminum Sprayer SKU **186463** MSMB8000PL

- 16 Oz. Capacity
- · Not for Use with Chlorinated Solvents
- · Pressurize Up to 200 psi

Complete Repair Kit for B8000PL SKU 186467 2999 MSMBK50



Red Powder Coated Steel Sprayer SKU **186459** MSMA1000R

- 32 Oz. Capacity
- Not for Use with Water-Based Products
- · Pressurize Up to 200 psi



Repair Kit SKU **186465** MSMK10

Used for MSMA1000R

- Includes All Parts That Can Be Replaced
- All Chemical Resistant Seals





Filler Cap Assembly SKU **186466** MSMP156

- · For Model "A" Sprayers
- Hand Removable

Hones and Stones

Rotor Flex-Hone®

 Lowers Harmonic Vibrations Ideal for New and Resurfaced Rotors and Flywheels

SKU **341310** BRMRMFH240Z25

Medium SKU **341298**

Coarse SKU 341314 BRMRMFH120Z25 BRMRMFH60Z25



BRM

Flex-Hone BC 1" (25.4 mm)

SKU **341000** BRMBC10018

• 1" (25.4 mm) 180 Grit



SKU **850067**

25269



• Includes 3 Medium (220) Grit 3/4" Stones

Brake Fluid Tester - DOT 3, DOT 4, DOT 5.1

7 REG. \$44.99

• Easily, Quickly and Precisely Checks the Water Content of 8 Types of Polyglycol-Based Brake Fluids (DOT 3, DOT 4, DOT 5.1, ACDelco DOT 3, Pennzoil, Prestone



OEM TOOLS

OEM TOOLS

OEM TOOLS

Brake Fluid Testers

Brake Strip + 100 Ct. Coolant Strip Double Ended with Customer Cards

SKU **1089037** *89*⁹⁹ PH03006-PLUS

- · Double Ended Test Strips for Brake Fluid and Coolant
- Use on DOT 3 or 4 Brake Fluid
- · Compatible with All Coolant Colors

• Includes: 100 Double Ended Strips and 100 Rating Scale Cards Double Ended Brake Fluid + Coolant Test Strips, 100 Ct. SKU **666577** PH03001-PLUS



BrakeStrip Brake Fluid Copper Test Kit SKU **289905 79**99 PH03006

- · Everything Needed to Test Brake Fluid
- Know within 60 Seconds if it's Time for a Change
- Includes: 1 Tube of 100 Test Strips and 100 Color Pop Rating Cards





MOTORVAS



Offer Good While Supplies Last Through December 31, 2025

Built-In LED Light to Ensure Tips are in

Proper Contact with Fluid

Motorcraft and Toyota DOT 3)

Electronic Brake Fluid Tester SKU **191687** 25267

- Checks Moisture Content in Any Brake Fluid
- Multi-Colored LED Panel for Easy Recognition
- · Automatic Shut-Off
- · Calibrated for DOT 4 Fluid
- 1 AAA Battery Included



Fluid Exchanger

Premium Brake Fluid Exchange System SKU 1407509 MVC500-8100

3,79999

- · Includes Brake Adapter Kit
- Pressure and Vacuum Assist
- Portable Operates on 12 Volt DC
- Complete Brake System Exchange in 10 Minutes
- Adjustable Pressure Regulator Controls Operating Pressure
- · Performs Brake Flush Using Pressure and Vacuum Simultaneously



Brake Service Tool

Heavy Duty Hub Drum and Rotor Puller Kit SKU **1125878** *159*99 25106

Use with Impact Wrench to Remove Hubs, **Drums and Brake Rotors**

- · Includes 3 Hub Adapters for Use with Most
- Common Hub Sizes and Types

 Jaw Spread Up to 12-3/4" with 5" Reach • Durable Forged Frame Rated to 7 Tons of
- Pulling Force for the Toughest Jobs · Drum and Rotor Pulling Arms Feature with Raised Stops for Use with Ratchet Straps
- (Not Included) Easily Adjust the Arms and Set Puller in Place for Tough Pulling Jobs in Tight Spaces
- · Includes: Šturdy Blow Mold Case



L STORAGE



- 24" Deep Drawers
- 100/200 Lb. Drawer Capacity
- Non-Slip PVC Drawer Liners Lift Latch Drawer Pulls
- · UV Protected Finish
- · Constructed with 16 G Steel Frame








72" 16 Drawer Rolling Cabinet with Stainless Steel Top – Green

SKU 1267935 HOM72RSPRCSG

2,999⁹⁹

• 72"(W) × 24"(D) × 40"(H)



54" 10 Drawer Rolling Cabinet with Stainless Steel Top - Blue SKU 1343816

HOM54RSCABSBL 2,399°°

• 54.5"(W) x 24"(D) x 40.375"(H)





72" 3 Drawer Hutch - Black SKU OSB HOM72RSPHUTBK 1,89999

• 71.5"(W) x 23.5"(D) x 24.375"(H)

72" 16 Drawer Roller Cabinet - Black SKU OSB HOM72RSPRCBBK 2,79999

• 72"(W) x 24"(D) x 39.25"(H)



54" Top Hutch - Blue sки 1343820 HOM54RSPHUTBL

1,39999

• 54"(W) x 23.5"(D) x 24.375"(H)

54" 10 Drawer Rolling Cabinet - Blue SKU 1442581 HOM54RSPCABBL

2,149⁹⁹

• 54.5"(W) x 24"(D) x 40.375"(H)



72" 12 Drawer Top Chest - Blue SKU OSB HOM72RSPCHSTOBL

1,99999

• 72"(W) x 23.5"(D) x 21.375"(H)

72" 16 Drawer Roller Cabinet - Blue SKU OSB HOM72RSPRCBBL

2,87499

• 72"(W) × 24"(D) × 39.25"(H)



54" 8 Drawer Top Chest - Black skii OSB HOM54RSCHSTBK

1.49999

• 54"(W) x 23.5"(D) x 21.375"(H)

54" 10 Drawer Rolling Cabinet -Black \ SKU OSB HOM54RSPCABBK

2,149°°

• 54.5"(W) x 24"(D) x 40.375"(H)





Customer Responsible For Offloading, Liftgate Service Available.

For OSB, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary · Customers Responsible for Offloading Equipment Upon Arrival · Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

TOOL STORAGE

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-487



- 24" Deep Drawers
- 100/200 Lb. Drawer Capacity
- Non-Slip PVC Drawer Liners
- · UV Protected Finish
- · Constructed with 16 G Steel Frame
- Lift Latch Drawer Pulls





Homak

44" 8 Drawer Power Service Cart - Gray SKU 1282/38 HOMRSPR044G 2,09999

• Top Till Includes Full-Extension Gas Struts and a Lockable Security Compartment with an Additional Power Strip to Store and Charge Phones, Laptops and Other Devices

Equipped with High Security Locking System to

Keep Valuables Safe and Secure

• 40.5"(W) x 23.9"(D) x 40.2"(H)

Features 4 Electric Outlets and 2 USB Ports to Efficiently Charge, Store and Organize Power Tools in One Place





54" 7 Drawer Rolling Workstation - Blue

SKU **1485046** 1,74999 HOM54RWSBL

· Durable Stainless Steel Work Surface

• Four (4) 5×2" Casters with a Weight Capacity of 520 Lb. Each: 2 Swivel Locking and 2 Fixed

• 57.5"(W) × 29"(D) × 41"(H)

Features 4 Electric Outlets and 2 USB Ports to Efficiently Charge, Store and Organize Power Tools in One Place





35" 4 Drawer Slide Top Cart – Blue SKU 1343821

HOM35STCBL

• 35"(W) x 20.625"(D) x 42"(H)



34" Professional 3 Drawer Service Cart - Black **799**99 SKU **1267944** HOM34PSCBK

• 34.5"(W) x 16.75"(D) x 39.38"(H)



32" Professional 1 Drawer Service Cart - Blue SKU 1343817 49999 HOM32PSCBL

• 31.5"(W) x 17.5"(D) x 35.625"(H)



Professional Plastic Service Cart HOMPP06032031 24999

- Four 4"× 1" Swivel Casters
- Load Capacity Up to 300 Lb.

• Tray-to-Tray Distance of 16.1" for Maximum Storage

41" Top Hutch – Orange sku **OSB** HOM41RSPHUTO

1,09999

• 40.75"(W) x 23.5"(D) x 24.375"(H)

41" 9 Drawer Rolling Cabinet – Orange SKU OSB HOM41RSPRCO 1,59999

• 41"(W) x 24"(D) x 39"(H)



35" 7 Drawer Flip-Top Service Cart - White SKU **OSB** HOM35FTSCWH

• 31"(W) x 22.5"(D) x 38.875"(H)



35" Professional 4 Drawer Flip Top Service Cart - Red SKU **1343822** HOM35PSCR *874* 99

• 35"(W) x 20.5"(D) x 39.375"(H)





Customer Responsible For Offloading, Liftgate Service Available.

For OSB, Call 901-300-4878

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

TOOL STORAGE

28" 7 Drawer - Molded Worktop SKU **477172** 69999 24566

• Dimensions: 28.3"(W) x 18.9"(D) x 40.5"(H)

Storage Space: 9,505 Cubic Inches

 Fully Sealed Plastic Work Surface is Solvent Resistant

 Integrated Pegboard Provides Additional Storage and Organization





Full Extension 100 Lb. **Ball Bearing Drawer Slides**



Pegboard to Easily Access Tools and Supplies



Sturdy Side Handles and 4 Bumpers on Cart Edges

36" 8 Drawer SKU **477134** 9999 24565

• Dimensions: 35.8"(W) x 18.9"(D) x 39.3"(H)

Work Top is Corrosion Resistant and Easy to Clean







Full Extension 100 lb. **Ball Bearing** Drawer Slides



Quick Lock System



Sturdy Side Handles and 4 Bumpers on Cart Edges

57" 22 Drawer Professional Combo SKU **662893** 24738

· Total Loading Capacity: 2,697 Lb.

· Casters Rated to 880 Lb. Each

· Overall Dimensions: 57"(W) x 24"(D) x 66.5"(H)

· Storage Space: 41,466 Cubic Inches · Drawer Space:

13,404 Sq. Inches

When you buy the combo

Savings based on the price of items if purchased separately.



Full Extension 100 Lb. Ball Bearing Drawer Slides



Easy-Opening Lid with **Gas Struts**



Extra Deep **Drawers** Perfect for **Power Tools**

57" 10 Drawer Professional Chest SKII 666333 24737

1,79999

57" 12 Drawer **Professional Cabinet** SKU **666300** 24736

2.19999





36" Slide Top 3 Drawer Tool Cart - Green SKU 666298 99999

24731 · Constructed with a 19 Gauge Steel

Shell and 21 Gauge Steel Drawers • Full Length Anodized Aluminum Drawer Pull

• Shallow Drawer Dimensions: 30"(W) x 18"(D) x 2.9"(H)

• Deep Drawer Dimensions: 30"(W) x 18"(D) x 6.1"(H)


• Overall Dimensions: 36"(W) x 21"(D) x 46"(H)

Access Your Most Used Tools with an **OEMTOOLS Slide Top Tool Cart**





USB and Electrical Outlets



Full Extension 100 Lb. Ball Bearing Drawer Slides



Tubular Lock for Secure Storage



Heavy Duty Casters 5" x 2"



Customer Responsible For Offloading, Liftgate Service Available.

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary · Customers Responsible for Offloading Equipment Upon Arrival · Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

OOL STORAGE

FOR HELP with Selection, Confirm Availability and Ordering Instructions, Call 901-300-48

72" Stainless Steel 11 Drawer Cabinet and Upper Cabinet SKU **1168659** 1.59999 OEM24615

Features:

- Dimensions: 72"(W) x 18"(D) x 71.5"(H)
- Upper Cabinet is 12"(H) x 18"(D)
- Drawer Liners Included





18" Tall Pegboard

Full Extension 100 Lb. Capacity Slides





PVC Coated MDF Top

Heavy Duty Casters



Tear Down Tray **OEM** TOOLS



Adjustable Mobile Work Table 200 Lb. Capacity SKU **1485038** 19999

- VIK52200 Adjustable Trav
- Heavy Duty 2" Rubber Composite Swivel Casters
 Multiple Storage Slots, Trays and Insert Grooves Keeps Tools and Parts Organized and Within Reach
- 1" Drawer with Roller Bearing Slides Offer Additional Storage Capacity







Tools Not Included

Steel Workbenches

- · Black Powder Coat Finish
- · Engineered for Quick Assembly
- Built-In Leg Levelers

59" Steel Workbench SKU 1392321 HOMGW00550150

· Weight Capacity: 880 Lb.



- HOMGW00550170 · High Security Tubular Lock System
- Ball-Bearing Drawer Slides • Weight Capacity: 1100 Lb.



- HOMGS00579030 • 1.5" Wood Work Surface with Top Mat
- · Weight Capacity: 440 Lb.

79" Steel Workbench with 3 Drawers SKU **1392331**

- HOMGW00550160 · High Security Tubular Lock System
- Ball-Bearing Drawer Slides · Weight Capacity: 1100 Lb.









Field Boxes

XL Field Box

- 4 Locking Options for Security Compression Fit Lid with Rubber Gasket for Water and Dust Resistance
- · Manufactured with Impact, Abrasion and Crack Resistant Copolymer Plastics
- Food Safe and Resistant to Most Acids and Solvents
- External Dimensions: 14" (L) x 9" (W) x 9-1/4" (H) Internal Dimensions: 12-5/8"(L) x 6-5/8"(W) x 8"(H)

2 Pack Nested Field Box Set

- Includes: XL Field Box and Standard Field Box
- · Standard Size Box:

External Dimensions: 11-1/2" (L) x 5" (W) x 7-1/4" (H) Internal Dimensions: 9-3/8" (L) x 4" (W) x 6" (H)

Olive Green SKU **989242**

12713

12706

Frost SKU **1544681** 12722

Grav SKU **1544664**

SKU **1544659**

12755

XL Field Box with Lift Out Storage Tray

· Lift-Out Tray with 8 Compartments

Olive Green SKU **989216** 12712 3499

SKU 1392328 12701 3499

Black

White SKU 1392312 12721

.34 99



12710

Olive Green SKU **989218** 2

Black

SKU 1392313 2799 12700

SHEFFIELD











Customer Responsible For Offloading, Liftgate Service Available.

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary • Customers Responsible for Offloading Equipment Upon Arrival • Leasing Terms Available, Ask Your AutoZone® Commercial Sales Manager

OOL ORGANIZATION

2 Post Socket Trays

6 Piece Socket Tray Sets

• Metric Socket Range: 4 mm to 15 mm (1/4" Drive), 6 mm to 20 mm (3/8" Drive), 10 mm to 27 mm (1/2" Drive)

SAE Socket Range: 1/8" to 5/8" (1/4" Drive), 1/4" to 1" (3/8" Drive), 3/8" to 1-1/4" (1/2" Drive)
 Includes: 6 Trays - 1/4", 3/8" and 1/2" Drive

in Both Metric and SAE



Tools Not Included





Black and Green SKU **949573** 22233

REG. \$39.99



Black and Orange SKU **1142583** 22418

REG. \$39.99

Offer Good While Supplies Last Through December 31, 2025



Gray and Red SKU **477209** 22413



4 REG. \$39.99



3 Piece Socket Trays

Includes: 3 Trays - 1/4", 3/8" and 1/2" Drive



Black SKU **749937** 22211

OEM TOOLS



Tools Not Included

Magnetic Socket Tray Sets

3 Piece Magnetic Socket Tray Set Metric or SAE

• Includes: 3 Trays - 1/4", 3/8" and 1/2" Drive in Metric or SAE

Offer Good Through December 31, 2025

Blue (Metric) SKU 1149155 22486



Red (SAE) SKU 1149183 RÉG. \$74.99



Green (SAE) SKU **1149165** 22485 RÉG. \$74.99





OEM TOOLS



6 Piece Magnetic Socket Tray Set - Metric and SAE

Includes: 6 Trays - 1/4", 3/8" and 1/2" Drive in Both Metric and SAE

Black and Green SKU **1331490** 22488

Black

22460

and Red

SKU 1485048





RÉG. \$99.99



22484









REG. \$99.99







Offer Good While Supplies Last Through December 31, 2025

SAE • 1/4" Tray Holds 2 Sets of Sockets 1/8" to 5/8"

• 3/8" Tray Holds 2 Sets of Sockets 3/8" to 7/8"

OEM TOOLS

Blue

22489

and Red

SKU **1331485**

• 1/2" Tray Holds 1 Set of Sockets 3/8" to 1-1/4"

METRIC • 1/4" Tray Holds 2 Sets of Sockets 4 mm to 14 mm

• 3/8" Tray Holds 2 Sets of Sockets 6 mm to 20 mm

OEM TOOLS

• 1/2" Tray Holds 1 Set of Sockets 10 mm to 27 mm

7 4 1

Tools Not Included

OEM TOOLS

Pro Socket Organizer

Magnetic Socket Tray SKU **082922** 44 99 22389

· Store Up to 36 Total Sockets -1/4", 3/8" and 1/2" Drive



Magnetic Socket Organizers

Portable Magnetic Socket Organizers

Holds Up to 28 Sockets

· Powerful Magnets Hold Sockets Securely and Attach Organizer to Any Magnetic Surface

Low-Profile Design Fits Most Toolbox Drawers

3/8" Drive SKU **1442590** 23117

1/2" Drive SKU 1414403 3499



Tools Not Included

Tool Holder

Magnetic Tool Holder SKU **749848** 22212

• 18" Rail with 16 Sliding Clips

 Multipurpose Clips Hold a Variety of Tools
 Great for Screwdrivers, Ratchets, Wrenches, Pliers and Other Small Tools

Powerful Magnet for Secure Hold

 Foam Shield to Protect Paint Finishes





TOOL ORGANIZATION

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Magnetic Trays

4 Piece Magnetic Foldable Tray (T) SKU 1207890 24 99 • Collapsible Tray Expands from 3/4" to 2" Deep Holds Up to 2 Lb. Multiple Color Set Keeps



Tools Not Included

Magnetic Trays

- Trays Stick to Most Metal Surfaces
- Ideal for Holding Small Parts and Tools
- · Heavy Duty Stainless Steel



25117C

· 2 Powerful Magnets with Protective Rubber Coating to Resist Scratching

10" x 11" SKU **965835** 25119

• 4 Powerful Magnets with Protective Rubber Coating to Resist Scratching



OEM TOOLS



Tools Not Included

Organizers

You Organized · Dimensions:

4-1/2" x 4-1/2"

16 Piece Pliers Holder SKU **765589** 22215

- 16 Extra-Wide Spaces for Pliers with Rubber Grips
- · Vinyl Coating for Lasting Dependability
- Dimensions:

14.0" (L) x 5.2" (W) x 2.5" (H)



OEM TOOLS Drawer Organizer Tray

SKU **749932** 22213

- Rolled Bottom Edges Allow Easy Removal of Small Parts
- · Low-Profile Fits in Shallow Toolbox Drawers
- 10-Compartment Tray
- Stackable Design
- Dimensions: 16" (L) x 11" (W) x 1.5" (H)



Magnetic Bit Holders

4 Piece Magnetic Hex Bit Trays SKU 1284964 24142

- Each Tray Holds 36 Hex Bits
- Coated Magnetic Trays Adhere to Most Metal Surfaces



Paper Towel Holder

Magnetic Paper Towel Holder sки **Ž80376** 24952

- · Adjusts to Fit Different Size Rolls
- · 3 Rubber-Faced Magnets Won't Scratch Metal Surfaces



OEM TOOLS

Wrench Organizers

4 Piece Magnetic Wrench Rails

- Holds 40 Wrenches
- Includes: 4 Rails
- Rail Dimensions: 16.6" (L) x 1.9" (H)

Green SKU 749850 22217

2499

SKU 765514 22219

Black



2 Piece Wrench Organizing Rails - Black SKU 213161 **14** 99 22218

· Holds 35 Wrenches

- Slotted Design Will Fit a Variety of Wrench Types and Sizes Rail Dimensions:
- 23.4" (L) x 1.0" (H)



Magnetic Wrench Organizer SKU **662782** 22177

- · Organize Up to 12 Wrenches Strong Magnets Will
- Hold Organizer Upright at Full Capacity Non-Marring Foam Backing
- Durable Coated Steel Construction



Magnetic Wrench Holder and Organizer

Holds 10 SAE or Metric Wrenches

· Magnetic Base Attaches to Your Tool Box, Tool Chest, Cart or Metallic Peg Board

• Dimensions: 9-1/4" (L) x 1-1/4" (W) x 2" (D)

Green SKU 1331491 22512 1499

Black SKU 1331501 22513

1499



HEAVY DUTY

Scan Tools

TEXA Diagnostic Kits

- World Class US-Based Support, with the Most Complete Vehicle Coverage
- Lifetime Repair or Replacement Equipment Warranty with Current Software Subscription

Mastercool.

Continual Updates on All Makes and Models with Current Software Subscription

Axone Light Truck Diagnostic Kit SKU **OSB** TEXAXLTHDTRK

- · Advanced Diagnostics and OE-Level Coverage for Heavy-Duty Truck, Trailer, and Light Commercial Vehicles
- Includes: AXONE NEMO LIGHT, Suitable for a Large Range Of Environments and the TXT Multihub



Axone Plus Truck Diagnostic Kit TEXAXPLHDTRK 7,49999

· Advanced Diagnostics and OE-Level Coverage for Heavy-Duty Truck, Trailer, and Light Commercial Vehicles

 Includes: AXONE NEMO PLUS, Suitable for a Large Range Of Environments and the



- Fast, Powerful Hardware for Maximum Shop Efficiency
- · Wiring Diagrams, Repair Procedures, Dashboards, Advanced Resets, Activations and More



Axone Plus Master Fleet Package for Truck/OHW/Car

SKU **OSB**

*11,999*⁹⁹ TEXAXPLMFP

 Provides Advanced Diagnostics and OE-Level Coverage for Diverse Fleets Including Car, Truck, Agriculture and Construction Equipment

 Includes: AXONE NEMO PLUS, Suitable for a Large Range Of Environments, the TXT Multihub and the Off-Highway Essential Cable Case



For OSB, Call 901-300-4878

Smoke Leak Detector

Dual Evap Smoke Machine* SKU **OSB** 1.84999 MSC43065

• For Evap, Turbo/Intake and Heavy Duty Truck Testing*

· For Evap and High Pressure Diagnostic Testing

• Multiple Options for Smoke Injection Include Built-In Internal Compressor, Shop Air and Inert Gases

· Accessories Include: Smoke Hose, Block Off Caps, Exhaust Cone, Schrader

Valve Remover/ Installer, Evap Service Port Adapter Hose, Smoke Illuminating Flashlight, Smoke Producing Fluid and Bladder




* Heavy Duty Truck Testing Requires MSC43062 Adapter Kit, Not Included (Sold Separately)

Cooling System

Heavy Duty Cooling Kit

Mastercool.



· For Use with Freightliner, International, Kenworth, Peterbilt, Mack, Volvo, GMC and

Sterling Cooling Systems

• Uses Shop Air to Pressure Check and Vacuum Refill

• 4 Quick-Disconnect Vacuum Attachments Provide Quick Refilling of the Cooling System and Eradicates Airlocks

Includes: Heavy Duty Vehicle Adapters, Pressure Test Regulator, Vacuum Refill Attachment with Tubing in a Plastic Case



Recovery Machine

Fully-Automatic Heavy Duty R134a Refrigerant Management System

SKU **1407805** 7,64999 **CPSMXHD**

• For Commercial and Heavy Duty Applications

 6 CFM Dual-Stage Vacuum Pump • Large 12.67 CC Twin-Piston Oilless

Compressor Comes Standard with a 50 Lb. Tank; Upgradeable to

90 Lb. · Wi-Fi and Bluetooth Enabled



Specialty Tools

NAVISTAR® MAXXFORCE® Fuel Line Disconnect Tool Set - 4 Piece SAVE SKU **004112 54** REG. \$49.99 25031

- For Series 11 and 13 Engines
- Sized to Depress Fuel Release Tabs for Efficient Fuel Line Removal
- 1 Straight and (1) 90° Tool for 11.8 mm Fuel lines; 1 Straight and (1) 90° Tool



Heavy Duty U-Joint Puller SKU 041474 134 99 24538

• Easily Removes Seized U-Joint Cups on Most Class 7 and 8 Trucks

· Safely Disassemble Drivelines without Hammering or Heating Components

 Does Not Damage the Driveshaft, Yokes,

Joints or Bearing Cups Bearing Cup Outside Diameter: 1.5" to 2.2"



Automatic Slack Adjuster Release Tool and Wrench SKU 1207889 3999 25252

Extra Clearance for Hands

Reverse Lever for Easy Operation

on Meritor® Heavy Adjusters to Simplify Brake Service

• 5/16" Double Square Ratchet Has an Angled Head to Give

Side-Mounted Forward/

Speeds Up Installation Duty Truck Brake Slack



• For Removal of Brake Anchor Pins and Bushings on 16-1/2" S-Cam Trailer and Tractor Q Brake Systems


No Need to Remove the Hub or Dust Shield

· Rigid C-Frame with 10 Ton Capacity

· Manufactured from High Grade Steel for Strength and Durability

 Manual, No Hydraulics Required





Heavy Duty Wheel and Tire Service

Heavy Duty Truck Wheel Changer SKU **OŠB** ROTR501PLUS

- · Dismount and Mount a Truck Tire in 30 Seconds
- · Super Fast Truck Tire Changer
- · Adjustable Arm Position
- Max. Tire Diameter: 52"
- Quick Loading

INCLUDES: Set Up and Training

WARRANTY: 3 Years Parts and Labor



Heavy Duty Wheel Balancer SKU **OŠB**

• Designed to Fit Commercial Truck, Light Truck and Passenger Vehicles

- Balance Compact Cars to HD Trucks
- · Auto Stop on Top for Weight Position
- Auto Entry of Distance and Diameter
- · Integrated Wheel Lift Up to 441 Lb.
- Max. Rim Diameter: 30"

ROTR540

Max. Tire Diameter: 51"

INCLUDES: Set Up and Training

WARRANTY: 3 Years Parts and Labor



Coats® CHD-6330 Heavy Duty Tire Changer SKU **OSB AMM8006330 23**, **049**⁹⁹

• Motor: 2 HP

- Max. Tire Diameter: 63"
- Rim Diameter: 13" to 27'
- 4-Jaw Chuck Allows for Fast and Easy Clamping of Virtually All Rim Styles
- Features Portable Control Station
- · Solid, Single Piece Frame for Added Capacity and Dependability



INCLUDES: Manufacturer's Set Up

WARRANTY: 1 Year Parts and 6 Months Labor

Coats® 6450-3D Heavy Duty Balancer SKU **OSB** 20,49999

AMM64503DKT1P

Kit Includes Wheel Lift Plus Lug and Hub Centered Budd Style Adapters

- Dual Calibration Software Stores and Runs Two Independent Sets of Calibrations
- Powerful 1.5 HP Direct Drive Motor Shaves 20 Seconds Off of a Typical 22.5" Spin
- Designed for High Volume Balancing, the Perfect Machine for Delivery Vehicles and Tractor Trailers
- Max. Tire Diameter: 52"
- · Max. Tire Weight: 500 Lb.



INCLUDES: Manufacturer's Set Up

WARRANTY: 1 Year Parts and 6 Months Labor

C206 Portable Hand Spin Wheel Balancer

SKU **OSB CMBC206**



- Easy Hand Spin System Requires Minimum Effort for Spinning
 Manual Lifting System Can Easily Handle Wheel Up to 550 Lb. (250 Kg)
- Split Program and Optimization Program Wheels for Easy Portability
- Battery Pack for Use When Power is Not Available
- · Balancer Works on a 13" Car Wheel Up to a Super Single
- Balancer Works on a 13" Car Wheel up to a Super Single
- Includes: 4 Standard Cones and a Truck Cone Kit



WARRANTY: 2 Year Parts and 1 Year Labor

Heavy Duty Truck and Bus Tire Changer SKU **OŠB** CMBCM27T

- Built-In Wheel Lift
- Operation Controls from a Moveable Control Unit on a Pedestal
- · Bi-Directional Rotation
- · Adjustable Bead Loosening Roller with Force of Over 4,100 Lb. (1860 Kg)
- · Heavy Duty 220V, 1Ph Phase Motor and High Torque Gear Box
- Free Shipping Fully Assembled
- · Plug and Play with On-Site Training



WARRANTY: 2 Year Parts and 1 Year Labor



Customer Responsible For Offloading, Liftgate Service Available.

For OSB, Call 901-300-4878

Free Delivery in 48 Continental United States
 Specifications Subject to Change without Notice or Liability
 Equipment Lead Times and Shipping May Vary
 Customers Responsible for Offloading Equipment Upon Arrival
 Leasing Terms Available. Ask Your AutoZone® Commercial Sales Manager.









(A) CEMB :

HEAVY DUTY

Heavy Duty Lifts

14,000 Lb. Mobile Column Lift 13,09999 SKU 1580895 CHLCLHM-140

• 110 Volt Charging System

- · Completely Wireless System
- Adjustable Wheel Carriage Adapts from 5" to 24.5"
- Integrated Touch-Screen Control Console at Each Column Allows Operation from Any Unit
- 14,000 Lb. Capacity per Column
- Includes: Batteries, Fluids and Factory Training

WARRANTY: 2 Years Parts and 1 Year Labor



27,000 Lb. Heavy Duty Truck Lift SKU **OSB BENHDS27 24**, **099 99**

- · Runways Include Rail-Kit for Optional Accessories
- · Runways Adjust for Different Tread Widths • Electric/Hydraulic Power System
- Fully Enclosed Lifting Cables, Safety Locks and Sheaves
- Pneumatic Push-Button Safety Release

• Length: 24-3/4'

WARRANTY: 1 Year Parts and Labor



Customer Responsible For Offloading.

For OSB, Call 901-300-4878

Lifting Equipment

6,000 Lb. Heavy Duty **Engine Crane** SKU 1267948 AFF3584

1,57999

- 4 Different Boom Settings: 3, 2, 1.5 and 1 Ton
- · Rear of Crane: 61.5" Tall and 33" Wide
- Distance Between Front of Leas: Retracted 23" Extended 28.5'



35 Ton Air Hydraulic Axle Jack

SKU **954200** AFF536

• Unique Motor Design Advances Ram to Load Faster

· Air Assisted Lowering and Dual Return Springs Provide Controlled and Easy Descent

 Safety Overload System Prevents Jack from Being Used Beyond its Rated Capacity

 Corrosion Resistant Aluminum and Nylon Composite Air Motor



4,400 Lb. Transmission Jack SKU 954183 1,84999

- Heavy Duty with a Rated Capacity of Over 2 Tons Rugged Industrial Grade 4" Casters
- Fully Adjustable Saddle
- · Extra-Long 32" Handle
- Safety Chain Included 8.5" Low Height
- Convenient Side Tray to Store Small Tools and Parts



10 Ton Air/Hydraulic Service Jack SKU **OSB** 1,96999

- Large, Rugged 4-1/2" Front Wheels and 2-3/4" Rear Casters
- · Can Be Operated Manually When Shop Air is Not Available
- Foot-Operated Pump for Quick Lifting Efficiency
- Automatic Overload Safety Valves

OEM TOOLS

- · Chassis Length: 61"
- Low Height: 7
- Width: 18"

AFF3135



Locknut Sockets

7 Piece Wheel Bearing Locknut Set SKU **1207886 99**99 37385

- Includes: 55 mm 6PT, 2-3/8" 6R, 2-3/8" 6PT, 2-1/2" 6R, 2-1/2" 6PT, 2-9/16" 6R and 2-3/4" 6R
- Comes with Standard Hex (6PT) and Rounded (6R) Hex Sockets to Fit Many Applications
- For Use with 1/2" Square Drive Ratchet, Breaker Bar or Torque Wrench

5 Piece Budd Wheel Socket Set



OEM TOOLS

SKU 1207878 12999 37384 • 35 mm, 38 mm, 41 mm and 1-1/2" Sockets Feature a Dual Socket Design with a Hex to

- Remove the Lug Nut and an Internal Square Drive to Remove the Inside Wheel
- 38 mm, 41 mm and 1-1/2" Sockets Each Have a 13/16" Internal Square
- 35 mm Socket Has a 11/16" Internal Square • For Use with 1" Drive Ratchet, Breaker Bar,
- Torque Wrench and Impact Wrench



Truck Axle Wheel Bearing Sockets

- 3/4" Square Drive
- Constructed with High-Grade Steel for Strength

4", 6 Pt.

SKU **466541**

25482

4-1/8", 6 Pt. SKU **265085**

Large

25233

2-9/16", 8 Pt. SKU **466534** 25473

4-3/8", 8 Pt. SKU **466543** 25485

REG. \$59.99

OEM TOOLS

Offer Good Through December 31, 2025

Heavy Duty Stands

22 Ton Heavy Duty Axle Stands (Pair) SKU **757098 249 99 24854**

- Min. Height: 12-1/4"
- Max. Height: 19-3/4"
- Adjustable Pin Design
- Features Handle for Transport
- and Positioning

 Large Shaped Saddles Center Lift Points for Secure Placement



Heavy Duty Truck Oil Filter Wrenches

Small

SKU 344322 34 99 25231

• Range: 4-1/8" to 4-5/8" (104 to 118 mm)


Medium SKU 344323 .34 99

• Range: 4-5/8" to 5-1/4" (118 to 134 mm) See Page 36 for Promo Chart and Pricing

• Range: 5-1/4" to 5-3/4" (134 to 142 mm)

SKU **344324 79**99

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability • Equipment Lead Times and Shipping May Vary · Customers Responsible for Offloading Equipment Upon Arrival · Leasing Terms Available. Ask Your AutoZone® Commercial Sales Manager



OEM TOOLS

SHOP EQUIPMENT

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Shop Presses

20 Ton Super Duty Air/Manual Shop Press SKU 1544673 29000

· Fully Welded Construction And Powder-Coated Steel Frame for Unmatched

Durability Movable Cylinder and 10 Height Adjustments with 4.3" Increments for Operator Versatility

 Glycerin-Filled Pressure Gauge Ensures Precise Pressure Readings **Every Time**

 Air/Hydraulic Pump Supports Both Manual and Pneumatic Operation (110-120 psi)

 Includes Anti-Slip Steel Blocks and Meets ASME PASE-2019 Standards

30 Ton Super Duty Air/Manual Shop Press SKU 1525570 1,49999

Fully Welded Construction for Exceptional Strength and Durability

Movable Cylinder for Added Flexibility In Working Position

• Glycerin Filled Pressure Gauge for Accurate Pressure Readings

• Polycarbonate Protective Guard Shield for Maximum Safety Against Shrapnel and Debris

· Air/Hydraulic Pump Supports Both Manual and Pneumatic Operation (110 to 120 psi)

 Includes Anti-Slip Steel Blocks and Meets ASME PASE-2019 Standards

Polycarbonate Protective Guard Shield for Maximum Safety and Debris

20 Ton Air Hydraulic **Shop Press** SKU 662928 **999**99

 Removable Press Cap with 25 mm Hole to Accept OEMTOOLS Press Pin Set (#24813)

· Air/Hydraulic Pump Provides Added Versatility

 Double Speed Pump Greatly Reduces Set-Up and Press Time

 Movable Press Head for Flexibility of Working Positions

 Liquid Filled Pressure Gauge for Accurate Pressure Readings

· Durable Powder Coated Steel Frame

Includes Press Blocks







Removable Press Dual Scale Gauge Cap with 25 mm Hole

10 Ton Hydraulic Bench Top Shop Press SKU 666327 10099

499_{REG. \$599.99} 25088 • Removable Press Cap with 25 mm Hole to Accept

OEMTOOLS Press Pin Set (#24813)

• Double Speed Pump **Greatly Reduces**

Set-Up and Press Time Movable Press

Head for Added Flexibility in
Working Position

 Liquid Filled Pressure Gauge

Offer Good Through December 31, 2025



20 Ton Shop Press SKU 300134 99999 24810

• Stronger Compared to Similar Lighter Weight Shop Presses on the Market

Includes Press Plates

· Remove and Install Bearings, Gears, U-Joints, Bushings, Ball Joints and Pulleys

 Multi-Position Bed for Work Height Adjustment

 Max. Height: 31.5' • Max. Width: 21.75"



1-3/4 Diameter Ram



Manually Adjustable

Super Heavy Duty



• Includes: 2 Press Plates, 5 Punches and a Bearing Shield

Sizes 1/2", 3/4", 1", 1-1/2" and 2"

· Capacity: Up to 50 Tons



30 Ton X Style Press Plates SKU 1544680 124 99 24808

• For Use on All Presses Up to 30-Ton Capacity

 "X" Type Design for Use in Many Different Pressing Operations

• 1.2" Steel Thickness to Comply with ASME PASE Requirements



OEM TOOLS

Bearing Separators

5 Ton Bar-Type Puller/Bearing Separator Set sки 347218 *QQ99* 27236

· Separator Tools are Used with Bar Puller and Legs for a Wide Variety of Pulling Jobs

 Set Includes: 2" and 3" Bearing Splitters, 4 Sets of Hex Push-Puller Legs and a Bar-Type Puller Head with a 9/16" Forcing Screw



Bearing Splitter 1/4" to 15/16' SKU 514005 27231

· Maximum Spread: 15/16"

• Minimum Spread: 1/4" Thread of Tapped Holes in Adapter: 5/16" to 18"

Distance Between Adjusting Screws: 1-11/16"

Bearing Splitter 1/2" to 4-5/8" sки **514006** 27232

Bearing Splitter 1/8" to 2' SKU 516522 27084

H-Frame

Press Weighs Over 250 Lb.

OEM TOOLS

Press Support

Universal Press Support SKU 804487 199 REG. \$314.99

· Will Make Your Shop Press Safe and Easy to Use

Supports in 3 Points to Ensure Safe

Support without Any Wobbling Numerous Holes on Main Block and Swivel Element for Easy Set-Up

Swivel Element and Removable/Height Adjustable Anvil Bolts Allow Adjustment to Individual Requirements

7-3/4" (W) x 9-3/4" (L) x 1-1/2" (H)

Offer Good While Supplies Last Through December 31, 2025



Aqueous Parts Washers

• Works with Safe Water-Based Cleaning
Solutions Only (Not for Use with Solvents)

• 325 GPH Pump
• Includes a Drain Shelf

- Powder-Coated 20 Gauge Steel for **Durability and Rust Resistance**

Steel Parts Washers

3.5 Gallon Bench Top SKU **300128** 24800



99 REG. \$144.99

• Dimensions: 18" (L) x 13-1/2" (W) x 9" (H)



20 Gallon Mobile SKU **750449** 24805

SAVF

329 REG. \$399.99

- 4" Casters for Maneuverability
- Drain Tray with 2.9 Gallon Collection Reservoir

 Dimensions 38" (L) x 21.5" (W) x 37" (H)



20 Gallon SKU **300117** 24801

SAVE

- 299 99 REG. \$399.99 Small Parts Tray
- Dimensions: 31" (L) x 21" (W) x 34.5" (H)



40 Gallon SKU **300118** 24803

479 REG. \$599.99

- Small Parts Tray
- Dimensions:

44.75" (L) x 20.5" (W) x 35" (H)



Pneumatic Heated Parts Washer Cabinet

OEM TOOLS®

SKU **1330681 999** 24677

- Uses Compressed Air to Spray Heated Cleaner for Maximum Cleaning Effectiveness
- Fully Enclosed Chamber Keeps Cleaning Solution and Debris Contained

 Thermostat Controlled Heating Element
- Heats Cleaning Solution Up to 140°F (60°C) • Fluorescent Lighting Inside Cabinet
- Illuminates Work Area • Built-In Vent Fan Improves Visibility Inside
- Chamber While Cleaning

 Built-In Air Pressure Regulator and Gauge
- Adjustable Leveling Pads for Added Stability on Uneven
- Floors Holds Up to 3.5 Gallons of Cleaning Solution



4 Gallon Mobile Parts Washer SKU **546660** 179 99 REG. \$249.99 24804

SAVE

- Lid Has Positive Seal and Latches for Mobility
- 4 GPM Pump
- Dimensions: 26" (L) x 18" (W) x 9.5" (H)

Offer Good Through December 31, 2025



Portable Bucket-Top Parts Washer

SKU 003759 5999 24816

- Fits Most Standard 5 Gallon Buckets
- Includes: Submersible Pump, 40" Hose and Flow-Through Brush
- · Pumping Rate: 1 GPM



Biological Parts Washers

Ocean Sunset 3.0 Pack SKU **OSB** SRIPAF0000623

3,34999

- 26 Gal. Tank Capacity
- Environmentally Friendly and Solvent Free
- · Soak Sink for Cleaning of Heavy Soiled Parts
- Multi-Stage Heater
- Sealed Lid
- Includes: (5) 5 Gallon Containers of Bluesolution and 4 Tablets



Gravity X2 Mobile Pack SKU **OSĎ**

2,199⁹⁹

- 10 Gal. Tank Capacity
- Regulated to 100°F
- and Solvent Free
- Easy Maintenance

LINCOLN

- Air or Electric
- of Bluesolution and 4 Tablets

SRIPAF0000717 BC. 63 Heating Speed of 15 Minutes Easy to Move Around
 Environmentally Friendly Simple Controls • Includes: (2) 5 Gallon Containers

BlueTablets SRBT SRIOFOMBT1100 8999

- Simple Small Tablets
- Convenient
- · Qty: 4 Tablets

BlueLiquid SRBLPE+ Agouos Solution SKU **1485035**



- Concentrated Cleaning Solution for Biological Parts Cleaning
- Water Based
- · ECO friendly



Straight Handle Flow Thru Parts Washer Brush SKU 1368637 3999 **BRMPWA**



- Made with Synthetic Filaments to Resist Solvent Cleaners
- · Works with Most Popular Recirculating Parts Washers
- For Use in Either Petroleum-Based or Water **Based Solutions**

Parts Washer Brush without Tube SKU 1368624 34 99 BRMPWANT



For OSB, Call 901-300-4878



- · Max. Operating Pressure: 150 psi
- Can Be Used with Solvents or Detergent Solutions



Abrasive Blasting

Bench Top Abrasive Blast Cabinet SKU 300119 274 99 REG. \$369.99

- Easily Remove Paint, Rust and Oxidation
- Fits on the End of Any Bench or Cabinet
- Overall Height: 19.3"
- Exterior Width: 19.3"
- Work Area: 3.18 Cubic Ft.
- Includes: 10 Replaceable Window Underlays



SKU 010136 18999 SHA13077


Medium

Offer Good While

Supplies Last Through December 31, 2025

OEM TOOLS

SKU 010139 18999



 Removes Surface Rust Paint and Body Applications

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Floor Scrubbers

Battery Powered 14" Floor Scrubber SKU **OSB** IPCCT15

4,999999

- Height-Adjustable Handle
- Removable Recovery Tank
- 1.5 Hour Run Time
- · Includes: Lithium Battery, Charger and Brush

WARRANTY-10 Years Tank 3 Years Parts 3 Years Battery



Battery Powered 20" Floor Scrubber SKU **OSŠ** IPCCT50

- 13 Gallon Tank Capacity
- 2.5 Hour Run Time

WARRANTY:

- · For Up to 10 Bay Shop
- Includes: Self-Leveling Brush Head and Cast Aluminum Squeegee Assembly, 2 AGM Maintenance Free Batteries and Charger

10 Years Tank 3 Years Parts, 1 Year Battery

Cleaner/ Degreaser SKU **OSB**

1 Quart Bottle (6 Pack) **99**99 IPCT80451

 High Performance Concentrated Formula Quickly Cuts through Grease, Oil and **Tough Carbon Soils**



WATER WORKS

For OSB, Call 901-300-4878 Solvent-Free

Heavy Duty

Concentrate

(5 Gallons)

SKU **227558**

WWSHD-5G

Degréaser

Cleaning Solution

• Quickly Removes Grease, Oil,

for the Technician

Carbon and Grime While Safe

Spray Wash Cabinets

- · Heavy Duty Steel Construction
- Removable Parts Tree
- · Brass Nozzles
- · Heavy Duty Rubber Casters
- · Stainless Oil Skimmer
- · Removable Tank Screen

Each Cabinet Includes: 20 Lb. Aluma-Klean Soap Bucket

\$149.99







Aluma-Klean Soap Bucket 20 Lb. SKU **751966** RAN5155096 149⁹⁹

Ranger.

50 Lb. SKU 1442593 RAN5155100



	100-1-0
Original Property of the Party	FEATER HORSE
	SEATY BOTH BOCKBASES
	0.0
1	THE RESERVE

Designed to Effectively Replace Hazardous Solvent in Water-Based **Parts Washers**

K4Ken-Tool^{*}

SKU Part # Product		Product	Tank Capacity	Load Capacity	Price
1105323	RANRS500DS	Stainless Steel	50 Gallon	500 Lb. Load	12,449.99
1089035 RANRS750DS		Stainless Steel Truck	53 Gallon	1,000 Lb. Load	13,199.99
82919 RANRS500D		Professional	50 Gallon	500 Lb. Load	8,099.99
82920 RANRS750D		Truck	53 Gallon	1,000 Lb. Load	8,799.99



OEM TOOLS

Customer Responsible for Offloading, Liftgate Service Available.

4-1/2" Light Duty Bench Vise with Swivel Base SKU **751645** 4999 24216

- · Replaceable Steel Jaws
- Permanent Pipe Jaws
- Full 360° Swivel Base
- Jaw Width: 4-1/2"
- Jaw Opening: 4-1/2"
- Throat Depth: 1.75"



6" Heavy Duty Bench Vise with Swivel Base SKU **751654** 24218

- · Replaceable Steel Jaws
- Permanent Pipe Jaws
- Full 360° Swivel Base
- Jaw Width: 6"
- Jaw Opening: 6"
- Throat Depth: 2.6"




OEM TOOLS

6-1/2" Professional Workshop Vise SKU **394648** KTL64065

*399*99

- Jaw Width: 6-1/2"
- Jaw Opening: 9" Replaceable. Reversible Jaws





Pipe Bender

BB-2 Pipe Bender with 302 Die Package SKU **15341**

BENBB2

12.19999

- Knee Control and Depth-of-Bend Degree Plate for Manual Bending Operations
 Includes: BB-2 Tooling Package, Quick
- Release Bending and Finishing Dies, High-Speed Clampless Swager and Internal Expander

1302 Automatic with 302 Die Package SKU **15346** BEN1302BAS302 13,09999



• Optional Die Package Extends the Bending Capabilities of Your BendPak Pipe Bender



Drill Press

15" 16 Speed Floor Drill **Press** SKU **082857** 24992

49999

- Drilling Depth: 3-5/16"
- 16 Speed Spindle: 240 to 3,200 RPM
- · Dimensions: 15" x 25-1/3" x 63-1/3" Distance from Spindle
- to Table: 27" · Distance from Spindle to Base: 47"







BigVac 8 Gallon Wet/Dry Stainless Steel Vacuum

SKU **750618** BIG55035

• 120V

• 5.5 HP Peak Motor

· Includes: 5ft Hose, 3 Extension Hoses, 1 HEPA Filter, 1 Sponge Filter, Floor Brush, Sofa Brush, Crevice Tool and 1 Paper Dust Bag



Headlight Aimers

Headlight Aiming System SKU **OSB** SYMHBA5

2,62999

- · Certified in Maryland and Virginia
- Laser Floor Slope Measurement, Accurate, Precise and Easy to Achieve
- Photosensor Positioning



Pressure Washers

Electric Pressure Washer MTMCW3004SME1 5,39999

- Pump Accepts Incoming Water Up to 165°F
- PSI: 3000 GPM 3.9
- · Includes Quick Connect Nozzles 0°, 15°, 25° and 40°, 50, 50' x 3/8" High Pressure Hose, Insulated Trigger

Gun and Adjustable Pressure Insulated Dual Lance and 35' Power Cord • 8.0 HP, 230V

WARRANTY: 1 Year Electric Motor and 7 Year General Pump

Wall Mount Electric Pressure Washer

SKU **OSB** MTMCAW20040ME1



- 2000 psi, 3.9 GPM
 6.0 HP, 230V
- · Includes: Quick Connect Nozzles - 0°. 15°, 25° and 40°, 50' x 3/8" Hose and 36" Adjustable

WARRANTY: 1 Year Electric Motor and 7 Year General Pump



Headlight Aiming System SKU **OSB** SYMCVA3

1,62999

- Approved for Regulated Inspection Programs in the United States except Virginia and Canada
- Laser Floor Slope Measurement: Accurate, Precise, and Easy to Achieve
- · Floor Slope Adjustment Easily Attained by Rotation of Eccentric Wheel





TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Hot Water Pressure Washers

HSE 1400 psi Hot Water Pressure Washer

SKU **OSB** MTMHSE14000M11 3,39999

- · Diesel or Kerosene Fired Burner
- 1400 psi, 2.0 GPM
- 1.5 HP, 120V
- Includes: 50' x 3/8" Wire Braided Hose, Adjustable Pressure Insulated Dual Lance with 15° Fixed and Detergent Nozzle



HSE 1500 psi Hot Water Pressure Washer

SKU **OSB** MTMHSE15020MM

- · Diesel or Kerosene Fired Burner
- Fuel Consumption: 1.2gph
- 1500 psi, 2.0 GPM
- Temperature Rise: 150°F (66°C) Max. Outlet Temperature: 200°F (93°C)
- Includes: Quick Connect Nozzles 0°, 15°, 25° and 40°, 50' x 3/8" Wire Braided Hose and Adjustable Pressure Insulated Dual Lance



1 Year Electric Motor, 3 Years Coil and 7 Years Mi-T-M Pump

Dual Fuel Powered Generator

5500-Watt Dual Fuel Portable Generator SKU **OSB** CHM201505

- · Dual Fuel: Runs on Gasoline or Propane, Providing Up to 11 Hours of Run Time on Gasoline or 6.5 Hours on Propane
- Monitors Voltage, Frequency and Run-Time Hours




WARRANTY:

CARB Compliant

To Confirm Price, Availability and Ordering Instructions on OSB, Call 901-300-4878

SHOP OWNERS, WE LOAN SPECIALTY TOOLS FOR SPECIAL JOBS!



AUTOZONE® LOAN-A-TOOL® PROGRAM

Over 90 Specialty Tools for Loan or Sale

We offer the most complete selection of tools for a variety of jobs, from steering and suspension, air conditioning, engine repair and more.

The best part is Loan-A-Tool® products are free to use! Leave a deposit at the store when you pick up the tool. When you're through just bring it back within 90 days, and we'll refund the deposit, or keep the tool.



Ford Triton Spark Plug Porcelain Extractor Master Set



A/C Flush Kit



Fuel Injector Puller Kit – VW/Audi

See your Commercial Sales Manager for a complete list of loaner tools.

WELDING & CUTTING

Multi-Process

200A Multi MIG Synergic, TIG & Stick Welder (115-230VAC) SKU USB HSAHSW-6420 **2,995**99

- Welds MIG, DG TIG & Stick up to 3/8" Mild Steel
- 115V or 230V
- Inverter Rated 200A @ 35% DC
- 16 Program LCD Synergic Input
 Includes: Welder, MIG Gun, TIG Torch, Stick Cable, Earth Clamp Cable, Foot Pedal, 115V Adapter, Gas Regulator, Wire and TIG Kit
- · Aluminum Spool Gun Ready (Not included)



3-in-1

Easy Weld 140 MP SKU 1580962 54999 FRN271

- 3-in-1 Machine (Stick/MIG/TIG, TIG Torch not Included)
- Input: 120V | Output Voltage: 12-23V | Output Current Range: 43-110A
- Duty Cyle: Stick 30% @ 80A, MIG 30% @ 90A and TIG 30% @ 110A
- Includes: 10' MIG Gun, 8' Electrode Holder, 8' Ground Clamp, 20A-15A Adaptor and One Additional .030 in Contact Tip
- No Gas Required

190 MP MIG Stick TIG Welder SKU 1580957 1,49999 FRN323

- 4-in-1 Multi-Process Machine (MIG/Stick/Flux-Core/DC TIG, TIG Torch Not Included)

- Amperage Range (MiG): 120V: 30A-120A | 240V: 30A-200A
 Amperage Range (Stick): 120V: 10A-80A | 240V: 10A-190A
 Amperage Range (TiG): 120V: 10A-85A | 240V: 10A-190A
 Includes: 6' Power Cable, 8' Stick Electrode Holder, 8' Ground Cable and Clamp, 120V-240V Adapter Cord,
- 6' Gas Hose, 10' M IG Gun, Gas Regulator, Spare .030" and





MIG Welder

MIG and Flux-Core Welder (130 Amp) SKU OSB 96999

- HSAHSW-6213 • Features Wire Speed and Power Settings by Material/Wire Thickness
- Rated Duty Cycle: 20% @ 130 Amps
 Includes: Inverter, Power Supply,





To Confirm Price, Availability and Ordering Instructions on OSB, Call 901-300-4878

Plasma Cutter

HSS

Flex 30™ Plasma and Stick/Tig Welder SKU 1580950 1,24999

- Cut and Weld Up to 3/8" Thick Material with One Small, Powerful Machine
- Amperage Range (TIG): 120V: 10A-85A | 240V: 10A-160A
 Amperage Range (Stick): 120V: 10A-80A | 240V: 10A-160A
- Amperage Range (Plasma): 120V: 10A-20A | 240V: 10A-30A
 Includes: Forney Flex 30™ Plasma ST Machine, Additional
- Set of Consumables, 6' Power Cable, 8' Stick Electrode Holder, 8' Ground Cable and Clamp, 15' Plasma Torch and 120V-240V Adapter Cord (TIG Torch Not Included)





Welding Accessories

Multi-Purpose Welding Gloves SKU 1544656 FRN53415

- Size: Men's Large
- · Ultra-Soft Premium Goatskin Leather
- · Back of the Hand is Lined for Extra Defense from Heat, Palm is Unlined for Dexterity and Finger Control



Welder Start-Up Kit SKU 1544655 6999 FRN377

- Bandit Flip Front Welding Helmet with Fully Adjustable Ratcheting Headgear
 Leather Welding Gloves
- Chipping Hammer with Anti-Shock Handle
- · Carbon Steel Scratch Brush



Acetylene Torch

Medium Duty Torch Kit SKU 1580955 29999 FRN1705

Cuts Up to 150 mm (5.91") and Welds Up to 9 mm

(0.35") with Proper Tips
• Includes: 250-Series Regulators, 100-Series Torch Handle, 1350-Series Cutting Attachment, 0-3-101 Cutting Tip, W-1-0 Welding Tip, 1/4" (6.35 mm) X 12.5' (3.81 m) Twin Welding Hose with Fittings, #5 Goggles, Round Single Flint Striker, 13-Piece Tip Cleaner and Plastic Carry Case



Welding Cart ---

Portable Welding Cart SKU 1544669 16999

Steel Construction

FRN332

- Dimensions: 11-1/2" (W) x 27-1/2" (H)
 Weight Capacity: 90 Lb. (40.8 Kg)
- Sleek Black Finish for a Professional Look



OEM TOOLS

WELDING & CUTTING

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com



Valor Auto-Darkening Welding Helmet SKU **1544661** FRN55861

- 5.97 Sq. In. (3.62" x 1.65") Viewing Area
- 2 Optical Arc Sensors

Auto Darkening

Welding Helmet

• TIG Rated Variable Shade

Variable Sensitivity and

• 2 Independent Arc Sensors

• Lens Darkening is 1/25,000

Battery Powered with Solar Assist

• Includes: Replacement Cover Lenses

Delay Controls

Grinding Function

SKU **347233**

24358

with Grinding Function

- 1/1/1/2 Optical Clarity Rating
- UV/IR Coating to Reduce Scratching and Discoloration of the Lens
- DIN 9 to 13 Variable Shade Selection
- 1/25,000 Per Second Switching Speed



69 REG. \$109.99

OEM TOOLS

SAVE

OEM TOOLS

Auto Darkening Welding Helmet SKU 362974 6999 24357

- TIG Rated Variable Shade 9 to 13
- Viewing Area: 3.54" x 1.37"
- · Battery Powered with Solar Assist
- Includes: Replacement Cover Lenses



Butane Not Included

Mechanics Butane

Adjustable Flame Lights

Auto Ignition, Refillable

· Safety Lock When Not in Use

Mini Torch

SKU **804655**

Upside Down

24353



Mechanics **Butane Torch** SKU **802236** 24354

REG. \$34.99

 Heavy Duty Piezo Ignition with Strong Flame

Butane Not Included



SAVE

Offer Good Through December 31, 2025

Premium Welding Helmet - Gray Matter SKU 1400038



Professional 3-in-1 Butane Micro Torch Kit SKU **420339**

39⁹⁹ REG. \$54.99

- 3-in-1 Design Can Be Used as a Soldering Iron, Torch or Hot Air Blower without Iron Tip
 Micro Torch Kit Includes: Torch,
- Metal Tip Wicking Cup with Sponge, Heat-Shrink Deflector, Chisel Point Tip, Anvil Solder Tip, Needle Tip and Hot Air/Soldering Tip and Base
- Ideal for Use with Electrical Repair, Tin and Plastic Melting, Heat-Shrinkable Tubing, Auto Repair, Hobby Repair and Jewelry Repair

 • Power Range: 30W to 125W



Butane Not Included Offers Good While Supplies Last Through December 31, 2025

JACKSON

JAS47102

- 6.24 Sq. Inch Viewing Area
- Auto Darkening Filter Meets 1/1/1/1 Optical Clarity Standard, the Highest in the Industry
- Powered By Solar Technology and (1) CR2032 Lithium Battery





Consumables

E71T-GS Flux-Core Welding Wire 0.030" 2 Lb.

SKU 1544675 26 99 FRN42300

- Tensile Strength: 79,000 psi
- · Weight: 2 Lb.
- · Recommended Polarity: DCEN Straight
- No Shielding Gas Required



ER70S-6 MIG Welding Wire 0.030" 10 Lb. SKU 1544677 **59**99 FRN42286

- Tensile Strength: 70,000 psi
- Weight: 10 Lb.
- Recommended Polarity: DCEP Reverse Polarity
- · Required Shielding Gas: Argon/CO2



E71T-GS Flux-Core Welding Wire 0.035" 2 Lb.

SKU **1544668** FRN42302

- Tensile Strength: 79,000 psi
- · Weight: 2 Lb.
- Recommended Polarity: DCEN Straight

 No Shielding Gas Required



AZG0425



Professional 3-in-1

- Includes: Soldering Iron, Metal Tip Wicking Cup with Sponge, Solder Wire, Protective Tip Cap, Heat-Chief, Profestor Chief, Paint Tip Shrink Deflector, Chisel Point Tip, Anvil Solder Tip, Needle Tip and Hot Air/Soldering Tip
- · Cable Free



Professional Soldering Gun Kit SKU **1362003** REG. \$69.99 24773

- Includes: Heavy Duty 230/150-Watt Soldering SAVE Gun, General Purpose Soldering Tip, Plastic Cutting Tip and 0.5 Oz. (14 g) Rosin Core Solder
- Reaches Max. Temperature of 937°F at Low Power
- Reaches Max. Temperature of 1400°F at High Power • 120V, 150/230W, 60 Hz



PAINT & BODY

Dent Repair

Adjustable Bumper Stand SKU **OSB** 23499 ATD6572

- · Holds Any Plastic Bumper Cover without Touching the Painted Surface
- Cover Can Be Rotated 90° to Ensure Proper Paint Coverage
- 5 Locking Positions
- Protective Rubber Boots Keep Critical Areas Free of Overspray
- 4 Industrial Grade Casters with 2 Locking for Zero Movement

For OSB, Call 901-300-4878



Dent Puller

Slide Hammer Dent Puller Set SKU **265148** 19499 25922

• 12 Lb. Hammer, Slide Hammer Shaft, Slide Hammer Handle, Slide Hammer Adapter, Deep Hook, Short Hook, Door Edge Tool, Claw, Straight Driver, Hook and Chain, Sheet Metal Screw and Holder, Nose Piece with Screw

Comes in a Blow Mold Case



OEM TOOLS

Body Repair

Fast Action Body Repair Kit

- Includes: Hydraulic Pump, Hydraulic Ram, 4 Extension Rods, a Rubber Ball Foot and a Duckbill Hydraulic Spreader
- · Features a Faster Double-Action Hydraulic Pump
- · Includes: Blow Mold Case



OEM TOOLS

3 Piece Body Seam Splitter Set SKU **265129** 25337

- Includes: Straight, 30° Offset and 90° Angle Seam Splitters
- Tough Chrome Vanadium Steel
- GoThru® Shafts
- Shock Dampening Grip Provides Comfort



OEM TOOLS

Windshield Tool

18" Professional Windshield Knife

SKU 480782 2999 CAL53100

· Constructed of Heavy Duty Steel and Aluminum with a Padded Ergonomic Handle

Door Tools

SKU **447118** 25336

Door Spring Tool • Quickly and Easily Remove or 1499 • Install Door Hinge Springs
• Designed for GM Cars and

Light Trucks



OEM TOOLS

Cal-Yan

Panel and Trim Clip Pliers SKU **447154** 25930

- Designed to Remove Panel Clips
- · Constructed with a Durable Chrome Plated Alloy Steel
- 2-Step Tip Minimizes Risk of Clip Damage
- · Ergonomic Comfort Grip Handles for Reduced User Fatigue

Hood Props

24821

Telescopic Hood Support SKU **420337** 1499 24211

- · Simple Turn Locks and Unlocks the Support in Place
- Rubber End Caps Protect Vehicle's Finish
- 21" When Closed and Almost 48" When Fully Extended
- · Compact and Easy to Store, Easy to Use



OEM TOOLS

Universal Lift Support Clamp SKU **191671** 25307

· Securely Holds Weak Lift Supports in the Extended Position to Allow Access to the **Engine Compartment or** Luggage Area



5 Piece Door Panel and Trim Remover Set SKU **989263**

44 99 REG. \$64.99

- Comprised of 3 Door Panels and 2 Trim Tools
- Textured, Comfortable Grips with Thumb Stop and Hanging Hole

Offer Good Through December 31, 2025



• Includes: V-Notch Clip Remover, U-Notch Clip Remover, 2 Door Panel Removal Tools, C-Type Clip Removal Tool and Handle Clip Removal Tool



Hood Prop with Adapter SKU **291352** LIS46170

- Includes a Support to Help Prevent Slipping
- 3 Piece Telescoping Shaft Locks in Any Position (Telescopes from 20" to 48-1/4")



Trim Tools

3 Piece Light Duty Smoothing/Prying Kit SKU **004111 0**99 25084

- Pry Dashboard Parts and Vents without Damaging Interior
- Clean Crevices and Joints in Small Electronics
- · Disassemble Key Fobs and Other Remotes
- · Evenly Smooth Epoxy and Adhesives



Air Bag Release Tool for GM

25310

- SKU 191678 14 99 Fits Most GM Cars, Minivans and Light Trucks • Tips are Tapered to Make Removal Easier



Trim Fastener and Molding Remover Set SKU **900801** 1499

- · Includes: 5 Tools for Easy Removal of Fasteners, Molding, Wheel Hubs and More
- For Use on Internal and External Vehicle Molding and Trim Fasteners



OEM TOOLS

Combo Wrench Sets

RingStop® Reversible Ratcheting Wrench Set

- Patented RingStop® Design Makes One-Hand Use Easy
- Posi-Grip No-Slip® Design
- Jaw is 15° Offset
- · Made with Chrome Vanadium Steel





Go Thru Ratcheting Head





sки 803140 ²³⁹⁸⁸ **149**⁹⁹ REG. \$199.99 · Metric Sizes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19 mm



15" Width x 10" Depth

BONUS VALUE: \$24.99

8 Piece Go Thru Socket Set (SAE) 22979

With Purchase of 23989

Offers Good While Supplies Last Through December 31, 2025

BONUS VALUE: \$34.99 12 Piece Go Thru Socket Set

(Metric) 22978

With Purchase of 23988

Combo Wrench Sets

14 Piece (SAE)

SKU 802222 119⁹⁹ REG. \$219.99 23993

• 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 7/8", 15/16", 1", 1-1/16"

16 Piece (Metric) SKU 802224

• 6, 7, 8, 9, 10, 11, 12, 13, 14, 15,

Offers Good Through December 31, 2025

16, 17, 18, 19, 21 and 22 mm



Flex Head Flare Nut Wrench Sets 5 Piece (SAE) SKU 749849 6999 22063

• 1/4" x 5/16", 3/8" x 7/16", 1/2" x 9/16", 5/8" x 11/16", 3/4" x 7/8"



10" Width x 7.8" Depth

OEM TOOLS

6 Piece (Metric) SKU 749930 SAVE 22064

REG. \$129.99

• 9 mm x 11 mm, 10 mm x 12 mm, 13 mm x 14 mm, 15 mm x 17 mm, 16 mm x 18 mm, 19 mm x 21 mm

Offer Good Through December 31, 2025

10 Piece Combination Wrench Set (Metric) SKU 127920

54 RÉG. \$69.99 22995 • Includes: 10 to 19 mm

 Posi-Grip No-Slip® Design Provides Off-Corner Loading for Greater Torque with More Socket-to-Fastener

 Marked on All 4 Sides for Easy Identification



Offer Good Through December 31, 2025

JUMBO WRENCHES

Jumbo wrenches are made of high quality drop forged steel and are precision machined to prevent fastener damage.

Individual Jumbo Wrenches Available on AZTOOL1.COM



Sets Include Roll-Up Storage Bag

SKU	Part #	Metric or SAE	Size	Price
338830	22100	SAE	1-1/16", 1-1/8", 1-1/4", 1-5/16",1-3/8" and 1-7/16"	134.99
338833	22101	SAE	1-1/2", 1-5/8", 1-3/4", 1-7/8" and 2"	194.99
338852	22120	Metric	21 mm, 22 mm, 24 mm, 25 mm, 27 mm, 29 mm, 30 mm and 32 mm	119.99
338858	22121	Metric	33 mm, 34 mm, 35 mm, 36 mm, 40 mm, 42 mm, 46 mm, 50 mm	224.99

Box End Offset 15° for Work in **Tight Spaces**

Continuous Curve Design Reduces Spreading, Slippage and Fastener Damage

SKU	Part #	SAE Size	Price
338859	22102	1-1/16"	14.99
338864	22103	1-1/8"	19.99
338866	22104	1-1/4"	19.99
338868	22105	1-5/16"	19.99
338877	22106	1-3/8"	19.99
338890	22107	1-7/16"	19.99
338896	22108	1-1/2"	19.99
338898	22109	1-5/8"	24.99
338903	22110	1-3/4"	39.99
338935	22111	1-7/8"	44.99



Jumbo Angle Wrench Set

6 Piece Jumbo Angle **Head Wrench Set** SKU OSB **99**99 22113


• Sizes: 1-3/8", 1-1/2", 1-5/8", 1-3/4", 1-7/8" and 2"



Includes Roll-Up Storage Bag For OSB, Call 901-300-4878 **OEM** TOOLS

Ratcheting Combination Wrenches

GEARWRENCH 16 Piece 12 Pt. Ratcheting Combination Wrench Set (Metric) SKU 213125 20999 KDT9416



• Ratcheting Box End Requires Only 5° to Move Fasteners

• 12 Point Design Providing More Positions to Engage the Fastener



Wrench Extender **DEM TOOLS** SKU 1368628 22656

Wrench Extender

 Safely Provides Extra Leverage to Loosen Rusted Bolts, Jammed Fasteners or Over-Tightened Nuts

3999

Great for Use on Those Hard to Reach Fasteners



Screwdrivers

19 Piece Screwdriver Set SKU 1142325 5999 73775



- 1/4" x 4", 1/4" x 6", 5/16" x 6", 3/8" x 8" Phillips: #0 x 1.5", #0 x 2.5", #1 x 3", #2 x 1.5" (Stubby), #2 x 4", #2 x 8", #3 x 6", #4 x 8"
- Offset: 3/16" x #1, 1/4" x #2
- · Magnetic Tips Hold Fasteners in Place
- Square Shafts Can Be Used with Wrench for More Torque
- · Hexagon Shaped Handles Prevent Roll Off
- Color Coded Fluting Defines Driver Type



8 Piece Mechanics Screwdriver Set SKU **802208** 23999







- Features a Hard Chrome[™] Finish, an Easy-to-Clean Smooth Satin Finish That Won't Show Prints and Keeps Rust Away
- · Custom Cut of the Tool is a Hi-Vis Green Making it Visible if a Tool is Missing
 • Slotted: 1/4" x 1-1/2", 3/16" x 3", 1/4" x 4",
- 5/16" x 6" and 3/8" x 8"

Offer Good Through December 31, 2025



20 Piece Screwdriver Set SKU **1142343 19**99 92080

- · Chrome Vanadium Steel Shaft for Strength and Durability
- · Precision Ground Sandblasted Tip
- Highest Quality Acetate Handle
- Nighest Quality Acetate handle
 Slotted: 3/32" x 2", 1/8" x 2", 3/16" x 4",
 1/4" x 1-1/2", 1/4" x 4", 1/4" x 6"
 Phillips: #00 x 1-1/2", #0 x 2", #1 x 3",
 #2 x 4", #2 x 6", #2 x 1-1/2"
- Star: T15, T20
- Square: #2
- (1) Offset Screwdriver
- · 4 Piece Hook and Pick Set



Star Screwdrivers

5 Piece Star Screwdriver Set SKU **1142630** 73721



- Star (T10 x 4", T15 x 4", T20 x 4" T25 x 5", T30 x 6")
- · Magnetic Tips Hold Fasteners
- · Hexagon Shaped Handles Prevent Roll Off



Gasket Scraper Set

3 Piece Gasket Scraper Set SKU 1069069 24 99 26501

• Includes: 3/4", 1" and 1-1/2" Gasket Scrapers



Ratcheting Screwdriver


Pivot-Grip Ratcheting Screwdriver

SKU 004103 2199 22557



- Gripping Positions

 Forward and Reverse Ratcheting
- · Magnetic Bit Shaft for a Secure Fit
- Overall Length: 10"
- Internal Bit Cartridge for Convenient Storage








OEM TOOLS

OEM TOOLS

Long Reach Screwdrivers

- High Performance Hex Shaped Shaft for More Torque and Less Flex
- · Precision Machined and Sand Blasted Tips That Reduce Cam-Out
- · Durable Ergonomic Handles are Made of Hardened Resin



Hex Key Sets

27 Piece Star and Hex Key Set (Metric and SAE) 6999

SKU **1209375** 24299

• Extra Long Arm for Accessing Hard-to-Reach Spots

- · Each Tool is Color Coded and Marked with Sizes for Easy Identification
- SAE and Metric Hex Keys Have Ball-End Design for Reaching at Angles Up to 25°



Recessed Fasteners in Tight Spaces

- Manganese Phosphate Finish Resists Corrosion
- 25° Entry Angle for Better Work Near Obstructions
- Long Arms Provide for Increased Torque and Extra Reach

35 Piece SAE, Metric and Star SKU **1168819 24** 99 24249





9 Piece Magnetic Long Arm Hex Key Set Long - SAE SKU 978109 24 99 24261

• Includes: SAE Sizes: 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16" and 3/8" Color Coded Red - SAE Magnetic Tips Hold Fasteners in Place and Prevents Them from Slipping





TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com



64 Piece 1/4" Drive Metric Set SKU **020788** REG. \$139.99 23997

- Shallow Sockets, 6 Pt: 4 to 15 mm
- Deep Sockets, 6 Pt: 4 to 15 mm
- Drive Wobble Straight Extension
- Bit Extension Bars: 6" and 10"
- Ratchet Screwdriver
- Universal Joint
- Ratchet • 28 Bits

Offer Good Through December 31, 2025



Ratchet and Socket Set **DEM TOOLS**

26 Piece 1/2" Drive Ratchet and Socket Set 99 REG. \$144.99

 Includes: (21) 6 Pt. Metric and SAE Sockets, (1) 1/2" Dr. Extension Bar 3"

(1) 1/2" Dr. Extension Bar L6, (1) 1/2" Swivel U-Joint, and

HARD CHROME™FINISH

(1) 1/2" Dr. Regular Ratchet



OEM TOOLS

OEM TOOLS

Offer Good While Supplies Last Through December 31, 2025

Universal Joints

1/4" Drive SKU 081225 22520

Q99

1/2" Drive SKU 081227 22522

(Style May Vary) 3/8" Drive

OEM TOOLS

SKU 081226 22521

Socket Adapters

3 Piece Low-Profile Adapter Set sки **8**18570 **29**99 22535

• CR-V Steel for Strength • Includes: Get into Tighter Spaces

1/4" F x 3/8" M, 3/8" F x 1/2" M, and 1/2" F x 3/4" M

OEM TOOLS

Adapters

 Hard Chrome[™] Finish is Easy to Clean and Will Keep Away Rust



23985

SKU	Part #	Drive	Price
81228	22530	1/2" F x 3/4" M	14.99
81229	22531	1/2" F x 3/8" M	10.99
81230	22532	3/8" F x 1/2" M	7.99
81232	22533	3/8" F x 1/4" M	6.99
81233	22534	1/4" F x 3/8" M	7 99

Socket Sets

- Posi-Grip No-Slip®
- Off Corner Loading for Greater Torque
- Knurling Position for Best Finger Gripping
- · Chamfered Ends Allow the Socket to Easily Slip Over the Bolt Head
- · Deep Marking for Easy Identification





1/4" Drive Socket Sets

10 Piece (SAE) SKU 127786

22952 • 3/16" to 9/16"

12 Piece (Metric) SKU 127836 22950

• 5 mm to 15 mm

SKU 1414402 22953A

• 3/16" to 9/16"

10 Piece Deep (SAE) 12 Piece Deep (Metric) SKU 127772 22951

• 5 to 15 mm





• Includes: 3/16" to 9/16"

12 Piece 1/4" Deep (Metric) SKU 850510 3499 23986

· Includes: 5 mm to 15 mm



10" Width x 4" Depth

3/8" Drive Socket Sets

11 Piece (SAE) SKU 127798 22956

• 1/4" to 7/8"

12 Piece (Metric) SKU 127794

• 8 mm to 19 mm

22954

SKU 127803 22957

• 1/4" to 7/8"

11 Piece Deep (SAE) 12 Piece Deep (Metric) SKU 127797 22955

• 8 mm to 19 mm



1/2" Drive Socket Sets

11 Piece (SAE) SKU 127812 22960 • 1/2" to 1-1/8"

10 Piece (Metric) SKU 127807 22958

• 10 mm to 19 mm

22961

• 1/2" to 1-1/8'

11 Piece Deep (SAE) 10 Piece Deep (Metric) SKU 127846 SKU 127809 4499 22959

• 10 mm to 19 mm



12 Piece 3/8" Deep Socket Set (Metric) 4 REG. \$59.99

23981 • Includes: 8 mm to 19 mm



SAVI

10" Width x 7" Depth



SAVE

24 Piece 3/8" Drive Socket Set (Metric) SKU 127868

• Includes: 8-19 mm (Deep) and 8-19 mm (Shallow)

22 Piece 3/8" Drive Socket Set (SAE) SKU 127869 22962

 Includes: 1/4" to 7/8" (Deep); 1/4" to 7/8" (Shallow)




Offers Good Through December 31, 202



Ratchets

- 36 Teeth with 10° Arc Motion for Precision and Strength
- Reversing Lever Allows a Forward and Reverse in One-Hand Action
- · Sealed to Keep Dirt and Debris Out of Head
- · Compact Head Designed to Get into Tight Spaces



HARD CHROME™FINISH D=MTOOLSI®

SKU	Part #	Type	Drive	Length	Price
081298	22900	Standard	Standard 1/4" 4-1		19.99
177728	22911	Standard	3/8"	8"	29.99
177768	22920	Standard	1/2"	10"	39.99
177702	22910	Stubby	3/8"	4"	29.99
081301	22901	Flexible	1/4"	6"	29.99
177730	22912	Flexible	3/8"	11-1/2"	39.99
177769	22921	Flexible	1/2"	17-1/2"	59.99

Extensions

OEM TOOLS

- · Chamfered Ends for Positive **Engagement with Drive Tools**
- Knurled Shank for Easy Fingertip Turning
- Milled Ends Provide a Solid Connection

SKU	Part #	Drive	Length	Price
081213	22481	1/4"	4"	5.99
081215	22482	1/4"	6"	7.99
081218	22483	1/4"	11"	4.99
081219	22490	3/8"	1-3/4"	9.99
081220	22491	3/8"	4"	10.99
306326	22492	3/8"	6"	8.99
306287	22494	3/8"	10"	11.99
081212	22480	1/2"	2"	3.99
081221	22500	1/2"	3"	4.99
081223	22501	1/2"	6"	11.99
081224	22502	1/2"	10"	14.99

Flex Head Breaker Bars

- · Special Alloy Steel, Heat-Treated to Provide Durability
- 180° Flex Head Provides Leverage at Desired Angle for Hard-to-Reach Applications

SKU	Part #	Drive	Length	Price
081302	22913	3/8"	11-9/16"	24.99
081303	22922	1/2"	18"	34.99
750437	22923	1/2"	24"	39.99



Impact Driver

1/2" Drive Impact Driver Set SKU 1142387 22561

- Easily Break Free Rusted, Corroded and Frozen Screws Includes: Impact Driver, Bit Adapter, 8 Impact Bits and Sturdy Blow Mold Case



- · Sizes: MTS0, MTS1,
- MTS2, MTS3 and MTS4 3/8" Drive





Triple Square Bit Sets

- Use on European Vehicles Like BMW, Mercedes, VW, Audi and Porsche
- Heat-Treated Alloy Steel Bits to Reduce Premature Wear
- Reinforced Chrome Vanadium Steel Sockets to Increase Turning Power
- Fully Refined Hard Chrome Plated Finish and Zinc
- Phosphate Bits Treatment to Prevent Rust and Corrosion

Bolts That Secure the Bell Housing to the

Transmission on GM 4L60 Transmissions

25953

Meets and Exceeds ANSI Standards

OEM TOOLS



10 Piece Extra Long XZN Triple Square Spline Bit Socket Set SKU 1368626 44 REG. \$49.99 23519



· Socket Length: 3.93



- Sizes Included: M4, M5, M6, M8, M9, M10, M12, (Tamper-Proof) M14, M16, M18



Square Bit Socket Set sku 1313567 *54* 99 23907 • Sizes Included: (1/4" Drive) M4, M5, M6;

10 Piece Magnetic Long Triple



· Socket Length: 3.93'





• 3/8" Drive: M8, M10 and M12 (Length: 48 mm)

SKU 191052 2999

• 1/4" Drive: M4, M5 and M6 (Length: 37 mm)

9 Piece Triple Square Bit Set

 1/2" Drive Tamper-Proof: M14, M16 and M18 (Length: 55 mm)







Offer Good Through December 31, 2025



- Sizes Included: M4, M5, M6, M8, M9, M10, M12, (Tamper-Proof) M14, M16, M18
- Comes Enclosed in Blow Mold Case for Easy Identification and Storage




10 Piece Magnetic Triple Square Bit Socket Set 4499

SKU 1368615 23906

- · Powerful Magnetic Bits to Prevent the Loss of Nuts, Bolts and Fasteners
- Comes Enclosed in Blow Mold Case for Easy Identification and Storage
- Sizes Included: (1/4" Drive) M4, M5, M6; (3/8" Drive) M8, M9, M10, M12, M14; (1/2" Drive) M16, M18



Offer Good Through December 31, 2025



- · Constructed for Professionals with Superior Materials for Increased Torque and Hardness
- · Heat-Treated S2 Steel Bits to Reduce Premature Wear
- Reinforced Chrome Vanadium Steel Sockets for Durability and Improved Finish
- Fully Refined Hard Chrome Plated Finish and Zinc Phosphate Bits Treated to Prevent Rust and Corrosion



Hex Sets

12 Piece Magnetic (SAE) SKU 1282759 34 REG. \$39.99 23900

• 1/4" Drive: 1/16", 5/64", 3/32", 7/64" and 1/8'

• 3/8" Drive: 9/64", 5/32", 3/16", 7/32", 1/4", 5/16"

12 Piece Magnetic (Metric) SKU 1282804 34 PEG. \$39.99 23901

• 1/4" Drive: 2 mm, 2.5 mm, 3 mm, 4 mm, 5 mm and 5.5 mm • 3/8" Drive 6 mm, 7 mm, 8 mm, 9 mm, 10 mm and 12 mm

12 Piece Magnetic Long (SAE) SKU 1282807 44 REG. \$49.99

• 1/4" Drive: 1/16", 5/64", 3/32", 7/64", 1/8" • 3/8" Drive: 9/64", 5/32", 3/16", 7/32", 1/4", 5/16" and 3/8"

12 Piece Magnetic Long (Metric) SKU 1282737 23903 REG. \$49.99

• 1/4" Drive: 2 mm, 2.5 mm, 3 mm, 4 mm and 5 mm

• 3/8" Drive: 5.5 mm, 6 mm, 7 mm, 8 mm, 9 mm, 10 mm and 12 mm

Offers Good While Supplies Last Through December 31, 2025

26 Piece Master Hex Bit Set SKU 802219 REG. \$69.99 23990

• Includes: 1/4" Drive Sizes: 1/8" to 7/32" and 2.5 to 5 mm 3/8" Drive Sizes: 1/4" to 11/32" and 6 to 9 mm, 1/2" Drive Sizes: 3/8" to 5/8" and 10 to 19 mm



S2

STEEL

STEEL



12 Piece Long (SAE) sки 1282747 34 REG. \$49.99 23563

• 1/4" Drive: 1/16", 5/64" 3/32", 7/64" and 1/8"

• 3/8" Drive: 9/64", 5/32", 3/16", 7/32", 1/4", 5/16"



12 Piece Long (Metric) SKU 1282757 REG. \$44.99 23538

• 1/4" Drive: 2 mm, 2.5 mm, 3 mm, 4 mm and 5 mm

• 3/8" Drive: 5.5 mm, 6 mm 7 mm, 8 mm, 9 mm, 10 mm and 12 mm





STEEL

SAVE

32 Piece Hex Bit Socket Set (SAE and Metric) SKU 1282740 22989 REG. \$49.99 SAE

• 1/4" Drive: 1/8", 5/32 3/16", 7/32" and 1/4"

• 3/8" Drive: 9/32", 5/16' 3/8", 7/16" and 1/2"

• 1/2" Drive: 9/16", 5/8", 11/16" and 3/4"

• 1/4" Drive: 2, 2.5, 3, 4, 5, 5.5 and 6 mm

• 3/8" Drive: 7, 8, 9, 10 and 12 mm

• 1/2" Drive: 14, 15, 17 and 19 mm





Offers Good Through December 31, 2025

1/2" Drive Hex Bit Set (Metric) SKU OSB **Q**99 25417

Offer Good While Supplies Last Through December 31, 2025

- Sizes: 12, 14 and 17 mm
- Use on Transmission and Differential Drain Plugs

For OSB, Call 901-300-4878



7 Piece Hex Bit Set (SAE) SKU 127904 **29**99 22982

• 3/8" Drive: 5/16" and 3/8'

• 1/2" Drive: 7/16", 1/2", 9/16", 5/8" and 3/4"



STEEL



1/2" Drive Metric Hex Bit Socket Set (7 Piece) SKU 1168830 22998



• Includes: 13, 14, 15, 17, 19, 21 and 22 mm



9 Piece Hex Bit Set (Metric) SKU 127903 **19**99 22983

- Includes: 1/4" Drive 2, 2.5, 3, 4 mm and 3/8" Drive 5, 6, 7, 8, 10 mm
- · Knurling Position is Optimized for Best Finger **Gripping Position**



1/2" Drive SAE Hex Bit Socket Set (6 Piece) SKU 1168826 22999

Includes 9/16", 5/8", 11/16", 3/4", 13/16" and 7/8"


 Tempered Chrome Vanadium Steel with a Plated Finish for Long Life



12 Piece Hex Bit Set (SAE) SKU 127905 22984







 Knurling Position is Optimized for Best Finger Gripping Position







AZG0425

S2

STEEL

STEEL

Multi-Drive Sets

35 Piece Multi-Drive Star Socket Set SKU 802217 6999 23991



- 1/4" Drive Tamper-Proof Star: T7, T8, T9, T10, T15, T20, T25 and T30
- 1/4" Drive Female Star: E4, E5, E6, E7 and E8 • 3/8" Drive Tamper-Proof Star: T40, T45, T50 and T55
- 3/8" Drive Star: T40, T45, T47, T50 and T55
- 3/8" Drive Female Star: E10, E12, E14 and E16
- 1/2" Drive Star: T60 and T70
- 1/2" Drive Female Star: E18



44 Piece Multi-Drive Star and Bit Socket Set

SKU 802206 5999 23992





• 1/4" Hex Drive Tamper-Proof Star Bits: T7, T8, T9, T10, T15, T20, T25, T27, T30

• 1/4" Hex Drive Star: T10, T15, T20, T25, T27 and T30

• 3/8" Drive Star: T40, T45, T47, T50, T55 and T60

• 3/8" Drive Metric Hex: 2, 2.5, 3, 4, 5, 6, 7, 8 and 10 mm • 3/8" Drive SAE Hex: 1/8", 5/32", 3/16", 7/32",

1/4", 5/16" and 3/8"

• 3/8" Drive Phillips: #1, #2 and #3

• 3/8" Drive Slotted: 3/16", 1/4" and 5/16"



Star Sets

13 Piece Tamper-Proof SKU 1282735 2999



• 1/4" Drive: T8, T10, T15, T20, T25, T27 and T30

• 3/8" Drive: T40, T45, T47, T50 and T55

• 1/2" Drive: T60



13 Piece Star Bit Socket Set SKU 1282806

• 1/2" Drive: T60



• 1/4" Drive: T8, T10, T15, T20, T25, T27 and T30 • 3/8" Drive: T40, T45, T47, T50 and T55



- 1/4" Drive Star: T8 to T30
- 1/4" Drive Tamper-Proof Star: T7, T8, T9, T10, T15, T20, T25 and T30
- 1/4" Drive Female Star: E4, E5, E6, E7 and E8
 3/8" Drive Star: T40, T45, T47, T50 and T55
- 3/8" Drive Tamper-Proof Star: T40, T45, T50 and T55
- 3/8" Drive Female Star: E10, E12, E14 and E16
- 1/2" Drive Star: T60



11 Piece Tamper-Proof Star Set SKU 127872 **29**99 22972

- Includes: (1/4" Drive) T8, T10, T15, T20, T25, (3/8" Drive) T27, T30, T40, T45, T47, T50
- Knurling Position is Optimized for Best Finger Gripping Position
- · Black Oxide Finish Indicates Star Drivers



12 Piece Tamper-Proof Star Set SKU 127870 **99** 22971

• Includes: (1/4" Drive) T8 to T25; and (3/8" Drive) T27 to T55

- · Knurling Position is Optimized for Best Finger Gripping Position -- Go Ahead and Put On Serious Torque, it Won't Slip
- Black Oxide Finish Indicates Star Drivers
- Chamfered Ends Allow the Socket to Easily Slip Over the Bolt Head
- Makés Fastener Engagement Quick and Smooth



13 Piece Magnetic SKU 1267957 **39**99 23904



• 3/8" Drive: T40, T45, T47, T50, T55 and T60



13 Piece Magnetic Long SKU OSB 44 REG. \$49.99 23905

• 1/4" Drive: T8, T10, T15, T20, T25 T27 and T30

• 3/8" Drive: T40, T45, T47, T50, T55 and T60



For OSB, Call 901-300-4878

Offers Good While Supplies Last Through December 31, 2025



13 Piece Extra Long sки 1282758 23680



OEM TOOLS

OEM TOOLS

• 1/4" Drive: T8, T10, T15, T20, T25, T27 and T30

• 3/8" Drive: T40, T45, T47, T50, T55 and T60











Stubby Star Drive Sets

13 Piece SKU 447157 24293

3999

• 1/4" Drive: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45, T47 and T50



13 Piece Tamper-Proof SKU 447156 **34** 99 24294





OEM TOOLS

Pro Series Pliers Sets

OEM TOOLS

3 Piece Groove Joint Pliers Set SKU 662761 **49**99 22648

- Sizes: 8", 10" and 12"
- Gripping Capacity: 8" (1.25") 10" (1.80") 12" (2.25")



3 Piece Mechanics Pliers Set



Locking Pliers

· For Clamping and Gripping in Tight Spaces

Constructed with Heat-Treated Alloy Steel

• Precision-Machined Jaws Feature Hardened Teeth to Provide a Sure Grip from Any Angle

· Instant Locking and Release Mechanism for Improved Control

Nickel Chrome Plated to Resist Rust

7 Piece Locking Pliers Set SKU 012622 14499 23987

• Sizes: 4", 5", 7", 10" Curved Jaw and 4", 6", 9" Long Nose

Curved

Jaw

Long

Nose

Chain

C-Clamp



22635

22637

22642

OEM TOOLS

TECKERDY -----

15" Width x 10" Depth



				20707
SKU	Part #	Туре	Size	Price
081256	22635		4"	9.99
081257	22636	Curved Jaw	5"	14.99
081261	22638	Curved Jaw	7"	14.99
081263	22640		10"	19.99
081260	22637	Lang Naga	6-1/2"	9.99
081262	22639	Long Nose	9"	14.99
081267	22642	Chain	19"	24.99
081265	22641	C-Clamp	11"	24.99

SKU 662748 22647 · Pliers and Sizes: 7" Diagonal Pliers 8" Linesman Pliers 10" Speed-Fit Pliers

Extended Reach Pliers

16" Long Reach Long Nose Pliers Set - 3 Piece Set SKU 1142915 3999 22660

- Includes: Straight, 45° and 90° Long Nose Pliers
- · Features Strong Flush Rivets That Won't Get Caught When Working in Tight Spaces
- · Constructed with Heat-Treated Drop-Forged Steel Chrome Plated to Resist Rust and Corrosion
- Double Dipped Handles for Added Comfort and Secure Grip

OEM TOOLS



Straight SKU 081249 22621 45°

sки 081250 22622

Duck Bill sки 213108 22644

(Color May Vary)

U TOOLS

Price

9.99

9.99

16.99

18.99

19.99

21.99

34.99

19.99

9.99

9.99

11" Hose Gripper Pliers Set (3 Piece) SKU 94811 L311L

• Sizes: 5/16", 1/2" and 3/4" Constructed with Durable Drop Forged Steel

Specialized Jaw will Securely Grip Cooling System, Fuel and Vacuum Lines without Damaging the Hose

 Heavy Duty Double-Dipped Synthetic Grip Handles to Minimize Slippage and

Reduce User Fatigue Chrome Plated to Resist Rust



OEM TOOLS

GreatNeck


Mechanic's Pliers • Precision-Machined Jaws Provide Improved Grip

	· TecReady Grip Ha	ndlas Da	duca Usar Estiqua	Ŀ	$\exists \mathcal{L}$
Diagonal	Nickel Chrome Plan	ated to R	lesist Rust		
Diagonal Pliers	SKU	Part #	Туре	Size	Color
T Hors	081240	22614	Diagonal	6-1/2"	Green
Groove	081241	22615	Diagonal	7-1/2"	Red
Joint Pliers	081245	22617		6"	Red
	081246	22618		8"	Red
Linesman	081247	22619	Groove Joint	10"	Red
Pliers	081248	22620		12"	Red
	081252	22624		16"	Red
Long Nose Pliers with	081243	22616	Linesman	8"	Red
Side Cutter	081237	22612	Long Nose Pliers with	6"	Red
	081239	22613	Side Cutter	8"	Red

X-Type Pliers

2 Piece 13" Long Nose Pliers Set sки 213127 22632

Extended Reach Pliers



13" Long Nose Pliers

· Serrated Jaws for Precision Gripping

Straight SKU 213135 22633

45° SKU 213117 *19*99 22634

AZG0425


23987

Punch Set

OEM TOOLS

16 Piece Punch and Chisel Set SKU 914624 **29**99 25515

• Includes: 5 Taper Punches, 5 Pin Punches, 2 Center Punches, 3 Cold Chisels and 1 Chisel Gauge



Dead Blow Hammers

OEM TOOLS 3 Piece Dead **Blow Hammer Set** SKU 900804 2999

25517

- · Soft Rubber Handles for Non-Slip Grip
- · Steel Shot Filled for More Force
- · Non-Spark Material Used



Pry Bars

3 Piece Light Duty Smoothing/Prying Kit SKU 004111 **9**99 25084 · Pry Dashboard Parts and Vents without Damaging Interior · Clean Crevices and Joints in Small Electronics · Disassemble Key Fobs and Other Remotes Evenly Smooth Époxy

and Adhesives 36" Pry Bar

• Handles Made with Hardened Resin That is Solvent Resistant and Easy-to-Clean

Forged and Hardened 5/8 In. Square Stock for Incredible Strength

3 Piece Pry Bar Set SKÚ 626114 **49**99 24433

and Comfort

• Lengths Included: 12", 18" and 24" • 3 Sided Handle for Secure Grip

· Solvent Resistant and Easy to Clean



OEM TOOLS

Adjustable Wrenches

SKU 695126

24435

OEM TOOLS

3-Sided Handle for Secure Grip and Comfort

34 REG. \$49.99

- · Made with Special Alloy Steel, Heat-Treated
- Deep Marking for Easy Identification

Unique Ergonomically Designed

· Nickel Chrome Plated Steel Won't Rust · Flat Profile is Comfortable in Hands



SKU	Part #	Size	Price
081268	22650	4"	9.99
081269	22651	6"	11.99
081271	22652	8"	13.99
081273	22653	10"	14.99
081274	22654	12"	19.99
081297	22655	15"	34.99

Pipe Wrench



- Precision Milled Moveable Jaws
- · Perfectly Balanced



SKU	Part #	Material	Size	Price
965845	APW14	Aluminum	14"	24.99
965848	APW18		18"	34.99
972768	APW24		24"	49.99
965847	APW36		36"	99.99

Snap Ring Pliers

Offer Good Through December 31, 2025

OEM TOOLS

6-1/2" Heavy Duty Snap Ring Pliers Set SKU 15929 26 99 25397

- Tapered Tips: 0.8 mm, 1.2 mm, 1.4 mm and 2.0 mm
- Spring-Loaded Handles
- Settings: Straight, 45° and 90°



Cutting and Scraping Tools

Folding Lock Back® Utility Knife with Blade Dispenser SKU 1022296 1499 25537

• Includes: Blade Dispenser with 50 Blades

4 Piece Plastic Scraper Set

Extra-Wide Handle for Increased Comfort and Leverage



OEM TOOLS



Premium Folding Lock Back® Utility Knife with Sheath SKU 1142419 **24** 99 12818

• 3-1/2" Stainless Steel and Hardwood Handle

- Patented Quick-Change Mechanism
- Accepts All Standard Utility Blades
- Includes: 1 Blade and Leather Sheath with Pocket Clip

10" Utility Scissors SKU 1142911 **9**99 25085



- Stainless Steel Construction for Strength and Durability
- Bolt Lock Keeps Blades Secure
- · Full Length Metal Frame Extends Through Handle for Added Strength



SHEFFIELD

Scraper Kit SKU 1282744 69004

SKU 900802

• Works Like a Chisel

· Will Not Scratch Paint

· Will Not Cause Sparks

· Can Be Used for Wheel

Weight Removal

25513

· Includes: 2 Packs of Razor Blades (200) and 1 Razor Blade Scraper

 Perfect for Removing Paint and Decals



Moab Auto Emergency Folding Pocket Knife SKU 1142700 12870

• 3-5/16" Partially Serrated Stainless Steel Blade, 4-1/2" Folded


One-Handed Opening Mechanism

- Liner Lock
- · Pocket Clip · Glass Breaker • 4.5 Oz.
- Lifetime Warranty · Belt Cutter



TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com











OEM TOOLS

Reversible Wire Twister Pliers

Includes: 10 Meter x 0.5 mm Wire

- Heavy Duty Construction with Automatic Spring Return
- Reversible Action for Left and Right Twists
- Locking Jaws for Superior Wire Twisting
- Forged High Carbon Diamond Grooved Jaws to Cut and Grip Stainless Wire



Hack Saw

Professional Hack Saw SKU **1142352**

4 PEG. \$24.99

• Includes (1) 12" 24 TPI Bi-Material Blade

High Tension Blade Prevents Twisting to Ensure Straight, Fast Cut Ergonomic Comfort Grip on Front Frame and Handle Provides Two-Handed Control

Offer Good Through December 31, 2025

Tension Control Provides Easy Adjustment When Changing Blades

GreatNeck

Bolt Cutters

Bolt Cutters

- Forged S2 Steel Construction for Cutting Power
- · Hardened Cutting Edge for Long Life
- Ergonomic Comfort Grip Handles

Limited Lifetime Warranty

18" Bolt Cutters SKU **OSB**

BC18

OEM TOOLS

For OSB, Call 901-300-4878 SKU **025213 70**99 **BC24**

30" **BC30**

SKU **965828** .**39**99 36" **BC36**

SKU **965827 54** 99

GreatNeck

BC36

Specialty Wrenches

Adjustable Gland Nut Wrench

- · For Hydraulic Cylinders with Gland Nuts
- · Reversible Design

SKU **1207900** 27398

- Range: 1" to 3.75"
- Pin Šize: 7/32" and 1/4" • Drive: 1/2"
- SKU **1340231** 27397
 - Range: 2" to 6"
 - Pin Size: 1/4" and 5/16"
 - Drive: 3/4"

Nut Drivers

7 Piece Professional Nut Driver Set

- · Chrome Vanadium Steel for Strength and Durability
- Highest Quality Acetate Handle Stands Up to Abuse
 Color Coded for Easy Identification

1999


Metric SKU **949001** ND71

• Sizes: 6, 7, 8, 9, 10, 11 and 12 mm

SAE SKU **949002** ND72

• Sizes: 3/16", 1/4", 5/16", 11/32", 3/8", 7/16" and 1/2"





THREAD REPAIR

Ford Triton Repair Kits

Ford Triton 2 Valve Cylinder Repair Set SKU 1268421 36999

CAL38900

- Quality Foolproof Repair System That is Cost-Effective and Fast
- · High-Quality Oversized Steel Alloy Insert Will Repair Other Inserts That Fail
- Application: 1996 to 2003 Ford 4.6L, 5.4L and 6.8L Engines



Ford 2 Valve Insert SKU **1268420** CAL389-100

Electrode Repair Set

SKU **1268418 99**99

CAL39500

Ford Triton Spark Plug and

• Designed to Aid in Repairing 1996-2003 Two Valve Ford Modular Cylinder Heads

Cal-yan

· High Quality Oversized Steel Alloy Insert Will Repair Other Inserts That Fail

• Extracts the Broken Porcelain or Seized Sleeves from Broken

Spark Plugs in 2003 to Current Ford Triton Engines



Cal-yan

Ford Triton Plug-Saver® Kit SKU 094873 13999 FIX98140T

• Designed to Specifically Repair the Spark Plug Ports in 4.6, 5.4 and 6.8 Ford Triton Engines

· Repairs Worn, Damaged Threads

· Includes: Self Cutting Tap, Tool and 8 Inserts in a Sturdy Case



Inserts (Pack of 8) SKU 110263 5999 FIX98149P

Ford Triton 3 Valve Set SKU 343388 32999 CAL39300

- · Application: 2004 to 2008 Ford 4.6 and 5.4 3 Valve Engines with Spark Plugs That are M16 x 1.5
- · Includes 8 Inserts



M16 x 1.5 3 Valve Insert SKU **396658** CAL393-100

FIX-A-THRED

• Note: this is NOT the Replacement Insert for the Triton 2 Valve Kit



Cal-Yan

OEM TOOLS

lisle

Broken Spark Plug Remover Ford Triton 3 Valve SKU **489173** LIS65600

• Includes a Unique Porcelain Pusher Tool and a Tapered Left-Hand Thread Remover for Removing the Broken Spark Plug without Leaving the Porcelain in the Engine Cylinder



Oxygen Sensor Thread Repair

Oxygen Sensor Thread Repair Kit SKU **010134** 16999 FIX38189-1

• No Need to Replace Exhaust Manifold

FIX-A-THRED



Pilot Nose Tap Provided

Wheel Stud Cleaner

Quick Change Wheel Stud Cleaner Kit SKU **666299** *69*⁹⁹ CAL16

- Includes: 1/2" Drive Adapter and 6 Brushes
- Brush Sizes: 7/16" (12 mm), 1/2" (13 mm), 9/16" (14 mm), 5/8" (16 mm), 7/8" (22 mm) and 1-1/8" (28 mm)





Head Bolt Thread Repair

Metric Head Bolt Thread Repair Kit SKU **010131** FIX35119S

- · Extended Reach for Deep Threads
- Longer Length (33 x 1.5 mm) Inserts for Maximum Thread Engagement
- · Applications: Cadillac, Honda, Toyota and Other Imports That Use M11 x 1.5 Head Bolts





Spark Plug Thread Repair

Spark Plug Thread Repair Kit -Metric M14 - 1.25

SKU **557108** 25643

3499

- · Includes: High-Grade Tap, (3) Inserts and a Job-Specific Installation/Tang Break-Off Tool
- · Returns Threads to Original Size
- · Creates a Permanent and Wear-Resistant Thread



Tapered Seat Spark Plug Thread Repair Kit -Metric M14 - 1.25 SKU **OSB**

25647

.3499

- · 3 Insert Lengths are Provided to Fit the Most Common Spark Plug Reaches
- Positive Mechanical Locking Feature Keeps Insert in Place
- · Piloted Reamer Eliminates Need to Drill Out Threads and Ensures Correct Alignment
- Can Be Used to Repair Both Taper Seat and Gasket-Type Spark Plug Assemblies
- Includes: 2-Step Piloted Reamer Tap, 3 Inserts and Swaging Tool



For OSB, Call 901-300-4878

THREAD REPAIR

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Spiral Bolt Extractor Sets

- · Made of High-Quality Chrome Molybdenum Steel for Durability
- · Grips and Removes a Wide Range of Stubborn Fasteners
- 3/8" Drive

5 Piece Spiral Type Deep Extractor Set on Aluminum Rail SKU **63893** 22993

• Sizes: 3/8" (10 mm), 7/16" (11 mm), 1/2" (13 mm), 9/16" (14 mm) and 5/8" (16 mm)



Bites into Rusted. **Rounded and Painted Over Nuts and Bolts**



 Sizes: 5/16" (8 mm), 10 mm, 13 mm, 11/16" and 3/4" (19 mm)

22985



OEM TOOLS



Specialized Spiral Design for a Secure Universal Grip on Nuts and Bolts

10 Piece Spiral Type **Bolt Extractor Set** on Aluminum Rail SKU **081788**

49⁹⁹ REG. \$69.99 22988

• Sizes: 5/16" (8 mm), 3/8", 10 mm, 7/16" (11 mm), 13 mm, 11/16", 1/2" (13 mm), 9/16" (14 mm), 3/4" (19 mm) and 5/8" (16 mm)

Offer Good Through December 31, 2025

Nut Busting Bolt Extractors

9 Piece (SAE) Nut **Busting Bolt Extractor Socket Set** SKU **751720** 22968 REG. \$39.99



OEM TOOLS

 High Visibility Markings for Fast, Easy Socket Selection

- Chrome-Molybdenum Steel Construction for Maximum Durability
- 3/8" Drive

SAVF

• Includes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" and 3/4"



Offer Good Through December 31, 2025

Drain Plug Repair

Drain Plug Repair Kit SKU **818569 QQ**99 CAL38400

- Designed to Repair Aluminum Oil Pans with Damaged Drain Plug Threads, Size M12 x 1.75 Commonly Found in GM, Ford and Mazda Vehicles
- · Includes: Drill, Counter Bore, Tap, Driver, Guide and (5) 12 mm Inserts
- Allows Use of OEM Plug Instead of an Oversize Replacement

Oil Pan Rethreading Kit SKU **751709** 14999 LIS58850

· Oil Pan Plug Rethreading Kit Works on Steel or Aluminum Pans 1/2", 12 mm and 14 mm Threads



Catyan

Axle Spindle Thread Repair

Axle Spindle Threading Set SKU **1103645** 37233

• Used to Clean or Repair Axle Threads

• Set Comes with a Special Twist Shape That Provides Easier and Quicker Work

 Sizes Included: M20 x 1.25, M20 x 1.50, M22 x 1.00, M22 x 1.50, M24 x 1.50, M24 x 2.00, 13/16" x 20 UNEF 3/4" x 20 UNEF and 27 mm Extension Bar

Offer Good While Supplies Last Through December 31, 2025

OEM TOOLS



Tap Sockets

8 Piece Tap Socket Set SKU **1544666 39**99 24750

Designed to Fit All Standard Taps Up to 1/2"

Compatible with 1/8" NPT Taps and Metric Taps Up to 12 mm

• Perfect for Use in Tight Spaces Where a T-Handle Cannot Fit

Screw Extractor Bit Sets

6 Piece Spiral Flute Screw **Extractor Set** SKU **099277**

24374 · Extractors: Ex-1,

Fx-5 and Fx-6 • Comes in a Vinyl Pouch

Ex-2, Ex-3, Ex-4,



10 Piece Spiral Extractor and Drill Bit Combo Pack SKU **099229 19**99 24373

- Extractors: Ex-1, Ex-2, Ex-3, Ex-4 and Ex-5
- Left Hand 135° Split Point Cobalt
- Drill Bit Sizes: 5/64", 7/64", 5/32", 1/4" and 19/64"
- · Pilot Point Starts on Contact and Eliminates Bit Walking

· Comes in a Vinyl



10 Piece Multi-Spline Screw Extractor Set SKU **099281**

24375 • Sizes 1/8" to 13/32"

- (1/32" Increments) · Can Be Used with Hand Sockets and Wrenches
- · Aggressive Left Hand Spiral Design Provides Extra Gripping Power
- Designed to Prevent Extractor from Entering too Deeply and **Expanding Screw**
- · Comes in a Foam-Lined Metal Case

35 Piece Master Screw Extractor/Drill Bit Set SKU **099258** REG. \$99.99 24377

• Spiral and Multi-Spline Extractors for Removing the Toughest Bolts and Screws from 3/32" to 15/16"

135° Split Point Left Hand Cobalt Drill Bits

· Comes in a Foam-Lined Metal Case



Offer Good Through December 31, 2025

OEM TOOLS

OEM TOOLS

4 Piece Damaged Screw Extractor Set 25158

· Used to Quickly Remove Stripped, Broken and Painted Over Screws

· Will Work with Phillips, Flathead, Hex and Other Common Screws



Service Center Consumables



Start-Up Kit (Dispenser and Product) SKU 262544 SNGMFKP994376

*679*⁹⁹

· Kit Includes: 250 Seat Covers 250 Paper Floor Mats 500 Plastic Floor Mats 500 Parts Bags 100 Tire Bags 1 Metal Floor Rack 1 Sign



Plastic Write On Key Tag (1,000 Count)


• Self Locking Plastic Key Tags Help Secure Keys

White SKU 262547 **SNGMFBP993323**

Yellow SKU 1125859 SNGFBP993324 SLIP

Blue SKU 1125872 SNGFBP993398

Red SKU 1125868



Paper Floor Mat (500/Box) SKU 1544671 DOWPFM-500

64 99

John Dow

• Durable Paper



Disposable Seat Cover

• 2-Layer Construction Keeps Cover in Place

Refill for Start-Up Kit

Premium (250/RoII) SKU 262537 SNGMFGP994314

*119*99

• .7 Mil Thick with the Dimensions of 32" x 56" Dispensing Box

Value (500/Roll) SKU 186487 SNGMFGP994315

*139*99

• .5 Mil Thick with the Dimensions of 32" x 52"



Steering Wheel Cover (500/Box) SKU 186485 SNGMFBP994333

7499

· Double-Band Design Ensures a Snug Fit and Easy Installation



Plastic Floor Mats (500/Box) SKU 186488 SNGMFGP994302

• Roll Size: 16.5" x 21'

 Comes in Durable Self-Dispensing



Vehicle Not Included

Work Ticket Holder (25/Box)

• Durable Brass Grommet Increases Strength

· Accommodates Most Pre-Printed and Computer Generated Forms

Clear SKU 698887 SNGFBP993302

• 10.5" x 14.5" Clear Front and Back

Clear/Black SKU 1142449 SNGFBP993303

• 11" x 13" Clear Front and Black Back



Parts Bag 11" x 17" (500/Case) SKII 262541

SNGMFGP994330 • High Strength Protection

· Impervious to Most Shop Chemicals

Price Does Not Include Parts Shown

Red Oil Can Service

Reminder Labels

SKU 1405960

*39*99

500 Labels

SNGFB-P993345

· Replacement Roll of



Adhesive Floor Mats (175/Roll) SKII 262546

SNGMFBP993349 · Self Adhesive, 3 mil Protective

Film Keeps Carpet Protected



SLIP



Oil Change Printer and Labels

Thermal Oil Change Sticker Printer Kit SKU OSB

SNGFKGX00106

• Kit Includes: Printer, Keyboard, Power Cord/Adapter, 1 Ink Ribbon



Static Cling Refill Kit SKU **291380** SNGMFKG016501

- 2 Rolls of Labels
- 1 Replacement Ribbon
- Fits Thermal Oil and Static Cling Printers

For OSB, Call 901-300-4878

Reminder Labels SKU 1407511 SNGFB-P993394 *39*99

Blue Wrench Service

· Replacement Roll of 500 Labels



GRIP

Hand Cleaner

Starter Kit with Dispenser SKU **972773** 24292

· Kit Includes: Wall-Mount Dispenser and 4,000 mL of Cherry Fragrance Cleaner

All Natural, Concentrated, Solvent Free Cleansing Formula

- Unique Skin Conditioning System Leaves Hands Feeling Smoother, While Fibril Scrubbers Deep Clean Even the **Toughest Dirt**
- 100% Biodegradable

4000 mL Refill Bottle SKU 972772 44 99 24291



OEM TOOLS

Prices subject to change without notice. Prices do not include applicable taxes, vehicles, tires, rims, installation or optional equipment as shown. Please do not return purchases to the store. For information regarding warranty, repair, or any questions or concerns, call 901-300-4878.

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Creepers

Workshop Seat and Step Stool SKU 1189077 24904

999 REG. \$114.99

OEM TOOLS

 Combination Step Stool and Creeper Seat That Allows Additional Maneuverability

 Thick Padding Covered with Durable Vinyl **Provides Comfort** While Working

 Includes a Tool Tray for Organization and Convenience

 4 Swivel Casters Made for All Terrain · Weight Capacity:

300 Lb. • 18"(L) x 16"(W) x 7"(H)

Offer Good Through December 31, 2025

Sidekick **Creeper Seat** SKU 1168662 24987

4 REG. \$164.99

OEM TOOLS

• Large Open Tray to Carry a Wide Range of Items with Additional Holster Caddies on the Side for Rapid Access to Most Used Items

· Slide Out Under Seat Drawer Can Be Used to Store and Organize Tools

SAVE · Weight Capacity: 330 Lb.



Offer Good Through December 31, 2025

OEM TOOLS Heavy Duty Rolling Workbench and Creeper Seat sku 1142423 **89**99 24986

- Molded Seat and Frame Provide **Durable Support**
- Removable Clip-In Trays for Storage and Easy Transport of Parts and Tools

 Trays Feature Screwdriver Storage
- Holes for Easy Organization
- Weight Capacity: 300 Lb.



Cushioned Cushioned Creeper Seat with Tool Tray sки **757019**

24948 • Tool Tray Dimensions: 11-1/2" x 12-1/2"

Cushioned Seat

- · 4 Swivel, Oil-Resistant Wheels
- · Weight Capacity: 330 Lb.



Mechanics Creepers with Headrest

- Made with HDPE Plastic and Molded for Comfort to Ensure a Quick and Accurate Job
- · Easy to Handle, Lift and
- 6 Swivel Casters Able to Maneuver All Terrain · Casters are 3" in Diameter
- for Additional Durability and **Product Longevity**
- Weight Capacity: 350 Lb

SKU 1189063 24909



- 54 99 REG. \$79.99 • Light Weight 13.2 Lb.
- 40"(L) x 19"(W)

sки **1189084** 24977

49⁹⁹ REG. \$69.99 • Light Weight 9 Lb.

• 36"(L) x 18"(W)

OEM TOOLS

Offers Good Through December 31, 2025

OEM TOOLS Workshop Creeper Seat with 2 Drawers - Blue SKU 542531 **89**99 24996

- · Padded Seat for Maximum Comfort
- 2 Sliding Drawers
- Can Holder for 3 Cans
- Smooth Rolling Wheels
- · Weight Capacity: 280 Lb.

ProGear Race Seat, Green/Black

SKU OSB TRX2-705

- Tray Spins for Easy Access to Tools and Parts
- · Adjustable Seat Height: 13-1/2" to 17-1/2'
- · Five Spoke Frame is OSHA Compliant





For OSB, Call 901-300-4878

Professional 41" 6 Wheel Creeper SKU 125749

24970

- 3D Streamline Design for Shoulder Clearance
- . 6 Heavy Duty TPU Casters · Low Ground Clearance Allows for
- Greater Mobility 4 Tool Storage Trays
- Weight Capacity: 300 Lb.

For OSB, Call 901-300-4878





Topside Creepers TRAXION Topside Creeper skú OSB TRX3-100 **'9**99 · Height Adjusts from 48" to 64" · Weight Capacity: 400 Lb.

Work Stand

Pro Step Adjustable Work Stand SKU 222856 STK20350

- 500 Lb. Capacity
- Height Adjustable from 6-1/2" to 22-1/2"



Truck Tire Step sки <mark>81857</mark>1 24913B

REG. \$99.99


- Fits Both Front and Rear 9" to 13" Wide Tires
- Powder Coat Finish
- Designed for SUVs, Motor Homes and Light Duty Trucks
 Heavily Textured Non-Slip Step for Safety
- Adjustable Rubber Bumpers Protect Your Wheels and Ensure the Step is Sturdy and Level
- Easy to Adjust · Weight Capacity:





OEM TOOLS

SAVE



Workshop Stools

Adjustable Hydraulic **Shop Stool** SKU **751712** 24912

149⁹⁹ REG. \$164.99

- Vinyl Padded Swivel Seat for Comfort
- Chrome Footrest
- Powder Coated Legs





Offer Good Through December 31, 2025

Adjustable



Double Ring

SKU **1580968**

• 360° Swivel Seat

· Durable Vinyl Seat and

• Weight Capacity: 300 Lb.

Back Rest Cushion

· Matte Black Finish

Adjustable Height

25700

Adjustable Stool

with Backrest



OEM TOOLS



Vinyl Padded, 360° Swivel Seat

Swivel Stool with Double Ring SKU **OSB** *59*99 25701

- Thick 5" Foam Cushion 360° Swivel Seat
- · Durable Vinyl Seat
- Matte Black Powder-Coated Frame



OEM TOOLS



Double Ring Design



Vinyl Padded, 360° Swivel Seat

For OSB, Call 901-300-4878

Fender Covers

Fender Cover SKU **965832**

• Heavy Gauge Vinyl Wipes Clean

300 Lb. Weight Capacity

• 27" x 34"



Soft Fleece Fender Cover SKU **751711 34** 99 24899

360° Rotating Seat



 2 Super Powerful Corner Magnets for Securing the Cover in Place

 Magnets are Removable to Wash the Cover

• Large 42" x 24" Size for Cars, Trucks and SUVs



Magnetic Nut Cups

Multicolor Magnetic Nut Cup Assortment (4 Pack) SKU 1282743 3999

68939

• Holds Bolts, Nuts and Parts to Speed Up Work and Eliminate Misplacing Parts

 Coated Magnet Sticks to All Ferrous Metal Work Surfaces

• Includes: 1 Green Cup, 1 Red Cup 1 Orange Cup, 1 Blue Cup



Strong Magnets Attach the Cups Securely to Most Flat Metal Surfaces









A SMARTER & SAFER SOLUTION

The CRC SmartWasher® is a manual parts washer that replaces traditional solvent or aqueous alternatives.

- Bioremediation Technology
- Powerful Cleaning Performance - No Hazardous Waste Generation
- Lower Operating Cost

our YouTube channel here **►** YouTube

Product Part # **Price** SmartWasher SW-723 Kit* 14743 \$2699.00 OzzyJuice® SW-7 14721 \$211.99 14124 \$31.99 OzzyMat® FL-4

Check out □ 131 ■



*1 SW-23 SmartWasher® Unit, 3 5-Gallon jugs of OzzyJuice® SW-7 Parts/Brake Cleaning Solution, and 1 FL-4 OzzyMat® Multi-Layer Fluid Activation Mat

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Hardware and Service Parts

96 Piece Mini Fuse Kit SKU 271169 **19**99 68148

· Includes: Mini Fuses





96 Piece ATO Fuse Assortment SKU 271172 **19**99 68149

· Includes: ATO Fuses 3A to 30A



Universal 0-Ring Set



24 Piece Maxi **Fuse Assortment** SKU 271152 **19**99 68146

· Includes: Maxi Fuses 20A to 100A





MACHINERY

200 Piece Spring Assortment SKU 271195 **Q**99 68140

• Includes: 20 Popular Sizes from 7/32" x 11/16" to 5/16" x 1-1/4"





MACHINERY.

MACHINERY.

407 Piece (SAE) ŠKU 546661 68168

 Inside Diameters from 1/8" to 2"

· Inside Diameters from 3 mm to 50 mm

(Metric)

68167

SKU 546659



Dynamic

MACHINERY.

270 Piece A/C 0-Ring Kit SKU 271196 **10**99 68141

· Contains 270 O-Rings in a Variety of SAE Sizes

 Great O-Ring Set for Most Automotive and **Refrigerant Applications**



MACHINERY

MACHINERY.

SUR!R.

110 Piece Copper Washer Assortment SKU 271176 68117

· Includes: **Popular** Sizes M6 to M16



115 Piece Master Brake Line Fitting Assortment Kit DOWDY-BLF-5 13999

- 23 Brake Line Fitting Variations
- Tube Nuts, Union, Brake Line Adapters





555 Piece Stainless Cotter Pin Assortment SKU 271183 68121

· Includes: 6 Popular Sizes from 1/16" x 1' to 5/32" x 2-1/2"



500 Piece Aluminum **Rivet Assortment** SKU 271150 **Q**99

 Includes: 1/8 and 3/16" Rivets 1/4", 5/16" and 3/8" Long

68109



80 Piece Vacuum Cap Assortment SKU 271197 **19**99 68129

· Includes Sizes: 3/16" to 3/8'



34 Piece Hose Clamp Assortment sku 271201 **Q**99 68137

· Includes Sizes: 5/8" to 1-1/4"



88 Piece Drain Plug and Gasket Assortment Kit SKU 617724 DOWDY-DPA-6

• 18 Drain Plug Variations, 4 Gasket **Variations** Most Popular

Drain Plugs



240 Piece Master Drain Plug Gasket Assortment Kit SKU 606762 14499 DOWDY-DGK-240

• 24 Drain Plug Gasket Variations

· Aluminum, Copper, Crush, Fold-Over, Nylon, Rubber/Metal



Dynamic 120 Piece Oil Drain Plug Gasket Assortment SKU 1400041 SURDPG120



120 Total

 Includes 24 Variations, 5 Each: Copper, Metal Crush, Nylon, Fiber and Ruber/Metal



76 Piece Oil Drain Plug Assortment SKU 662839 SURDP454

- Includes: 76 Pieces with Corresponding Gaskets, 17 Direct Fit SKUs
- · Includes: Labeled Case for Quick Identification and Organization
- Covers Most Domestic and Import Cars and Light Duty Trucks



60 Piece Wheel Lug Nut • 12 Lug Nut Variations

> Assortment A SKU 082947 DOWDY-WN-12 10999

> > · Standard, Dome, Acorn Thread




Assortment B SKU 082948 DOWDY-WN-12B *159*99

· Dome Acorn, Bulge

Flat-Capped, External Thread







SAFETY & GLOVES

First Aid Kits

Safeguard Employees and Jobsites Through Injury Preparation with Multi-Functional First Aid Kits

First Aid Kits

- Wall Mountable Organized Durable Plastic Case
- · Contains Essentials for Light Injuries and Wounds
- Meets ANSI/ISEA Z308.1-2021, Class A, Type I, II, III, or IV First Aid Kit

25-Person First Aid Kit SKU **1442584** 6999 SAS6025-025

100-Person First Aid Kit SKU **765585** 11**9**99 SAS6099-100



SAS6025-25



SAS6099-100

Safety Supplies

Hi Vis Knit Beanie - Orange SKU **687972** *34* 99 SAS692-1711

- One Size Fits All
- Comfortable and Warm
- 100% Knit Polyester
- ANSI/ISEA
- 107 Compliant
- · Reflective Knit Stripe



SAS

Hot Sleeve SKU **291321** LIS18700

· Protects Arms from Burns While

- Working Around the Engine
- Made of Durable, Heat-Resistant Kevlar
- Double Wall Construction for Added Heat Protection



Smoke

SKU **462983**

SAS5331PK

• Box of 12

lisle

Face Shield Clear SKU **972271** SAS5140

- Impact-Resistant
- Polycarbonate Shield Curved Lens Design
- Ratcheting Headpiece
- Meets ANSI Z87.1-2015



· Scratch-Resistant Coating

Lightweight Wrap-Around Lens

ANSI/ISEA Z87.1-2015 Compliant

· Single Lens Design

Ear Plugs

Foam Ear Plugs SKU **526953** SAS6100

- Noise Reduction Rating: 31
- 200 Individually Packaged Pairs
- Pre-Shaped Foam Earplugs



Safety Glasses

LED Safety Glasses SKU **555987** 26039

- · High-Impact Resistant Lens Protects Eyes
- Flexible, Lightweight and Padded Frames
- Meets ANSI Z87.1
- Includes: (8) LR41 Batteries

OEM TOOLS



LED Safety Glasses

(3 Pack) SKU **592265**

2999 26017PK3

NSX Turbo Safety Glasses

- High-Impact Polycarbonate Lens
- · Safety Eyewear That Also Provides 99.9% UV Protection



SAS5330PK

Box of 12

Amber SKU 462984 SAS5332PK

• Box of 12

STORE STOCKED

Advantage X300 Series Safety Glasses - Amber (12 Pack) SKU **1149164**

JASS70711PK REG. \$34.99

- Lightweight, Comfortable and Affordable
- Lens Features an Anti-Scratch Hard Coating • Made Using Virgin, Unitary Polycarbonate Lenses
- 99.9% UV Protection
- Ideal for Construction, Shop and General Eye Protection Applications

Offer Good Through December 31, 2025





SA3

Multifocal Safety Reading Glasses

- Eye Protection and Multifocal Reading Glasses
- · High Impact, Anti-Scratch Lenses Protect Your Eyes
- ANSI/ISEA Z87.1-2015 Compliant



+2.0+1.5SKU **752076** SKU **752077** 26023 26024



OEM TOOLS

OEM TOOLS

+2.5 +3.0 SKU **752078** SKU **752086** 26025 26026

Eyewash Stations

SAS5134-00

Emergency 9 Gallon Eyewash Station Wall Mount Gravity Fed SKU **912344**

- Compliance ANSI Z358.1-2014
- Portable Unit Measures 20.15" x 16.5" x 9.5"
- Includes: Mounting Bracket, Inspection Tag, Tamper Resistant Tie and Preservative

Eyewash Concentrate Solution

SKU **1142715** SAS5136-01

For Use with 9 Gallon Eyewash Station #SAS5134-00

Detection Light

UV Leak Detection Light and Glasses SKU **213144 24** 99

24516 · Compact UV Leak Detection Pen Light

- Yellow Lens Protective Glasses Enhance Visibility of Leaks Can Be Used with All Types of UV Leak Detection Dyes
- Includes: 2 AAA Battéries



Bottle Eyewash Station SKU **094904 QQ**99 SAS5132

- Includes: (2) 16 Oz. Eye Irrigate Solution Bottles
- Does Not Meet ANSI Z358.1

16 Oz. Eyewash Irrigate Refill SKU **977588** SAS5130

• For Use with Eyewash Station SAS5132






SAFETY & GLOVES

TO ORDER, contact your Commercial Sales Manager or go to AutoZonePro.com

Raven Patriot Gloves





- · Textured Fingertips
- · Latex-Free





STOCKED ////

Large SKU 1445914 | 66483

XL SKU 1445911 | 66484







Compression Fit Technology



Environmentally Responsible



Supply Chain Resilient

Buy More, Save More

11999 15.00 per box 5 Boxes of 100 Each SKU 1525554 | SAS66482-5PK Medium SKU 1525556 | SAS66483-5PK Large XL SKU 1525565 | SAS66484-5PK

2XI SKU 1525560 | SAS66485-5PK 10 Boxes of 100 Each 229 12.00 per box

SKU 1522380 | SAS66482CS Medium 1525553 | SAS66483CS Large XL 1525561 | SAS66484CS 2XI SKU 1525562 | SAS66485CS

- 7 mil Powder-Free Exam Grade Nitrile
- Ambidextrous Textured Grip
- Latex-Free



Find In Store, Right Now 21 99 per box

Medium SKU 435079 | 66517 Large SKU 244622 | 66518

XL SKU 244617 | 66519







Buy More, Save More

2 Boxes of 100 Each 3920.00 per box Medium SKU 547964 | SAS66517-2PK

Large SKU 547965 | SAS66518-2PK

XL SKU 547966 | SAS66519-2PK

2XL SKU 547963 | SAS66520-2PK

5 Boxes of 100 Each 89 18.00 per box Medium SKU 1189346 | SAS66517-5PK Large SKU 1189328 | SAS66518-5PK XL SKU 1189339 | SAS66519-5PK

2XL SKU 1442587 | SAS66520-5PK

10 Boxes of 100 Each 164 16.50 per box Medium SKU 1190191 | SAS66517CS Large SKU 265052 | SAS66518CS XL SKU 265053 | SAS66519CS

2XL SKU 1330682 | SAS66520CS

Astro-Grip Gloves

\STRO-GRIP

- 7 mil Powder-Free Exam Grade Nitrile
- Embossed Cube Grip
- Latex-Free



Find In Store, Right Now 2199 per box

Medium SKU 823166 | 66472 Large SKU 823167 | 66473 XL SKU 823168 | 66474



Buy More, Save More



Medium SKU 1330679 | SAS66472-2PK Large SKU 1330676 | SAS66473-2PK

XL SKU 1331500 | SAS66474-2PK

2XL SKU 1331496 | SAS66475-2PK

5 Boxes of 100 Each 109 99 22.00 per box

Medium SKU 1330686 | SAS66472-5PK Large SKU 1331480 | SAS66473-5PK

XL SKU 1331488 | SAS66474-5PK

2XL SKU 1331487 | SAS66475-5PK

10 Boxes of 100 Each 209 21.00 per box

Medium SKU 1330697 | SAS66472CS

Large SKU 1331497 | SAS66473CS

XL SKU 1331489 | SAS66474CS

2XL SKU 1331494 | SAS66475CS



PRESORTED STANDARD U.S. POSTAGE PAID GREAT NECK SAW





2025 oct-dec

Hablamos Español Call 901-300-4878

GREAT FINANCING PROGRAMS*

UNISOURCE 800-404-6792

NEWLANE 267-768-3228

PEAC 856-505-4450



- Leases are handled by three companies
- · Customer must:
 - Select equipment
 - Complete credit application
 - Receive approval from leasing company
- Once the transaction is approved and documents are signed by customer:
 - Customer invoice is funded by leasing company
 - Equipment order is placed







2 30-60-90

- AutoZone® credit account in existence for 6 months
- Satisfactory payment history with AutoZone®
- Updated account application with agreement section completed and signed
- No NSF checks within 6 months
- No credit holds within 6 months
- Established credit worthiness
- Minimum down payment = 35%
- Minimum 52 wks. sales = \$15 K
- Minimum equipment cost = \$1 K (sales tax included)

3 EXTENDED TERMS

- AutoZone® credit account in existence for 1 year
- Satisfactory payment history with AutoZone®
- Updated account application with agreement section completed and signed
- No NSF checks within 6 months
- · Established credit worthiness
- Minimum down payment = 35%
- Minimum 52 wks. sales = \$25 K
- Minimum equipment cost by term:
 - 6 months \$3 K
 - 9 months \$6 K
 - 12 months \$8 K or greater (financial statement may be required)
- * Financing is provided by third parties who are not affiliates of AutoZone. All of the advertised loan programs, rates, terms and conditions are subject to change at any time without notice. An extra charge may be imposed at the end of the lease depending on the residual value of the leased goods. Free overnight shipping available to continental U.S. for qualifying VDP orders of 70 lb. or less. Free overnight shipping excludes: liftgate fees, residential delivery, non-network carriers, and certain freight intensive items that are shipped FOB.

©2025 GreatNeckTools, Inc. Certain content provided by and is the property of AutoZone Parts, Inc. All rights reserved. AutoZone & Design, Loan A Tool, Duralast, Duralast Gold, Duralast Proven Tough and Duralast ProPower are registered marks of AutoZone IP LLC or one of its affiliates. All other marks are the property of their respective holders. iPhone® and iPad® are registered trademarks of Apple Inc., Android® is a trademark of Google Inc., STP® is a registered trademark of the Energizer Auto, Inc., and Bluetooth® is a trademark of Bluetooth® SIG, Inc. Items requiring freight shipping cannot be delivered outside of the continental United States. For shipping cost to Alaska or Hawaii, please contact Commercial Sales Manager. Ad prices cannot be combined with any other offer. Offers may vary by market. Offers valid while quantities last. Items may not be available at all locations at all times. We reserve the right to limit quantities and to correct pricing errors. Some new items might not be available at the time of print deadline. Prices valid only during sales catalog effective dates. All photographic, clerical, typographical and printing errors are subject to correction. Images shown may not be actual product but represent products or sets which include product. We reserve the right to substitute a like item or an item of greater value on any promotional offer in this publication. Store stock items may be purchased at any local AutoZone store or through your AutoZone Commercial Sales Manager. Bonus items are fulfilled while supplies last and may ship separately. Bonus items may be replaced with like items of the same or greater value.

AZG0425 | SKU 1391460 \$2.99