

Issuing Date: 1-Jun-2008

Revision Date: 4-Apr-2019

SDS Number: 9116

1. Identification of the Substance / Preparation and of the Company / Undertaking

Product identifier				
Product Name	AutoZone -20 degree Windshield Washer Fluid			
Stock / Part Numbers	164205 / 164013; 690800			
Other means of identification				
Synonyms	None			
Recommended use of the chemica	I and restrictions on use			
Recommended Use	Windshield Wiper Fluid			
Uses advised against	No information available			
Details of the supplier of the safety	<u>/ data sheet</u>			
Supplier Name Supplier Address	South/Win, Ltd 112 Maxfield Rd. Greensboro, NC 27405 US			
Supplier Phone Number	Phone: (800) 648-4393 Fax: (336) 398-5680			
Emergency Telephone Number	CHEMTREC: (800) 424-9300			

2. Hazards Identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 3
Acute toxicity - Inhalation (Vapors)	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Specific target organ toxicity (single exposure)	Category 1
Flammable liquids	Category 3

Page **1** of **15**

 \mathbf{f}




Issuing Date: 1-Jun-2008

Revision Date: 4-Apr-2019

SDS Number: 9116

GHS Label elements, including precautionary statements

Emergency Overview



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Wear protective gloves/protective clothing/eye protection/face protection Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ ventilating/ lighting/ equipment Use only non-sparking tools Take precautionary measures against static discharge Keep cool

Precautionary Statements - Response

IF exposed: Call a POISON CENTER or doctor/physician Specific treatment (see supplemental first aid instructions on this label)

Skin

Call a POISON CENTER or doctor/physician if you feel unwell Wash contaminated clothing before reuse IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth



	Issuing Date: 1-Jun-2008	Revision Date: 4	-Apr-2019	SDS Number: 9116	
	Fire In case of fire: Use CO2, dry chemical, or foa	m for extinction			
	Precautionary Statements - Storage Store locked up Store in a well-ventilated place. Keep container tightly closed				
	Precautionary Statements - Disposal Dispose of contents/container to an approved	l waste disposal plan	t		
	Hazards not otherwise classified (HNOC)				
	Not applicable				
	<u>Unknown Toxicity</u> 0.1% of the mixture consists of ingredient(s) of	of unknown toxicity			
	Other information				
	PROLONGED OR REPEATED CONTACT N	IAY DRY SKIN AND	CAUSE IRRITATION		
	Interactions with Other Chemicals Use of alcoholic beverages may enhance tox	ic effects.			
(3. Composi	tion / Information	n on Ingredients)	
	Chemical Name	CAS No	Weight-%	Trade Secret	
	Methyl alcohol 67-56-1 30 - 40 *				

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. First Aid Measures

First aid measures	
General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Seek immediate medical attention/advice. Remove contact lenses, if present and easy to do. Continue rinsing.
	Page 3 of 15



	Issuing Date: 1-Jun-2008	8 Revision Date: 4-Apr-2019	SDS Number: 9116
	Skin Contact	Immediate medical attention is required. Wash off immediately plenty of water while removing all contaminated clothes and s	
	Inhalation	Remove to fresh air. If not breathing, give artificial respiration. difficult, (trained personnel should) give oxygen.	If breathing is
	Ingestion	Do NOT induce vomiting. Rinse mouth immediately and drink Never give anything by mouth to an unconscious person. Call poison control center immediately.	
	Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) in precautions to protect themselves and prevent spread of cont	
	Most important sympt	oms and effects, both acute and delayed	
	Most Important Symptoms and Effects	Coughing and/ or wheezing. Difficulty in breathing.	
	Indication of any imme	ediate medical attention and special treatment needed	
	Notes to Physician	Treat symptomatically.	
-(5. Fire-fighting Measures)—
-(<u>Suitable Extinguishing M</u> Dry chemical, CO2, water		eams.
-(Dry chemical, CO2, water	ledia spray or regular foam. Use water spray or fog; do not use straight stre	
-(Dry chemical, CO2, water	ledia spray or regular foam. Use water spray or fog; do not use straight stre <u>g media</u> licts have a very low flash point. Use of water spray when fighting fire r <u>I from the Chemical</u>	
-(Dry chemical, CO2, water <u>Unsuitable extinguishing</u> CAUTION: All these produ <u>Specific Hazards Arising</u>	ledia spray or regular foam. Use water spray or fog; do not use straight stre <u>g media</u> licts have a very low flash point. Use of water spray when fighting fire r <u>I from the Chemical</u>	
-(Dry chemical, CO2, water <u>Unsuitable extinguishing</u> CAUTION: All these produ <u>Specific Hazards Arising</u> Some may be transported	Media spray or regular foam. Use water spray or fog; do not use straight stree <u>a media</u> licts have a very low flash point. Use of water spray when fighting fire r <u>from the Chemical</u> hot. Flammable Liquid: I-C	
-(Dry chemical, CO2, water <u>Unsuitable extinguishing</u> CAUTION: All these produ <u>Specific Hazards Arising</u> Some may be transported <u>Uniform Fire Code</u> <u>Hazardous Combustion</u>	Media spray or regular foam. Use water spray or fog; do not use straight stree <u>a media</u> licts have a very low flash point. Use of water spray when fighting fire r <u>from the Chemical</u> hot. Flammable Liquid: I-C <u>Products</u>	
-(Dry chemical, CO2, water Unsuitable extinguishing CAUTION: All these produ Specific Hazards Arising Some may be transported Uniform Fire Code Hazardous Combustion Carbon oxides. Explosion Data Sensitivity to Mechanica	Media spray or regular foam. Use water spray or fog; do not use straight stree <u>a media</u> licts have a very low flash point. Use of water spray when fighting fire r <u>from the Chemical</u> hot. Flammable Liquid: I-C <u>Products</u>	



Issuing Date: 1-Jun-2008

Revision Date: 4-Apr-2019

SDS Number: 9116

<u>Protective equipment and precautions for firefighters</u> Move containers from fire area if you can do it without risk.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Do not breathe vapor or mist. Keep people away from and upwind of spill/leak. See section 8 for more information. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.
Other Information	Water spray may reduce vapor; but may not prevent ignition in closed spaces.
Environmental Precaution	ons.
Environmental Precautions	Prevent entry into waterways, sewers, basements or confined areas.
Methods and material for	r containment and cleaning up
Methods for Containmen	It A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.
Methods for cleaning up	Use clean non-sparking tools to collect absorbed material. Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

	SOUTH WIN,	LTD.	Safety Data Sheet
	Issuing Date: 1-Jun-2008	Revision Date: 4-Apr-2019	SDS Number: 9116
-(7. Handling and Storage	
	Precautions for safe handling	ing	
	Handling <u>Conditions for safe storage</u>	Handle in accordance with good industrial hygie with skin, eyes or clothing. In case of insufficient equipment. Do not eat, drink or smoke when usi clothing and wash before reuse. Do not breathe ventilation and in closed systems. Use personal heat/sparks/open flames/hot surfaces No smo connection when transferring this material to pre Use spark-proof tools and explosion-proof equip sprinklers. Use according to package label instru- e, including any incompatibilities	t ventilation, wear suitable respiratory ing this product. Take off contaminated vapor or mist. Use only with adequate protection equipment. Keep away from oking. Use grounding and bonding event static discharge, fire or explosion. oment. Keep in an area equipped with
	Storage	Keep containers tightly closed in a dry, cool and reach of children. Protect from moisture. Store a up. Keep away from heat, sparks, flame and oth electric motors and static electricity). Keep in pro- near combustible materials. Keep in an area equ accordance with the particular national regulation regulations.	away from other materials. Store locked ler sources of ignition (i.e., pilot lights, operly labeled containers. Do not store uipped with sprinklers. Store in
	Incompatible Products	None known based on information supplied.	
-(8. Exposure Controls / Personal Prote	ction)—
	Control parameters		

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH		
Methyl alcohol	STEL = 250 ppm	TWA: 200 ppm	IDLH: 6000 ppm		
67-56-1	TWA: 200 ppm	TWA: 260 mg/m ³	TWA: 200 ppm		
	S*	(vacated) TWA: 200 ppm	TWA: 260 mg/m ³		
		(vacated) TWA: 260	STEL: 325 mg/m ³		
		mg/m ³	STEL: 250 ppm		
		(vacated) STEL: 250 ppm			
		(vacated) STEL: 325			
		mg/m ³			
		(vacated) S*			
ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational					
Safety and Health Administrati	on - Permissible Exposure Limits İr	mmediately Dangerous to L	ife or Health		
		• · · · · · · · · · · · ·			
Other Exposure	Vacated limits revoked by the				
Guidelines	F.2d 962 (11th Cir., 1992) See	section 15 for national e	exposure control parameters		



Issuing Date: 1-Jun-200	8 Revision Date: 4-Apr-2019	SDS Number: 9116
Appropriate engineering	controls	
Engineering Measures	Showers Eyewash stations Ventilation systems	
Individual protection me	asures, such as personal protective equipment	
Eye/Face Protection	None required for consumer use. If splashes are likely to occu with side shields (or goggles).	r:. Wear safety glasses
Skin and Body Protectio	nNone required for consumer use. Repeated or prolonged contagores and protective clothing.	act:. Wear protective
Respiratory Protection	No protective equipment is needed under normal use condition exceeded or irritation is experienced, ventilation and evacuation	•
Hygiene Measures	Handle in accordance with good industrial hygiene and safety eat, drink or smoke when using this product. Take off contamin wash before reuse. Avoid contact with skin, eyes or clothing. V gloves and eye/face protection. No information available. Regu equipment, work area and clothing is recommended. Wash ha and immediately after handling the product. Do not breathe va Contaminated work clothing should not be allowed out of the v	nated clothing and Wear suitable ular cleaning of unds before breaks por or mist.

9. Physical and Chemical Properties

Physical and Chemical Properties

Appearance Color	Liquid Blue	Odor Odor Threshold	Mild Alcohol No information available
Property	Values	Remarks Method	
DH	8.5	None known	
Melting / freezing point	No data available	None known	
Boiling point / boiling range	86 °C / 187 °F	None known	
Flash Point	29 °C / 85 °F	None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
/apor pressure	No data available	None known	
/apor density	No data available	None known	



Issuing Date: 1-Jun-2008	Revision Date:	4-Apr-2019	SDS Number: 9116
Specific Gravity Water Solubility Solubility in other solvents	No data available Miscible in water No data available	None known None known None known	
Partition coefficient: n-octanol/water Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing Properties	No data available No data available No data available No data available No data available No data available No data available	None known None known None known None known None known	
Other Information Softening Point VOC Content (%) Particle Size Particle Size Distribution	No data available No data available No data available		
-	10. Stability and R	leactivity)— (
ReactivityNo data available.Chemical stabilityStable under recommended storage condPossibility of Hazardous ReactionsNone under normal processing.Hazardous PolymerizationHazardous polymerization does not occuConditions to avoidExcessive heat. Heat, flames and sparksIncompatible materialsNone known based on information suppliHazardous Decomposition ProductsCarbon oxides.	r.		
1 [·] Information on likely routes of exposu	1. Toxicological In <u>re</u>	formation	
Product Information .			
	Page 8 of	15]	



Issuing Date: 1-Ju	า-2008	Revision Date: 4-Apr-2019	SDS Number: 9116
Inhalation Specific test data for the substance or mixture is not available. Toxic by inhalation. (based on components).		ailable. Toxic by inhalation.	
Eye Contact	Specific test da	ata for the substance or mixture is not ava	ailable.
Skin Contact		ata for the substance or mixture is not ava be absorbed through the skin in harmful a	
Ingestion		ata for the substance or mixture is not ava ased on components).	ailable. May be harmful if

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Methyl alcohol	= 5628 mg/kg (Rat)	-	= 83.2 mg/L (Rat)4 h
67-56-1			

Information on toxicological effects

Symptoms	Coughing and/ or wheezing. Difficulty in breathing.	
Delayed and immediate	effects as well as chronic effects from short and long-term exposure	
Sensitization	No information available.	
Mutagenic Effects	No information available.	
Carcinogenicity	Contains no ingredient listed as a carcinogen.	
Reproductive Toxicity	No information available.	
STOT - single exposure	Based on classification criteria from the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200), this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. Detailed substance and/or ingredient information may be provided in other sections of this SDS. Target organs effects listed in this document may result from a single overexposure to this product. Causes damage to organs if swallowed. Causes damage to organs in contact with skin.	
STOT - repeated exposure	No information available.	
Chronic Toxicity	No known effect based on information supplied. Effects from this product caused by acute exposure may cause permanent damage to target organs and/or may cause chronic conditions.	
	Page 9 of 15	



Issuing Date: 1-Jun-2008

Safety Data Sheet

SDS Number: 9116

_	
Target Organ Effects	Respiratory system. Systemic Toxicity. Central Nervous System (CNS). Eyes. Gastrointestinal tract (GI). Skin.
Aspiration Hazard	No information available.
Numerical measures of	axicity Product Information
The following values are	calculated based on chapter 3.1 of the GHS document
ATEmix (oral) ATEmix (dermal) ATEmix (inhalation-dust ATEmix (inhalation-vapo	7 0

Revision Date: 4-Apr-2019

12. Ecological Information

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Methyl alcohol		96h LC50: = 28200 mg/L	EC50 = 39000 mg/L	
		5	0	
67-56-1		(Pimephales promelas) 96h		
		LC50: > 100 mg/L	EC50 = 40000 mg/L	
		(Pimephales promelas) 96h	15 min	
		LC50: 19500 - 20700 mg/L	EC50 = 43000 mg/L	
		(Oncorhynchus mykiss) 96h	5 min	
		LC50: 18 - 20 mL/L		
		(Oncorhynchus mykiss) 96h		
		LC50: 13500 - 17600 mg/L		
		(Lepomis macrochirus)		

Persistence and Degradability

No information available.

Bioaccumulation

Chemical Name	Log Pow
Methyl alcohol	-0.77
67-56-1	

Other adverse effects

No information available.

 \mathbf{F}



Waste treatment methods	siderations		\mathbf{F}
Disposal methods This material, as supplied, is regulations (40 CFR 261).	s a hazardous waste ac	cording to federal	
Contaminated Packaging Dispose of contents/contain	ners in accordance with	local regulations.	
US EPA Waste Number D001 U154			
Chemical Name RCRA RCRA - Basis for Listing R	CRA - D Series Wastes	RCRA - U Series Wastes	
Methyl alcohol Included in waste stream:		U154	
67-56-1 F039			
This product contains one or more substances that are listed wi Chemical Name	California Hazardous		
Methyl alcohol	Toxic		
67-56-1	Ignitable		
14. Transport In			J
	DOTProper Shipping NameCONSUMER COMMODITYHazard ClassORM-DDescriptionCONSUMER COMMODITYEmergency Response128Guide Number		
Hazard ClassORM-DDescriptionCONSUMER COMMODITYEmergency Response128			
Proper Shipping Name CONSUMER COMMODITY Hazard Class ORM-D Description CONSUMER COMMODITY Emergency Response 128 Guide Number UN1992 Proper Shipping Name FLAMMABLE LIQUID, TOXIC NOS Hazard Class 3	S		
Proper Shipping Name CONSUMER COMMODITY Hazard Class ORM-D Description CONSUMER COMMODITY Emergency Response 128 Guide Number 128 TDG UN1992 Proper Shipping Name FLAMMABLE LIQUID, TOXIC NOS Hazard Class 3 Subsidiary Class 6.1	S		
Proper Shipping Name CONSUMER COMMODITY Hazard Class ORM-D Description CONSUMER COMMODITY Emergency Response 128 Guide Number 128 TDG UN-No. Proper Shipping Name FLAMMABLE LIQUID, TOXIC NOS Hazard Class 3 Subsidiary Class 6.1 Packing Group III			
Proper Shipping Name CONSUMER COMMODITY Hazard Class ORM-D Description CONSUMER COMMODITY Emergency Response 128 Guide Number 128 TDG UN1992 Proper Shipping Name FLAMMABLE LIQUID, TOXIC NOS Hazard Class 3 Subsidiary Class 6.1			



Issuing Date: 1-Jun-2008	Revision Date: 4-Apr-2019	SDS Number: 9116
Subsidiary Class Packing Group Description	6.1 III UN1992, FLAMMABLE LIQUID, TOXIC, NOS	
ICAO		
UN-No. Proper Shipping Name Hazard Class Subsidiary Class Packing Group Description	UN1992 FLAMMABLE LIQUID, TOXIC NOS 3 6.1 III UN1992, FLAMMABLE LIQUID, TOXIC, NOS	
UN-No. Proper Shipping Name Hazard Class Subsidiary Class Packing Group Description	UN1992 FLAMMABLE LIQUID, TOXIC NOS 3 6.1 III UN1992, FLAMMABLE LIQUID, TOXIC, NOS	
IMDG/IMO		
UN-No. Proper Shipping Name Hazard Class Subsidiary Class Packing Group EmS-No. Description	UN1992 FLAMMABLE LIQUID, TOXIC NOS 3 6.1 III F-E, S-D UN1992, FLAMMABLE LIQUID, TOXIC, NOS	
<u>RID</u> UN-No. Proper Shipping Name Hazard Class Subsidiary Class Packing Group Classification code Description ADR/RID- Labels	UN1992 FLAMMABLE LIQUID, TOXIC NOS 3 6.1 III F1 UN1992, FLAMMABLE LIQUID, TOXIC, NOS	
ADR UN-No. Proper Shipping Name Hazard Class Packing Group Tunnel Restriction code Classification code Description ADR/RID- Labels	UN1992 FLAMMABLE LIQUID, TOXIC NOS 3 III (D/E) FT1 UN1992, FLAMMABLE LIQUID, TOXIC, NOS	
	Page 12 of 15	



Issuing Date: 1-Jun-2008

Revision Date: 4-Apr-2019

SDS Number: 9116

<u>ADN</u>

UN-No.	UN1992
Proper Shipping Name	FLAMMABLE LIQUID, TOXIC NOS
Hazard Class	3
Packing Group	III
Classification code	F1
Special Provisions	279, 802
Description	UN1992, FLAMMABLE LIQUID, TOXIC, NOS
Hazard Labels	6.1
Limited Quantity	1 L
Ventilation	VE01, VE02
Ventilation	VE01, VE02

15. Regulatory Information

International Inventories

TSCA DSL Complies All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Methyl alcohol - 67-56-1	67-56-1	30 - 40	1.0

SARA 311/312 Hazard

Categories	
Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Page **13** of **15**



Issuing Date: 1-Jun-2008

Revision Date: 4-Apr-2019

SDS Number: 9116

<u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Methyl alcohol 67-56-1	5000 lb		RQ= 2270 kg final RQ RQ= 5000 lb final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Methyl alcohol - 67-56-1	Developmental

US State Right-to-know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsyl vania	Rhode Island	Illinois
Methyl alcohol 67-56-1	Х	Х	Х	Х	Х

International Regulations

Mexico

National occupational exposure limits

Component	Carcinogen Status	Exposure Limits	
Methyl alcohol		Mexico: TWA= 200 ppm	
67-56-1 (15 - 40)		Mexico: TWA= 260 mg/m ³	
		Mexico: STEL= 250 ppm	
		Mexico: STEL= 310 mg/m ³	

Mexico - Occupational Exposure Limits - Carcinogens

Canada WHMIS Hazard Class B2 - Flammable liquid D2A - Very toxic materials D2B - Toxic materials



